

# **2011 IEEE Compound Semiconductor Integrated Circuit Symposium**

**(CSICS 2011)**

**Waikoloa, Hawaii, USA  
16 - 19 October 2011**



**IEEE Catalog Number: CFP11GAA-PRT  
ISBN: 978-1-61284-711-5**

# List of Papers

---

## SESSION A: PLENARY SESSION

**Chairpersons:** Francois Colomb, *Raytheon Company*  
Douglas McPherson, *Ciena Corp.*

- A.1 **Advanced Millimeter-Wave Multifunction Systems and the Implications for Semiconductor Technology (Invited)''''3**  
H. Bruce Wallace, *Defense Advanced Research Projects Agency, United States*
- A.2 **100-Gbit/s PDM-QPSK Integrated Coherent Receiver Front-End for Optical Communications (Invited)''''6**  
Koichi Murata<sup>1</sup>, Takashi Saida<sup>1</sup>, Ikuo Ogawa<sup>1</sup>, Ryoichi Kasahara<sup>1</sup>, Yoshifumi Muramoto<sup>1</sup>, Hiroyuki Fukuyama<sup>1</sup>, Kimikazu Sano<sup>1</sup>, Hideyuki Nosaka<sup>1</sup> and Hiroto Kawakami<sup>2</sup>, <sup>1</sup>*NTT Photonics Laboratories, Atsugi, Japan*, <sup>2</sup>*NTT Network, Innovation Laboratories, NTT Corporation, Yokosuka, Japan*
- A.3 **Near-Junction Thermal Management for Wide Bandgap Devices (Invited)''''1**  
Avram Bar-Cohen<sup>1</sup>, John D. Albrecht<sup>1</sup> and Joseph J. Maurer<sup>2</sup>, <sup>1</sup>*Defense Advanced Research Projects Agency, Arlington, VA, United States*, <sup>2</sup>*Booz Allen Hamilton Inc., Arlington, VA, United States*
- A.4 **Millimeter-Wave and THz Circuits in 45-nm SOI CMOS (Invited)''''35**  
Ozgur Inac, Berke Cetinoneri, Mehmet Uzunkol, Yusuf A. Atesal and Gabriel M. Rebeiz, *University of California, San Diego, CA, United States*
- A.5 **III-V Quantum Well Field Effect Transistors on Silicon for Future High Performance and Low Power Logic Applications (Invited)''''39**  
G. Dewey, M. Radosavljevic and N. Mukherjee, *Intel Corporation, Hillsboro, OR, United States*

## SESSION B: Power Amplifier Technologies

**Chairpersons:** Qi Zhang, *Hittite Microwave Corporation*  
Kazuya Yamamoto, *Mitsubishi Electric Corporation*

- B.1 **Challenges and Requirements of Multimode Multiband Power Amplifiers for Mobile Applications (Invited)''''43**  
Nick Cheng and James P. Young, *Skyworks Solutions, Inc., Newbury Park, United States*
- B.2 **325W HVHBT Doherty Final and LDMOS Doherty Driver with 30dB Gain and 54% PAE Linearized to -55dBc for 2c11 6.5dB PAR ''''47**  
Preston Page, Craig Steinbeiser, Thomas Landon, Gary Burgin, Rached Hajji, Roger Branson, Oleh Krutko, Joe Delaney and Larry Witkowski, *TriQuint Semiconductor, Richardson, United States*
- B.3 **A 600-W C-Band Amplifier Using Spatially Combined GaAs FETs''''4;**  
H. T. Than, G. W. Sun, G. S. Cuellar, J. Zeng, N. T. Schultz, M. E. Moya, Y. Chung, B. C. Deckman and M. P. DeLisio, *Wavestream Corporation, San Dimas, United States*
- B.4 **Waveform Engineering beyond the Safe Operating Region: Fully Active Harmonic Load Pull Measurements under Pulsed Conditions''''55**  
M. A. Casbon, P. J. Tasker and J. Benedikt, *Cardiff University, Cardiff, United Kingdom*
- B.5 **High Efficiency Ka-Band Power Amplifier MMIC Utilizing a High Voltage Dual Field Plate GaAs PHEMT Process''''59**  
Charles F. Campbell, Deep C. Dumka, Ming-Yih Kao and David M. Fanning, *TriQuint Semiconductor, Richardson, United States*

## SESSION C: High-speed CMOS Design and Technology

**Chairpersons:** Takuji Yamamoto, *Fujitsu Laboratories*  
Jonghae Kim, *Qualcomm Inc*

- C.1 **Applications of SOI Technologies to Communication (Invited)''''63**  
Jean-Olivier Plouchart, *IBM T.J. Watson, Yorktown Heights, United States*
- C.2 **A CMOS Low-Power 10:4 MUX and 4:10 DEMUX Gearbox IC for 100-Gigabit Ethernet Link ''''67**  
Koji Fukuda<sup>1</sup>, Goichi Ono<sup>1</sup>, Keiki Watanabe<sup>2</sup>, Takashi Muto<sup>2</sup>, Hiroki Yamashita<sup>1</sup>, Noboru Masuda<sup>1</sup>, Ryo Nemoto<sup>1</sup>, Eiichi Suzuki<sup>1</sup>, Takashi Takemoto<sup>1</sup>, Fumio Yuki<sup>1</sup>, Masayoshi Yagyu<sup>1</sup>, Hidehiro Toyoda<sup>1</sup>, Masashi Kono<sup>1</sup>, Akihiro Kambe<sup>1</sup>, Seiichi Umai<sup>2</sup>, Tatsuya Saito<sup>1</sup> and Shinji Nishimur<sup>1</sup>, <sup>1</sup>*Hitachi, Ltd., Kokubunji, Japan*, <sup>2</sup>*Hitachi, Ltd., Ome, Japan*

---

---

## SESSION D: High Speed Mixed-Signal Circuits

**Chairpersons:** Greg Creech, *Air Force Research Laboratory*  
Payam Heydari, *University of California, Irvine*

- D.1 **InP DHBT Very High Speed Power-DACs for Spectrally Efficient Optical Transmission Systems**<sup>\*\*\*\*6</sup>;  
J. Godin<sup>1</sup>, A. Konczykowska<sup>1</sup>, J.-Y. Dupuy<sup>1</sup>, F. Jorge<sup>1</sup>, A. Gnauck<sup>2</sup>, M. Riet<sup>1</sup>, J. Moulu<sup>1</sup>, V. Nodjiadjim<sup>1</sup>, P. Berdaguer<sup>1</sup> and F. Blache<sup>1</sup>,  
<sup>1</sup>III-V LAB, Joint lab between Bell Labs, TRT, and CEA/LETI, Route de Nozay, France, <sup>2</sup>Bell Labs, Alcatel-Lucent, New Jersey, United States
- D.2 **A 25 GHz Analog Multiplexer for a 50GS/s D/A-Conversion System in InP DHBT Technology**<sup>\*\*\*\*75</sup>  
Damir Ferenci, Markus Grözing and Manfred Berroth, *Institute of Electrical and Optical Communications Engineering, University of Stuttgart, Stuttgart, Germany*
- D.3 **A 6 V<sub>pp</sub>, 52 dB, 30-dB Dynamic Range, 43 Gb/s InP DHBT Differential Limiting Amplifier**<sup>\*\*\*\*79</sup>  
J.-Y. Dupuy, A. Konczykowska, F. Jorge, M. Riet, P. Berdaguer and J. Godin, *III-V LAB, Joint lab between Bell Labs, TRT, and CEA/LETI, Route de Nozay, France*
- D.4 **DC - 10GHz RF Digital to Analog Converter**<sup>\*\*\*\*83</sup>  
Myung-Jun Choe, Kang-Jin Lee, Munkyo Seo and Mesfin Teshome, *Teledyne Scientific Company, Thousand Oaks, California, United States*

## SESSION E: Advanced Technology and Novel Devices

**Chairpersons:** Bruce Green, *Freescale*  
Brian Hughes, *HRL Laboratories*

- E.1 **High Performance Mixed Signal and RF Circuits Enabled by the Direct Monolithic Heterogeneous Integration of GaN HEMTs and Si CMOS on a Silicon Substrate (Invited)**<sup>\*\*\*\*87</sup>  
T. E. Kazior<sup>1</sup>, R. Chelakara<sup>1</sup>, W. Hoke<sup>1</sup>, J. Bettencourt<sup>1</sup>, T. Palacios<sup>2</sup> and H. S. Lee<sup>2</sup>, <sup>1</sup>Raytheon Integrated Defense Systems, Andover, Massachusetts, USA, <sup>2</sup>Department of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
- E.2 **0.15µm Y-Gate pHEMT Process Using Deep-UV Phase-Shift Lithography**<sup>\*\*\*\*8</sup>;  
Jerry G. Wang, John Stanback and Kohei Fujii, *Avago Technologies, Fort Collins, USA*
- E.3 **A Novel Clamp Based ESD Protection Structure for High Power RF Ports in GaAs pHEMT Process**<sup>\*\*\*\*95</sup>  
Swaminathan Muthukrishnan, Cody Hale and Nathaniel Peachey, *RFMD, Greensboro, USA*
- E.4 **Insulated-Gate Integrated III-Nitride RF Switches**<sup>\*\*\*\*99</sup>  
R. Gaska<sup>1</sup>, J. Yang<sup>1</sup>, D. Billingsley<sup>1</sup>, B. Khan<sup>2</sup>, G. Simin<sup>2</sup>, H. Y. Wong<sup>3</sup>, N. Braga<sup>3</sup>, X. Hu<sup>1</sup>, J. Deng<sup>1</sup>, M. Shur<sup>1</sup> and R. Mickevicius<sup>3</sup>,  
<sup>1</sup>SET, Inc, Columbia, South Carolina, USA, <sup>2</sup>Dept. of Electrical Engineering, University of South Carolina, Columbia, South Carolina, USA, <sup>3</sup>Synopsys, Inc. Mountain View, California, USA
- E.5 **Realization of Logic Operations Through Optimized Ballistic Deflection Transistors**<sup>\*\*\*\*3</sup>  
V. Kaushal<sup>1</sup>, M. Margala<sup>1</sup>, I. Iñiguez-de-la-Torre<sup>2</sup>, T. González<sup>2</sup> and J. Mateos<sup>2</sup>, <sup>1</sup>University of Massachusetts Lowell, Lowell, United States, <sup>2</sup>Universidad de Salamanca, Salamanca, Spain

## SESSION F: Millimeter-wave Transmitters & Receivers

**Chairpersons:** Herbert Zirath, *Chalmers University*  
Michael Heimlich, *Macquarie University*

- F.1 **History and Evolution of Millimetre-Wave MMICs for Point-to-Point Radio (Invited)**<sup>\*\*\*\*7</sup>  
James T. Harvey, Simon J. Mahon and William F. Montgomery III, *M/A-COM Technology Solutions, North Sydney, Australia*
- F.2 **A 42 GHz Amplifier Designed Using Common-Gate Load Pull**<sup>\*\*\*\*</sup>;  
Simon J. Mahon, *M/A-COM Technology Solutions, North Sydney, Australia*
- F.3 **High Linearity Fully Integrated SMT Amplifier with 43dBm OIP3 at 27-34GHz Using Low Cost High Volume PHEMT**<sup>\*\*\*\*5</sup>  
Kohei Fujii, *Avago Technologies, Inc., San Jose, United States*

---

F.4 **A W-Band x12 Frequency Multiplier MMIC in Waveguide Package Using Quartz and Ceramic Transitions**""9  
R. Weber<sup>1</sup>, A. Tessmann<sup>1</sup>, M. Zink<sup>1</sup>, M. Kuri<sup>1</sup>, I. Kallfass<sup>2</sup>, H.-P. Stulz<sup>1</sup>, M. Rießle<sup>1</sup>, H. Maßler<sup>1</sup>, T. Maier<sup>1</sup>, A. Leuther<sup>1</sup> and M. Schlechtweg<sup>1</sup>, <sup>1</sup>Fraunhofer-Institute for Applied Solid State Physics (IAF), Freiburg, Germany, <sup>2</sup>Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany

F.5 **A 53 GHz Single Chip Receiver for Geostationary Atmospheric Measurements**""323  
Marcus Gavell<sup>1</sup>, Mattias Ferndahl<sup>1</sup>, Sten E. Gunnarsson<sup>2</sup> and Herbert Zirath<sup>2</sup>, <sup>1</sup>Gotmic AB, Göteborg, Sweden, <sup>2</sup>Chalmers University of Technology, Göteborg, Sweden

## SESSION G: 100Gbit/s Transmitter and Receiver ICs

**Chairpersons:** Douglas McPherson, *Ciena Corp*  
Emilio Sovero, *Northrop Grumman Aerospace*

G.1 **Ultra-High-Speed Transmitter and Receiver ICs for 100 Gbit/s Ethernet Using InP DHBTs (Invited)**""327  
R. E. Makon<sup>1</sup>, R. Driad<sup>2</sup>, J. Rosenzweig<sup>2</sup>, V. Hurm<sup>2</sup>, C. Schubert<sup>2</sup>, H. Walcher<sup>2</sup>, M. Schlechtweg<sup>2</sup> and O. Ambacher<sup>2</sup>, <sup>1</sup>Rohde & Schwarz, Munich, Germany, <sup>2</sup>Fraunhofer Institute for Applied Solid State Physics IAF, Freiburg, Germany

G.2 **High-Order Multi-Level Optical Transmission for beyond 100 Gb/s Using High-Speed DACs (Invited)**""32;  
Shogo Yamanaka<sup>1</sup>, Takayuki Kobayashi<sup>1</sup> and Munehiko Nagatani<sup>2</sup>, <sup>1</sup>NTT Network Innovation Laboratories, NTT Corporation, Yokosuka, Japan, <sup>2</sup>NTT Photonics Laboratories, NTT Corporation, Atsugi, Japan

G.3 **A 60-GS/s 6-Bit DAC in 0.5- $\mu$ m InP HBT Technology for Optical Communications Systems**""335  
Munehiko Nagatani, Hideyuki Nosaka, Kimikazu Sano, Koichi Murata, Kenji Kurishima and Minoru Ida, *NTT Photonics Laboratories, NTT Corporation, Atsugi, Japan*

## SESSION H: GaN RF and Reliability

**Chairpersons:** Scott Gatley, *WIN Semiconductors*  
Rik Jos, *NXP Semiconductors*

H.1 **Development of InAlN/GaN HEMTs Power Devices in S-Band**""339  
S. Piotrowicz, E. Chartier, O. Jardel, J. Dufraisse, G. Callet, J.-C. Jacquet, D. Lancereau, E. Morvan, R. Aubry, N. Sarazin, C. Dua, M. Oualli, M. A. Di-Forte Poisson and S. L. Delage, *III-V Lab, a joint lab of Alcatel-Lucent Bell Labs France, THALES Research and Technology and CEA Leti, Marcoussis, France*

H.2 **A Robust AlGaIn/GaN HEMT Technology for RF Switching Applications**""343  
Michael D. Hodge<sup>1,2</sup>, Ramakrishna Vetury<sup>1</sup>, Jeffrey Shealy<sup>1</sup> and Ryan Adams<sup>2</sup>, <sup>1</sup>RF Micro Devices, Charlotte, North Carolina, <sup>2</sup>Department of Electrical and Computer Engineering UNC-Charlotte, NC, USA

H.3 **Identification of Pre-Catastrophic Failure Mechanisms in High Power GaN HEMT** ""347  
Benjamin D. Huebschman<sup>1</sup>, Frank Crowne<sup>1</sup>, Ali M. Darwish<sup>2</sup>, Edward A. Viveiros<sup>1</sup>, Khamsouk Kingkeo<sup>1</sup> and Neil Goldsman<sup>3</sup>, <sup>1</sup>U.S. Army Research Laboratory, Adelphi, MD, USA, <sup>2</sup>Department of Electrical and Computer Engineering, University of Maryland, USA, <sup>3</sup>Electronics Engineering Department, American University in Cairo, Cairo, Egypt

H.4 **Degradation of AlGaIn/GaN High Electron Mobility Transistors from X-Band Operation** ""34;  
E. A. Douglas<sup>1</sup>, S. J. Pearton<sup>1</sup>, B. Poling<sup>3</sup>, F. Ren<sup>2</sup>, E. Heller<sup>3</sup> and D. Via<sup>3</sup>, <sup>1</sup>Department of Materials Science and Engineering, University of Florida, Gainesville, FL, USA, <sup>2</sup>Department of Chemical Engineering, University of Florida, <sup>3</sup>Sensors Directorate, U. S. Air Force Research Laboratory, Dayton, OH, USA

## SESSION I: Power Electronics and Efficient Energy Conversion

**Chairpersons:** Toshi Kikkawa, *Fujitsu Laboratories Ltd.*  
Marc Rocchi, *OMMIC*

I.1 **Automotive Applications of GaN Power Devices (Invited)**""355  
Tetsu Kachi<sup>1,2</sup>, Masakazu Kanechika<sup>1,2</sup> and Tsutomu Uesugi<sup>1</sup>, <sup>1</sup>Toyota Central R&D Labs., Inc., Aichi, Japan, <sup>2</sup>Japan Science and Technology Agency, Tokyo, Japan

I.2 **A 95% Efficient Normally-Off GaN-on-Si HEMT Hybrid-IC Boost-Converter with 425-W Output Power at 1 MHz**""358  
Brian Hughes, Yeong Y. Yoon, Daniel M. Zehnder and Karim S. Boutros, *HRL Laboratories, LLC, Malibu, United States*

---

I.3 **Extraction of Dynamic On-Resistance in GaN Transistors: Under Soft- and Hard-Switching Conditions**""35;  
Bin Lu<sup>1</sup>, Tomas Palacios<sup>1</sup>, Dilip Risbud<sup>2</sup>, Sandeep Bahl<sup>2</sup> and David I. Anderson<sup>2</sup>, <sup>1</sup>Massachusetts Institute of Technology, Cambridge, United States, <sup>2</sup>National Semiconductor Co., Santa Clara, United States

I.4 **The Power Electronics Market and the Status of GaN Based Power Devices (Invited)**""365  
Michael A. Briere, *ACOO Enterprises LLC, Scottsdale, Arizona, USA*

## SESSION J: mm-Wave CMOS Circuits

**Chairpersons:** Jonghae Kim, *Qualcomm Inc*  
Kazuya Yamamoto, *Mitsubishi Electric Corp.*

J.1 **A 2.5-dB Insertion Loss, DC-60 GHz CMOS SPDT Switch in 45-nm SOI** ""369  
Mehmet Parlak and James F. Buckwalter, *University of California, San Diego, La Jolla, United States*

J.2 **A 57-66 GHz Vector Sum Phase Shifter with Low Phase/Amplitude Error Using a Wilkinson Power Divider with LH/RTL Elements**""373  
Pen-Jui Peng, Jui-Chih Kao and Huei Wang, *National Taiwan University, Taipei, Taiwan*

J.3 **A Q-Band Amplifier Implemented with Stacked 45-nm CMOS FETs**""377  
Sataporn Pornpromlikit, Hayg-Taniel Dabag, Bassel Hanafi, JooHwa Kim, Lawrence E. Larson, James F. Buckwalter and Peter M. Asbeck, *University of California, San Diego, La Jolla, United States*

## SESSION K: Advances in Device Modeling

**Chairpersons:** Joe Gering, *RFMD*  
Brian Moser, *RFMD*

K.1 **SiGeC and InP HBT Compact Modeling for mm-Wave and THz Applications (Invited)**""37;  
M. Schroter<sup>1,2</sup>, A. Pawlak<sup>1</sup>, P. Sakalas<sup>1</sup>, J. Krause<sup>1</sup> and T. Nardmann<sup>1</sup>, <sup>1</sup>Technical University Dresden, Dresden, Germany, <sup>2</sup>University of California at San Diego, La Jolla, United States

K.2 **Pervasive Modeling in InP HBT Technology Development** ""385  
James Chingwei Li, Tahir Hussain, Donald A. Hitko and Marko Sokolich, *HRL Laboratories LLC, Malibu, United States*

K.3 **Novel HEMT Models with Improved Higher-Order Derivatives and Extracting Their Parameters Using Multibias S-Parameters**""389  
Josef Dobeš<sup>1</sup> and Martin Grábner<sup>2</sup>, <sup>1</sup>Czech Technical University in Prague, Prague, Czech Republic, <sup>2</sup>Czech Metrology Institute, Prague, Czech Republic

## SESSION L: Multi-Function MMICs and Signal Generation

**Chairpersons:** Harris Moyer, *HRL Laboratories, LLC*  
Gilbert De la Rosa, *Anadigics Inc.*

L.1 **Front-Ends for Hybrid Beamforming AESA's (Invited)**""393  
F. E. van Vliet, *TNO, The Hague, Netherlands*

L.2 **A MMIC Frequency Doubler Using AlGaIn/GaN HEMT Technology**""394  
Valiallah Zomorrodian and Robert A. York, *University of California Santa Barbara, Santa Barbara CA, United States*

L.3 **An X-Band Low Phase Noise AlGaIn-GaN-HEMT MMIC Push-Push Oscillator**""398  
Herbert Zirath, Lai Szchau, Dan Kuylenskierna, Jonathan Felbinger, Kristoffer Andersson and Niklas Rorsman, *Chalmers University of Technology, Gothenburg, Sweden*

L.4 **InP/GaInAs pHEMT Ultralow-Power Consumption MMICs**""3: 2  
L. Liu, A. R. Alt, H. Benedickter and C. R. Bolognesi, *ETH Zurich, Zurich, Switzerland*

---

---

## SESSION M: Terahertz Components and Technologies

**Chairpersons:** Seyed A. Tabatabaei, *T-Optics*  
Karthik Krishnamurthy, *RFMD*

### M.1 A 75 mW 210 GHz Power Amplifier Module ""3: 6

Vesna Radisic, Kevin M. K. H. Leong, Stephen Sarkozy, Xiaobing Mei, Wayne Yoshida, Po-Hsin Liu and Richard Lai, *Northrop Grumman Aerospace Systems, Redondo Beach, United States*

### M.2 A 220-225.9 GHz InP HBT Single-Chip PLL ""3: :

Munkyo Seo<sup>1</sup>, Adam Young<sup>1</sup>, Miguel Urteaga<sup>1</sup>, Zach Griffith<sup>1</sup>, Mark Rodwell<sup>2</sup>, Myung-Jun Choe and Mark Field, <sup>1</sup>*Teledyne Scientific Company, Thousand Oaks, United States*, <sup>2</sup>*University of California, Santa Barbara, Santa Barbara, United States*

### M.3 Fully Integrated 300 GHz Receiver S-MMICs in 50 nm Metamorphic HEMT Technology ""3; 4

A. Tessmann, H. Massler, U. Lewark, S. Wagner, I. Kallfass and A. Leuther, *Fraunhofer IAF, Freiburg, Germany*

### M.4 48.8 mW Multi-Cell InP HBT Amplifier with On-Wafer Power Combining at 220 GHz ""3; 8

Thomas B. Reed<sup>1</sup>, Mark J. W. Rodwell<sup>1</sup>, Zach Griffith<sup>2</sup>, Petra Rowell<sup>2</sup>, Miguel Urteaga<sup>2</sup>, Mark Field<sup>2</sup> and Jon Hacker<sup>2</sup>, <sup>1</sup>*University of California, Santa Barbara, Santa Barbara, United States*, <sup>2</sup>*Teledyne Scientific, Thousand Oaks, United States*

## SESSION N: GaN Power Amplifiers

**Chairpersons:** Val Kaper, *Raytheon*  
Tomoyo Kaneko, *NEC*

### N.1 An 8-Watt 250-3000 MHz Low Noise GaN MMIC Feedback Amplifier with > +50 dBm OIP3 ""422

Kevin W. Kobayashi, *RFMD, Torrance, CA, USA*

### N.2 Wideband 1 to 6 GHz Ten and Twenty Watt Balanced GaN HEMT Power Amplifier MMICs ""426

James J. Komiak, Robert J. Lender, Kanin Chu and Pane Chane Chao, *BAE Systems Electronic Solutions, Nashua, NH, USA*

### N.3 Broadband GaN-Based Switch-Mode Core MMICs with 20 W Output Power Operating at UHF ""42:

Stephan Maroldt, Rüdiger Quay, Christian Haupt and Oliver Ambacher, *Fraunhofer Institute for Applied Solid State Physics, Freiburg, Germany*

### N.4 A Decade Bandwidth 90 W GaN HEMT Push-Pull Power Amplifier for VHF / UHF Applications ""434

K. Krishnamurthy, J. Martin, D. Aichele and D. Runton, *RFMD, Charlotte, NC, USA*

### N.5 GaN Envelope Tracking Power Amplifier with More Than One Octave Carrier Bandwidth ""438

Jonmei J. Yan, Chin Hsia, Donald F. Kimball and Peter M. Asbeck, *University of California San Diego, La Jolla, CA, USA*

## SESSION P: Late News Papers

**Chairpersons:** Charles Campbell, *TriQuint Semiconductor*  
Jim Carroll, *AWR Corporation*

### P.1 MMIC Cavity Oscillators ""442

Ahmed Khalil, Ekrem Oran, Christopher Hay and Michael Koechlin, *Hittite Microwave Corporation, Chelmsford, MA, United States*

### P.2 A 122 GHz Multiprobe Reflectometer for Dielectric Sensor Readout in SiGe BiCMOS Technology ""446

Benjamin Laemmle<sup>1</sup>, Klaus Schmalz<sup>2</sup>, Christoph Scheytt<sup>2</sup>, Dietmar Kissinger<sup>1</sup> and Robert Weigel<sup>1</sup>,  
<sup>1</sup>*Institute for Electronics Engineering, University of Erlangen-Nuremberg, Erlangen, Germany*, <sup>2</sup>*IHP, Frankfurt (Oder), Germany*

### P.3 A Phased Array RFIC with Built-In Self-Test Using an Integrated Vector Signal Analyzer ""44:

Ozgur Inac, Donghyup Shin and Gabriel M. Rebeiz, *University of California at San Diego, CA, United States*

### P.4 Liquid Metal Vertical Interconnects for Flip-Chip Assembly of GaAs C-Band Power Amplifiers onto Micro-Rectangular Coaxial Transmission Lines ""453

Parrish Ralston, Marcus Oliver, Krishna Vummidi and Sanjay Raman, *Wireless Microsystems Laboratory, Virginia Tech, Blacksburg, VA, United States*