

**2011 International Topical Meeting on
Microwave Photonics (MWP 2011)
jointly held with the 2011 Asian-Pacific
Microwave Photonics Conference
(APMP 2011)**

**Singapore
18-21 October 2011**



IEEE Catalog Number: CFP11756-PRT
ISBN: 978-1-61284-716-0

Table of Contents

Microwave Photonic Systems and Applications

Parallel Instantaneous Frequency Measurement in a Highly Nonlinear Fiber using Wavelength Labeling <i>L. A. Bui, A. Mitchell, RMIT University, Melbourne, Australia</i>	1
High-Power Photonic Transmitter-Mixer with Ultra-Wide O-E (50 GHz) and IF (26 GHz) Modulation Bandwidths for Wireless Data Transmission <i>F. Kuo^{1,2}, J. Shi^{1,2}, J. Huang^{1,3}, N. Chen³, M. Rodwell², J. Bowers², ¹National Central University , Jungli, Taiwan, ²University of California, Santa Barbara, United States, ³Yuan Ze University, Jungli, Taiwan</i>	5

Reconfigurable and Single-Shot Chirped Microwave Pulse Compression Using a Time-Spectrum Convolution System <i>Ming Li¹, Antonio Malacarne¹, Sophie LaRochelle², Jianping Yao³ and Jose Azana¹, ¹Institut National de la Recherche Scientifique-Énergie, Matériaux et Télécommunications (INRS-EMT), Canada, ²Center for Optics, Photonics and Laser (COPL), Université Laval, Québec, Canada, ³Microwave Photonics Research Laboratory, University of Ottawa, Canada</i>	9
--	---

Experimental Demonstration of 5-Gb/s Polarization-Multiplexed Fiber-Wireless MIMO Systems <i>Y. Zhao^{1,2}, X. Pang², L. Deng^{2,3}, M. B. Othman², X. Yu², X. Zheng¹, H. Zhang¹, I. T. Monroy², ¹Tsinghua University, Beijing, China, ²Technical University of Denmark, Kgs. Lyngby, Denmark, ³HuaZhong University of Science and Technology, Wuhan, China</i>	13
---	----

Student Paper Contest I (System and Applications)

Simplification of Base Station and Uplink Optical Transport in Millimeter-wave Radio-over-Fiber System Employing RF Self-Homodyning <i>A. R. Islam¹, M. Bakaul¹, A. Nirmalathas², G. Town³, ¹NICTA Victoria Research Laboratory, Parkville, Australia, ²University of Melbourne, Parkville, Australia, ³Macquarie University, North Ryde, Australia</i>	17
---	----

Channel Measurements for a Optical Fiber-Wireless Transmission System in the 75-110 GHz Band <i>X. Pang¹, X. Yu¹, Y. Zhao^{2,1}, L. Deng^{3,1}, D. Zibar¹, I. T. Monroy¹, ¹Technical University of Denmark, Lyngby, Denmark, ²Tsinghua University, Beijing, China, ³HuaZhong University of Science and Technology, Wuhan, China</i>	21
---	----

Experimental Demonstration of MIMO RF Signal Transmission in RoF-DAS over WDM-PON <i>K. Miyamoto¹, T. Tashiro², T. Higashino¹, K. Tsukamoto¹, S. Komaki¹, K. Hara², T. Taniguchi², J. Kani², N. Yoshimoto², K. Iwatsuki³, ¹Osaka University, Suita-shi, Japan, ²NTT Corporation, Yokosuka-shi, Japan, ³NTT Corporation, Musashino-shi, Japan</i>	25
--	----

Analysis of Harmonic Distortion Involved in Microwave Photonic Filters <i>M. Rius, M. Bolea, J. Mora, J. Capmany, Universitat Politècnica de València, Valencia, Spain</i>	29
---	----

Opto-electronic Down Conversion: A Novel Approach for Optical Beat Note Stabilisation Up to the THz Domain <i>A. Rolland, G. Loas, L. Frein, M. Vallet, M. Brunel, M. Alouini, Université de Rennes 1, Rennes, France</i>	33
--	----

Programmable Multi-tap Microwave Photonic Phase Filtering via Optical Frequency Comb Shaping <i>M. Song¹, V. Torres-Company^{1,2}, R. Wu¹, E. Hamidi^{1,3}, A. M. Weiner¹, ¹Purdue University, West Lafayette, United States, ²Universitat Jaume I, Castelló de la Plana, Spain, ³Mass General Hospital, Boston, United States</i>	37
---	----

Dynamic Linearity Improvement of Phase and Frequency Modulated Microwave Photonic Links Using Optical Lattice Filter Discriminators <i>J. M. Wyrwas¹, M. S. Rasras², Y. K. Chen², M. A. Cappuzzo², E. Y. Chen², L. T. Gomez², F. Klemens², R. Keller², M. P. Earnshaw², F. Padro², C. Bolle², R. Peach³, C. Middleton³, R. DeSalvo³, M. C. Wu¹, ¹<i>University of California, Berkeley, United States</i>, ²<i>Bell Laboratories, Alcatel-Lucent, Murray Hill, United States</i>, ³<i>Harris Corporation, Melbourne, United States</i></i>	41
Indoor Gigabit Full-Duplex Optical Wireless Communication System with SCM Based Multiple-User Access <i>K. Wang^{1,2}, A. Nirmalathas^{1,2}, C. Lim², E. Skafidas^{1,2}, ¹<i>National ICT Australia - Victoria Research Laboratory (NICTA-VRL), Melbourne, Australia</i>, ²<i>The University of Melbourne, Melbourne, Australia</i></i>	45

Student Paper Contest II (Devices)

All-Optical Controllable Microwave Phase Inverter based on the Cascaded Polarization Modulator and Electro-optic Phase Modulators <i>J. Niu, K. Xu, Y. Li, Z. Wu, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	49
Tomographic Imaging Using Photonically Generated Low-coherence Terahertz Sources <i>T. Isogawa¹, T. Kumashiro¹, H. Song², K. Ajito², N. Kukutsu², K. Iwatsuki³, T. Nagatsuma¹, ¹<i>Osaka University, Toyonaka, Japan</i>, ²<i>NTT Corporation, Atsugi, Japan</i>, ³<i>NTT Corporation, Musashino, Japan</i></i>	53
InP-based Ultra-Fast Photodetectors for Millimeter-Wave Sub-harmonic Mixers <i>E. Rouvalis, M. J. Fice, C. C. Renaud, A. J. Seeds, University College London, London, United Kingdom</i>	57
A Monolithically Integrated Optical Receiver with a Silicon Avalanche Photodetector for Fiber-Wireless IEEE 802.11 WLAN Applications <i>M. Lee¹, J. Youn¹, H. Rücker², W. Choi¹, ¹<i>Yonsei University, Seoul, Republic of Korea</i>, ²<i>Innovations for High Performance Microelectronics (IHP), Frankfurt (Oder), Germany</i></i>	61
Separate Carrier Tuning Scheme for Integrated Optical Delay Lines in Photonic Beamformers <i>M. Burla¹, M. R. Khan¹, D. A. Marpaung¹, L. Zhuang¹, C. G. Roeloffzen¹, A. Leinse², M. Hoekman², R. Heideman², ¹<i>University of Twente, Enschede, Netherlands</i>, ²<i>LioniX BV, Enschede The Netherlands, Netherlands</i></i>	65
2pi Microwave Photonic Phase Shifter based on Single Semiconductor Optical Amplifier <i>J. Sancho, J. A. Lloret, I. Gasulla, S. Sales, J. Capmany, Universidad Politécnica de Valencia, Valencia, Spain</i>	69

Microwave Photonic Sources and Pulse Generation

Monolithic Dual Wavelength DFB Lasers for Narrow Linewidth Heterodyne Beat-note Generation <i>F. van Dijk, A. Accard, A. Enard, O. Drisse, D. Make, F. Lelarge, III-V Lab, Palaiseau, France</i>	73
Oscillation Power of Opto-Electronic Oscillator Limited by Nonlinearities of Mach-Zehnder Modulator and Microwave Amplifier <i>J. Hong¹, C. Yang¹, X. Zhang¹, W. Xie², ¹<i>Southeast University, Nanjing, China</i>, ²<i>State Micro Electronics Co., Ltd, Shenzhen, China</i></i>	77
Optical Comb and Pulse Generation from CW Lightwave <i>T. Sakamoto, University of California, Davis, United States</i>	81
Phase Noise Reduction of 1.55 and 1.3 μm VCSEL Based Optoelectronic Oscillator <i>A. Rissons, N. Gromaire, A. Bacou, J. Mollier, Université de Toulouse, Toulouse, France</i>	85
Frequency Tunable Millimeter Wave Pulse Generation Using Mach-Zehnder-Modulator-Based Flat Comb Generator <i>I. Morohashi, T. Sakamoto, T. Kawanishi, I. Hosako, National Institute of Information and Communications Technology, Tokyo, Jamaica</i>	89

Poster Session I

Design of Low Cost Linearly-Polarized Microstrip Grid Array Antenna for 24 GHz Doppler Sensors <i>B. Zhang¹, L. Zhang², Y. Zhang¹, ¹Nanyang Technological University, Singapore, ²Shangxi University, Taiyuan, China</i>	93
Multi-Channel Radio-over-Fiber System for Millimeter Wave Wireless Communication in the W-Band <i>R. Herschel, A. Gupta, C. G. Schaeffer, Helmut Schmidt University Hamburg, Hamburg, Germany</i>	97
Photon Detection and Emission of Epitaxial Ge on Si with Potential Applications in Microwave Photonic Filters <i>L. Ding¹, A. E. Lim¹, Q. Fang^{1,2}, T. Liow¹, M. Yu¹, G. Lo¹, ¹Institute of Microelectronics, Singapore, ²Chinese Academy of Sciences, Beijing, China</i>	101
Germanium Electro-absorption Modulator for Power Efficient Optical Links <i>E. A. Lim, T. Liow, N. Duan, L. Ding, M. Yu, G. Q. Lo, D. Kwong, Institute of Microelectronics, Singapore</i>	105
Characterization of Silicon Electro-Optical Modulators for Microwave Photonic Links <i>X. Luo¹, X. Tu¹, J. Song^{1,2}, T. Liow¹, Q. Fang^{1,3}, P. Lim⁴, Y. Xiong¹, M. Yu¹, G. Lo¹, ¹Institute of Microelectronics, A*STAR, Singapore, ²State Key Laboratory on Integrated opto-electronics, College of Electronic Science and Engineering, Jilin University, Changchun, China, ³Optoelectronic System Laboratory, Institute of Semiconductors, Chinese Academy of Sciences, Beijing, China, ⁴Division of Microelectronics, School of Electrical and Electronic Engineering, Nanyang Technological University, Singapore</i>	109
Silicon Polarization Diversity Optical Tunable Filter Circuits With Fiber Assembly <i>C. Li¹, J. Zhang^{1,2}, J. H. Song¹, H. Zhang¹, S. Chen¹, M. Yu¹, G. Lo¹, ¹Institute of Microelectronics, Singapore, ²National Metrology Centre, Singapore</i>	113
High Performance Silicon Modulator with Extremely Low Loss <i>X. Tu¹, T. Liow¹, J. Song^{1,2}, M. Yu¹, G. Lo¹, ¹Institute of Microelectronics, A*STAR, Singapore, ²Jilin University, Changchun, China</i>	117
Low Aberration Concave Grating for Re-configurable Optical Add/Drop Multiplexer Applications <i>J. Song^{1,2}, X. Luo¹, Q. Fang^{1,3}, T. Liow¹, H. Cai¹, M. Yu¹, G. Lo¹, ¹Institute of Microelectronics, Singapore, ²Jilin University, Changchun, China, ³Institute of Semiconductors, Chinese Academy of Sciences, Beijing, China</i>	121
Microwave Generation through Photonic Octupling based on Phase Modulation and Brillouin Amplification <i>B. Vidal¹, J. James², A. Nkansah², N. J. Gomes², ¹Universidad Politécnica de Valencia, Valencia, Spain, ²University of Kent, Canterbury, United Kingdom</i>	125
Fiber-Dispersion-Induced Signal Fading for Measuring High-frequency Modulation Efficiency of an Electrooptic Phase Modulator <i>S. Zhang, R. Lu, S. Liu, X. Zhang, Y. Liu, University of Electronic Science and Technology of China, Chengdu, China</i>	129
Multi-Longitudinal Mode Fiber-Optic Vibration Sensor <i>L. Gao, S. Liu, Z. Yin, L. Chen, X. Chen, Nanjing University, Nanjing, China</i>	133
Multiplexing Technique of Radio-on-Fiber Signals on a Single Optical Carrier Using Chromatic Dispersion Control <i>K. Ikeda, Central Research Institute of Electric Power Industry, Komae-shi, Japan</i>	137
Coherent Frequency-to-Time Revisited: Breaking the Fraunhofer Limit to Achieve Ultrabroad Radio-frequency Waveforms <i>V. Torres-Company^{1,2}, D. E. Leaird¹, A. M. Weiner¹, ¹Purdue University, West Lafayette, United States, ²Universitat Jaume I, Castello de la Plana, Spain</i>	141

Electro-Optical Radiofrequency Up-Converter Based on a Semiconductor Optical Amplifier <i>T. Rampone, R. Zulma, A. Sharaiha, European University of Brittany, Brest, France</i>	145
Simultaneous Transmission of Gigabit Wireline Signal and ECMA 387 mmW over Fiber Using a Single MZM in Multi-Band Modulation <i>T. Shao, F. Paresys, Y. Le Guennec, G. Maury, N. Corrao, B. Cabon, the Institute of Microelectronics Electromagnetism and Photonics, Grenoble, France</i>	149
Analog Link Performance of Mode-Locked Laser Diodes in the 60 GHz Range <i>F. Brendel^{1,2}, J. Poette¹, B. Cabon¹, T. Zwick², F. Lelarge³, F. van Dijk³, ¹Institut de Microélectronique, Electromagnétisme et Photonique, Grenoble, France, ²Karlsruher Institut für Technologie, Karlsruhe, Germany, ³Alcatel Thales III-V Lab, Marcoussis, France</i>	153
Impact of Channel Characteristics on the Performance of a 60GHz Radio over Fiber (RoF) System <i>R. Sambaraju¹, K. J. Harrison¹, J. George¹, A. Ng’Oma¹, C. Lin², ¹Corning Incorporated, Corning, United States, ²National Chiao Tung University, Guiren, Taiwan</i>	157
An Alternative Method for High Frequency Effective Vπ Measurements of Phase Modulators <i>J. Hauden, H. Porte, PHOTLINE Technologies, Besançon, France</i>	161
A Photonic Technique for Microwave Frequency Measurement Employing Tunable Dispersive Medium <i>S. Hu, X. Han, P. Wu, Y. Gu, M. Zhao, Dalian University of Technology, Dalian, China</i>	165
Optical Differentiator Based on Mechanically-Induced Long-Period Fiber-Gratings <i>X. Zhou, S. Shi, Z. Zhang, K. Fang, F. Yang, Z. Song, Y. Liu, University of Electronic Science and Technology of China, Chengdu, China</i>	169
Photonic Approach with Multiple FSRs for Instantaneous Frequency Measurement <i>X. Zou, W. Pan, B. Luo, L. Yan, Southwest Jiaotong University, Chengdu, China</i>	172
Intra and Inter-PON ONU to ONU Virtual Private Networking using OFDMA in a Ring Topology <i>L. Deng^{1,2}, Y. Zhao^{2,3}, X. Pang², X. Yu², D. Liu¹, I. T. Monroy², ¹HuaZhong University of Science and Technology, Wuhan, China, ²Technical University of Denmark, Kgs. Lyngby, Denmark, ³Tsinghua University, Beijing, China</i>	176
RF-Assisted Transmitter and Receiver for 100G Optical Transmission <i>B. Olsson¹, J. Mårtensson², A. Alping¹, ¹Ericsson AB, Mölndal, Sweden, ²Acreo AB, Kista, Sweden</i>	180
Single Sideband Radio over Fiber Transmission with an Integrated Polymeric Waveguide Ring Resonator <i>X. Han, J. Zhang, Y. Gu, M. Wang, L. Wang, J. Teng, J. Wang, X. Jian, M. Zhao, Dalian University of Technology, Dalian, China</i>	184
Analysis of a Photonic Instantaneous Frequency Measurement system based on Incoherent Light Sources and Dispersion Compensation Techniques <i>S. A. Nusayer¹, R. Mamun¹, A. Ahmed¹, M. S. Monjur², ¹American International University-Bangladesh(AIUB), Dhaka, Bangladesh, ²Bangladesh University of Engineering & Technology, Dhaka, Bangladesh</i>	188
Photonic Approach for Instantaneous Frequency and Power Measurement of Simultaneous Microwave Signals <i>B. Vidal, Universidad Politécnica de Valencia, Valencia, Spain</i>	192
Photonic Frequency Quadrupling Utilizing a LiNbO ₃ Phase Modulator and a Brillouin-Assisted Optical Filter <i>T. Oh, H. Kim, S. Lee, J. Song, Gwangju Institute of Science and Technology (GIST), Gwangju, Republic of Korea</i>	195
RZ Pulse-Width Dependence of Impulse Radio UWB over Combined Fiber and Wireless Link <i>S. Oshiba, Y. Kasai, H. Miura, M. Akiyama, Kyoto Institute of Technology, Kyoto, Japan</i>	198

The Development of a Wideband Microwave Optical Link for use in Hostile Airborne Environments <i>K. Phin, A. W. Robinson, R. P. Holden, Micreo Limited, Brisbane, Australia</i>	202
Alterable Spectrum Shaper Based on Polarization Interference <i>J. Ye, L. Yan, W. Pan, B. Luo, X. Zou, A. Yi, Southwest Jiaotong University, Chengdu, China</i>	206
Tunable and Reconfigurable Narrow-band THz Generation using Photoconductive Antennas and Chirped-Pulse Mixing <i>J. Palací, B. Vidal, Universidad Politécnica de Valencia, Valencia, Spain</i>	210
A Membrane Supported Photomixer Driven Antenna with Increased Continuous-Wave Terahertz Output Power <i>M. Sun¹, Z. Chen¹, J. Teng², H. Tanoto², ¹Institute for Infocomm Research, Singapore, ²Institute of Materials Research and Engineering, Singapore</i>	214
Any Bias Point Control of Mach-Zehnder Electro-optic Modulator and its Applications in Optimization of Radio-over-Fiber links <i>Z. Huang, X. Zhang, S. Zheng, X. Jin, H. Chi, Zhejiang University, Hangzhou, China</i>	218
A Microwave Photonic Scheme for Improving the Sensitivity of Mach-Zehnder Optical Fiber Interferometer Sensor <i>S. Ge, S. Zheng, X. Zhang, X. Jin, H. Chi, Zhejiang University, Hangzhou, China</i>	222
Instantaneous Microwave Frequency Measurement Using a Microfiber Ring Resonator (MRR) based Photonic Differentiator <i>J. Niu¹, S. Fu², K. Xu¹, X. Sun¹, J. Wu¹, J. Lin¹, P. Shum², ¹Beijing University of Posts and Telecommunications, Beijing, China, ²Nanyang Technological University, Singapore</i>	226
Optical Linearization for Intensity-modulated Analog Links Employing Equivalent Incoherent Combination Technique <i>J. Dai, K. Xu, R. Duan, Y. Cui, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	230
Digital Linearization Technique for IMD3 Suppression in Intensity-modulated Analog Optical Links <i>R. Duan, K. Xu, J. Dai, Q. Lv, Y. Dai, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	234

Radio-over-fibre Systems

Radio over RSOA-based WDM-PON <i>H. Kim, National University of Singapore, Singapore</i>	238
Radio-over-Fiber as the Energy Efficient Backhaul Option for Mobile Base Stations <i>Y. Yang, C. Lim, A. Nirmalathas, The University of Melbourne, Melbourne, Australia</i>	242
35-Gb/s 32-QAM Radio-over-Fiber System Employing Single-Sideband Single-Carrier Modulation at 60 GHz <i>C. Lin¹, S. Jian², A. Ng'oma³, C. Ho¹, W. Jiang², C. Wei⁴, J. Chen², ¹National Chiao Tung University, Guiren Township, Taiwan, ²National Chiao-Tung University, Hsinchu, Taiwan, ³Corning Incorporated, Corning, United States, ⁴National Chi Nan University, Puli, Taiwan</i>	246
Influence of Spectrum Location of Gigabit-Ethernet in Coexistence with Multi-Band OFDM-UWB Wireless Signals on the Long-Reach PON Performance Using Directly Modulated Lasers <i>J. A. Morgado¹, D. Fonseca^{1,2}, A. V. Cartaxo¹, ¹Technical University of Lisbon, Lisboa, Portugal, ²Nokia Siemens Networks, Amadora, Portugal</i>	250
A Power-Efficient Photonic OOK and BPSK Modulated Gigabit/s IR-UWB over Fiber System <i>P. Li, H. Chen, M. Chen, S. Xie, Tsinghua University, Beijing, China</i>	254

Poster Session II

Multistandard RoF Bus for In-Building Networks <i>Z. Bouhamri, V. Dobremez, Y. Le Guennec, J. Duchamp, G. Maury, B. Cabon, Institut de Microélectronique, Electromagnétisme et Photonique - Laboratoire d'Hyperfréquences et Caractérisation, Grenoble, France</i>	258
Nonlinear Intermodulation Distortion Suppression In Digital Photonic Link Using Polarization Modulator <i>Q. Lv, K. Xu, Y. Dai, Y. Li, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	262
Integrated Design Tool for Fiber-Optic Analog Links <i>P. Tommasino, A. Trifiletti, A. Vannucci, Università di Roma "La Sapienza", Rome, Italy</i>	266
Compensation of the Chromatic Dispersion in Long-Reach Analog Optical Links Incorporating Parallel Electro-Optic Phase and Intensity Modulators <i>Y. Cui, K. Xu, J. Dai, Y. Dai, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	270
Optimized Indoor Wireless Propagation Model in WiFi-RoF Network Architecture for RSS-Based Localization in the Internet of Things <i>X. Shen, K. Xu, X. Sun, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	274
Arbitrary Repetition-rate Multiplication of High Speed Optical Pulses Using a Programmable Optical Processor <i>Y. Ji, Y. Li, F. Zhang, X. Hong, K. Xu, J. Wu, J. Lin, Beijing University of Posts and Telecommunications, Beijing, China</i>	278
Arrays of Surface-normal Electroabsorption Modulators for the Generation and Signal Processing of Microwave Photonics Signals <i>B. Noharet¹, Q. Wang¹, D. Platt¹, S. Junique¹, D. Marpaung², C. Roeloffzen², ¹Acreeo, Kista, Sweden, ²University of Twente, Enschede, Netherlands</i>	282
60-GHz Rat-Race Coupler Using LG-CPW Transmission Lines in IPD Technology <i>I. Haroun^{1,3}, Y. Hsu², D. Chang², ¹Communications Research Centre, Ottawa, Canada, ²Chip Implementation Center, Hsinchu City, Taiwan, ³Carleton University, Ottawa, Canada</i>	284
Instantaneous Frequency Measurement by Optical Filters Based on Vernier Effect <i>Y. Liang, R. Li, F. Yin, H. Chen, M. Chen, S. Xie, Tsinghua University, Beijing, China</i>	288
A Novel Phase-Noise Cancelled Optical Frequency Domain Reflectometry Using Modulation Sidebands <i>S. Hiramatsu, K. Iwashita, Kochi University of Technology, Kami-shi, Japan</i>	292
A Reconfigurable Photonic Microwave Channelized Receiver Based on an Optical Comb <i>Z. Li¹, H. Chi¹, X. Zhang¹, S. Zheng¹, X. Jin¹, J. Yao², ¹Zhejiang University, Hangzhou, China, ²University of Ottawa, Ottawa, Canada</i>	296
Cancellation of Distortions Using Polarization Modulation in Time-Stretched Analog-to-Digital Conversion <i>J. Wong¹, S. Aditya¹, H. Lam², K. Lee², V. Wong², P. Lim¹, P. Ping¹, ¹Nanyang Technological University, Singapore, ²Nanyang Technological University, Singapore</i>	300
A Tunable Optoelectronic Oscillator Based on a High-Q Spectrum Sliced Photonic Microwave Transversal Filter <i>M. Li, W. Li, J. Yao, University of Ottawa, Ottawa, Canada</i>	304
Homodyne Detection of Microwaves Using Low-Temperature-Grown GaAs at 1.55 μm <i>S. Hisatake¹, K. Shimahashi¹, G. Kitahara¹, Y. Morimoto¹, H. Song², K. Ajito², T. Nagatsuma¹, ¹Osaka University, Toyonaka, Japan, ²NTT Corporation, Atsugi, Japan</i>	308

Decision-Aided Joint Compensation of Channel Distortion and Transmitter IQ Imbalance for Coherent Optical OFDM <i>S. Cao¹, C. Yu^{1,2}, P. Kam¹, ¹National University of Singapore, Singapore, ²Agency for Science, Technology and Research (A*STAR), Singapore</i>	312
Experimental Investigation on Spectrum Scrambling of UWB-IR Signals Using High-speed Optical 2x2 Switch <i>M. Hanawa, M. Hossen, University of Yamanashi, Kofu, Japan</i>	316
Saturated Collision Amplifier for the Extended Reach Passive Optical Networks: the Upstream Challenge <i>T. von Lerber^{1,2}, K. Zogal¹, C. Gierl¹, P. Meissner¹, H. Chaouch^{1,3}, F. Kueppers¹, ¹TU Darmstadt, Darmstadt, Germany, ²Luxdyne Ltd, Espoo, Finland, ³University of Arizona, Tucson, United States</i>	320
A Novel Measurement Technique to Estimate the RF Beat-linewidth of Free-running Heterodyning System Using a Photonic Discriminator <i>M. R. Khan, D. A. Marpaung, M. Burla, C. G. Roeloffzen, University of Twente, Enschede, Netherlands</i>	324
A Theoretical Estimation of IMD on Heterogeneous OFDM Service over SCM RoF Link <i>K. Hayasaka, T. Higashino, K. Tsukamoto, S. Komaki, Osaka University, Suita-shi, Japan</i>	328
Temperature Response of Polarization-Maintaining Photonic Crystal Fiber based Interferometer <i>J. Lim¹, D. Hu¹, P. Shum², Y. Wang¹, ¹Agency for Science, Technology and Research, Singapore, ²Nanyang Technological University, Singapore</i>	331
Asynchronous Fiber-Optic Delta-Sigma Modulator <i>E. Reeves¹, P. Costanzo-Caso^{1,2}, A. Siahmakoun¹, ¹Rose-Hulman Institute of Technology, Terre Haute, United States, ²Universidad Nacional de La Plata, La Plata, Argentina</i>	335
Analog Predistortion Technique in Remodulation Based Radio Over High-speed Access Network for Improving Sensitivity <i>S. Jang, B. Park, J. Jung, Electronics and Telecommunications Research Institute (ETRI), Daejeon, Republic of Korea</i>	339
High Extinction Ratio and Broad Band DQPSK Demodulation on Silicon-on-insulator Platform <i>S. Hsu, National Taiwan University of Science and Technology, Taipei, Taiwan</i>	343
Microwave Photonic Filter with Arbitrary Tap Profile Generated by Polarization Control in a LiNbO ₃ Phase Modulator <i>X. Xue, X. Zheng, H. Zhang, B. Zhou, Tsinghua University, Beijing, China</i>	346
Phase Noise Effects on Directly Modulated 64-QAM OFDM Radio-over-Fiber Systems <i>J. Hu^{1,2}, A. Nkansah¹, N. J. Gomes¹, M. Zhao², Y. Gu², ¹University of Kent, Canterbury, United Kingdom, ²Dalian University of Technology, Dalian, China</i>	350
Frequency Response Measurement of Half-Wave Voltage and Chirp Parameter of LiNbO ₃ Intensity Modulators in Low Frequency Range <i>K. Toki¹, D. Uesaka¹, T. Yamazaki¹, H. Iwata¹, M. Yoshikawa¹, H. Toda¹, T. Kawanishi², ¹Doshisha University, Kyotanabe, Japan, ²National Institute of Information and Communications Technology, Koganei, Japan</i>	354
Hybrid Optical Beam-former in Receiver Mode <i>P. Q. Thai, A. Alphones, D. R. Lim, Nanyang Technological University, Singapore</i>	357
WDM Optical Power Allocation Method for Adaptive Radio on Free Space Optics System Design <i>K. Kim, T. Higashino, K. Tsukamoto, S. Komaki, Osaka University, Suita, Japan</i>	361
DRoF Incorporating Multi-Level Modulation for Radio-over-Fiber <i>Y. Yang, C. Lim, A. Nirmalathas, The University of Melbourne, Melbourne, Australia</i>	365
Quality of Service Assurance in EPON-WiMAX Converged Network <i>C. Ranaweera, E. Wong, C. Lim, A. Nirmalathas, The University of Melbourne, Parkville, Australia</i>	369

Electromagnetic Modeling and Optimization of Photoconductive Switches for Terahertz Generation and Photocurrent Transient Spectroscopy	373
<i>H. Diesinger¹, M. Panahandeh-Fard², D. Baillargeat¹, C. Soci^{1,2,3}, ¹CINTRA, Singapore, ²Division of Physics and Applied Physics, Nanyang Technological University, Singapore, ³Division of Microelectronics, Nanyang Technological University, Singapore</i>	

Microwave Photonic Signal Processing

Systems Perspectives on Optically-Assisted RF Signal Processing Using Silicon Photonics	377
<i>T. K. Woodward¹, A. Agarwal¹, T. Banwell¹, P. Toliver¹, B. J. Luff², D. Feng², P. Dong², D. C. Lee², N. Feng², M. Asghari², ¹Telcordia Technologies, Inc., Red Bank, United States, ²Kotura, Inc., Monterrey Park, United States</i>	
Microwave Photonic Signal Processing	381
<i>R. A. Minasian, X. Yi, E. H. Chan, T. X. Huang, W. Zhang, University of Sydney, Sydney, Australia</i>	
Filtered Microwave Photonic links: Models and Figures of Merit	385
<i>I. Gasulla, J. Capmany, Universidad Politécnica de Valencia, Valencia, Spain</i>	
Single Passband Microwave Photonic Signal Processor based on a Multi-channel Chirped Fiber Bragg Grating	389
<i>T. Huang, X. Yi, L. Li, R. A. Minasian, University of Sydney, Sydney, Australia</i>	
10-Gb/s/ch QPSK FDM W-band Radio-over-Fiber Signal Generation, Free-Space Radio Transmission, and its Demodulation	393
<i>A. Kanno¹, K. Inagaki¹, I. Morohashi¹, T. Kuri¹, I. Hosako¹, T. Kawanishi¹, Y. Yoshida², K. Kitayama², ¹National Institute of Information and Communications Technology, Koganei, Japan, ²Osaka University, Suita, Japan</i>	
A Novel Reconfigurable Ultra-broadband Millimeter-wave Photonic Harmonic Down-converter	397
<i>X. Pang¹, Y. Zhao^{2,†}, L. Deng^{3,1}, X. Yu¹, I. T. Monroy¹, ¹Technical University of Denmark, Lyngby, Denmark, ²Tsinghua University, Beijing, China, ³Huazhong University of Science and Technology, Wuhan, China</i>	

Microwave Photonic Components

Spatial Light Modulator Based Optically Controlled Beamformer for Variable Multiple-Spot Beam Antenna	401
<i>T. Akiyama¹, H. Matsuzawa¹, E. Haraguchi¹, H. Sumiyoshi¹, T. Ando¹, A. Akaiishi², T. Takahashi², Y. Fujino², R. Suzuki², ¹Mitsubishi Electric Corporation, Kamakura, Japan, ²National Institute of Information and Communications Technology, Koganei, Japan</i>	
Novel E-Band (71-76 GHz) Photodiode Module featuring a Hermetic Grounded-Coplanar-Waveguide-to-Rectangular-Waveguide Transition	405
<i>I. Flammia¹, C. C. Leonhardt², J. Honecker², A. G. Steffan², A. Stöhr¹, ¹University of Duisburg-Essen, Duisburg, Germany, ²u2t Photonics AG, Berlin, Germany</i>	
Horizontal Nanoplasmonic Slot Waveguide-Based Subwavelength Photonic Components for On-Chip Integration	409
<i>S. Zhu, G. Lo, D. Kwong, Institute of Microelectronics, Singapore</i>	
Quantifying Current-Dependant Quantum Efficiency Photodiode Nonlinearities	413
<i>A. S. Hastings¹, M. Draa², K. J. Williams¹, ¹Naval Research Laboratory, Washington, United States, ²Sotera Defense Solutions, Inc., Crofton, United States</i>	

Microwave Photonic Filters and Switches

Microwave Photonics Research for Defense Applications in Singapore	417
<i>P. H. Lim^{1,4}, K. E. Lee^{2,4}, Q. H. Lam^{2,3}, R. Li³, J. H. Wong³, J. Zhou³, S. Fu³, M. Jiang³, S. Aditya³, P. P. Shum³, ¹Nanyang Technological University, Singapore, ²Nanyang Technological University, Singapore, ³Nanyang Technological University, Singapore, ⁴DSO National Laboratories, Singapore</i>	

Complex-Coefficient Microwave Photonic Tunable Filter Using Slow Light Silicon-on-Insulator-based Microring Resonator <i>J. A. Lloret¹, J. Sancho¹, M. Pu², I. Gasulla¹, K. Yvind², S. Sales¹, J. Capmany¹, ¹<i>Universidad Politécnica de Valencia, Valencia, Spain</i>, ²<i>Technical University of Denmark, Kongens Lyngby, Denmark</i></i>	421
Direct Sampling of Ka-Band Signals using a Photoconductive Switch Approach <i>S. Formont¹, L. M. Møller¹, G. Baily², L. Morvan², D. Rousset³, ¹<i>Thales Systemes Aeroportes, Elancourt Cedex, France</i>, ²<i>Thales Research and Technology, Palaiseau Cedex, France</i>, ³<i>Thales Alenia Space, Toulouse Cedex 1, France</i></i>	425
An Optically Tunable Frequency-Doubling Optoelectronic Oscillator Incorporating a Phase-Shifted-Fiber-Bragg-Grating-Based Frequency-Tunable Photonic Microwave Filter <i>W. Li, J. Yao, University of Ottawa, Ottawa, Canada</i>	429
Performance Metrics Evaluation of Cascaded SOA based Slow Light Microwave Photonic Phase Shifters <i>J. A. Lloret, J. Sancho, I. Gasulla, S. Sales, J. Capmany, Universidad Politécnica de Valencia, Valencia, Spain</i>	433
Nonuniformly Spaced Photonic Microwave Delay-Line Filter Using a Spatially Discrete Chirped Fiber Bragg Grating <i>C. Wang, J. Yao, University of Ottawa, Ottawa, Canada</i>	437
Zero-bias Optically Controlled RF Switch in 0.13μm CMOS Technology <i>J. M. Gonzalez¹, D. Baillargeat¹, N. Delhote¹, L. Roy², S. McGarry², ¹<i>University of Limoges, Limoges, France</i>, ²<i>Carleton University, Ottawa, Canada</i></i>	441
Microwave Photonic Systems	
Hybrid Optical Fibre-wireless Links at the 75-110 GHz Band Supporting 100 Gbps Transmission Capacities <i>Idefonso Tafur Monroy, Darko Zibar, Antonio Caballero, Xianbin Yu, Xiaodan Pan, Anton K. Dogadaev, Technical University of Denmark, Denmark</i>	445
Phase-synchronous Chain of Two Multi-Carrier Lights Spaced at 25GHz by Cancelling Micro-wave Phase Noise <i>A. Mizutori, A. Kodama, M. Koga, Oita University, Oita, Japan</i>	450
Time-multiplexed Multi-channel Radio-frequency Arbitrary Waveform Generation <i>V. Torres-Company^{1,2}, A. J. Metcalf¹, V. R. Supradeepa¹, D. E. Leaird¹, A. M. Weiner¹, ¹<i>Purdue University, West Lafayette, United States</i>, ²<i>Universitat Jaume I, Castello de la Plana, Spain</i></i>	454
Photonic Integration and Components Development for a Ku-band Phased Array Antenna System <i>D. Marpaung¹, L. Zhuang¹, M. Burla¹, C. Roeloffzen¹, B. Noharet², Q. Wang², W. P. Beeker³, A. Leinse³, R. Heideman³, ¹<i>University of Twente, Enschede, Netherlands</i>, ²<i>Acro AB, Kista, Sweden</i>, ³<i>LioniX BV, Enschede, Netherlands</i></i>	458
High-order UWB Pulse Generation Based on a Microwave Photonic Filter Using Incoherent Optical Sources <i>M. Bolea, J. Mora, B. Ortega, J. Capmany, Universidad Politécnica de Valencia, Valencia, Spain</i>	462
Author Index	466