

Advanced Metallization Conference 2011

**San Diego, California, USA
4-6 October 2011**

ISBN: 978-1-61839-426-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by SEMATECH
All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact SEMATECH
at the address below.

SEMATECH
2706 Montopolis Drive
Austin, Texas 78741

Phone: (512) 356-3500
Fax: (512) 356-7848

www.sematech.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

KEYNOTE: Ultra High-Density 3D Memory Products	1
<i>R. Patti</i>	
Integration Aspects of Copper Metallization for More than Moore Applications	3
<i>W. Robl, T. Herzig, F. Jahnel, M. Krug, A. Stueckjuergen, C. Rudolph, M. Nelhiebel</i>	
Multi-Scale Materials Characterization for 3D IC Integration - Input for Stress Simulation and Model Validation	5
<i>E. Zschech, K. Yeap, R. Huebner</i>	
CVD Ru Technology - Solving the Integration Challenges	6
<i>T. Ishizaka, J. Rullan, A. Gomi, T. Kato, T. Sakuma, O. Yokoyama, C. Yasumuro, H. Toshima, Y. Mizusawa, T. Hatano, S. Mizuno, C. Han, M. Hara</i>	
Performance Limitations of Cu/low-k Interconnects and Possible Future Alternatives: CNT, 3-D and Optics	8
<i>K. Saraswat</i>	
Molecular Layer Deposition of Nanoscale Organic Films for Copper Diffusion Barriers	10
<i>S. Bent, P. Loscutoff, H. Zhou, S. Clendenning</i>	
Designing Porous Ultra Low-k Dielectrics to Meet Scaling Challenges	12
<i>T. Ryan, S. Gates, A. Madan, D. Kioussis, E. Liniger, G. Bonilla, E. Zin, C. Kim, U. Mayer, A. Peeva, A. Grill</i>	
Integrated Magnetic Inductors	14
<i>K. O'Brien, P. Morrow, S. Chickamenahalli, L. Mosley, P. Fischer</i>	
Can Embedded Graphene Keep Outperforming Properties of Suspended One?	16
<i>A. Toriumi, K. Nagashio</i>	
RRAM Materials and Integration	30
<i>J. Kittl</i>	
Effect of CESL Stressors on Morphological Stability of Pt-Dissolved NiSi_{1-x}Ge_x Formed on Si_{0.72}Ge_{0.28} Epilayer	31
<i>M. Li, J. Chen, C. Liu, J. Lin</i>	
Investigation of the Mechanical Integrity of BEOL Layer Stacks with Respect to Chip-Package Interaction using BABS Tests	33
<i>H. Geisler, P. Hofmann, M. Brueckner, M. Lehr, U. Mayer, L. Lehmann, T. Roessler, D. Breuer, H. Engelmann</i>	
The Materials and Integration Challenge in Implementing & Scaling High-k/Metal Gate Transistors for High Performance CMOS	35
<i>M. Chudzik</i>	
The Integration Challenges for Sub 22nm iL/HiK/MG Gate Stack	37
<i>S. Hung</i>	
Integration of an Organic Ultra Low-k Material (k=2.2) and Applying a Plasma Damage Recovery Process	38
<i>M. Hirai, Y. Akiyama, K. Koga, H. Kawakami, S. Komatsu, N. Saruya, K. Nakatani</i>	
Formation Mechanism and Suppression Methods of Copper Dendrites in BEOL Integration	40
<i>S. Yao, W. Tseng, A. Kapur, T. Cheng, M. Angyal, V. McGahay, D. Canaperi, C. Surisetty, C. Penny, S. Grunow</i>	
The Precipitation of Gold Nanoparticles Serving as Catalyst on Insulating Substrates for Metallic Ultra-Thin Film Deposit	42
<i>P. Livshits, A. Inberg, Y. Shacham-Diamand, D. Malka, Y. Flegler, Z. Zalevsky</i>	
Leakage and Contact Resistance Reduction by Diffusion of Dopants in NiPt Silicide	44
<i>A. Ozcan, M. Cai, M. Raymond, B. Yang, Z. Zhang, P. Ronsheim, Z. Zhu, C. Parks, M. Hatzistergos, C. Lavoie</i>	
New Classes of ULK Dielectrics with Superior Thermomechanical Properties	46
<i>Y. Matsuda, S. King, G. Dubois, J. Bielefeld, J. Rathore, L. Interrante, R. Dauskardt</i>	
The Effect of B₂H₆-Reduced Tungsten Nucleation Layer on Contact W Corrosion	48
<i>O. Huang, Y. Chen, Y. Yang, C. Hsu, J. Lin, T. Tsai, C. Huang, J. Wu, J. Chen</i>	
Integrated Capping in ULK for C028 Reliability Enhancement	50
<i>G. Imbert, D. Galpin, S. Chhun, G. Beylier</i>	
Mechanical Microprobing of Cu pillars and Influence of Dielectric Properties on Chip-Package Interaction	52
<i>A. Hsing, F. Iacopi, M. Lehr, H. Geisler, K. Machani, V. Ryan, J. Paul, P. Besser, R. Dauskardt</i>	
12 Inch Bumpless Wafer-On-Wafer (WOW) Fully Integrated 3DIC Process	54
<i>S. C. Liao, C. Lin, P. Tzeng, J. Chen, S. Chen, C. Wu, C. Chen, Y. Hsin, Y. Hsu, S. Shen, C. Wang, D. Shu, T. Hsu, C. Ho, Y. Kim, H. Kitada, N. Maeda, K. Fujimoto, S. Kodama, T. Ohba, T. Ku, M. Kao</i>	

Effects of Al and Mn Impurities on Cu Electromigration	56
<i>C. Hu, J. Ohm, C. Breslin, S. Mittal, L. Gignac, G. Bonilla, D. Edelstein, S. Choi, J. An, A. Simon, M. Angyal, J. Maniscalco, T. Nogami, C. Penny, B. Kim</i>	
Improved 28-nm gate first CMOS Transistor Engineering with a Variable Stoichiometry TiN Metal Gate	58
<i>P. Caubet, S. Baudot, C. Leroux, M. Juhel, P. Gourand, S. Zoll, M. Rafik</i>	
Electron Spin Resonance Studies of Interlayer Dielectrics	60
<i>B. Bittel, T. Pomorski, P. Lenahan, S. King</i>	
Tungsten as an Alternate Conductor to Copper: Surface Scattering and the Electron Mean Free Path For (1 1 0) Epitaxial W films	62
<i>D. Choi, S. Chung, C. Kim, A. Warren, N. Nuhfer, M. Toney, K. Coffey, K. Barmak</i>	
N-Work Function Tuning Metal Layer Study for Gate-Last High-k/Metal Gate	64
<i>H. Huang, C. Hsu, M. Tsai, J. Chen, W. Hung, J. Lin, J. Wu</i>	
Fine Pitch Cu Pillar Microbump Technology for 3D IC Integration	66
<i>S. Kim, J. Choi, J. Park, Y. Park, J. Phee, C. Shin, J. Jin, J. An, H. Chung, B. Park, G. Choi, H. Kang, C. Chung</i>	
Mn-Dopant Segregation as an Indicator of Barrier Integrity in 32nm Groundrule Cu/Ultra-Low K Interconnects	68
<i>A. Simon, F. Baumann, T. Bolom, C. Niu, K. Motoyama, P. Dehaven, T. Nogami</i>	
Development of a Production Worthy Dual Wafer Cu CMP Process for Direct Polishing Ultra-Low K Dielectric Cu Interconnects at 28nm Technology Node	70
<i>L. Hsieh, Y. Lin, H. Hsu, T. Tsai, W. Lin, C. Chen, W. Tsao, T. Hung, J. Chen, C. Huang, J. Wu</i>	
Selective CVD Tungsten as a Word Line for 3D NAND Flash Memory Application	72
<i>S. Whang, D. Sheen, J. Han, M. Kim, Y. Lee, J. Choi, S. Han, B. Lee, S. Cho, S. Pyi, J. Kim</i>	
Robust and Scalable p-SiOCH (k-2.2, 2.4) Films by Self-Assembly SOG (Spin on Glass)	74
<i>O. Jeon, K. Han, O. Park, S. Ahn, J. Yun, G. Choi, H. Kang, C. Chung</i>	
A Study on Electrical Resistance of CNTs and their Metal Contacts using Simplified Test Structure	76
<i>T. Saito, M. Wada, A. Isobayashi, Y. Yamazaki, M. Katagiri, M. Kitamura, B. Ito, T. Matsumoto, N. Sakuma, A. Kajita, T. Sakai</i>	
Comparison of PVD, PECVD and PEALD Ru-TaN Films with High Ru Concentration for Direct Cu Plating	78
<i>H. Wojcik, U. Merkel, J. Bartha, J. Li, D. Lehninger, H. Engelmann, P. Popatov, J. Gluch, M. Knaut, S. Strehle, C. Wenzel, B. Adolphi, V. Neumann, R. Liske</i>	
Fabrication and Characterization of Planarized Carbon Nanotube Via Interconnects	80
<i>M. Katagiri, M. Wada, B. Ito, Y. Yamazaki, M. Suzuki, M. Kitamura, T. Saito, A. Isobayashi, A. Sakata, N. Sakuma, A. Kajita, T. Sakai</i>	
Reflow of Copper on Ruthenium	82
<i>C. Yang, Y. Loquet, B. Li, P. Flaitz, D. Edelstein</i>	
Thin Silver Films Electroless Deposition on Gold Nanoparticles Catalyst for Micro and Nanoelectronics	84
<i>P. Livshits, A. Inberg, D. Malka, Y. Fleger, Z. Zalevsky, Y. Shacham-Diamand</i>	
Nanoparticles and Plasmon Resonance Based Probe for Failure Analysis of ULSI Microchips and Electrical Characterizations of Metallic Interconnects	86
<i>P. Livshits, A. Shahmoon, A. Meiri, Z. Zalevsky</i>	
Effect of Fluorocarbon Plasma Chemistry on Surface Roughening of Porous OSG Low-k Films	88
<i>H. Huang, H. Shi, J. Im, P. Ho</i>	
All-Wet Sequence for the Metallization of Solar Cells	90
<i>P. Haumesser, O. Kim-Hak, C. Ribiere, P. Mur, S. Gal, R. Monna, A. Bettinelli, P. Ribeyron</i>	
Kinetically Size Controlled Bimetallic Nanoparticles Generated in Situ in Imidazolium Based Ionic Liquids	92
<i>P. Haumesser, P. Arquilliere, I. Helgadottir, C. Santini</i>	
XPS Analyses and Work Function Extraction of Titanium Nitride Electrodes for MOS Technology and Schottky Diode	94
<i>L. P. B. Lima, J. Diniz, C. Radtke, I. Doi, J. Miyoshi, A. Silva, J. Godoy Fo</i>	
Fabrication and Characterization of CNT via Interconnects for Application in ULSI Circuits	96
<i>H. Fiedler, S. Hermann, S. Schultz, T. Gessner</i>	
Electromigration of Cu Interconnects Under AC, Pulsed-DC and DC Test Conditions - Practical Implications to Real Life Reliability	98
<i>R. Shaviv, G. Harm, S. Kumari, R. Keller, D. Read</i>	
Chemical Vapor Deposition of Low Carbon Ruthenium-Phosphorus Alloy Films for Cu Interconnect Applications	100
<i>J. Ekerdt, D. Bost</i>	
RF MEMS Planar Solenoidal Inductor with Wide Tunability	102
<i>A. Shirane, H. Ito, N. Ishihara, K. Masu</i>	

Comparative Performance of Different Barrier Metals Against Copper Ion Drift Under Biased Thermal Stress	104
<i>S. Seo, H. Lee, K. Jin, W. Lee</i>	
Atomic Layer Deposition of Copper Seed Layer for Electroplating Using Cu(dmamb)₂ and H₂	106
<i>K. Jin, K. Park, B. Han, W. Lee</i>	
Comprehensive Study of Local Strain Structures with High Strain Resolution for Through-Silicon Via Interconnects	108
<i>O. Nakatsuka, H. Kitada, Y. Kim, Y. Mizushima, T. Nakamura, T. Ohba, S. Zaima</i>	
Enhancement of Electrochemical Deposition Cu Fill on Extremely Narrow Damascene Structures	110
<i>J. Hong, H. Kim, K. Nam, S. Choi, J. Yoon, H. Lee, J. Park, I. Park, J. Lee, Y. Kim, H. Kang, C. Chung</i>	
Dynamic and Constant Applied Field Experiments to Characterize Dielectric Breakdown in Low-k Materials	112
<i>J. Plawsky, J. Borja, W. Gill, T. Lu, B. Williams, M. Riley, M. He</i>	
Investigation and Monitoring of Stress Induced Voids in Ni(Pt)-Silicides	114
<i>I. Richter, J. Rinderknecht, C. Fitz, H. Engelmann</i>	
Barrier Surface Pretreatment for Efficient Seed Layer Deposition in High Aspect Ratio Through Silicon Via (TSV)	116
<i>J. Cuzzocrea, P. Haumesser, L. Chapelon, M. Juhel, X. Avale, T. Ritzdorf, R. Baskaran, E. Chainet</i>	
Interpretation of Cu/SOG Stress Induced Voiding Using Stress Measurements Performed with Synchrotron Radiation	118
<i>C. Wilson, K. Croes, J. Ablett, M. Lofrano, G. Breyer, Z. Tokei</i>	
Novel TSV Leakage Current Evaluation using IR-Optical Beam Irradiation	120
<i>Y. Mizushima, H. Kitada, K. Koshikawa, S. Suzuki, T. Nakamura, T. Ohba</i>	
Surface Microroughness-Induced Leakage Current in Through-Silicon via Interconnects	122
<i>H. Kitada, Y. Morikawa, N. Maeda, K. Fujimoto, S. Kodama, Y. Mizushima, T. Nakamura, T. Ohba</i>	
Size Effect on Electron Wind Force in Nano-Metallizations	124
<i>Z. Wu, P. Ho</i>	
Thermomechanical Reliability of TSV Structures in 3D Interconnects: A Material and Design Perspective	126
<i>P. Ho, S. Ryu, K. Lu, Q. Zhao, J. Im, R. Huang</i>	
Ru and Pt Films Fabrication for 3D Capacitor Electrodes Using Supercritical Fluid Deposition Technique	127
<i>Y. Shimogaki, K. Watanabe, T. Momose</i>	
Conformal Copper Coating of True 3D Through-Holes Using Supercritical Carbon Dioxide	129
<i>M. Watanabe, Y. Takeuchi, T. Ueno, M. Matsubara, E. Kondoh, S. Yamamoto, N. Kikukawa, T. Suemasu</i>	
Radical-Enhanced ALD TiN Barrier for the Buried Word-Line (bWL) Application	131
<i>H. Ai, T. Yu, B. Zheng, J. Yuan, H. Lam, A. Sundarajan</i>	
Review of ADMETA^{Plus} 2011 Conference Topics	133
<i>K. Ueno, H. Kawasaki</i>	
Author Index	