

2011 13th International Symposium on Integrated Circuits (ISIC 2011)

**Singapore
12 – 14 December 2011**



**IEEE Catalog Number: CFP1176B-PRT
ISBN: 978-1-61284-863-1**

Technical Programme

Chip Design Competition Finalist Presentation 1

A 0.5V 25Mpixels/s SVGA 30fps H.264 Video Decoder Chip''''''3

Jia-Wei Chen, Pei-Yao Chang, Keng-Jui Chang, Tzu-Yuan Kuo, Wei-Han Hsu, Jinn-Shyan Wang, Cheng-An Chien, Hsiu-Cheng Chang and Jiun-In Guo

A 6.72-GB/S 8PJ/BIT/Iteration IEEE 802.15.3C LDPC Decoder Chip''''''9

Zhixiang Chen, Xiao Peng, Xiongxin Zhao, Qian Xie, Leona Okamura, Dajiang Zhou and Satoshi Goto

Using Built-In Fine Resolution Clipping Technique for High-Speed Testing by Using Low-Speed Wireless''''35
Tester

Ching-Hwa Cheng

A 0.35 V, 100 MHz, 0.19 μ W/MHz, 3-Locking-Cycle All Digital Delay Locked Loop with Asynchronous-''''''3;
Deskewing Technology in 55 nm CMOS Technology

Chun-Yuan Cheng, Jinn-Shyan Wang and Cheng-Tai Yeh

A Wideband Fully Integrated +30dBm Class-D Outphasing RF PA in 65nm CMOS''''''47

Jonas Fritzin, Christer Svensson and Atila Alvandpour

A 77-135GHz Down-Conversion IQ Mixer for 10Gbps Multiband Applications''''''4;

Sanming Hu, Yong-Zhong Xiong, Lei Wang, Jinglin Shi and Teck-Guan Lim

Analog IC (1)

Supply Voltage and Temperature Insensitive Current Reference for the 4 MHz Oscillator''''''57

Chi-Hsiung Wang, Cheng-Feng Lin, Wei-Bin Yang and Yu-Lung Lo

DDCCs based Voltage-Mode One Input Five outputs Biquadratic Filter with High Input Impedance''''''5;

Wei-Yuan Chiu, Jiun-Wei Horng, Yi-Sing Guo and Ching-Yao Tseng

Design of High-Speed Laser Diode Driver with Fast Switching and Reaction Time''''65

Heng-Shou Hsu, Don-Gey Liu and Shih-Chi Liu

High-Speed Laser Diode Driver with Low Sensitivity to Process Variation and Improvement on Overshoot''''69
Performance

Heng-Shou Hsu, Don-Gey Liu and Chia-Ming Chuang

Digital IC (1)

Image Classifying Algorithm and its VLSI Implementation based on The Directional Features''''''73

Dongfang Wang, Ningmei Yu, Yvonne Lam Y.H. and Yuanjin Zheng

A High-performance Configurable VLSI Architecture for Integer Motion Estimation in H.264''''77

Ningmei Yu, Wenhua Jia, Meihua Gu, Dongfang Wang, Gang Xi and Yuanjin Zheng

ROM-less DDFS using Non-equal Division Parabolic Polynomial Interpolation Method''''''7;
Chia-Hao Hsu, Yun-Chi Chen and Chua-Chin Wang

Accelerated Evaluation Method for the SRAM Cell Write Margin using Word Line Voltage Shift ''''''85
Hiroshi Makino, Shunji Nakata, Hirotsugu Suzuki, Hiroki Morimura, Shin'ichiro Mutoh, Masayuki Miyama, Tsutomu Yoshimura, Shuhei Iwade and Yoshio Matsuda

Reconfigurable Back Propagation based Neural Network Architecture ''''''89
Gin-Der Wu, Zhen-Wei Zhu and Bo-Wei Lin

Memory-Bank based Radix-2² Fast Fourier Transform ''''''93
Gin-Der Wu, Zhen-Wei Zhu and Hung-Yi Chang

RF/MM-Wave IC (1)

CMOS Ku-Band LNB with High Image Suppression Capability for Satellite Application ''''''97
Lin Jia and M. Annamalai Arasu

A 0.68-1.65GHz CMOS LC Voltage-Controlled Oscillator with Small VCO-Gain and Step Variation ''''''9;
Liheng Lou, Lingling Sun, Haijun Gao and Jincan Wen

Low Power S-band Receiver using GaAs pHEMT Technology''''''''': 5
Yangyang Peng, Xiaoying Wang, Fangyue Ma and Wenquan Sui

Design of an X-band Board-band Lumped-element Quadrature Hybrid ''''''': 9
Fangyue Ma, Yangyang Peng, Xiaoying Wang, Saier Liu, Jin Lan and Wenquan Sui

A Ka-band MMIC Doherty Power Amplifier using GaAs pHEMT Technology'''''''; 3
Xiaoying Wang, Yangyang Peng, Fangyue Ma and Wenquan Sui

Special Session: News from Munich - Dealing with Variations and Aging; MPSoC Thread Assignment and FPGA Signal Processing

An Energy-Efficient Supply Voltage Scheme using In-Situ Pre-Error Detection for on-the-fly Voltage'''''''''; 6
Adaptation to PVT Variations
Martin Wirnshofer, Leonhard Heiß, Georg Georgakos and Doris Schmitt-Landsiedel

Variability-Aware Automated Sizing of Analog Circuits Considering Discrete Design Parameters ''''''': ;
Michael Pehl, Michael Zwerger and Helmut Graeb

Program-Aware Circuit Level Timing Analysis ''''''''324
Veit B. Kleeberger, Sebastian Kiesel, Ulf Schlichtmann and Samarjit Chakraborty

Hardware Assisted Thread Assignment for RISC based MPSoCs in Invasive Computing ''''''''328
Ravi Kumar Pujari, Thomas Wild, Andreas Herkersdorf, Benjamin Vogel and Jörg Henkel

Real-Time Signal Processing on Low-Cost-FPGAs using Dynamic Partial Reconfiguration ''''''''332
Michael Feilen, Matthias Ihmig, Anton Zahlheimer and Walter Stechele

Chip Design Competition Presentation 2

Versatile Ultra Low Noise Low Power Analog Signal Conditioning Chip With Integrated Drivers''''''336

Sanjay Joshi, Viral Thaker and Maryam Shojaei Baghini

A Novel Digital PLL With Good Performance and Very Small Area''''''33:

Luo Zhihong, Au Yeung On, Benjamin Lau and Henry Law

A 900MHz RFID Reader Chip with RC Calibration''''''346

Mou Shouxian, Ma Kaixue and Yeo Kiat Seng

Energy Efficient Integrated Gas Sensor System with Post CMOS Functionalization ''''''352

Pramod M

Analog IC (2)

Micro Energy Management for Energy Harvesting at Maximum Power Point ''''''358

Sewan Heo, Yil Suk Yang, Jaewoo Lee, Sang-kyun Lee and Jongdae Kim

Low-Power, Low-offset Stacked Analog Latch using an Offset Cancellation Technique''''''362

Minehiko Tateno, Hiroki Date and Kenichi Ohhata

Wireless Powering and Bidirectional Telemetry Front-End for Implantable Biomedical Devices ''''''366

Rui-Feng Xue, Hyouk-Kyu Cha, Jia Hao Cheong, Pradeep Basappa K, Minkyu Je and Yuanjin Zheng

Multiple Output Switched Capacitor DC-DC Converter for Low Power Applications ''''''36:

Ravinder Pal Singh and Minkyu Je

High Voltage Electrostatic Driving of MEMS Micromirrors ''''''374

Ravinder Pal Singh, Tal Langer and Minkyu Je

Visualization of Intrinsic Harmonic Distortion for Closed-loop Class D Amplifier ''''''378

Jun Yu, Wang Ling Goh and Meng Tong Tan

Digital IC (2)

A Voltage Management Technique for Low-Power Domino Circuits ''''''382

Ching-Hwa Cheng

A 30K 2.5Gb/s Decision-Eased Soft RS (224, 216) Decoder for Wireless Systems ''''''386

Yi-Min Lin, Yu-Chun Huang, Chi-Heng Yang and Hsie-Chia Chang

A 0.16nJ/bit/iteration 3.38mm² Turbo Decoder Chip for WiMAX/LTE Standards ''''''38:

Cheng-Hung Lin, Chun-Yu Chen, En-Jui Chang and An-Yeu (Andy) Wu

Comparative Design of Floating-Point Arithmetic Units Using the Balsa Synthesis System ''''''394

Ren-Der Chen, Yu-Cheng Chou and Wan-Chen Liu

Investigating the FIFO Design Styles Based on the Balsa Synthesis System ''''''398

Ren-Der Chen, Che-An Lee and Pei-Hua Hsieh

Digital System for Low Power Wireless Neural Recording System """"3: 2
Peng Li, Xin Liu, Bin Zhao and Minkyu Je

RF/MM-Wave IC (2)

A Wideband 0.6dB Insertion Loss +20.5dBm P1dB CMOS T/R Switch """"3: 6
Xuesong Chen and M. Kumarasamy Raja

60-GHz SP4T Switch with ESD Protection """"3: :
Jin He, Yong-Zhong Xiong and Yue Ping Zhang

A Dual-Band LC Voltage-Controlled Oscillator in 0.13 μ m CMOS Technology """"3; 4
Siti Maisurah M. H., Nazif Emran F., Norman Fadhil Idham M. and A. I. Abdul Rahim

A 5/6-bit Multi-Modulus Frequency Divider in 0.13 μ m CMOS Technology """"3; 8
Siti Maisurah M. H., Nazif Emran F., Norman Fadhil Idham M. and A. I. Abdul Rahim

Optimizing Gain of 5 GHz RF Amplifier keeping Minimum Deviation in Center Frequency and Noise ""422""
Figure
Jai Narayan Tripathi, Prakash R. Apte and Jayanta Mukherjee

A 5mA 2.4GHz 2-Point Modulator with QVCO for Zigbee Transceiver in 0.18- μ m CMOS""""426
Dan Lei Yan, Bin Zhao, M. Kumarasamy Raja and Yuan Xiaojun

Special Session: CMOS Circuit Techniques for Flexible Wideband Radio Front-Ends

A 2GHz Tx LO Generation Circuit with Active PPF and 3/2 Divider in 65nm CMOS""""42:
Markus Törmänen, Andreas Axholt, Jonas Lindstrand and Henrik Sjöland

RF Receiver System for Cognitive Radio Application""""434
Yuanzhong Xue, Yuanjin Zheng and Yeo Kiat Seng

A Divide-by-Two Injection-Locked Frequency Divider with 13-GHz Locking Range in 0.18- μ m CMOS """"438
Technology
Xiang Yi, Chirn Chye Boon, Jia Fu Lin, Manh Anh Do, Kiat Seng Yeo and Wei Meng Lim

Wideband RF Frontend Design for Flexible Radio Receiver """"442
Fahad Qazi, Quoc-Tai Duong and Jerzy J. Dabrowski

A Wideband Fully Integrated +30dBm Class-D Outphasing RF PA in 65nm CMOS""""P IC
Jonas Fritzin, Christer Svensson and Atila Alvandpour

Chip Design Competition Presentation 3 & Analog IC (4)

Ultra-Low-Power Wireless Implantable Blood Flow Sensing Microsystem for Vascular Graft Applications """"446
Rui-Feng Xue, Jia Hao Cheong, Hyouk-Kyu Cha, Xin Liu, Peng Li, Huey Jen Lim, Li Shiah Lim, Ming-Yuan Cheng, Cairan He, Woo-Tae Park and Minkyu Je

An 80-dB SNR 4th-Order Discrete-Time Sigma-Delta Modulator""""452
Chan-Keun Kwon, Chan-Hui Jeong, Young-Jae Min, Young-Mok Jung and Soo-Won Kim

A CMOS Single Stage Fully Differential Folded Cascode Amplifier Employing Gain Boosting Technique """"456
S. A. Enche Ab Rahim and I. M. Azmi

A Novel Ripple Controlled Modulation for High Efficiency DC-DC Converters """"45:
Zhuochao Sun and Liter Siek

Gm-Enhanced Differential Colpitts VCO """"464
Xue-Fei Xiao, Wang Ling Goh, Minkyu Je and Jae-Hong Chang

32kHz MEMS-Based Oscillator for Implantable Medical Devices""""468
Jae-Hong Chang, ShengXi Diao, Raja Muthusamy Kumarasamy and Minkyu Je

Analog IC (3)

Pseudo Differential Operational Transconductance Amplifier using Common Mode Feed Forward and HD3 """"472
Feed Forward
Yen-Shuo Chang, Hong-Chong Wu, Miin-Shyue Shiau, Don-Gey Liu and Heng-shou Hsu

High Gain, High Speed OTA for S/H Circuit in 14-b 100-MS/s Pipeline ADC""""476
Shuai Chen, Lenian He and Lu Zhang

A 10 Gb/s 4-PAM Transceiver with Adaptive Pre-Emphasis""""47:
Sungmin Yoo, Daeho Yun, Bongsub Song, Jinwook Burm, Jinil Chung and Jun Hyun Chun

Processing N-ary Trees in Hardware Circuits """"484
Valery Sklyarov, Iouliia Skliarova, Dmitri Mihhailov and Alexander Sudnitson

Simulation Environment for Visual Prototyping of Circuits and Systems""""488
Iouliia Skliarova and Valery Sklyarov

A Compact Millimeter-Wave CMOS Bandpass Filter Using a Dual-Mode Ring Resonator """"492
Sha Luo, Aaron V. Do, Chirn Chye Boon, Lei Zhu and Manh Anh Do

Computer-Aided Design, Logic and System Synthesis

Transfer Function Analysis for Model Topology Determination of On-Chip Transmission Lines""""495
Huang Wang, Lingling Sun, Jun Liu, Jincui Wen and Zhiping Yu

Design Optimization of MOS Operational Amplifiers using Finite Difference Sensitivity""""499
Binbin Weng and Guoyong Shi

Automated Synthesis Design Flow of Power Converter Circuits Aimed at SOC Applications """"4: 3
Hsin-Yu Luo, Hsiu-Wen Li, Long-Ching Yeh and Chien-Nan Jimmy Liu

A Resource Binding Technique for TSV Number Minimization in High-Level Synthesis of 3D ICs """"4: 7
Wei-Kai Cheng and Yi-Chun Yen

Low Power Digital Type ADC""""4: ;
Richard Wee Tar Ng and Liter Siek

System-on-Chip (SoC)

Ultra Low Power SOC for Portable Health Monitoring Platforms''''''4; 5

Richard Wee Tar Ng, Attard Laurent and Sie Boo Chiang

A Scalable Strategy for Runtime Resource Management on NoC based Manycore Systems ''''''4; 9

Xiongfei Liao and Thambipillai Srikanthan

Hybrid Non-preemptive/Cooperative Multitasking on NoC Based Manycore Systems''''''523

Xiongfei Liao, Thambipillai Srikanthan and Xiao He

An Autonomous Vehicle Using a Multi-Thread and Event-Driven Processor ''''''527

Touta Hayashi and Kenji Ohmori

A Dynamic Comparator with Analog Offset Calibration for Biomedical SAR ADC Applications ''''''52;

M. M. J. Herath and P. K. Chan

Testing and Yield Enhancement

Automated Wafer Defect Map Generation for Process Yield Improvement''''''535

Cher Ming Tan and Kheng Tuan Lau

Delay Defect Diagnosis Methodology using Path Delay Measurements ''''''539

Eun Jung Jang, Jaeyong Chung and Jacob A. Abraham

A Compact Model of AlGa_N/Ga_N on Silicon Schottky Diode and its Application''''''543

Yihu Li, Lei Wang, S. Arulkumaran, Yong-Zhong Xiong, Geok Ing Ng, Wang Ling Goh, Shane Todd and Patrick Lo

Prototyping A Bidirectional Processor Design Based on Reversible Principles''''''547

Dilip Vasudevan, Michel Schellekens, Nasim Zeinolabedini and Emanuel Popovici

Efficient Pipelined VLSI Architectre with Dual Scanning Method for 2-D Lifting-Based Discrete Wavelet Transform ''''''54;

Anand Darji , S. N. Merchant and A. N. Chandorkar

Mixed-Signal IC (1)

A Fast-locking Clock and Data Recovery Circuit with A Lock Detector Loop ''''''554

Chih-Lin Chen, Chua-Chin Wang and Chun-Ying Juan

A 5-bit 500-MS/s Time-Domain Flash ADC in 0.18- μ m CMOS ''''''558

Young-Jae Min, Ammar Abdullah, Hoon-Ki Kim and Soo-Won Kim

Parallel Background Calibration with Signal-Shifted Correlation for Pipelined ADC''''''562

Kexu Sun, Xuan Wang and Lenian He

A 3 bit 36 GS/s Flash ADC in 65 nm Low Power CMOS Technology ''''''566

Damir Ferenci, Simon Mauch, Markus Grözing, Felix Lang and Manfred Berroth

Adaptive Spread Spectrum Clock Tracking for Interpolator-based Clock and Data Recovery*****56:
Chuan-Thim Khor and Alan Chai

Analog IC (5)

Temperature Behavior Mismatch of Halo Implanted Short Channel Transistors and its Influence on PUF*****574
Circuits

Maximilian Hofer, Christoph Böhm and Wolfgang Pribyl

Low-Power Wireless Receivers for Healthcare Applications*****578

Alper Cabuk, Yuan Gao, Shengxi Diao, Yuanjin Zheng, Minkyu Je and Chun Huat Heng

Versatile MIMO Voltage-Mode OTA-C Universal Biquadratic Filter*****582

Montree Kumngern

New Current-Mode First-Order Allpass Filter using a Single CCCDTA*****586

Montree Kumngern

A $15\text{nV}/\sqrt{\text{Hz}}$ Noise $0.2\mu\text{V}$ Offset Chopper Conditioning Amplifier for Monolithic Infrared Sensing Systems*****58:

Juanda, Wei Shu, Joseph Chang and Wenfeng Yu

A CMOS Circuit Design of a Loss of Signal and the Application in Optical Receivers *****594

Feiyan Qin, Guoqing Xu and Huiyun Li

Digital IC (3)

A Power-Efficient Integrated Input/Output Completion Detection Circuit for Asynchronous-Logic Quasi-Delay-Insensitive Pre-Charged Half-Buffer*****598

Weng-Geng Ho, Kwen-Siong Chong, Bah-Hwee Gwee, Joseph. S. Chang and Ming-Fatt Yee

A Low-Cost and High-Throughput Architecture for H.264/AVC Integer Transform by Using Four Computation Streams *****5: 2

Yuan-Ho Chen, Tsin-Yuan Chang and Chih-Wen Lu

Design of Support Vector Machine Circuit for Real-time Classification *****5: 6

Soojin Kim, Seonyoung Lee, Kyoungwon Min and Kyeongsoon Cho

An All-Digital DLL with Dual-Loop Control for Multiphase Clock Generator *****5: :

Yu-Lung Lo, Pei-Yuan Chou, Hsiang-Hui Cheng, Shu-Fen Tsai and Wei-Bin Yang

Design and Fabrication of Configurable Digital Controller Interface for Micro Mirror Projector ASIC *****5; 4

Jianwen Luo, Peng Li, Chin Yann Pang, Pradeep Kumar Gopalakrishnan, Tal Langer and Minkyu Je

A Low Power JPEG Image Compression IC for Wireless Ingestible Endoscopy *****5; 8

Wei-Da Toh, Bin Zhao, Yuan Gao, Yuanjin Zheng, Minkyu Je and Chun-Huat Heng

Sensor Systems

Design and Implementation of a Bio Sensor Array (BSA) for Cancer Cell Detection *****622

Lim Lay Keng, Antoine Jalabert and Roshan Weerasekera

Closed Loop Wireless Power Transmission for Implantable Medical Devices''''626

Luis Andia, Rui-Feng Xue, Kuang-Wei Cheng and Minkyu Je

High-voltage Pulsar for Ultrasound Medical Imaging Applications ''''62:

Dongning Zhao, Meng Tong Tan, Hyouk-Kyu Cha, Jinli Qu, Yan Mei, Hao Yu, Arindam Basu and Minkyu Je

Design of a Radiation Tolerant CMOS Image Sensor ''''634

Xinyuan Qian, Hang Yu, Bo Zhao, Shoushun Chen and Kay Soon Low

A Review of CMOS Multimodal Neuromonitoring Sensors and Systems''''638

Wai Pan Chan and Minkyu Je

On-Chip RF Energy Harvesting Circuit for Image Sensor''''642

Jun Wu Zhang, Xiang Yu Zhang, Zhuang Liang Chen, Kye Yak See, Cher Ming Tan and Shou Shun Chen

**Special Session: Silicon Based High Performance ICs at RF and Millimeter Wave Range-
Part 1**

Scalable Modeling Based on Fill Ratio for Planar Spiral Inductors ''''646

Lin Zhong, Lingling Sun, Jun Liu and Huang Wang

Model of On-Chip VGP-CPW with P+ Implant in CMOS Process ''''64:

Jincai Wen, Jia Lou and Lingling Sun

**A Novel Accurate dB-Linear Control Circuit Topology for Variable Gain Amplifiers in BiCMOS ''''654
Technology**

Zhenghao Lu, C. H. Hu, X. P. Yu, W. M. Lim, Y. Liu and K. S. Yeo

A 6-GHz dual-modulus prescaler using 180nm SiGe technology ''''658

C. Z. Nan, X. P. Yu, B. Y. Hu, Z. H. Lu, W. M. Lim, Y. Liu, K. S. Yeo and ChangHui Hu

Self-demodulated Receiver at MM-wave Range using SiGe Technology''''662

X. P. Yu, B. Y Hu, X. L. Yan, Z. H. Lu, W. M. Lim, Y. Liu, K. S. Yeo and C. H. Hu

Mixed-Signal IC (2)

Programmable Low-Dithering-Jitter Interpolator-based CDR''''666

Lip-Kai Soh, Wai-Tat Wong, Swee-Wah Lee and Chuan-Thim Khor

A Power Efficient $\Sigma\Delta$ Modulator Based on CBSC IIR Filter in 0.18 μ m CMOS ''''66:

Mehdi Taghizadeh, Majid Zamani, Payman Goodarzi and Ammar Rahimi Kazerooni

Low-Power Design Techniques with Process Tagging and Dynamic Power Management ''''674

Daniel Cooley, Yuwono Rahman, Jin Ruan, Xun Yu, Lei Chen and Jianyuan Deng

**CMOS Based 16-Channel Neural/Muscular Stimulation System with Arbitrary Waveform and Active ''''678
Charge Balancing Circuit**

Lei Yao and Minkyu Je

Physical Design Exploration of 3DIC Wireless Transceiver using Through-Si-Vias """"682
Mini Jayakrishnan, Xin Liu, Hong Yu Li, Jingjing Lan and Wang Ling Goh

A PLL with a VCO of Improved PVT Tolerance """"686
Kok-Foong Chong, Liter Siek and Benjamin Lau

Analog IC (6)

The Phase Locked Loop for MEMS Horizontal Scanning Control of Micro-Laser Projection ASIC""""68:
Dan Lei Yan, Luo Jian Wen, Li Peng, Ravinder Pal Singh, Duy-Dong Pham, Tal Langer and Minkyu Je

A Flipped Voltage Follower based Low-Dropout Regulator with Composite Power Transistor""""694
S. S. Chong and P. K. Chan

20 MHz Accurate Peak Detector for FPW Allergy Biosensor With Digital Calibration """"698
Tzung-Je Lee, Wei-Chih Hsiao and Chua-Chin Wang

2.45 GHz ZigBee Receiver Frontend for HAN With Smart Meter""""6: 2
Tzung-Je Lee, Wayne Luo, Shang-Hsien Yang, Ming-Hung Shih, Ko-Chi Kuo and Chua-Chin Wang

High Frequency Tow-Thomas Tunable Filter using OTA based Voltage Op-Amp""""6: 6
Walid Zemouri, Eman A. Soliman and Soliman A. Mahmoud

Cascaded Third-Order Tunable Low-Pass Filter using Low Voltage Low Power OTA """"6: :
Sondos H. Ismail, Eman A. Soliman and Soliman A. Mahmoud

Reconfigurable Systems (1)

Modularized Development Platform for Hardware/Software Design""""6; 4
Kai-Chao Yang, Yu-Tsang Chang, Chien-Ming Wu and Chun-Ming Huang

An Improved Dynamic-Biased CMOS Operational Amplifier for Biomedical Circuit Applications """"6; 8
H. L. Tan, G. T. Ong and P. K. Chan

An Angina Diagnosing System using Fuzzy Clustering and Correlation in FPGA""""722
Evaldo R. F. Cintra, Tales C. Pimenta and Robson L. Moreno

Secret Sharing based Countermeasure for AES S-Box """"726
Yi Wang, Zheng Yuan, Zhican Li and Renfa Li

FPGA based Optimized SHA-3 Finalist in Reconfigurable Hardware """"72:
Qian Song, Yi Wang, Zhican Li, Quan Zhou, Wufei Wu, Demin Han, Wenlong Xu, Zuo Chen and Renfa Li

A Code Reuse Method for Many-Core Coarse-Grained Reconfigurable Architecture Function Library Development """"734
Shuo Li, Guo Chen and Ahmed Hemani

Semiconductor Devices, Fabrication and Assembly

Charge Collection Probability: Normal-Collector Configuration''''''738

Chee Chin Tan, Vincent K. S. Ong and K. Radhakrishnan

A Study of the Effect of Shallow Trench Isolation Technology on MOSFET DC Characteristic''''''742

Xia Fang, Lingling Sun, Jun Liu and Huang Wang

Low Frequency Noise Investigation of AlGaIn/GaN/AlN Silicon Schottky Diode''''''746

Yihu Li, Yong-Zhong Xiong, S. Arulkumaran, Lei Wang, Wang Ling Goh, Geok Ing Ng, Shane Todd and Patrick Lo

Optimization of Vertical Silicon Nanowire based Solar Cell using 3D TCAD Simulation''''''74:

Jitendra Kumar, S. K. Manhas, Dharmendra Singh and Ramesh Vaddi

Amorphous Carbon Step Coverage Improvement applied to Advanced Hard Mask for Lithographic''''''754 **Application**

Zitu-Tin Lin, Chun-Chi Chen, Hung-Ju Chien and Hiroshi Matsuo

Special Session: Silicon Based High Performance ICs at RF and Millimeter Wave Range- Part 2

Wideband Receiver for Software Defined Radio in GHz range using Standard 40nm CMOS technology''''''757

F. Yang, Y. Liu, X. L. Zhang, Z. H. Lu, X. P. Yu, W. M. Lim and C. H. Hu

A $\Delta\Sigma$ Fractional-N PLL with Fast Auto-Frequency Calibration for CMMB Tuners''''''75;

Jing Jin, Xiaoming Liu, Peng Qin and Jianjun Zhou

A 1mW 5GHz Current Reuse CMOS VCO with Low Phase Noise and Balanced Differential Outputs''''''765

Wenrong Ying, Peng Qin, Jing Jin and Tingting Mo

A Curvature Compensated Bandgap Reference with low Drift and low Noise''''''769

Junmin Jiang, Zhihua Ning and Lenian He

GSM/EDGE Power Amplifier Module with Improved Low-Power Efficiency''''''773

Jinbo Li, Tingting Mo and Feng Xu

Analog IC (8)

Comparative Study and Analysis of Noise Reduction Techniques for Front-End Amplifiers''''''777

Lei Liu, Xiaodan Zou, Wang Ling Goh and Minkyu Je

Temperature Insensitive Current Reference for the 6.27 MHz Oscillator''''''77;

Wei-Bin Yang, Zheng-Yi Huang, Ching-Tsan Cheng and Yu-Lung Lo

A Novel Mode Switching Power Management System IC Design for Implantable Biomedical''''''785 **Instrumentations**

Arnold C. Paglinawan, Charmaine C. Paglinawan, Glenn O. Avedaño, Ying-Hsiang Wang and Wen-Yaw Chung

