2011 International Conference on Recent Advancements in Electrical, Electronics and Control Engineering

(ICONRAEeCE 2011)

Sivakasi, India 15-17 December 2011



IEEE Catalog Number: ISBN:

CFP1153R-PRT 978-1-4577-2146-5

CONTENT

| SI.No. | Particulars | Page No. |
|--------|--|-----------|
| 1. | Dielectric Properties of Polycarbonate Coated Natural Fabric Grewia tilifolia CH.V.V.Ramana , Williem , J. Jayaramudu , Rotimi Sadiku and S.S.Ray | <u>1</u> |
| 2. | Reserve Management in Bilateral Power Market for Composite System with Load Forecast Uncertainty Koodalsami Chandrasekaran and Sishaj Pulikottil Simon | <u>5</u> |
| 3. | Incremental Cost based Combined Economic and Emission Dispatch using Hybrid Differential Evolution Jagadeesh Gunda, P.Acharjee and Sharmila Biswas | <u>13</u> |
| 4. | Analysis of Power Quality Problems in Grid connected Wind Power Plant M.G.Sugirth and P.Latha | <u>19</u> |
| 5. | Electrical Energy Audit of A Electroplating Unit – A Case Study Sunita R. Bhawarkar and S.Y. Kamdi | <u>25</u> |
| 6. | Universal Power Line Manager for Micro Grid P.JenoPaul, I Jacob Raglend and T. Ruban Deva Prakash | <u>30</u> |
| 7. | Comparative Analyses of Min-Max and Max-Max Price Penalty Factor Approaches for Multi Criteria Power System Dispatch Problem Using Lagrange's Method Senthil Krishnamurthy and Raynitchka Tzoneva | <u>36</u> |
| 8. | Small signal stability analysis of Grid connected Wind Energy Conversion Systems Sharon Ravichandran, S.G. Bharathi Dasan and R.P.Kumudini Devi | <u>44</u> |
| 9. | A Hybrid Technique using Particle Swarm Optimization and Differential Evolution to solve Economic Dispatch Problem with Valve-Point Effect A.Parassuram, S.N.Deepa and M.Karthick | <u>51</u> |
| 10. | Analog control scheme for Cascaded Multilevel Inverters based on Multiple carrier PWM technique S.Albert Alexander and T.Manigandan | <u>57</u> |
| 11. | A Refined Space Vector PWM Signal Generation for Six-Level Inverter G.Sambasiva Rao and K.Chandra Sekhar | <u>63</u> |
| 12. | DC-DC Converter CSI fed BLDC motor for Defense Applications J.Karthikeyan and R.Dhana sekaran | <u>68</u> |
| 13. | Improved Control Strategy on Buck-Boost Converter Fed DC Motor S. Ben John Stephen and T. Ruban Devaprakash | <u>73</u> |

| Sl.No. | Particulars | Page No. |
|--------|---|------------|
| 14. | A Novel Approach For a Multirate 3 Level Carrier SVM of DTC Based IM Drive J. Jeyashanthi, S.Rohini, G.LakshmiThilagam and G.Loganayaki | <u>78</u> |
| 15. | Comparison of a Active Harmonic Compensator with PWM and Delta Modulation Under Distorted Voltage Conditions. A.Jeraldine Viji, R.Pushpalatha and M.Rekha | <u>82</u> |
| 16. | DC Link Voltage Regulated Active Power Line Conditioner for Compensating Harmonic and Reactive Power. S. Suresh and S. Kannan | <u>87</u> |
| 17. | Practical Implementation of Four Quadrant Operation of Three Phase Brushless DC Motor using dsPIC. Sheeba Joice C, S.R. Paranjothi and Jawahar Senthil Kumar | <u>91</u> |
| 18. | Suppression of Four Wave Mixing by Optical Phase Conjugation in DWDM Fiber Optic Link A.Selvamani and T.Sabapathi | <u>95</u> |
| 19. | A Random Input-Driven Resistor-Capacitor Series Circuit Nanasaheb S Patil, Balaji G Gawalwad and Shambhu N Sharma | 100 |
| 20. | Tuning of Robust $_{PI^{\alpha}/PD^{\beta}}$ Controller for Generalized Plant Structure Ameya Anil Kesarkar and N. Selvaganesan | <u>104</u> |
| 21. | Capacitance Measurement with Integrated Instruments M. Ashok Kumar and B. Rama Murthy CH. V. V. Ramana and Williem Clarke K. Venu Madhav | <u>109</u> |
| 22. | Nonlinear Control Algorithm for Smooth Transition in Large-Angle Attitude Maneuver Runle Du, Jiaqi Liu, Yonghai Wang, Gang Meng and Chenyang Mu | 113 |
| 23. | Transient Scattering Analysis-Comparison of TLM And FDTD-PML Methods R.Srinivasa Rao, PV Subbaiah and B Prabhakar Rao | <u>122</u> |
| 24. | Energy Balance Model Based Fuzzy Controller for Combustion of Utility Boiler A.Selwin Mich Priyadharson, Dr.T.R.Rangaswamy | <u>126</u> |
| 25. | Design and Development of A Microcontroller Based System for the Measurement of Blood Pressure N. Anju Latha, B. Rama Murthy, K. Venu Madhav, V. Siva Kumar CH. V. V. Ramana and Williem Clarke | <u>131</u> |
| 26. | Intelligent Control of Nonlinear Inverted Pendulum Dynamical System with Disturbance Input using Fuzzy Logic Systems Lal Bahadur Prasad, Hari Om Gupta and Barjeev Tyagi | <u>136</u> |

| SI.No. | Particulars | Page No. |
|--------|--|------------|
| 27. | Performance Analysis of PV Module Connected in various configurations under Uniform and Non-uniform Solar Radiation Conditions <i>P.Roopa and S.Edward Rajan and R.Pon Vengatesh</i> | <u>142</u> |
| 28. | Constant Frequency-Unified Power Quality Conditioner for Wind Turbine Generator connected with Micro Grid P.JenoPaul I .Jacob Raglend and T. Ruban Deva Prakash | <u>150</u> |
| 29. | Web-based Power Flow Analysis using Matlab Builder JA R.Malarvizhi and S.T.Veena | <u>156</u> |
| 30. | An Improved Model for Throughput Enhancement and Optimal Relay Selection Algorithm (O-RSA) in IEEE 802.16j MMR Networks D.Satish Kumar and N.Nagarajan | <u>160</u> |
| 31. | Combined Economic and Emission Dispatch using Intelligent Water Drops- Continuous Optimization Algorithm Nagalakshmi.P, Harish.Y, Kranthi Kumar.R and Chakravarthi Jada | <u>168</u> |
| 32. | Simulation of Electric Arc Furnace Characteristics for Voltage Flicker study using MATLAB D.C.Bhonsle and R.B.Kelkar | <u>174</u> |
| 33. | An Effect of SMES Using Automatic Generation Control in a Multi Area Power System V.Shanmuga Sundaram and T.Jayabarathi | <u>182</u> |
| 34. | Improvement of the time domain specifications of dc bus voltage of Shunt active filter using controllers R. Sriranjani and S. Jayalalitha | <u>187</u> |
| 35. | Operating Performance of RLS Based Power System Stabilizer for Indian Utility System R. Gnanadass and A. Ragavendiran | <u>192</u> |
| 36. | A Survey on State Estimation Techniques in Electrical Power System S.Raghuraman and R.Jegatheesan | <u>199</u> |
| 37. | Control of an Asymmetric PWM and FM-LCC Dual Output Converter K.Sundararaman, R.Dhanalakshmi and M.Gopalakrishnan | <u>206</u> |
| 38. | Generation of Chaos and EMI Reduction in Current Controlled Boost Converter Using Random Modulation L.Premalatha and A.Thanuja | 211 |

| SI.No. | Particulars | Page No. |
|--------|--|------------|
| 39. | Modified Duty Phase Control for Single Phase Boost -Type Switching Mode Rectifier (SMR) K.sridharan and S.Raghavendran | <u>216</u> |
| 40. | FPGA Implementation of Space Vector PWM for Speed Control of 3-Phase Induction Motor Aishanou Osha Rait and Praveen Bhosale | 221 |
| 41. | Embedded Controller in Farmers Pump By Solar Energy K.Ganesh and S.Girisha | 226 |
| 42. | Harmonic Pollution Survey and Simulation of Passive Filter using MATLAB D.C.Bhonsle and R.B.Kelkar | <u>230</u> |
| 43. | Design and Simulation of Single Phase Shunt Active Power Filter using MATLAB D.C.Bhonsle and R.B. Kelkar | 237 |
| 44. | Comparison of Closed loop PF improvement Controllers for Single phase AC-DC Dual Output Converter J. Gnanavadivel, R. Santhiya and N. Senthil Kumar | <u>242</u> |
| 45. | Performance Evaluation of Different Rectifiers for Piezo-electric Energy Harvesting Applications E.Annie Grace, S.Edward Rajan and A.Allwyn clarence asis | 248 |
| 46. | Real Time Experiment to Determine Transfer Function of Quanser Servo Plant A.Brindha, S.Balamurugan and P.Venkatesh | <u>253</u> |
| 47. | Frequency-Time Analysis Approach to Feature Extraction for Text Independent Speaker Identification R.Shantha Selva Kumari and S.Selva Nidhyananthan | <u>258</u> |
| 48. | Simple Tuned Adaptive PI Controller for conical Tank Process S.Anand, V.Aswin and S. Rakesh Kumar | <u>263</u> |
| 49. | Bessel Filters Using Simulated Inductor D.Susan and S.Jayalalitha | <u>268</u> |
| 50. | Enhancement of Wireless Channel Capacity Using MIMO System P.Saravanaselvi and P.Latha | <u>272</u> |
| 51. | Wavelet based quality enhancement for medical images Josephine Sutha. V and P. Latha | <u>277</u> |
| 52. | Obtaining Step Response With Small Settling Time Using Fuzzy Logic Controller for a Separately Excited DC Motor C.Rajeswari, G.Soundra Devi, A.Siva Sankar and C. Kokila | <u>281</u> |

| SI.No. | Particulars | Page No. |
|--------|--|------------|
| 53. | Iris Recognition Using Ridgelet Transform S.Arivazhagan, S.Shobana Priyadharshini and J.Raja Sekar | <u>286</u> |
| 54. | Significant Region Based Image Retrieval Using Curvelet Transform <i>P.Manipoonchelvi and K.Muneeswaran</i> | <u>291</u> |
| 55. | Allocation and Contribution of Reactive Power for the Practical Utility System R. Gnanadass and M.Susithra | <u>295</u> |
| 56. | Recurrent Neural Network for Faulty Data Identification in Smart Grid A.Darwin Jose Raju and S.Solai Manohar | <u>303</u> |
| 57. | A Novel Design and Development of a Microprocessor-based Current Protection Relay Anshu Sahai and D.J.Pandya | <u>309</u> |
| 58. | Applications of FACTS Devices with Fuzzy Controller for Oscillation Damping in AGC S.K.Sinha, R. N. Patel and R. Prasad | <u>314</u> |
| 59. | Design of PID Power System Stabilizer using GA for SMIB System: Linear and Non-Linear Approach <i>P.R.Gandhi and S.K.Joshi</i> | <u>319</u> |
| 60. | Improvement of energy efficiency through power quality by the compensation of harmonics with shunt active power filter R. Rajalakshmi and V.Rajasekaran | <u>324</u> |
| 61. | Modelling and Simulation of Distributed Generation System Using HOMER Software Bindu U Kansara and B.R. Parekh | <u>328</u> |
| 62. | Application of Genetic Algorithm to Power System Voltage Stability Enhancement Using Facts Devices V.A.Preethi, S.Muralidharan and S.Rajasekar | <u>333</u> |
| 63. | Thermal Unit Commitment using FLAC guided modified Dynamic Programming Approach S.Muralidharan, V.Mathan Kumar and A.Baalavignesh | <u>339</u> |
| 64. | A Novel MPPT Scheme for Solar Powered Boost Inverter Using Evolutionary Programming M.Kaliamoorthy and V.Rajasekaran | <u>346</u> |
| 65. | Performance of Vector Controlled Induction Motor Drive with Reactive Power based MRAS Rotor Resistance Estimator M.Nandhini Gayathri, R.Sankaran and S.Himavathi | <u>352</u> |

| SI.No. | Particulars | Page No. |
|--------|--|------------|
| 66. | Analysis of Current-fed Full Bridge Converter with Modified Auxiliary Circuit R.Arivazhagan and S.Lenin Prakash | <u>357</u> |
| 67. | Control of Chaos in a Current Mode Controlled DC-DC Flyback Converter Using Slope Compensation Method S.Swarnavel, E.D.Dhanarani, P.Sarala Devi and R.Anitha | <u>363</u> |
| 68. | Advanced Cascaded Multilevel Inverter for PV Cell Renewable Energy System Employing Incremental Conductance MPPT Algorithm K. Mahendran | <u>367</u> |
| 69. | Dynamic Modeling and Simulation of Hybrid Generation Systems M.Mahalakshmi and S.Latha | <u>371</u> |
| 70. | Modeling of Conducted EMI in Flyback Switching Power Converters K.R.Aravind Britto, R.Vimala, B. Saranya and <i>R.Dhanasekaran</i> | <u>377</u> |
| 71. | Performance Evaluation of Two Level Unidirectional PWM Rectifiers Employing Space Vector Modulation (SVM) Technique J.Mohan and B.V.Manikandan | <u>384</u> |
| 72. | Genetic Algorithm Based Selective Harmonic Elimination in PWM AC-AC Converter J. Bindu, S.Muralidharan, S.Selvaperumal and M. Muhaidheen | <u>393</u> |
| 73. | Real-time monitoring of GPS-tracking multifunctional Vehicle path control and data acquisition based On ZigBee multi-hop mesh network G.Angel and A.Brindha | <u>398</u> |
| 74. | Early Stage Detection of Cancer in Mammogram Using Statistical Feature Extraction M.Vidhya, N. Sangeetha, M.N.Vimalkumar and K.Helenprabha | <u>401</u> |
| 75. | A Comparison of Two Schemes for Peak to Average Power Reduction in a Multicarrier Transmission M.G.Sumithra and M.Sarumathi | <u>405</u> |
| 76. | Analysis of DSA images using Virtual Instrumentation A.Umarani, A.Asha and R.Naveeth Kumar | <u>410</u> |
| 77. | Performance Evaluation of Pre-Rake Diversity under Channel Prediction Errors for FDD/DS-CDMA Systems C.Subhas | <u>415</u> |
| 78. | Data transactions on System-on-Chip bus using AXI4 protocol Shaila S Math, Manjula R. B, S.S. Manvi and Paul Kaunds | <u>423</u> |
| 79. | An Efficient Ba[Pt(CN) ₄] Wireless Radioactive Sensor with Noise adjusted Principal Component Analysis A.Suganya and A.Anand | <u>428</u> |

| SI.No. | Particulars | Page No. |
|--------|--|------------|
| 80. | Assessment of Variants of LMS Algorithms for Noise Cancellation in Low and Medium Frequency Signals Vaibhav Narula, Mukul Sagar, Pranab Joshi, Rachana Nagal and Puneet Satindarr Mehta | 432 |
| 81. | Analysis and Reduction of Polarization Mode Dispersion in an Optical Fiber R. Gowri Manohari and T. Sabapathi | 438 |
| 82. | Solar Powered Stirling Engine for Self-Generating Electricity R.Aishwarya and K.DhivyaBharathi | 442 |
| 83. | Universal Power Line Manager for Wind Turbine Generator connected with Strong Grid P.JenoPaul, Jacob Raglend, and T. Ruban Deva Prakash | 448 |
| 84. | Evaluation of Loadability Limit of Pool Model with TCSC using Optimal featured BPNN S.Nagalakshmi and N.Kamaraj | <u>454</u> |
| 85. | Transient Stability Studies in SMIB System with Detailed Machine Models S.Kalyani, M.Prakash and G.Angeline Ezhilarasi | <u>459</u> |
| 86. | Power Limitation of a variable speed wind turbines with Fixed Pitch angle in Switched Reluctance Generator Using MATLAB/SIMULINK. K.Kannan, S.Sutha, R.Kathirvel and P.Booma Devi | <u>465</u> |
| 87. | Optimal Siting and Sizing of Distributed Generation Using Fuzzy- EP S.Selvi Ramalakshmi | <u>470</u> |
| 88. | Identification of predominent frequencies in a speech signal using modeling of vocal chord V.S.Balaji, N.R.Raajan and Har Narayan Upadhayay | 478 |
| 89. | Reliability Analysis of Grid Using Availability Based Tariff (ABT) Method J.Mohan, D.Nadana moorthi and B.V.Manikandan | 482 |
| 90. | A New Transmission Pricing Methodology for Indian Restructured Market Using PSS/E Software S.Charles Raja, R.Elakkia and P.Venkatesh | 488 |
| 91. | Performance Evaluation of Buck Converter with SiC Diode Naman Dwivedi, Akash Verma, Dipta Ghosh, Rajendra Pratap and Vineeta Agarwal | <u>493</u> |
| 92. | Modified Cost Function & Improvement in Accuracy Percentage for Time Delay Estimation O.P. Sahu, Sanjeev Kumar Dhull, and Sandeep K. Arya | <u>497</u> |

| SI.No. | Particulars | Page No. |
|--------|---|------------|
| 93. | Face Recognition Using Discrete Cosine Transform for Global and Local Features Aman R. Chadha, Pallavi P. Vaidya and M. Mani Roja | <u>502</u> |
| 94. | Simulation of Ride through Capability of Adjustable Speed Drive for type A and type B voltage sags and swell using Buck–Boost converter <i>K.R.Ramela and V.Sureshkumar</i> | <u>506</u> |
| 95. | Safety Instrumented System and alarm system for Heater Chintan P. Kapasi, Vazhapilly Jeel Jose, Medha Sharma, Nilima Warke | <u>512</u> |
| 96. | Augmented Reality - Landmark Estimation S Suganya and Narasimhan Ranga Raajan | <u>517</u> |
| 97. | Investigation of EMI Reduction in Buck Converter by Using External Chaos Generator P.Aruna and L.Premalatha | <u>520</u> |
| 98. | Analysis of Low Harmonics and High efficient BLDC Motor Drive system for Automotive Application M. Pandi maharajan, P.Muthu, M. Palpandian and S.Kannadasan | <u>526</u> |
| 99. | Performance Analysis of SRM Drive Using Multi Level Inverter V.R.Velmurugan | <u>532</u> |
| 100. | Design and Simulation of Three Phase Matrix Converter for Brushless DC Motor C.Senthil Kumar, M.Eswari, J.Gnanavadivel and N.Senthil Kumar | <u>536</u> |
| | Author Index | <u>540</u> |