

# **2011 78th ARFTG Microwave Measurement Symposium**

**(ARFTG 2011)**

**Tempe, Arizona, USA  
1-2 December 2011**



**IEEE Catalog Number: CFP11ARG-PRT  
ISBN: 978-1-4673-0280-7**

## ***Session 1: Loadpull Measurement Techniques & Applications***

### **High Power Load-Pull Measurements: Today's Technologies and Tomorrow's Challenges (Invited) 223**

Andrea Ferrero, Electronics Department, Politecnico di Torino, Torino, Italy

### **Pulsed Load-Pull Based Optimal Load-Modulation PA Design Methodology for Average Efficiency Enhancement '226**

Haedong Jang<sup>1</sup>, Youngseo Ko<sup>1</sup>, Patrick Roblin<sup>1</sup>, Chieh Kai Yang<sup>1</sup>, Hyo-Dal Park<sup>2</sup>

<sup>1</sup>Department of Electrical and Computer Engineering, Ohio State University, Columbus, Ohio, United States

<sup>2</sup>Department of Electrical Engineering, Inha University, Incheon, Republic of Korea

### **Utilization of RF I-V Waveform Load-Pull Information to Identify the Role FET Knee Profile has on Locating the Efficiency Maxima'232**

Tim Canning, Abdullah Almuhausen, Jonathan Lees, Johannes Benedikt, Steve Cripps, Paul Tasker, Cardiff University, Cardiff, United Kingdom

## ***Session 2: Power Amplifier Modeling***

### **Interpolation and Extrapolation Capabilities of Non-Linear Behavioural Models'236**

R. S. Saini<sup>1</sup>, J. J. Bell<sup>1</sup>, T. Williams<sup>2</sup>, J. Lees<sup>1</sup>, J. Benedikt<sup>1</sup> and P. J. Tasker<sup>1</sup>

<sup>1</sup>Centre for High Frequency Engineering, Department of Engineering, Cardiff University, Cardiff, United Kingdom <sup>2</sup>Mesuro Limited, Cardiff, United Kingdom

### **3D Modeling of Assembly Influence on Packaged Transistors '23:**

Ondrej Moravek and Karel Hoffmann, Czech Technical University in Prague, Faculty of Electrical Engineering

### **Digital Predistortion of a Power Amplifier for Signals Comprising Widely Spaced Carriers 246**

R. Neil Braithwaite, Powerwave Technologies, Santa Ana, California, United States

### **Frequency Multiplexing Tickle Tones to Determine Harmonic Coupling Weights in Nonlinear Systems '24:**

Charles Baylis and Robert J. Marks II, Wireless and Microwave Circuits and Systems Program Department of Electrical and Computer Engineering Baylor University, Waco, Texas, United States

## ***Session 3: Linear Measurements and Modeling***

### **S-Parameter Extraction of Passive Sub-Circuits Using Computed Tomography Scans and Measured Substrate Material Parameters '257**

Jürgen Hillebrand, Steffen Kieß, Marek Wróblewski and Sven Simo Institute of Parallel and Distributed Systems, University of Stuttgart, Stuttgart, Germany

### **A Genetic Algorithm for Generating RF Circuit Models from Calibrated Broadband Measurements '263**

T. Mitch Wallis

Electromagnetics Division, National Institute of Standards and Technology, Boulder, Colorado, United States

## ***Session 4: Near-Field Probing & Material Characterization***

### **A Novel High Resolution E-Field Microscope System with Applications in HPA Diagnostics**'268

N. Dehghan<sup>1</sup>, A. Porch<sup>1</sup>, S.C. Cripps<sup>1</sup>, and P. H. Aaen<sup>2</sup> <sup>1</sup>Centre for High Frequency Engineering, Department of Engineering, Cardiff University, Cardiff, United Kingdom <sup>2</sup>Freescale Semiconductor, Inc., Tempe, Arizona, United States

### **Low-Cost Non-Contact Microwave Probe Design for Insulating Materials Characterization** '26;

María F. Córdoba-Erao and Thomas M. Weller Department of Electrical Engineering, University of South Florida, Tampa, Florida, United States

### **Detailed Error Analysis and Automation of the RA Resonator Technique for Measurement of Uniaxial Anisotropic Permittivity** '276

Brian J. Rautio<sup>1</sup>, Mahmoud El Sabbagh<sup>1</sup>, and James C. Rautio<sup>2</sup>

<sup>1</sup>L.C. Smith College of Engineering and Computer Science, Syracuse University, Syracuse, New York, United States <sup>2</sup>Sonnet Software, Inc., North Syracuse, New York, United States

## ***Session 5: MM-Wave Measurements & RADAR***

### **Measurement of Noise Parameters of CW Radar Sensors** '27;

Jenik Vojtech and Hudec Premysl, Department of Electromagnetic Field, Faculty of Electrical Engineering, Czech Technical University, Prague, Czech Republic

### **On mm-wave heterodyne measurements and source/LO signal cleanliness** '285

J. Martens, Anritsu Company, Morgan Hill, California, United States

### **Receiver Linearity Measurement Using Two CW Signals** '289

Ken Wong, Agilent Technologies, Inc. Santa Rosa, California, United States

### **Characterize Millimeter Wave Amplifiers Using an Innovative Single Connection Approach** 294

Yuenie S. Lau<sup>1</sup>, David J. Vondran<sup>1</sup>, and Mohamed M. Sayed<sup>2</sup> <sup>1</sup>OML, Inc., Morgan Hill, California, United States <sup>2</sup>Microwave and Millimeter Wave Solutions, Santa Rosa, California, United States

## ***Session 6: Calibration***

### **A Survey of Techniques for Improving the Calibration of High-Power Network Analyzers** '299

Keith F. Anderson, Agilent Technologies, Inc. Santa Rosa, California, United States

### **Hidden Problems in Precise Calibration on Microstrip II Explanation and Solution** '2: 4

Karel Hoffmann and Jiri Raboch Faculty of Electrical Engineering, Czech Technical University, Prague, Czech Republic

### **Mixed Mode S-Parameters Characterization Using Two-Tier Calibration Method Up To 40 GHz** 2: 9

Varvara Kollia and Zhen Zhou, Intel Corp. Photonics Technology Laboratory, Santa Clara, California, United States

### **A Novel Method to Accurately Set Incident Power to DUT with VNA** 2; 5

Joel Dunsmore<sup>1</sup>, Chen Xin<sup>2</sup>, and Zhang Yong-Xun<sup>2</sup> <sup>1</sup>Agilent Technologies, Inc. Santa Rosa, California, United States, <sup>2</sup>Agilent Technologies, Beijing, China

## ***Session 7: Traceability, Novel Structures and Analysis***

### **Traceability to National Standards for S-parameter Measurements in Waveguide at Frequencies from 220 GHz to 330 GHz 2; 9**

Nick Ridler<sup>1</sup>, Roland Clarke<sup>2</sup>, Martin Salter<sup>1</sup>, and Alan Wilson<sup>1</sup> <sup>1</sup>National Physical Laboratory, United Kingdom <sup>2</sup>University of Leeds, United Kingdom

### **Metrological Traceability of Dimensional and Electrical Measurements of Multi-line Precision 1.85 mm Air Lines via Comparison between NMIJ and Anritsu '325**

Masajiro Horibe<sup>1</sup> and Yeou Song (Brian) Lee<sup>2</sup>, <sup>1</sup>National Metrology Institute of Japan (NMIJ), Tsukuba, Japan <sup>2</sup>Anritsu Company, Morgan Hill, California, United States

### **New Multimode Planar Structure '334**

Milan Prikoda and Karel Hoffman,  
Faculty of Electrical Engineering, Czech Technical University, Prague, Czech Republic

### **Application of Shewhart Control Statistics to RF/Microwave Measurements '338**

Travis Barbieri, Freescale Semiconductor, Inc. Tempe, Arizona, United States