2012 IEEE Students' Conference on Electrical, Electronics and Computer Science

(SCEECS 2012)

Bhopal, India
1 – 2 March 2012

IEEE

IEEE Catalog Number: CFP1266S-PRT
ISBN: 978-1-4673-1516-6

TABLE OF CONTENTS

An Effective Design Technique To Reduce Leakage Power 1
N. Raj, R. Lorenzo

3-Phase Grid-Connected Liquid Solar Arrays Photovoltaic Inverter Control Loop Design 5
R. Vishvakarma, S. Singh, T. Shukla, S. Kushwaha, Devbrat

Phase Estimation for Grid Synchronization using CORDIC Algorithm with SRF-PLL 9
S. Panda, B. Babu

An Efficient Control on Photovoltaic Energy Conversion System Using Modified Perturb and Observe Technique for Stand Alone Applications 13
N. Singh, S. Singh, D. Singh, P. Vishvakarma, B. Singh

Dual Gate Enhancement-Mode JFET (DG-JFET) For Ultra Low Power Applications 17
N. Biju, R. Komaragiri

Feasibility Study of AC Bridges in MEMS Pressure Sensors 21
S. Sarath, R. Komaragiri

Promotion of Renewable Energy in Indian Power Sector Moving Towards Deregulation 25
N. Sharma, P. Tiwari, Y. Sood

Current Status, Policies And Future Perspectives Of Indian Power Sector Moving Towards Deregulation 31
N. Sharma, P. Tiwari, Y. Sood

A Novel Design Strategy of Low-pass FIR Filter using Opposition-based Differential Evolution Algorithm 37
G. Samanta, A. Chandra

Reduction Of Large Scale Linear Dynamic SISO And MIMO Systems Using Differential Evolution Optimization Algorithm 41
G. Vasu, G. Sandeep, K. Santosh

Verification Of Firing Angles Of Static Var Compensator With Alternating Current Electric Arc Furnace 47
A. Vashi

Techniques For Adaptive Websites And Web Personalization Without Any User Effort 51
K. Arora, K. Kant

Analysis of Circular Patch Antenna as an Electromagnetic Interference Sensor 55
A. Srivastava, S. Ghosh, B. Sarkar

Field Programmable Gate Arrays Control Based Photovoltaic Energy Management 59
M. Alam, E. Escande, J. Szmigiel, V. Wilk

Knowledge Base Representation For HIV Victims In The World 63
M. Kamal, S. Nimmy, L. Chowdhury

Study of Shaft Voltage & Bearing Currents in Electrical Machines 68
A. Datta, M. Dubey, S. Jain

Analysis and Impacts of Negative Bias Temperature Instability (NBTI) 72
R. Mishra, A. Pandey, S. Alam

Design and Simulation of a Novel Micro-mixer along with a Dielectrophoresis based Focusing Mechanism for Clinical Applications 76
K. Pourang, M. Heidarlou, K. Khasraghi, M. Bahrami

Comparative Study between Unipolar and Bipolar Switching Scheme with LCL Filter for Single-Phase Grid Connected Inverter System 80
D. Marandi, T. Sowmya, B. Babu

Robust H_∞ Design With Pole Placement Constraints Via Static Output Feedback Of T-S Fuzzy Systems With Parametric Uncertainties 84
A. Momeni-Mazdeh, A. Farrokhzad

Particle Swarm Optimization based Optimal Power Flow for Reactive Loss Minimization 89
P. Smita, B. Vaidya

Linear Frequency Modulation Waveform Synthesis 93
K. Patel, U. Neelakantan, S. Gangele, J. Vacchani, N. Desai

Effect of Signal Wavelength and Aperture Area of Detector on Performance of Free Space Optical Link 97
A. Kshatriya

Different Physical Effects in UDSM MOSFET for Delay & Power Estimation: A Review 100
A. Singh, J. Samanta

Linearization of a MIMO Process using LabVIEW 105
S. Prusty, U. Pati
Visual Cryptography Using Hybrid Halftoning and Inter-Pixel Exchanging 110
J. Tharayil, E. Kumar, N. Alex
Contingency Analysis of Power System 115
V. Mishra, M. Khardenvis
Performance and Evaluation of IEEE 802.15.4 under Different Topologies with Ad-hoc On Demand Distance Vector Protocol 119
D. Borade, S. Laeeq
Mechanism of Determining Page Faults Instantaneously via Device Driver based Approach in Linux 123
S. Laeeq, D. Borade
Intensive Care Solution in Pervasive Environment Using OSGi Registry 128
G. Vijay, S. Vijaykumar
Development of Control Scheme for a Stand-alone Wind System: Wind Turbine Emulated using DC Motor 132
A. Satpathy, N. Sahoo
Analysis Of Harmonics In Power System Using Wavelet Transform 136
U. Gudaru, V. Waje
An Authentication Protocol For Secure Tag-Reader Communication 141
S. Pahuja, S. Negi, A. Verma, P. Rathi, N. Narang, R. Chawla
FPGA Implementation of 16 Bit BBS and LFSR PN Sequence Generator: A Comparative Study 145
K. Sewak, P. Rajput, A. Panda
Modified PSO Based Sliding-Mode Controller Parameters for Buck Converter 148
T. Vishnu, T. Shanavas, S. Patnaik
TouchX- Mouse Simulation Using Gestures on a Virtual Screen 152
M. Birla, R. Kulal, S. Bardia, S. Rudra
Wind Energy System for a Laboratory Scale Micro-grid 156
T. Thomas, E. Cheriyan
MISTIKOS-Secure Data Transmission In Wireless Network 161
S. Kalyan, R. Vignesh, U. Thakkar, T. Macriga
Automation of Data and Trending Operating Parameters in Nuclear Power Plants 165
V. Nayak, A. Shaikh
Biomedical Image Watermarking for Content Protection using Multiple Copies of Information and Bit Majority Algorithm in Wavelet Domain 169
K. Pal, G. Ghosh, M. Bhattacharya
Rotor Flux Based MRAS for Sensorless Operation of Three Level Inverter Fed Induction Motor 175
D. Giribabu, S. Srivastava, M. Pathak
Combined Heat And Power Dispatch Using Particle Swarm Optimization 179
G. Tyagi, M. Pandit
Removal of Artifacts from Electrocardiogram Using Digital Filter 183
R. Panda, U. Pati
Fuzzy Decision Making based Real Coded GA for Multi-objective Optimization 187
S. Parihar, M. Pandit
Modeling and Simulation of Wind-PV Hybrid Power System using MATLAB/Simulink 191
J. Kasera, A. Chaplot, J. Maherchandani
Voice Of Customer Analysis Using Parallel Association Rule Mining 195
S. Jain, B. Meshram, M. Singh
Reconfiguration of Distribution Network for Loss Reduction at Different Load Schemes 200
S. Sehgal, A. Swarnkar, N. Gupta, K. Niazi
Colorization of Gray Scale Images in l$\alpha\beta$ Color Space Using Mean and Standard Deviation 204
S. Kumar, A. Swarnkar
Maximization of Annual Savings by using Fuzzy- Second Order PSO based Optimal Capacitor Placement in RDF for Constant Load 208
M. Prasanna, T. Balaji, S. Kannan
Fuzzy Controlled Dual Input DC/DC Converter For Solar-PV/Wind Hybrid Energy System 212
P. Shiyas, S. Kumaravel, S. Ashok
An Evolutionary Approach to Drug-Design Using Quantam Binary Particle Swarm Optimization Algorithm 217
A. Ghosh, A. Chowdhury, J. Hazra
Torque Ripple Minimization in Direct Torque Control based Induction Motor Drive Using Multilevel Inverter 221
D. Ganatra, S. Pandya

Biogeography Based Optimization for Different Economic Load Dispatch Problem with Different Migration Models 226
S. Kanoongo, P. Jain
Current Injection Disturbance Based Voltage Drift Control for Anti-Islanding of Photovoltaic Inverter System 230
M. Alam
Design of Modular Pressure Transmitter with Wireless Capability 235
B. Raveendran, K. Subhash
Performance Analysis of Interline Power Flow Controller for Practical Power System 238
J. Muruganandham, M. Tech, R. Gnanadass
Optimization of Microcode Built-In Self Test By Enhanced Faults Coverage for Embedded Memory 246
V. Kapse, M. Arif
Oscitancy Tracking using Brain-Computer Interface 252
V. Kumar-S, A. Julian
Proximity Coupled Stacked Circular Disc Microstrip Antenna with Reduced Size and Enhanced Bandwidth Using DGS For WLAN/WiMAX Applications 256
P. Prajapati, M. Kartikeyan
Bilateral Converter to Interface Small Battery Energy Storage System with Micro-grid 260
S. Mohan, E. Cheriyan
Development of Neural Network Based HVDC Controller for Transient Stability Enhancement of AC/DC System 264
I. Kulkarni, S. Dash
A Simple Deblocking Method for Reduction of Blocking Artifacts 268
R. Palaparthi, V. Srivastava
Harmonic Elimination in Multilevel Inverter using GA and PSO:A Comparison 272
S. Debnath, R. Ray
Low Power ENG Signal Acquisition Amplifier for Epileptic Seizure Prediction 277
J. Alexander, M. Santhanalakshmi, M. Renuga
Auto Levelling of Heavy Load Articulation Platform Using Induction Motor with Sensorless Control 281
A. Mishra, H. Dhalival, S. Singh, A. Mishra
Design of Ultra-Wideband Balun-Low Noise Amplifiers 285
B. Reddy, B. Bhuvan
ES-ARP: An Efficient and Secure Address Resolution Protocol 289
M. Ataullah, N. Chauhan
A DWT-DCT-SVD Based Digital Image Watermarking Scheme Using Particle Swarm Optimization 294
S. Rao V., R. Shekhawat, V. Srivastava
A Biorthogonal Wavelet Transform Based Robust Watermarking Scheme 298
R. Shekhawat, S. Rao V., V. Srivastava
Real Time Audio-Visual Object Sequence Collating At System Test Level 302
D. Patel, M. Naik, A. Pushpanathan
Size Reduction of Rectangular Microstrip Patch Antenna Incorporated with "INTERCONNECTED FRAMED SHAPED" Metamaterial Structure for WLAN Applications 306
B. Garg, V. Sharma, N. Agrawal
An Off-Grid Hybrid System Scheduling for a Remote Area 310
M. Bansal, R. Saini, D. Khatod
3-D Device Matrix Approach: A New Algorithm for Plotting Energy Band Diagrams in Semiconductors 314
D. Bharti, A. Asati
Face Recognition Based on PCA on Wavelet Subband 318
M. Satone, G. Kharate
Geography-Informed Sleep Scheduled and Chaining Based Energy Efficient Data Routing in WSN 322
P. Lohan, R. Chauhan
Determination Of Location And Performance Analysis Of Power System Stabilizer Based On Participation Factor 326
A. Ragavendiran, R. Gnanadass
A Novel Intrusion Preventive Routing Scheme for Data Dissemination in Sensor Network 335
S. Pahuja, S. Negi, A. Verma, P. Rathi, N. Narang
Comparative Analysis of Three Phase AC-DC Controlled Multi Phase Converter 341
A. Chaturvedi, D. Masand, S. Gupta, S. Tiwari, M. Jain
DSP based Stator Flux Oriented Control of Doubly-Fed Induction Generator for Wind Power Generation System 345
B. Babu, K. Mohanty

Comprehensive Analysis of MIMO-OFDM with PAPR Reduction Using PTS 351
A. Suban, R. Brintha, M. Gayathri, R. Prabha
Optimal Coordination Of Directional Overcurrent Relays: A Genetic Algorithm Approach 355
D. Singh, S. Gupta
A Novel Single Z-Source Based Multi Level Inverter For Renewable Source 359
R. Thanasekaran, K. Anand, P. Ponmanikandan
On Non-Functional Requirements: A Survey 363
V. Bajpai, R. Gorthi
Super Conducting Magnetic Energy Storage Based DVR 367
P. Kadam, K. Vadirajacharya
Localization of 3D WSN Using Mamdani Sugano Fuzzy Weighted Centriod Approaches 372
M. Nanda, A. Kumar, S. Kumar
Design and Analysis of Controller for Three-Phase UPS System 377
S. Karthikeyan, R. Kumar
An Efficient Smart Card based Remote User Authentication Scheme using Hash Function 381
S. Sonwanshi, R. Ahirwal, Y. Jain
Power Estimation of MWW Based Generation System Using SEIG 385
L. Varshney, R. Saket
Ohta Based Covariance Technique for Tracking Object in Video Scene 389
P. Dash, S. Aitha, D. Patra
A Multilevel Inverter with Reduced Number of Switches 393
J. Nedumgatt, D. Vijaykumar, A. Kirubakaran, S. Umashankar
Power Conditioning System for Solar Power Applications: Closed Loop DC-DC Convertor Fed FPGA Controlled Diode Clamped Multilevel Inverter 397
D. Raveendhra, M. Pathak, A. Panda
Design and Simulation of RF MEMS Switchable Low Pass Filter 401
M. Rani, M. Anitha, M. Jothi, S. Kanthamani
A New Multilevel DC-DC Boost Converter for Fuel Cell Based Power System 406
J. Rahul, A. Kirubakaran, D. Vijayakumar
An Adaptive Current Control Strategy for a Three Phase Shunt Active Filter 411
M. Sabarimuthu, N. Senthilnathan, T. Manigandan
Implementation of Graph Algorithms over GPU: A Comparative Analysis 416
S. Dashora, N. Khare
AC Performance of Optically Controlled MOSFET 424
P. Jain, B. Mishra, G. Phade
Computational Analysis of Hybrid SVD-DCT Image Multiplexing-Demultiplexing Algorithm Using Variable Quantization Levels 428
M. Dixit, P. Salamani, P. Rane, V. Gada
Novel Method For Fast IP Network Recovery 433
M. Zangiabady, M. Mirzaei
A Comber Approach To Protect Cloud Computing Against XML DDoS And HTTP DDoS Attack 437
T. Karnwal, T. Sivakumar, G. Aghila
Features Extraction of EEG Signals using Approximate and Sample Entropy 442
Y. Kumar, M. Dewal, R. Anand
Induction Machine Fault Diagnosis using Microcontroller and Real Time Digital Simulation Unit 447
A. Roy, J. Datta, J. Bera, G. Sarkar
Genetic Algorithm Optimized On-Line Neuro-Tuned Robust Position Control Of BLDC Motor 451
R. Vinodhini, C. Ganesh, S. Patnaik
Active Vibration Control of Piezo Actuated Cantilever Beam using PSO 455
V. Raju, D. Maheswari, S. Patnaik
Adaptive Sliding Mode Control of Nonlinear Gyro Chaotic Vibration 460
K. Dastgerdi, H. Bidokhti, A. Zare
EEG Driven Artificial Limb Control using State Feedback PI Controller 464
R. Roy, A. Konar, D. Tibarewala
Design And Development Of Thermistor Based Sensor For Spirometry 469
M. Deshmukhy, A. Panditrao
Multimodal Biometric Encryption Using Ridge And Iris Feature Map 472
I. Raghu, P. Deepthi
Size Miniaturized Fractal Antenna for 2.5GHz Application 477
S. Gaikwad, M. Singh, A. Ajey, S. Karthikayen
A Novel Reconfigurable Multiband Patch Antenna 481
R. Agrawal, G. Awadhwal, M. Meshram, S. Singh

Design and Analysis of Fractal Antenna for UWB Applications 485
A. Ajey, K. Shambavi, Z. Alex
Antenna for Ultrawide Band Applications with WLAN Band Notched Characteristics 489
G. Awadhwal, P. Mahicha, P. Bharti, M. Meshram
Security Constrained Optimal Power Flow Employing Particle Swarm Optimization 494
B. Sharma, M. Pandit
OPF-based Market Clearing Procedure using Bacterial Foraging Algorithm and Auction-based Market Clearing Procedures in a Pool Based Electricity Market – A Comparison 498
S. Vani, R. Kopperundevi, T. Thilagavathi, R. Presath, R. Rajathy
Variable Scaling Factor based Invisible Image Watermarking using Hybrid DWT - SVD Compression - Decompression Technique 503
M. Dixit, P. Kulkarni
Performance Evaluation of Cryptographic Algorithms: DES and AES 507
A. Mandal, C. Parakash, A. Tiwari
Optical And Structural Study Of Ag/ZrO_2/SiO_2 Planar Waveguide Structur:e Glass/Film/Air 512
S. Kandasamy, M. Palanisamy
Bi-Directional DC-DC Converter For Battery Charging - Discharging Applications Using Buck-Boost Switch 516
J. Patel, H. Chandwani, V. Patel, H. Lakhani
Fuzzy Based Contingency Assessment Using Performance Indices With Masking Effect 520
B. Krishnakumar, S. Soundarajan, R. Gnanadass
Author Index