

Proceedings of the 2012 IEEE/ION Position, Location and Navigation Symposium

(PLANS 2012)

**Myrtle Beach, South Carolina, USA
23 – 26 April 2012**

Pages 1-642



**IEEE Catalog Number: CFP12PLN-PRT
ISBN: 978-1-4673-0385-9**

2012 IEEE/ION Position, Location and Navigation Symposium

Table of Contents

Session A1: High-Performance Inertial Sensor Technologies

Intelligent Polynomial Curve Fitting for Time-Domain Triggered Inertial Devices: C.H. Tally, P.D. Swanson, R.L. Waters, <i>SSC Pacific</i> -----	1
Angular Motion and Attitude Estimation Using Fixed and Rotating Accelerometers Configuration: E. Edwan , J. Zhang, O. Loffeld, <i>ZESS, University of Siegen, Germany</i> -----	8
Breakthrough in High Performance Inertial Navigation Grade Sigma-Delta MEMS Accelerometer: P. Zwahlen, Y. Dong, A-M. Nguyen, F. Rudolf, J-M. Stauffer, <i>Colibrys SA, Switzerland</i> ; P. Ullah, V. Ragot, <i>Sagem, France</i> -----	15
High Performance Gyro with Fast Startup Time, High Range, Wide Bandwidth, Low Noise and Excellent Vibration Immunity: S.G. Saraswathy, J. Geen, J. Chang, <i>Analog Devices Inc.</i> -----	20
milli-HRG Inertial Navigation System: A.D. Meyer and D. Rozelle, <i>Northrop Grumman - Navigation System Division</i> -----	24
Atom Interferometric Gravity Gradiometer System: D. Brown, L. Mauser, <i>SP241</i> ; B. Young, M. Kasevich, <i>AOSense</i> ; H.F. Rice, V. Benischek, <i>Lockheed Martin</i> -----	30

Session B1: Receiver & Antenna Technology I

A High Sensitivity VDFLL Utilizing Precise Satellite Orbit/Clock and Ionospheric Products: F. Xu and Y. Gao, <i>The University of Calgary, Canada</i> -----	38
Advanced Signal Processing Scheme for GNSS Receivers Under Ionospheric Scintillation: J.H. Won, B. Eissfeller, <i>University FAF Munich, Germany</i> ; T. Pany, J. Winkel, <i>IFEN GmbH, Germany</i> -----	44
An Integrated Overlay Architecture Based Multi-GNSS Front-end: A. Rügamer, S. Urquijo, M. Eppel, H. Milosiu, J. Görner, G. Rohmer, <i>Fraunhofer IIS Nuremberg, Germany</i> -----	50
Combined Doppler and Time-Free Positioning Technique for Low Dynamics Receivers: N. Othieno, S. Gleason, <i>Concordia University</i> -----	60
E-textile Microstrip Patch Antennas for GPS: P.G. Elliot, E.N. Rosario, B. Rama Rao, R.J. Davis, N.M. Marcus, <i>The MITRE Corporation</i> -----	66
Generalization of the Code Tracking Performance Theory to Receivers using Non-Standard Local Replicas: O. Julien, <i>Ecole Nationale de l'Aviation Civile, France</i> -----	74
Implementation of a Multi-constellation and Multi-mode Navigation Terminal Equipment: L. Yang, Y. Sun, Y. Zhang, D. Xiao, <i>Beijing Microelectronics Technology Institute, China</i> -----	86

Session C1: Indoor Personal & First-Responder Navigation

Rapid Mesh Network Setup for Indoor RF Tracking: M. Hedley, and T. Sathyan, <i>CSIRO ICT Centre, Australia</i> -----	92
GLANSER: Geospatial Location, Accountability, and Navigation System for Emergency Responders – System Concept and Performance Assessment: W. Hawkinson, P. Samanant, R. McCroskey, R. Ingvalson, A. Kulkarni, <i>Honeywell International</i> ; L. Haas, <i>Argon ST</i> ; B. English, <i>TRX Systems Inc.</i> -----	98
Scenario-based Evaluations of High-accuracy Personal Positioning Systems: J. Rantakokko, E. Emilsson, P. Strömbäck, J. Rydell, <i>Swedish Defence Research Agency (FOI), Sweden</i> -----	106
Maps-based Angular PDFs used as Prior Maps for FootSLAM: S. Kaiser, M. Garcia Puyol, P. Robertson, <i>German Aerospace Center (DLR), Germany</i> -----	113
Opportunistic Radio SLAM for Indoor Navigation using Smartphone Sensors: R.M. Faragher, C. Sarno, M. Newman, <i>Advanced Technology Centre BAE, UK (BEST PAPER IN TRACK C)</i> -----	120
Unscented Kalman Filter and Magnetic Angular Rate Update (MARU) for an Improved Pedestrian Dead-Reckoning: F. Zampella, <i>Centre for Automation and Robotics, (CAR), Consejo Superior de Investigaciones Científicas (CSIC), Spain</i> ; M. Khider, P. Robertson, <i>German Aerospace Center (DLR), Germany</i> ; A. Jiménez, <i>CAR, CSIC, Spain</i> -----	129
Foot-Mounted INS for Everybody – An Open-Source Embedded Implementation: J-O. Nilsson, I. Skog, P. Händel, <i>KTH Royal Institute of Technology, Sweden</i> ; K.V.S. Hari, <i>Indian Institute of Science, India</i> -----	140

Session D1: Aviation Positioning & Navigation Applications I

Investigation of APNT Optimized DME/DME Network Using Current State-of-Art DMEs: Ground Station Network, Accuracy, and Capacity: E. Kim, <i>Selex Systems Integration</i> -----	146
Tropospheric Error Modeling for High Integrity Airborne GNSS Navigation: G.A. McGraw, <i>Rockwell Collins</i> -----	158
Testing of a Statistical Approach to Local Ionospheric Disturbances Detection: G. Giorgi, P. Henkel, <i>Technical University Munich, Germany</i> ; C. Günther, <i>Technical University Munich and German Aerospace Center (DLR), Germany</i> -----	167
Differential RAIM and Relative RAIM for Orbit Ephemeris Fault Detection: M. Joerger, S. Stevanovic, S. Khanafseh, B. Pervan, <i>Illinois Institute of Technology</i> -----	174
GNSS-based Curved Landing Approaches with a Virtual Receiver: F. Kube, S. Schön, <i>Leibniz Universität Hannover, Germany</i> ; T. Feuerle, <i>Technische Universität Braunschweig, Germany</i> -----	188
Performance Study of a New Crosslink-aided User Range Accuracy (URA) Integrity Monitor Algorithm for LPV-200: B. Bian, D. O’Laughlin, C. Shively, R. Braff, <i>The MITRE Corporation</i> ----	197
A New Cascade Method for Detecting GPS Multiple Outliers Based on Total Residuals of Observation Equations: Y. Zhang, <i>Shanghai Ocean University, China</i> ; F. Wu, <i>Beijing University of Aeronautics and Astronautics, China</i> ; H. Isshiki, <i>Institute of Mathematical Analysis, Japan</i> -----	208

Enhanced Low Visibility Operations – Increasing Flight Operations Services in the National Airspace Systems in Low Visibility Conditions: S.L. Frodge, C. Hope, *Federal Aviation Administration*; R. Houghton, *Houghton Associates Inc.* -----216

Session A2: Low-Cost Inertial Sensor Technologies

High-Performance, Low Cost Inertial MEMS: A Market in Motion!: M. Perlmutter, *Skylight Navigation Technology*; L. Robin, *Yole Development, France* -----225

Parameter Study of Loosely Coupled INS/GNSS Integrity Performance: A. Grosch and B. Belabbas, *German Aerospace Center (DLR), Germany* -----230

Characterization and Control of a High-Q MEMS Inertial Sensor using Low-cost Hardware: J.A. Gregory, J. Cho, K. Najafi, *University of Michigan* -----239

A Novel Optimal Redundant Inertial Sensor Configuration in Strapdown Inertial Navigation System: L. Fu, X. Yang, L. Wang, *Beihang University, China* -----240

High-Q and Wide Dynamic Range Inertial MEMS for North-Finding and Tracking Applications: A.A. Trusov, I.P. Prikhodko, S.A. Zotov, A.M. Shkel, *University of California, Irvine* -----247

Novel Mismatch Compensation Methods for Rate-integrating Gyroscopes: J.A Gregory, J. Cho, K. Najafi, *University of Michigan* -----252

Miniature IMU/INS with Optimally Fused Low Drift MEMS Gyro and Accelerometers for Applications in GPS-denied Environments: M. Tanenhaus, *Tanenhaus and Associates*; D. Carhoun, *Consultant*; T. Geis, *Tanenhaus and Associates*; E. Wan, *Oregon Health & Science University*; A. Holland, *Eminent MicroSystems-consultant* -----259

Session B2a: Atmospheric Effects & Modeling

Evolution to Modernized GNSS Ionospheric Scintillation and TEC Monitoring: S. Shanmugam, J. Jones, A. MacAulay, *NovAtel, Inc., Canada*; A.J. Van Dierendonck, *AJ Systems/GPS Silicon Valley* -----265

Time-Frequency Analysis of Ionosphere Scintillations Observed by A GNSS Receiver Array: J. Wang, Y. Morton, Q. Zhou, *Miami University*; F. van Graas, W. Pelgrum, *Ohio University* (BEST PAPER IN TRACK B)-----274

Session B2b: Receiver & Antenna Technology II

Adaptive Code Tracking Loop Design for GNSS Receivers: K. Sun, *Hefei University of Technology, China* -----282

Towards a Robust Multi-Antenna Mass Market GNSS Receiver: G. Kappen, C. Haettich, M. Meurer, *German Aerospace Center (DLR), Germany* -----291

Session C2: Urban Personal & Vehicular Navigation

Particle Filter Based Positioning with 3GPP-LTE in Indoor Environments: C. Gentner, E. Muñoz, M. Khider, E. Staudinger, S. Sand, A. Dammann, *German Aerospace Center DLR, Germany* -----301

System Parameters Testing Methodology for ITS Applications of GNSS Systems: V. Faltus, Czech Technical University, <i>Czech Republic</i> -----	309
Tracking in Dynamic Anchorless Wireless Networks Based on Manifold Flattening: D.C. Popescu, M. Hedley, T. Sathya, <i>CSIRO ICT Centre, Australia</i> -----	321
A Robust Pedestrian Dead-reckoning Positioning Based on Pedestrian Behavior and Sensor Validity: S. Asano, Y. Wakuda, N. Koshizuka, K. Sakamura, <i>The University of Tokyo and YRP Ubiquitous Networking Laboratory, Japan</i> -----	328
Cooperative Navigation in Transitional Environments: D. A. Grejner-Brzezinska, J.N. Markiel, C.K. Toth, A. Zaydak, <i>The Ohio State University</i> -----	334
A Near-Far Effect Canceller for GPS High Sensitivity Receiver: B. Lu, J. Zhong, M. Zhao, L. Li, <i>Zhejiang University, China</i> -----	341

Session D2: Aviation Positioning & Navigation Applications II

Interference Characteristics for the Civil Airport Environment using Time-Frequency Analysis: C-C. Sun, and S-S. Jan, <i>National Cheng Kung University, Taiwan</i> -----	347
Multipath Study On The Airport Surface: A. Guillon, J-P. Arethens, <i>Thales Avionics, France</i> ; A-C. Escher, C. Macabiau, <i>ENAC, France</i> ; D. Koenig, <i>Gipsa-Lab, France</i> -----	355
Algorithm for the Detection and Isolation of Systemic Measurement Errors in Vision Based/Aided Navigation Systems: N.A. Baine, and K.S. Rattan, <i>Wright State University</i> -----	366
Real-time Estimation of Projectile Roll Angle using Magnetometers: In-flight Experimental Validation: S. Changey, E. Pecheur, L. Bernard, E. Sommer, P. Wey, C. Berner, <i>French-German Research Institute of Saint-Louis ISL, France</i> -----	371
Radar Altimeter as a Navigation Aid Using Hierarchical Elevation Map Clustering: H.E. Bingöl, B. Akin, Ö. Koç, <i>Tübitak Sage, Turkey</i> -----	377
The GNSS Signal Phase Measurement to Determine the Trajectory Disturbances for a Small Air Vehicle: P. Bojda, <i>University of Defence, Czech Republic</i> -----	382

Session A3: Multisensor Integrated Systems & Sensor Fusion Technologies I

An Adaptive Unscented Kalman Filter for Tightly Coupled INS/GPS Integration: T. Akça, <i>Roketsan Missiles Industries Inc., Turkey</i> ; M. Demirekler, <i>Middle East Technical University, Turkey</i> -----	389
Approaches to Evaluate and Improve Short-term Relative Accuracy of GPS/INS Systems: Q. Zhang, X. Niu, C. Liu, H. Zhang, C. Shi, <i>Wuhan University, China</i> ; J. Zhao, <i>National Remote Sensing Center of China, China</i> -----	396
Indoor Positioning Through Integration of Optical Angles of Arrival with an Inertial Measurement Unit: S. Islam, R. Klukas, <i>University of British Columbia, Canada</i> -----	408
Robust Height Tracking by Proper Accounting of Nonlinearities in an Integrated UWB/MEMS-based-IMU/Baro System: M. Zhang, A. Vydhyathan, A. Young, H. Luinge, <i>Xsens Technologies B.V., The Netherlands</i> -----	414

Range Sensor Aided Inertial Navigation Using Cross Correlation on the Evidence Grid:
Y. Ma, J.B. McKitterick, *Honeywell Aerospace* ----- 422

The IMRE Kalman FILTER – A New Kalman Filter Extension for Nonlinear Applications:
A. Draganov, L. Haas, M. Harlacher, *Argon ST, a wholly owned subsidiary of the Boeing Company* -- 428

SINS/GPS/CNS Information Fusion System Based on Improved Huber Filter with Classified Adaptive Factors for High-speed UAVs: R. Wang, Z. Xiong, J-Y. Liu, R. Li, H. Peng,
Nanjing University of Aeronautics and Astronautics, China ----- 441

Session B3: Interference, Spectrum Issues & Robust Navigation

Compatibility Analysis Between LightSquared Signals and L1/E1 GNSS Reception:
C. O'Driscoll, M. Rao, D. Borio, E. Cano, J. Fortuny, *EC Joint Research Centre, Institute for the Protection and Security of the Citizen, Italy*; F. Bastide, D. Hayes, *EC DG for Enterprise and Industry, EU Satellite Navigation Programmes, Belgium* ----- 447

Development and Demonstration of a TDOA-Based GNSS Interference Signal Localization System:
J.A. Bhatti, T.E. Humphreys, *The University of Texas at Austin*; B.M. Ledvina, *Coherent Navigation (2012 WALTER FRIED AWARD WINNER)* ----- 455

A USRP-Based GNSS and Interference Signal Generator and Playback System:
R. Di, *Miami University*; S. Peng, *Virginia Tech*; S. Taylor, Y. Morton, *Miami University* ----- 470

GNSS Spoofing Detection in Handheld Receivers Based on Signal Spatial Correlation:
A. Broumandan, A. Jafarnia-Jahromi, V. Dehghanian, J. Nielsen, G. Lachapelle,
University of Calgary, Canada ----- 479

Multi-Satellite Time-Delay Estimation for Reliable High-Resolution GNSS Receivers:
C. Enneking, *Technical University Munich, Germany*; M. Stein, M. Castañeda, *Institute for Circuit Theory and Signal Processing, Germany*; F. Antreich, *German Aerospace Center, Germany*;
J.A. Nossek, *Institute for Circuit Theory and Signal Processing, Germany* ----- 488

A Multiple-frequency GPS Software Receiver Design Based on a Vector Tracking Loop:
S. Peng, *Virginia Tech*; J. Morton, R. Di, *Miami University* ----- 495

Session C3: Vision/Integrated Navigation Systems for Indoor Applications

Efficient Outlier Removal in Vision Based Navigation: Y. Ma, *Honeywell Aerospace*;
S. Rao, *Honeywell Technology Solutions Lab., India* ----- 506

Improved Fusion of Visual Measurements Through Explicit Modeling of Outliers:
C.N. Taylor, *Sensors Directorate U.S. Air Force Research Laboratory* ----- 512

Inertial and Imaging Sensor Fusion for Image Aided Navigation with Affine Distortion Prediction:
J. Jurado, K. Fisher, M. Veth, *Air Force Institute of Technology* ----- 518

Exploiting Ground Plane Constraints for Visual-aided Inertial Navigation:
G. Panahandeh, D. Zachariah, M. Jansson, *KTH Royal Institute of Technology, Sweden* ----- 527

Fusing Visual Tags and Inertial Information for Indoor Navigation: D. Zachariah and
M. Jansson, *KTH Royal Institute of Technology, Sweden* ----- 535

CHAMELEON: Visual-inertial Indoor Navigation: J. Rydell and E. Emilsson, *Swedish Defence Research Agency, Sweden* -----541

Optical Flow Measurement of Human Walking: Q. Liu, O. Osechas, J. Rife, *Tufts University* -----547

Session D3: Consumer Positioning & Smartphone Navigation Technology

Using Inertial Sensors of iPhone 4 for Car Navigation: X. Niu, Q. Zhang, Y. Li, Y. Cheng, C. Shi, *GNSS Research Center, Wuhan University, China* -----555

WiFi AP Position Estimation using Contribution from Heterogeneous Mobile Devices: Y. Cho, M. Ji, Y. Lee, S. Park, *Electronics and Telecommunications Research Institute, South Korea* -----562

An Empirical Solar Radiation Pressure Model for Autonomous GNSS Orbit Prediction: J. Ala-Luhtala, M. Seppänen, R. Piché, *Tampere University of Technology, Finland* -----568

Using Unlocated Fingerprints in Generation of WLAN Maps for Indoor Positioning: M. Raitoharju, T. Fadjukoff, S. Ali-Löytty, R. Piché, *Tampere University of Technology, Finland* ----576

3D Personal Navigation in Smart Phone using Geocoded Images: Y. Wang, K. Virrantaus, *Aalto University, Finland*; L. Pei, R. Chen, Y. Chen, *Finnish Geodetic Institute Finland* -----584

An Adaptive Map-Matching Based on Dynamic Time Warping for Pedestrian Positioning using Network Map: Y. Wakuda, S. Asano, N. Koshizuka, K. Sakamura, *University of Tokyo and YRP Ubiquitous Networking Laboratory, Japan* -----590

Session A4: Multisensor Integrated Systems & Sensor Fusion Technologies II

Performance Investigation of Barometer Aided GPS/MEMS-IMU Integration: J. Zhang, E. Edwan, J. Zhou, W. Chai, O. Loffeld, *ZESS, University of Siegen, Germany* -----598

Use of Magnetic Quasi Static Field (QSF) Updates for Pedestrian Navigation: J.B. Bancroft and G. Lachapelle, *University of Calgary, Canada* -----605

A Quaternion-based Initial Orientation Estimation System Suitable for One Special Dynamic State Using Low Cost Magnetometers and Accelerometers: C. Liu, J. Li, K. Huang, F. Liu, *Beijing Institute of Technology, China* -----613

Loosely-Coupled GPS-INS State Estimation in Precision Projectiles: L.D. Fairfax, and F.E. Fresconi, *U.S. Army Research Laboratory* -----620

Modeling with Noises for Inertial Sensors: K. Wang, S. Xiong, *Beihang University, China*; Y. Li, *University of New South Wales, Australia*-----625

Circular Data Processing Tools Applied to a Phase Open Loop Architecture for Multi-Channels Signals Tracking: G. Stienne, S. Reboul, J-B. Choquel, M. Benjelloun, *Université du Littoral Côte d'Opale, France* -----633

Session B4: Precise Positioning, Multipath Mitigation & Advanced Processing Algorithms

Fixed Ambiguity Precise Point Positioning (PPP) with FDE RAIM: A. Jokinen, S. Feng, C. Milner, W. Ochieng, C. Milner and W. Schuster, *Imperial College London, UK*; C. Hide, T. Moore and C. Hill, *NGI University of Nottingham, UK* -----643

High-precision GNSS Orbit, Clock and EOP Estimation at the United States Naval Observatory: S. Byram, and C. Hackman, <i>U.S. Naval Observatory</i> -----	659
Integrity Risk of Cycle Resolution in the Presence of Bounded Faults: S. Khanafseh, M. Joerger and B. Pervan, <i>Illinois Institute of Technology</i> -----	664
Synthetic Aperture Navigation Algorithms Applied to a Driving User in Multipath Environments: W. Leong, K. Patel, J. Weinfield, D. Karnick, <i>Argon ST</i> -----	673
Bounding Integrity Risk Subject to Structured Time Correlation Modeling Uncertainty: S. Langel, S. Khanafseh, B. Pervan, <i>Illinois Institute of Technology</i> -----	678
Urban Multipath Detection and Mitigation with Dynamic 3D Maps for Reliable Land Vehicle Localization: M. Obst, S. Bauer and G. Wanielik, <i>Chemnitz University of Technology, Germany</i> ----	685
A Novel Bayesian Ambiguity Resolution Technique for GNSS High Precision Positioning: J.G. García, P.A. Roncagliolo, C.H. Muravchik, <i>Universidad Nacional de La Plata, Argentina</i> -----	692
Trajectory Estimation Improvement Based on Time-series Constraint of GPS Doppler and INS in Urban Areas: K. Takeyama, Y. Kojima, E. Teramoto, <i>Toyota Central R&D Laboratory, Japan</i> -----	700
M-Epoch Ambiguity Resolution Technique for Single Frequency Receivers with INS Aid: T. Iwase, Y. Kojima, E. Teramoto, <i>Toyota Central R&D Laboratory, Japan</i> -----	706
Session C4: Vision/Integrated Navigation for Vehicular & Robotic Applications	
Real-time Implementation of Visual-aided Inertial Navigation Using Epipolar Constraints: J-O. Nilsson, D. Zachariah, M. Jansson, P. Händel, <i>KTH Royal Institute of Technology, Sweden</i> -----	711
Collaborative Image Navigation Simulation and Analysis for UAVs in GPS Challenged Conditions: B.A. Schnauffer, P. Hwang, J. Nadke, G.A. McGraw, <i>Rockwell Collins</i> ; D. Venable, <i>Air Force Research Laboratory</i> -----	719
Filter-Based Calibration for an IMU and Multi-Camera System: K. Brink, <i>Air Force Research Laboratory</i> ; A. Soloviev, <i>University of Florida</i> -----	730
Lane Detection Based on a Visual-Aided Multiple Sensors Platform: Y. Chen, J. Liu, L. Ruotsalainen, L. Chen, T. Kröger, H. Kuusniemi, L. Pei, R. Chen, T. Tenhunen, <i>Finnish Geodetic Institute, Finland</i> ; Y. Wang, <i>Aalto University, Finland</i> -----	740
Bundle Adjustment Without Iterative Structure Estimation and its Application to Navigation: V. Indelman, <i>Georgia Institute of Technology</i> -----	748
An Efficient Refinement for Relative Pose Estimation with Unknown Focal Length from Two Views: X. Fu and X. Zhang, <i>Tokyo Institute of Technology, Japan</i> -----	757
Graph-Based Cooperative Navigation Using Three-View Constraints: Method Validation: V. Indelman, <i>Georgia Institute of Technology, USA</i> ; P. Gurfil, E. Rivlin, <i>Israel Institute of Technology, Israel</i> ; H. Rotstein, <i>RAFAEL/Advanced Defense Systems Limited, Israel</i> -----	769
Architecture for Asymmetric Collaborative Navigation: Z. Zhu, <i>Northrop Grumman Corporation</i> ; S. Roumeliotis, J. Hesck, <i>University of Minnesota</i> ; H. Park, <i>Northrop Grumman Corporation</i> ; D. Venable, <i>Air Force Research Laboratory</i> -----	777

Session D4: Maritime Positioning & Navigation Applications

Ship Attitude Accuracy Trade Study for Aircraft Approach and Landing Operations:

G. Johnson, J. Waid, *CTSi*; M. Primm, R. Aggarwal, *U.S. Navy* ----- 783

Precise Determination of Sediment Dynamics Using Low-cost GPS Floaters:

M. Vennebusch, L. Albert, S. Schon, F. Kube, *Libniz University Hannover, Germany*; N. Goseberg, A. Zorndt, Torsten Schlurmann, *Franzius-Institute for Hydraulic, Waterways, and Coastal Engineering, Germany*; A. Wurpts, *Coastal Research Station Lower Saxony Water Management (NLWKN), Germany* ----- 791

Heading-determination using the Sensor-fusion Based Maritime PNT Unit:

Z. Dai, R. Ziebold, A. Born, E. Engler, *German Aerospace Center, Germany* ----- 799

A New Method of Initial Alignment and Self-calibration Based on Dual-axis Rotating Strapdown Inertial Navigation System:

S. Feng, S. Qian, B. Yueyang, Z. Ya, W. Gao, *Harbin Engineering University, China* ----- 808

An Automatic Compensation Method for States Switch of Strapdown Inertial Navigation System:

W. Gao, Y. Zhang, Y. Ben, Q. Sun, *Harbin Engineering University, China* ----- 814

Four-position Drift Measurement of SINS Based on Single-axis Rotation:

S. Sun, J. Xia Y. Ben, X. Zhang, , *Harbin Engineering University, China* ----- 818

Session A5: Sensor Manufacturing, Error Modeling & Testing

Statistical Modeling of Rate Gyros and Accelerometers:

R.J. Vaccaro, *The University of Rhode Island*; A.S. Zaki, *Naval Undersea Warfare Center* ----- 824

Honeywell Micro Electro Mechanical Systems (MEMS) Inertial Measurement Unit (IMU):

K. Froyum, S. Goepfert, J. Henrickson, J. Thorland, *Honeywell International Inc.* ----- 831

Inertial Sensors: Further Developments in Low Cost Calibration and Testing:

Z. Berman, *Berman Consulting and Training LTD, Israel* (BEST PAPER IN TRACK A) ----- 837

A Framework for Inertial Sensor Calibration Using Complex Stochastic Error Models:

Y. Stebler, *École Polytechnique Fédérale de Lausanne, Switzerland*; S. Guerrier, *University of Geneva, Switzerland*; J. Skaloud, *École Polytechnique Fédérale de Lausanne, Switzerland*; M-P. Victoria-Feser, *University of Geneva, Switzerland* ----- 849

Estimation of Deterministic and Stochastic IMU Error Parameters:

D. Unsal, *Roketsan Missiles Industries Inc., Turkey*; K. Demirbas, *Middle East Technical University, Turkey* ----- 862

Analysis of Coning Motion Caused by Turntable's Vibration in Rotation Inertial Navigation System:

J.Z. Lai, P. Lv, J-Y. Liu, L. Zhang, *Nanjing University of Aeronautics and Astronautics, China* ----- 869

Session B5: Modernized GNSS

Characterizing the GNSS Correlation Function using a High Gain Antenna and Long Coherent Integration – Application to Signal Quality Monitoring:

L. Lestarquit, Y. Gregoire, P. Thevenon, *CNES, France* ----- 877

Spectral Compatibility of BOC(5,2) Modulation with Existing GNSS Signals: S.B. Sekar, S. Sengupta, K. Bandyopadhyay, *Indian Institute of Technology Kharagpur, India* ----- 886

Range Domain Auto-regression Method on Generalized Multivariate Time-varying Series Analysis: S. Qian, Z. Jun, Z. Yanbo, *Beihang University, China* ----- 891

FMT Signal Options and Associated Receiver Architectures for GNSS: A. Garcia-Pena, O. Julien, C. Macabiau, *ENAC, France*; J-H. Won, D. Fontanella, M. Paonni, B. Eissfeller, *University FAF Munich, Germany*; A. Emmanuele, M. Luise, *University of Pisa, Italy*; F. Zanier, G. Lopez-Risueño, *European Space Agency/ESTEC, The Netherlands* ----- 898

Staggered Interplex: M. Vergara, F. Antreich, *German Aerospace Center (DLR), Germany* ----- 913

On Generalized Multidimensional Geolocation Modulation Waveforms: I.F. Progri, *Giftet Inc.* --- 919

Session C5: Weak Signal Processing

A Novel Quasi Open Loop Frequency Estimator for GNSS Signal Tracking: M. Tahir, L. Lo Presti, *Politecnico di Torino, Italy*; M. Fantino, *Istituto Superiore Mario Boella, Italy* ----- 952

A Weighted Combining Method for GNSS Antenna Diversity: S.N. Sadrieh, A. Broumandan, G. Lachapelle, *PLAN Group, University of Calgary, Canada* ----- 961

Characterization of the Impact of Indoor Doppler Errors on Pedestrian Dead Reckoning: V. Renaudin, Z. He, M. Petovello, *University of Calgary, Canada* ----- 969

Technique for MAT Analysis and Performance Assessment of P2P Acquisition Engines: N. Kassabian, L. Lo Presti, *Politecnico di Torino, Italy* ----- 980

Non-Coherent, Differentially Coherent and Quasi-Coherent Integration on GNSS Pilot Signal Acquisition or Assisted Acquisition: J. Qiu, Y. Qian, R. Zheng, *Unicore Communications Inc., China* ----- 989

The Use of High Sensitivity GPS for Initialization of a Foot Mounted Inertial Navigation System: J. Pinchin, C. Hide, T. Moore, *Nottingham University, UK* ----- 998

Session D5: Terrestrial Positioning & Navigation Applications

A Location-Based Services System (LBSS) Designed for an Arboretum: J. Huang, P. Uys, *California State University, Fullerton* ----- 1008

Increased Ranging Capacity using Ultra-Wideband Direct-path Pulse Signal Strength with Dynamic Recalibration: B. Dewberry, and W. Beeler, *Time Domain* ----- 1013

Unknown Source Localization using RSS in Open Areas in the Presence of Ground Reflections: R.J.R. Thompson, E. Cetin, A.G. Dempster, *University of New South Wales, Australia* ----- 1018

Performance Analysis of a Civilian GPS Position Authentication System: Z. Li and D. Gebre-Egziabher, *University of Minnesota* ----- 1028

Collaboration-Enhanced Receiver Integrity Monitoring with Satellite Estimation: J. Rife, <i>Tufts University</i> -----	1042
Using the Microsoft Kinect for 3D Map Building and Teleoperation: W.J. Woodall and D. Bevly, <i>Auburn University</i> -----	1054
Integrated INS/GPS for Camera Tracking in Large Scale Outdoor Cinematic Applications: T. Suita, <i>KVH Industries Inc.</i> -----	1062

Session A6: Emerging & Alternative Sensor Technologies & Precision Timing Systems

A Consistent Zero-Configuration GPS-Like Indoor Positioning System Based on Signal Strength in IEEE 802.11 Networks: M.M. Atia, M. Korenberg, <i>Queen's University, Canada</i> ; A. Noureldin, <i>Royal Military College of Canada, Canada</i> -----	1068
A Segmentation-based Radio Tomographic Imaging Approach for Interference Reduction in Hostile Industrial Environments: V. Köster, A. Lewandowski, C. Wietfeld, <i>CNI, TU Dortmund University, Germany</i> -----	1074
Improvement of TERCOM Aided Inertial Navigation System by Velocity Correction: Y.M. Yoo, W.H. Lee, S.M. Lee, C.G. Park, <i>Seoul National University, South Korea</i> ; J.H. Kwon, <i>The University of Seoul, South Korea</i> -----	1082
Compact Atomic Magnetometer for Global Navigation (NAV-CAM): M. Bulatowicz and M. Larsen, <i>Northrop Grumman Navigation Systems Division</i> -----	1088
Cold Atom Micro Primary Standard (CAMPS): K. Nelson, K. Salit, J. Kriz, D. Sandquist, J. Sebby-Strabley, <i>Honeywell Aerospace Advanced Technology</i> -----	1094
Factors Influencing the Noise Floor and Stability of a Time Domain Switched Inertial Device: R.L. Waters, M. Fralick, D. Jacobs, S. Abassi, R. Dao, D. Carbonari, G. Maurer, <i>Lumedyne Technologies, Inc.</i> -----	1099
Development of a Test Bed for UWB Radio Indoor Localization of First Responders: A. De Angelis, S. Dwivedi, P. Händel, <i>KTH Royal Institute of Technology, Sweden</i> -----	1106

Session B6: GNSS Augmentation Systems

Automated Verification of Potential GPS Signal-In-Space Anomalies Using Ground Observation Data: L. Heng, G.X. Gao, T. Walter, P. Enge, <i>Stanford University</i> -----	1111
Assessment of Integrity Monitoring Test-bed Module for the Airport Environment: S-J. Yeh and S-S. Jan, <i>National Cheng Kung University, Taiwan</i> -----	1119
Detecting Ionospheric Gradients for GBAS Using A Null Space Monitor: J. Jing, S. Khanafseh, F-C. Chan, S. Langel, B. Pervan, <i>Illinois Institute of Technology</i> -----	1125
Determining and Measuring the True Impact of C/A Code Cross-correlation on Tracking – Application to SBAS Georanging: L. Lestarquit, <i>CNES, France</i> ; O. Nouvel, <i>M3S, France</i> -----	1134

Automated Determination of Fault Detection Thresholds for Integrity Monitoring Algorithms of GNSS Augmentation Systems: Y. Yun, J. Cho, M-B. Heo, *Korea Aerospace Research Institute, South Korea* ----- 1141

The Application of the Time Series Theory to Processing Data from the SBAS Receiver with Safety of Life Service: M. Jonas, *University of Pardubice, Czech Republic* ----- 1150

GPS-III L1C Signal Reception Demonstrated on QZSS: P.G. Mattos, *STMicroelectronics R&D Ltd., UK*; F. Pisoni, *STMicroelectronics SRL, Italy* ----- 1162

Session C6: Terrestrial Radionavigation & RF-Positioning

ASF Quality Assurance for eLoran: C. Hargreaves, P. Williams, M. Bransby, *GLA Research and Radio-Navigation Trinity House, UK* ----- 1169

A Terrestrial Positioning and Timing System (TPTS): C.G. Bartone, *Ohio University* ----- 1175

WPI Precision Personnel Locator: Inverse Synthetic Array Reconciliation Tomography: A. Cavanaugh, M. Lowe, D. Cyganski, R.J. Duckworth, *Worcester Polytechnic Institute* ----- 1189

Joint Location and Parameter Tracking of Mobile Nodes in Wireless Networks: T. Sathyan, and M. Hedley, *ICT Centre CSIRO, Australia* ----- 1195

Accuracy Indicator for Fingerprinting Localization Systems: V. Moghtadaiee, A.G. Dempster, B. Li, *University of New South Wales, Australia* ----- 1204

Constructing a Continuous Phase Time History from TDMA Signals for Opportunistic Navigation: K.M. Pesyna, Z.M. Kassas, T.E. Humphreys, *The University of Texas at Austin (BEST STUDENT PAPER)*----- 1209

Next Generation Low Frequency Solutions for Alternative Positioning, Navigation, Timing, and Data (PNT&D) Services and Associated Receiver Technology: A. Helwig, G. Offermans, C. Stout, C. Schue, *UrsaNav, Inc.* ----- 1221

RSSI Ranging Model and 3D Indoor Positioning with ZigBee Network: Q. Chen, *Nanchang University, China*; H. Liu, *Beijing Institute of Technology, China*; M. Yu, *Jiangxi Normal University, China*; H. Guo, *Nanchang University, China* ----- 1233

Session D6: Robotic Positioning, Navigation, Control & Sensor Technology

An Analysis of Observability-constrained Kalman Filtering to Vision-aided Navigation: C.N. Taylor, *Sensors Directorate U.S. Air Force Research Laboratory (BEST PAPER IN TRACK D)*----- 1240

Characterization of Non-Line-of-Sight (NLOS) Bias via Analysis of Clutter Topology: M. Hussain, Y. Ayatar, A. Markham, N. Trigoni, *University of Oxford, UK* ----- 1247

In-Cabin Localization Solution for Optimizing Manufacturing and Maintenance Processes for Civil Aircraft: A. Lewandowski, S. Michaelis, C. Wietfeld, *TU Dortmund University, Germany*; J. Klaue, M. Kubisch, *EADS Innovation Works, Germany* ----- 1257

Mobile ad-hoc Communication in Machine Swarms for Relative Positioning Based on GNSS-raw Data Exchange: J. Schattenberg, T. Lang, S. Batzdorfer, M. Becker, U. Bestmann, P. Hecker, *Technische Universitaet Braunschweig, Germany* ----- 1265

Low Cost IMU Based Indoor Mobile Robot Navigation with the Assist of Odometry and Wi-Fi Using Dynamic Constraints: C. Chen, W. Chai, H. Roth, A.K. Nasir, <i>University of Siegen, Germany</i> -----	1274
Study on the Use of Microsoft Kinect for Robotics Applications: R.A. El-laithy, J. Huang, M. Yeh, <i>California State University, Fullerton</i> -----	1280
Relative Navigation for Formation Flying Spacecrafts Using X-ray Pulsars: F. Wu, X. Sui, Y. Zhao, <i>Beihang University, China</i> ; Y. Zhang, <i>Shanghai Ocean University, China</i> -----	1289
SAR Image Processing Using Super Resolution Spectral Estimation with SVD-Periodogram Method: B. Kim, and S-H. Kong, <i>KAIST, South Korea</i> -----	1295