

2012 IEEE International Reliability Physics Symposium

(IRPS 2012)

**Anaheim, California, USA
15-19 April 2012**

Pages 1-465



IEEE Catalog Number: CFP12RPS-PRT
ISBN: 978-1-4577-1678-2

TABLE OF CONTENTS

SESSION 2A: MEMORY

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2A-1 Assessment of Distributed-cycling Schemes on 45nm NOR Flash Memory Arrays | 1 |
| <i>Carmine Miccoli, Christian Monzio Compagnoni, Luca Chiavarone, Silvia Beltrami, Andrea L. Lacaita, Alessandro S. Spinelli, Angelo Visconti</i> | |
| 2A-2 Impact of Program/Erase Stress Induced Hole Current on Data Retention Degradation for MONOS Memories..... | 8 |
| <i>Shosuke Fujii, Ryota Fujitsuka, Katsuyuki Sekine, Haruka Kusai, Kiwamu Sakuma, Masato Koyama</i> | |
| 2A-3 Reliability Study of Magnetic Tunnel Junction with Naturally Oxidized MgO Barrier | 13 |
| <i>Chikako Yoshida, Toshihiro Sugii</i> | |

SESSION 2B: PROCESS INTEGRATION/3D/TSV

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2B-1 Copper through Silicon via (TSV) for 3D Integration | 18 |
| <i>C. Kothandaraman, B. Himmel, J. Safran, J. Golz, G. Maier, M. G. Farooq, T. Graves-Abe, W. Landers, R. Volant, K. Petracca, F. Chen, T. D. Sullivan, G. LaRosa, N. Robson, R. Hannon, S. S. Iyer</i> | |
| 2B-2 Assembly Process Integration Challenges and Reliability Assessment of Multiple 28nm FPGAs Assembled on a Large 65nm Passive Interposer | 22 |
| <i>Raghunandan Chaware, Kumar Nagarajan, Kenny Ng, S. Y. Pai</i> | |
| 2B-3 Impact of through Silicon Vias on Front-End-of-Line Performance After Thermal Cycling and Thermal Storage | 27 |
| <i>V. O. Cherman, J. De Messemaker, K. Croes, B. Dimicic, G. Van der Plas, I. De Wolf, G. Beyer, B. Swinnen, E. Beyne</i> | |
| 2B-4 Impact of Cu Diffusion from Cu Through-Silicon Via (TSV) on Device Reliability in 3-D LSIs Evaluated by Transient Capacitance Measurement | 32 |
| <i>Kangwook Lee, Jichel Bea, Yuki Ohara, Takafumi Fukushima, Tetsu Tanaka, Mitsumasa Koyanagi</i> | |

SESSION 2C: COMPOUND/OPTO ELECTRONICS

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2C-1 Reliability of AlGaN/GaN HEMTs: An Overview of the Results Generated Under the ONR DRIFT Program | 38 |
| <i>Umesh K. Mishra, Marek Skowronski, Jasprit Singh, Robert Trew, Steve Ringel, Martin Kuball, Ron Schrimpf, Tomas Palacios, Umesh Mishra</i> | |
| 2C-2 Impact of Hot Electrons on the Reliability of AlGaN/GaN High Electron Mobility Transistors..... | 44 |
| <i>Matteo Meneghini, Antonio Stocco, Riccardo Silvestri, Nicolò Ronchi, Gaudenzio Meneghesso, Enrico Zanoni</i> | |
| 2C-3 Direct Correlation Between Specific Trap Formation and Electrical Stress-Induced Degradation in MBE-Grown AlGaN/GaN HEMTs | 49 |
| <i>A. Sasikumar, A. Arehart, S. A. Ringel, S. Kaun, M. H. Wong, U. K. Mishra, J. S. Speck</i> | |
| 2C-4 Long Duration High Temperature Storage Test on GaN HEMTs | 55 |
| <i>F. Vitobello, A. R. Barnes</i> | |

SESSION 2D: FAILURE ANALYSIS

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2D-1 Comparison of Applications of Laser Probing, Laser-Induced Circuit Perturbation and Photon Emission for Failure Analysis and Yield Enhancement | 61 |
| <i>Steven Kasapi, Roy Ng, Joy Liao, William Lo, Bruce Cory, Howard Marks</i> | |
| 2D-2 Near-Infrared Photon Emission Spectroscopy of a 45 nm SOI Ring Oscillator..... | 71 |
| <i>Ulrike Kindereit, Alan J. Weger, Franco Stellari, Peilin Song, Herve Deslandes, Ted Lundquist, Prasad Sabbineni</i> | |
| 2D-3 A Simple Visualizing Technique of Impurity Diffusion Layer Using Porous Silicon Phenomena | 78 |
| <i>N. Yamaguchiya, Y. Hirose, N. Nakanishi, H. Maeda, E. Yoshida, T. Katayama, T. Koyama</i> | |
| 2D-4 Direct Observation of Boron-Dopant Fluctuation by Site-Specific Scanning Spreading Resistance Microscopy | 84 |
| <i>L. Zhang, Y. Mitani, A. Kinoshita, S. Takeno, K. Suguro, I. Mizushima, S. Mori, K. Yamamoto, J. Koga, K. Hara, Y. Hayase, S. Ogata</i> | |

| | |
|------------------------------------------------------------------------------------------|----|
| 2D-5 A Study of Junction Photocurrent Changes Caused by Defective Gate Oxide..... | 89 |
| <i>Hung Sung Lin</i> | |
| 2D-6 Pulsed Laser Assisted Chemical Etch for Analytic Surface Preparation..... | 93 |
| <i>Robert Chivas, Scott Silverman, Niru Dandekar</i> | |

SESSION 2E: CHIP-PACKAGE INTERACTION

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 2E-1 CPI Challenges to BEOL at 28nm Node and Beyond | 101 |
| <i>Vivian Ryan, Dirk Breuer, Holm Geisler, Dimitri Kioussis, Matthias U. Lehr, Jens Paul, Kashi Machani, Chirag Shah, Sven Kosgalwies, Lothar Lehmann, Jaesik Lee, Frank Kuechenmeister, E. Todd Ryan, Kamal Karimanal</i> | |
| 2E-2 Low-k - Package Integration Challenges and Options for Reliability Qualification..... | 107 |
| <i>A. E. Lucero, Guanghai Xu, D. Huitink</i> | |
| 2E-3 FET Arrays As CPI Sensors for 3D Stacking and Packaging Characterization | 114 |
| <i>A. Ivankovic, V. Cherman, G. Van der Plas, B. Vandervelde, G. Beyer, E. Beyne, I. De Wolf, D. Vandepitte</i> | |
| 2E-4 Die-Package Stress Interaction Impact Performance | 123 |
| <i>Gerald S. Leatherman, Jessica Xu, Jeffrey Hicks, Bahattin Kilic, Daniel Pantuso</i> | |
| 2E-5 Electromigration Degradation Mechanism Analysis of SnAgCu Interconnects for eWLB Package..... | 129 |
| <i>T. Frank, C. Chappaz, L. Arnaud, X. Federspiel, F. Colella, E. Petitprez, L. Anghel</i> | |
| 2E-6 The Impact of 45 to 28nm Node-Scaling on the Electromigration of Flip-Chip Bumps | 135 |
| <i>Christine Hau-Riege, You-Wen Yau, Lily Zhao</i> | |

SESSION 2F: CIRCUITS RELIABILITY

| | |
|--------------------------------------------------------------------------------------------------------------------------|-----|
| 2F-1 Goldilocks Failures: Not Too Soft, Not Too Hard..... | 140 |
| <i>Sani R. Nassif, Veit B. Kleeberger, Ulf Schlichtmann</i> | |
| 2F-2 Aging Statistics Based on Trapping/Detrapping: Silicon Evidence, Modeling and Long-Term Prediction | 145 |
| <i>Jyothi B. Velamala, Ketul B. Sutaria, Takashi Sato, Yu Cao</i> | |
| 2F-3 An Analysis of the Benefits of NBTI Recovery Under Circuit Operating Conditions..... | 150 |
| <i>Haldun Kufluoglu, C. Chancellor, M. Chen, V. Reddy</i> | |
| 2F-4 HCI vs. BTI? - Neither One's Out | 156 |
| <i>Christian Schlünder, Stefano Aresu, Georg Georgakos, Werner Kanert, Hans Reisinger, Karl Hofmann, Wolfgang Gustin</i> | |
| 2F-5 Impact of Interconnect Length on BTI and HCI Induced Frequency Degradation..... | 162 |
| <i>Xiaofei Wang, Pulkitt Jain, Dong Jiao, Chris H. Kim</i> | |
| 2F-6 Usage-Based Degradation of SRAM Arrays Due to Bias Temperature Instability | 168 |
| <i>Aditya Bansal, Jae-Joon Kim, Rahul Rao</i> | |

SESSION 3A: BEOL DIELECTRICS

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 3A-1 Tailoring Dielectric Materials for Robust BEOL Reliability..... | 172 |
| <i>G. Bonilla, T. M. Shaw, E. G. Liniger, S. Cohen, S. M. Gates, A. Grill, H. Shobha, C. J. Penny, E. Todd Ryan</i> | |
| 3A-2 Reliability of Porous Low-K Dielectrics under Dynamic Voltage Stressing..... | 178 |
| <i>Shou-Chung Lee, A. S. Oates</i> | |
| 3A-3 Experimental Confirmation of Electron Fluence Driven, Cu Catalyzed Interface Breakdown Model for Low-k TDDB | 184 |
| <i>Fen Chen, Jeffrey Gambino, Michael Shinosky, John Aitken, Elbert Huang, Stephan Cohen, Chih-Chao Yang, Dan Edelstein, Yun Wang, Terry Kane, Dimitri Kioussis</i> | |
| 3A-4 Study of TDDB Reliability in Misaligned via Chain Structures | 193 |
| <i>W. Liu, Y. K. Lim, J. B. Tan, W. Y. Zhang, H. Liu, S. Y. Siah</i> | |
| 3A-5 Back-End Dielectrics Reliability Under Unipolar and Bipolar AC-Stress..... | 199 |
| <i>E. Chery, X. Federspiel, G. Beylier, C. Basset, D. Roy, F. Volpi, J. -M. Chaix</i> | |

SESSION 3B: TRANSISTORS/TFTS

| | |
|--------------------------------------------------------------------------------------------------------|-----|
| 3B-1 28nm Node Bulk vs FDSOI Reliability Comparison..... | 205 |
| <i>X. Federspiel, D. Angot, M. Rafik, F. Cacho, A. Bajonet, N. Planes, D. Roy, M. Haond, F. Arnaud</i> | |

| | |
|------------------------------------------------------------------------------------------------------------------------------------|-----|
| 3B-2 Impact of Backside Interface on Hot Carriers Degradation of Thin Film FDSOI NMOSFETs..... | 209 |
| <i>L. Brunet, X. Garros, A. Bravaix, A. Subirats, F. Andrieu, O. Weber, P. Scheiblin, M. Rafik, E. Vincent, G. Reimbold</i> | |
| 3B-3 Simulation and Modeling of Hot Carrier Degradation of Cascoded NMOS Transistors for Power Management Applications..... | 214 |
| <i>D. Varghese, G. Mathur, V. Reddy, J. Heater, S. Krishnan</i> | |
| 3B-4 Understanding of Hot-Carrier-Injection Induced IDLIN Kink Effect in Sub-100nm HV NLDMOS..... | 218 |
| <i>D. J. Wu, D. Maji, J. R. Shih, Y. -H. Lee, C. C. Liu, Y. H. Huang, R. Ranjan, K. Wu</i> | |
| 3B-5 Statistical Analysis of Random Telegraph Noise Reduction Effect by Separating Channel From the Interface | 224 |
| <i>A. Yonezawa, A. Teramoto, R. Kuroda, H. Suzuki, S. Sugawa, T. Ohmi</i> | |

SESSION 3C: SOFT ERRORS

| | |
|---------------------------------------------------------------------------------------------------------------------|-----|
| 3C-1 Technology Scaling and Soft Error Reliability | 231 |
| <i>Lloyd W. Massengill, Bharat L. Bhuvva, W. Timothy Holman, Michael L. Alles, T. Daniel Loveless</i> | |
| 3C-2 Alpha-Induced Soft Errors in Floating Gate Flash Memories..... | 238 |
| <i>M. Bagatin, S. Gerardin, A. Paccagnella, V. Ferlet-Cavrois</i> | |
| 3C-3 Scaling Effect and Circuit Type Dependence of Neutron Induced Single Event Transient | 245 |
| <i>Hideyuki Nakamura, Taiki Uemura, Kan Takeuchi, Toshikazu Fukuda, Shigetaka Kumashiro, Tohru Mogami</i> | |
| 3C-4 Experimental Characterization of Process Corners Effect on SRAM Alpha and Neutron Soft Error Rates..... | 252 |
| <i>Gilles Gasiot, Maximilien Glorieux, Slawosz Uznanski, Sylvain Clerc, Philippe Roche</i> | |
| 3C-5 Real-Time Soft-Error Testing of 40nm SRAMs..... | 257 |
| <i>J. L. Autran, S. Serre, D. Munteanu, S. Martinie, S. Sauze, S. Usnanski, G. Gasiot, P. Roche</i> | |

SESSION 3D: COMPOUND/OPTOELECTRONICS

| | |
|--------------------------------------------------------------------------------------------------------|-----|
| 3D-1 GaN Power Device and Reliability for Automotive Applications | 266 |
| <i>Tetsu Kachi, Daigo Kikuta, Tsutomu Uesugi</i> | |
| 3D-2 Fundamental Failure Mechanisms Limiting Maximum Voltage Operation in AlGaN/GaN HEMTs | 270 |
| <i>Michael D. Hodge, Ramakrishna Vetury, Jeffrey B. Shealy</i> | |
| 3D-3 Analysis and Prediction of Stability in Commercial, 1200 V, 33A, 4H-SiC MOSFETs..... | 276 |
| <i>S. DasGupta, R. J. Kaplar, M. J. Marinella, M. A. Smith, S. Atcitty</i> | |
| 3D-4 Effects of Channel Hot Carrier Stress on III-V Bulk Planar MOSFETs..... | 281 |
| <i>N. Wrachien, A. Cester, D. Bari, E. Zanoni, G. Meneghesso, Y. Q. Wu, P. D. Ye</i> | |

SESSION 3E: ESD AND LATCHUP

| | |
|-------------------------------------------------------------------------------------------------------------------|-----|
| 3E-1 Engineering Optimal High Current Characteristics of High Voltage DENMOS..... | 288 |
| <i>Akram A. Salman, Farzan Farbiz, Aravind Appaswamy, Hans Kunz, Gianluca Boselli, Dissegna Mariano</i> | |
| 3E-2 Exponential-Edge Transmission Line Pulsing for Snap-Back Device Characterization | 294 |
| <i>Nicholas Thomson, Nathan Jack, Elyse Rosenbaum</i> | |
| 3E-3 Layout Sensitivities of Transient External Latchup | 300 |
| <i>Arjun Kripalidhi, Elyse Rosenbaum</i> | |
| 3E-4 Design and Fabrication of SiGe MEMS Structures with High Intrinsic ESD Robustness | 306 |
| <i>Sandeep Sangameswaran, Vladimir Cherman, Jeroen De Coster, Ann Witvrouw, Guido Groeseneken, Ingrid De Wolf</i> | |

SESSION 3F: THERMO-MECHANICAL/MEMS

| | |
|----------------------------------------------------------------------------------------------------------------|-----|
| 3F-1 NEMS based Logic and Memory Circuits | 312 |
| <i>Jae Eun Jang, Gehan A. J. Amarasinghe</i> | |
| 3F-3 A Non-Obtrusive Technique to Characterize Dielectric Charging in RF-MEMS Capacitive Switches | 314 |
| <i>Sambit Palit, Ankit Jain, Muhammad A. Alam</i> | |

SESSION 4A: PHOTOVOLTAIC DEVICES

| | |
|------------------------------------------------------------------------------------------------------------------------------|-----|
| 4A-1 Methodology for Delivering Reliable CIGS Based Building Integrated Photovoltaic (BIPV) Products..... | 320 |
| <i>Rebekah Feist, Michael Mills, Narayan Ramesh</i> | |
| 4A-2 Relative Lifetime Prediction for CPV Die-Attach Layers | 324 |
| <i>Timothy J. Silverman, Nick Bosco, Sarah Kurtz</i> | |
| 4A-3 Mechanical Strength and Reliability of a Novel Thin Monocrystalline Silicon Solar Cell | 332 |
| <i>Dewei Xu, Paul S. Ho, Rajesh A. Rao, Leo Mathew, Scott Smith, Sayan Saha, Dabraj Sarkar, Curt Vass, Dharmesh Jawarani</i> | |
| 4A-4 End to End Modeling for Variability and Reliability Analysis of Thin Film Photovoltaics | 339 |
| <i>Sourabh Dongaonkar, Muhammad A. Alam</i> | |
| 4A-5 Stability of Organic Solar Cells..... | 345 |
| <i>Vikram L. Dalal, Robert Mayer, Joydeep Bhattacharya, Mehram Samiee</i> | |

SESSION 4B: SYSTEM RELIABILITY

| | |
|---------------------------------------------------------------------------------------------------------------------------------------|-----|
| 4B-1 A Predictive Bottom-Up Hierarchical Approach to Digital System Reliability..... | 349 |
| <i>V. Huard, E. Pion, F. Cacho, D. Croain, V. Robert, R. Delater, P. Mergault, S. Engels, P. Flatresse, N. Ruiz Amador, L. Anghel</i> | |
| 4B-2 On Component Reliability and System Reliability for Space Missions | 359 |
| <i>Yuan Chen, Amanda M. Gillespie, Mark W. Monaghan, Michael J. Sampson, Robert F. Hodson</i> | |
| 4B-3 System-Level Reliability Using Component-Level Failure Signatures..... | 367 |
| <i>R. Wong, B. L. Bhuva, Arian Evans, S. -J. Wen</i> | |
| 4B-4 Scaled CMOS Reliability and Considerations for Spacecraft Systems: Bottom-up and Top-down Perspectives | 374 |
| <i>Mark White</i> | |
| 4B-5 The Reliability Approaches and Requirements for IC Component in Telecom System | 379 |
| <i>Fujun Guo, Jiang Zhou, Ronghua Xie</i> | |

SESSION 4C: MEDICAL ELECTRONICS

| | |
|----------------------------------------------------------------------------------------------------------------|-----|
| 4C-1 On-Chip Silicon Odometers and Their Potential Use in Medical Electronics | 388 |
| <i>John Keane, Chris H. Kim</i> | |
| 4C-2 New Technology of In-Vivo Monitoring of Functional State of Organs and Systems of Human Body | 396 |
| <i>S. A. Kostylev, S. A. Yatsunenko, A. G. Yatsunenko</i> | |
| 4C-3 Implantable Electrical Feedthrough Reliability Demonstration Testing and Life Prediction | 404 |
| <i>Zhi Fang, Andy Thom, Lea Nygren</i> | |

SESSION 5A: TRANSISTORS/TFTS

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 5A-1 Bias Temperature Instability in High-k/Metal Gate Transistors - Gate Stack Scaling Trends | 409 |
| <i>Siddarth Krishnan, Vijay Narayanan, Eduard Cartier, Dimitris Ioannou, Kai Zhao, Takashi Ando, Unoh Kwon, Barry Linder, James Stathis, Michael Chudzik, Andreas Kerber, Kisik Choi</i> | |
| 5A-2 The Relevance of Deeply-Scaled FET Threshold Voltage Shifts for Operation Lifetimes | 415 |
| <i>B. Kaczer, J. Franco, M. Toledano-Luque, Ph. J. Roussel, M. F. Bukhori, A. Asenov, B. Schwarz, M. Bina, T. Grasser, G. Groeseneken</i> | |
| 5A-3 A Consistent Physical Framework for N and P BTI in HKMG MOSFETs | 421 |
| <i>Kaustubh Joshi, Subhadeep Mukhopadhyay, Nilesh Goel, Souvik Mahapatra</i> | |
| 5A-4 Impact of Single Charged Gate Oxide Defects on the Performance and Scaling of Nanoscaled FETs..... | 431 |
| <i>J. Franco, B. Kaczer, M. Toledano-Luque, Ph. J. Roussel, J. Mitard, L. -Å. Ragnarsson, L. Witters, T. Chiarella, M. Togo, N. Horiguchi, G. Groeseneken, M. F. Bukhori, T. Grasser, A. Asenov</i> | |
| 5A-5 Evidence for the Transformation of Switching Hole Traps into Permanent Bulk Traps under Negative-Bias Temperature Stressing of High-k Gate P-MOSFETs | 437 |
| <i>Y. Gao, D. S. Ang, C. D. Young, G. Bersuker</i> | |

SESSION 5B: SOFT ERRORS

| | |
|-----------------------------------------------------------------------------------------------------------------------------|-----|
| 5B-1 A Review of Real-Time Soft-Error Rate Measurements in Electronic Circuits | 442 |
| <i>J. L. Autran, D. Munteanu, S. Serre, S. Sauze</i> | |
| 5B-2 Parasitic Bipolar Effects on Soft Errors to Prevent Simultaneous Flips of Redundant Flip-Flops | 444 |
| <i>Kuiyuan Zhang, Ryosuke Yamamoto, Jun Furuta, Kazutoshi Kobayashi, Hidetoshi Onodera</i> | |
| 5B-3 Effects of Charge Confinement and Angular Strikes in 40 nm Dual- and Triple-Well Bulk CMOS SRAMs..... | 448 |
| <i>Indranil Chatterjee, Bharat L. Bhava, Ronald D. Schrimpf, Balaji Narasimham, J. K. Wang, B. Bartz, E. Pitta, M. Buer</i> | |
| 5B-4 Mitigation Technique Against Multi-Bit-Upset without Area, Performance and Power Overhead | 455 |
| <i>Taiki Uemura, Ryo Tanabe, Hideya Matsuyama</i> | |
| 5B-5 NMOS-Inside 6T SRAM Layout Reducing Neutron-Induced Multiple Cell Upsets..... | 461 |
| <i>Shusuke Yoshimoto, Takuro Amashita, Shunsuke Okumura, Koji Nii, Hiroshi Kawaguchi, Masahiko Yoshimoto</i> | |

SESSION 5C: PRODUCT RELIABILITY

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 5C-1 Gate Dielectric TDDC Characterizations of Advanced High-K and Metal-Gate CMOS Logic Transistor Technology..... | 466 |
| <i>S. Pae, C. Prasad, S. Ramey, J. Thomas, A. Rahman, R. Lu, J. Hicks, S. Batzer, Q. Zhao, J. Hatfield, M. Liu, C. Parker, B. Woolery</i> | |
| 5C-2 Burn-In Stress Induced BTI Degradation and Post-Burn-In High Temperature Anneal (Bake) Effects in Advanced HKMG and Oxynitride Based CMOS Ring Oscillators | 471 |
| <i>Dimitris P. Ioannou, Steve Mittl, Dave Brochu</i> | |
| 5C-3 Impact of VLSI Technology Scaling on HTOL..... | 476 |
| <i>Robert Kwasnick, Matthew Reilly, Jonathan Hatfield, Scott C. Johnson, Anisur Rahman</i> | |
| 5C-4 Product Reliability at Low Failure Rates: Wrong Expectations and Real Limitations..... | 481 |
| <i>Werner Kanert</i> | |

SESSION 5D: GATE DIELECTRICS

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 5D-1 Challenges for Introducing Ge and III/V Devices in CMOS Technology | 486 |
| <i>M. Heyns, A. Alian, G. Brammertz, M. Caymax, G. Eneman, J. Franco, F. Gencarelli, G. Groeseneken, G. Hellings, A. Hikavyy, M. Houssa, B. Kaczer, D. Lin, R. Loo, C. Merckling, M. Meuris, J. Mitard, L. Nyens, S. Sioncke, W. Vandervorst, B. Vincent, N. Waldron, L. Witters</i> | |
| 5D-2 Multi-Technique Study of Defect Generation in High-k Gate Stacks | 496 |
| <i>D. Veksler, G. Bersuker, H. Madan, L. Vandelli, M. Minakais, K. Matthews, C. D. Young, S. Datta, C. Hobbs, P. D. Kirsch</i> | |
| 5D-3 New Insights into SILC-Based Life Time Extraction | 501 |
| <i>C. D. Young, G. Bersuker, M. Jo, K. Matthews, J. Huang, S. Deora, K. -W. Ang, T. Ngai, C. Hobbs, P. D. Kirsch, A. Padovani, L. Larcher</i> | |
| 5D-4 Intrinsic Correlation between PBTI and TDDC Degradations in nMOS HK/MG Dielectrics | 506 |
| <i>Jiaqi Yang, Muhammad Masuduzzaman, Kaustubh Joshi, Subhadeep Mukhopadhyay, Jinfeng Kang, Souvik Mahapatra, Muhammad A. Alam</i> | |

SESSION 5E: ELECTROMIGRATION/VOIDING

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 5E-1 Geometry, Kinetics, and Short Length Effects of Electromigration in Mn Doped Cu Interconnects at the 32nm Technology Node..... | 513 |
| <i>Cathryn Christiansen, Baozhen Li, Matthew Angyal, Terence Kane, Vincent McGahay, Yun Yu Wang, Shaoming Yao</i> | |
| 5E-2 Stress Voiding Characteristics of Cu/Low K Interconnects Under Long Term Stresses..... | 517 |
| <i>Baozhen Li, Dinesh Badami</i> | |
| 5E-3 Investigation of New Stress Migration Failure Modes in Highly Scaled Cu/Low-k Interconnects | 523 |
| <i>S. -F. Chen, J. H. Lin, S. Y. Lee, Y. -H. Lee, R. C. Wang, C. C. Chiu, J. Y. Cheng, K. Wu</i> | |

SESSION 5F: THERMO-MECHANICAL/MEMS

| | |
|-----------------------------------------------------------------------------------------------------------------------------------|-----|
| 5F-1 TSV Defects and TSV-Induced Circuit Failures: The Third Dimension in Test and Design-for-Test..... | 528 |
| <i>Krishnendu Chakrabarty, Sergej Deutsch, Himanshu Thapliyal, Fangming Ye</i> | |
| 5F-2 Thermomechanical Reliability Challenges Induced by High Density Cu TSVs and Metal Micro-Joining for 3-D ICs | 540 |
| <i>Kangwook Lee, Takafumi Fukushima, Tetsu Tanaka, Mitsumasa Koyanagi</i> | |
| 5F-3 Gate Oxide Reliability Improvement for CMOS and MEMS Monolithic Integration..... | 544 |
| <i>L. Y. Tsai, P. C. Yeh, L. -Y. Leu, X. X. Kuo, J. R. Shih, Y. -H. Lee, K. Wu, W. C. Tai, C. M. Hung, C. Y. Yang, S. F. Chen</i> | |

SESSION 6A: GATE DIELECTRICS AND PROCESS INTEGRATIONS/3D/TSV

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 6A-1 Role of Grain Boundary Percolative Defects and Localized Trap Generation on the Reliability Statistics of High-k Gate Dielectric Stacks | 550 |
| <i>N. Raghavan, K. L. Pey, K. Shubhakar, X. Wu, W. H. Li, M. Bosman</i> | |
| 6A-2 Generalized Successive Failure Methodology for Non-Weibull Distributions and Its Applications to SiO₂ or High-k/SiO₂ Bilayer Dielectrics and Extrinsic Failure Mode..... | 561 |
| <i>Ernest Wu, Jordi Suné, Charles LaRow</i> | |
| 6A-3 Performance, Variability and Reliability of Silicon Tri-Gate Nanowire MOSFETs | 568 |
| <i>Masumi Saitoh, Kensuke Ota, Chika Tanaka, Yukio Nakabayashi, Ken Uchida, Toshinori Numata</i> | |
| 6A-4 Investigation of Emerging Middle-of-Line Poly Gate-to-Diffusion Contact Reliability Issues | 574 |
| <i>Fen Chen, Steve Mittl, Michael Shinosky, Ann Swift, Rick Kontra, Brent Anderson, John Aitken, Yanfeng Wang, Emily Kinser, Mahender Kumar, Yun Wang, Terence Kane, Kai D. Feng, William K. Henson, Dan Mocuta, Di-an Li</i> | |
| 6A-5 Reliability Characterization of 32nm High-K Metal Gate SOI Technology with Embedded DRAM..... | 583 |
| <i>Steve Mittl, Ann Swift, Ernest Wu, Dimitris Ioannou, Fen Chen, Greg Massey, Nilufa Rahim, Mike Hauser, Paul Hyde, Joe Lukaitis, Stew Rauch, Sudesh Saroop, Yanfeng Wang</i> | |

SESSION 6B: ELECTROMIGRATION/VOIDING

| | |
|----------------------------------------------------------------------------------------------------------------------------|-----|
| 6B-1 Practical Implications of Chip-Level Statistical Electromigration | 590 |
| <i>Anthony Schmitz</i> | |
| 6B-2 The Scaling of Electromigration Lifetimes | 595 |
| <i>A. S. Oates, M. H. Lin</i> | |
| 6B-3 Electromigration Recovery and Short Lead Effect Under Bipolar- and Unipolar-Pulse Current..... | 602 |
| <i>Ki-Don Lee</i> | |
| 6B-4 Initial Void Characterization in 30nm Wide Polycrystalline Cu Line Using a Local Sense EM Test Structure | 606 |
| <i>Tomoyuki Kirimura, Kristof Croes, Yunlong Li, Steven Demuynck, Christopher J. Wilson, Melina Lofrano, Zsolt Tokei</i> | |

SESSION 6C: MEMORY

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 6C-1 Resistance Drift in Phase Change Memory | 612 |
| <i>Jing Li, Binquan Luan, Chung Lam</i> | |
| 6C-2 The Impact of Melting During RESET Operation on the Reliability of Phase Change Memory..... | 618 |
| <i>Pei-Ying Du, Jau-Yi Wu, Tzu-Hsuan Hsu, Ming-Hsiu Lee, Tien-Yen Wang, Huai-Yu Cheng, Erh-Kun Lai, Sheng-Chih Lai, Hsiang-Lan Lung, SangBum Kim, Matthew J. BrightSky, Yu Zhu, Surbhi Mittal, Roger Cheek, Simone Raoux, Eric A. Joseph, Alejandro Schrott, Jing Li, Chung Lam</i> | |
| 6C-3 Analysis of the Effect of Boron Doping on GeTe Phase Change Memories..... | 624 |
| <i>C. Sandhya, A. Bastard, L. Perniola, J. C. Bastien, A. Toffoli, E. Henaff, A. Roule, A. Persico, B. Hyot, V. Sousa, B. De Salvo, G. Reimbold</i> | |
| 6C-4 Controlling Uniformity of RRAM Characteristics Through the Forming Process..... | 629 |
| <i>A. Kalantarian, G. Bersuker, D. C. Gilmer, D. Veksler, B. Butcher, A. Padovani, O. Pirrotta, L. Larcher, R. Geer, Y. Nishi, P. Kirsch</i> | |

BD-BEOL DIELECTRICS

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----|
| BD-1 The Effect of Voltage Bias Stress on Temperature-Dependent Conduction Properties of Low-k Dielectrics | 634 |
| <i>J. M. Atkin, T. M. Shaw, E. Liniger, R. B. Laibowitz, T. F. Heinz</i> | |
| BD-2 Field Dependence of TDDB Lifetime Activation Energy in Copper Interconnects | 640 |
| <i>Ravi Achanta</i> | |
| BD-3 Effective Line Length of Test Structure and its Effect of Area Scaling on TDDB Characterization in Advanced Cu/ULK Process..... | 644 |
| <i>Tae-Young Jeong, Seung Man Choi, Dong Cheon Baek, Sari Windu, Miji Lee, Jongwoo Park</i> | |
| BD-4 Backend Dielectric Chip Reliability Simulator for Complex Interconnect Geometries..... | 648 |
| <i>Chang-Chih Chen, Muhammad Bashir, Linda Milor, Dae Hyun Kim, Sung Kyu Lim</i> | |
| BD-5 Polarity Dependence of the Conduction Mechanism in Inter-Level Low-k Dielectrics | 656 |
| <i>Mingte Lin, James W. Liang, C. J. Wang, Alex Juan, K. C. Su</i> | |

CD-COMPOUND OPTOELECTRONICS

| | |
|------------------------------------------------------------------------------------------------------------------------|-----|
| CD-1 An Electro-Mechanical Simulation of Off State AlGaN/GaN Device Degradation..... | 660 |
| <i>David Horton, Fan Ren, Liu Lu, Mark E. Law</i> | |
| CD-2 Experimental and Numerical Correlation between Current-Collapse and Fe-Doping Profiles in GaN HEMTs | 663 |
| <i>A. Chini, V. Di Lecce, F. Soci, D. Bisi, A. Stocco, M. Meneghini, G. Meneghesso, E. Zanoni, A. Gasparotto</i> | |
| CD-3 Study of the Effect of Stress-Induced Trap Levels on OLED Characteristics by Numerical Model | 667 |
| <i>Andrea Cester, Daniele Bari, Nicola Wrachien, Gaudenzio Meneghesso</i> | |
| CD-6 Generation of Traps in AlGaN/GaN HEMTs during RF-and DC-Stress Test | 674 |
| <i>M. Caesar, M. Dammann, V. Polyakov, P. Waltereit, W. Bronner, M. Baeumler, R. Quay, M. Mikulla, O. Ambacher</i> | |
| CD-7 Clarification of the Degradation Modes of an InP-Based Semiconductor MZ Modulator | 679 |
| <i>Hiroyasu Mawatari, Takako Yasui, Kei Watanabe, Mitsuteru Ishikawa, Eiichi Yamada, Yasuo Shibata, Hiroyuki Ishii</i> | |

CP-CHIP-PACKAGE INTERACTION

| | |
|------------------------------------------------------------------------------------------------------------------------------------------|-----|
| CP-1 On the Temperature Dependence of Critical Moisture Concentration on Delamination Initiation in Microelectronic Devices | 684 |
| <i>P. Alpern, K. C. Lee, D. Lee, M. P. Javare Gowda</i> | |

CR-CIRCUITS RELIABILITY

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| CR-1 Impacts of Random Telegraph Noise on FinFET Devices, 6T SRAM Cell, and Logic Circuits..... | 689 |
| <i>Ming-Long Fan, Vita Pi-Ho Hu, Yin-Nien Chen, Pin Su, Ching-Te Chuang</i> | |
| CR-2 Understanding the Impact of Transistor-Level BTI Variability..... | 695 |
| <i>Jianxin Fang, Sachin S. Sapatnekar</i> | |
| CR-3 SPICE Simulations of Data Path Timing Margins after Dielectric Breakdown from Gate-to-Drain using Accurate Equivalent Circuit Models | 701 |
| <i>Riza Tamer Cakici, P. E. Nicollian, C. A. Chancellor</i> | |
| CR-4 Reliability Study Under DC Stress on mmW LNA, MIXER and VCO | 704 |
| <i>S. Ighilahriz, F. Cacho, L. Moquillon, S. Razafimandimby, F. Blanchet, J. Morelle, N. Corrao, V. Huard, P. Garcia, C. Arnaud, J. M. Fournier, P. Benech</i> | |
| CR-5 Net-Level Circuit Reliability Analysis for Interconnect Self-Heat | 709 |
| <i>Lei Jiang, Daniel Pantuso, Anthony Schmitz, John Thomas</i> | |

EL-ESD AND LATCHUP

| | |
|-------------------------------------------------------------------------------------------------------|-----|
| EL-1 Abnormal ESD Failure Mode with Low-Voltage Turn-on Phenomenon of LDMOS Output Driver..... | 711 |
| <i>Jaeyoung Park, Michael Orshansky</i> | |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| EL-2 The Failure Mechanism Re-Investigation of ESD Device on EPI Wafer..... | 715 |
| <i>Jian-Hsing Lee, Clak Kung, Ellis Kung, J. R. Shih</i> | |
| EL-3 ESD Protection Structure with Inductor-Triggered SCR for RF Applications in 65-nm CMOS Process | 722 |
| <i>Chun-Yu Lin, Li-Wei Chu, Ming-Dou Ker, Ming-Hsiang Song, Chewn-Pu Jou, Tse-Hua Lu, Jen-Chou Tseng, Ming-Hsien Tsai, Tsun-Lai Hsu, Ping-Fang Hung, Tzu-Heng Chang</i> | |

EM-ELECTROMIGRATION/VOIDING

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| EM-1 Copper Electromigration Failure Times Evaluated Over a Wide Range of Voiding Phases..... | 727 |
| <i>Yunlong Li, Kristof Croes, Tomoyuki Kirimura, Yong Kong Siew, Zsolt Tokei</i> | |
| EM-2 Optimization of NH₃ Plasma Surface Treatment Using Cu Silicide Formation for EM/SM Improvement..... | 731 |
| <i>Won-Chong Baek, Naser Chowdhury, Lan Loi, Hyeon-Seag Kim, Sungjin Kim, Amalia delRosario, Ercan Adem, Bryan Tracy, James Pak</i> | |
| EM-3 Grain Structure Analysis and Implications on Electromigration Reliability for Cu Interconnects..... | 736 |
| <i>L. Cao, K. J. Ganesh, L. Zhang, P. J. Ferreira, P. S. Ho</i> | |
| EM-4 Reliability Evaluations of ECP Tools and Chemistries..... | 741 |
| <i>Gavin D. R. Hall, Darryl D. J. Allman, Greg Piatt, Patrick T. Hulse</i> | |
| EM-5 A Novel Degradation Mechanism in SiCr-O Based Thin Film Resistors Under Temperature and Current Stress..... | 749 |
| <i>Yuan Li, Paul Huiskamp</i> | |
| EM-6 Reliability Assessment and Physical Failure Analysis of Nanoscale Hard-Mask-Etching Al Interconnect | 755 |
| <i>Ming-Yi Lee, An-Shun Teng, Chia-Hao Tu, Li-Kuang Kuo, Sheng-Qian Dai, Chia-Chien Shine, Te-Chi Yen, Hong-Ji Lee, Chih-Yuan Lu</i> | |
| EM-7 Investigation on Physical Origins of Endurance Failures in PRAM..... | 759 |
| <i>J. S. Bae, K. M. Hwang, K. H. Park, S. B. Jeon, J. Choi, J. H. Ahn, S. S. Kim, D. -H. Ahn, H. S. Jeong, S. W. Nam, G. T. Jeong, H. K. Cho, D. H. Jang, C. -G. Park</i> | |
| EM-8 Critical Temperature Shift for Stress Induced Voiding in Advanced Cu Interconnects for 32 Nm and Beyond..... | 763 |
| <i>Rao Morusupalli, Richard Rao, Tae-Kyu Lee, Yu-Lin Shen, M. Kunz, N. Tamura, A. S. Budiman</i> | |

FA-FAILURE ANALYSIS

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| FA-1 The Case Study of Poly-Silicon Grain Size and Resistance | 766 |
| <i>Po Fu Chou</i> | |
| FA-2 Improving Defect Localization Techniques with Laser Beam with Specific Analysis and Set-Up Modules | 770 |
| <i>R. Llido, J. Gomez, V. Goubier, G. Haller, V. Pouget, D. Lewis</i> | |
| FA-3 A Study of the Influence of Electron Beam on Electrical Characteristics of LOCOS Device..... | 775 |
| <i>Hung Sung Lin, Chia Hung Chao</i> | |
| FA-4 Enhancing a Current Leakage Path Using a Novel Dual Source Heating System..... | 778 |
| <i>Hung Sung Lin, Jackal Ma</i> | |
| FA-5 Real-Time Variation Mapping for Parametric Defect Localization on ICs. Proof of Concept, Improvements, and Application to New Parameters | 782 |
| <i>L. Saury, S. Cany</i> | |
| FA-6 Soft Defect Localization (SDL) Applied on Analog and Mixed-Mode ICs Failure Analysis..... | 788 |
| <i>Jinglong Li, Chunlei Wu</i> | |

GD-GATE DIELECTRICS

| | |
|-----------------------------------------------------------------------------------------------------------|-----|
| GD-1 The Amplitude of Random Telegraph Noise: Scaling Implications | 793 |
| <i>Kin P. Cheung, J. P. Campbell, S. Potbhare, A. Oates</i> | |
| GD-2 Gate Stack Process Optimization for TDDB Improvement in 28nm High-k/Metal Gate nMOSFETs | 796 |
| <i>Kyong Taek Lee, Hyunjin Kim, Junekyun Park, Jongwoo Park</i> | |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| GD-3 A Comparative Study of Gate Stack Material Properties and Reliability Characterization in MOS Transistors with Optimal ALD Zirconia Addition for Hafnia Gate Dielectric | 800 |
| <i>C. K. Chiang, J. C. Chang, W. H. Liu, C. C. Liu, J. F. Lin, C. L. Yang, J. Y. Wu, C. K. Chiang, S. J. Wang</i> | |
| GD-4 Min-Log Approach to Modeling Dielectric Breakdown Data..... | 804 |
| <i>Emmanuel Yashchin, Baozhen Li, James Stathis, Ernest Wu</i> | |
| GD-5 From Post-Breakdown Conduction to Resistive Switching Effect in Thin Dielectric Films..... | 812 |
| <i>E. Miranda, D. Jimenez, J. Suñé</i> | |
| GD-6 Effects of Gate Process on NBTI Characteristics of TiN Gate FinFET | 818 |
| <i>Jin Ju Kim, Moonju Cho, Luigi Pantisano, Thomas Chiarella, Mitsuhiro Togo, Naoto Horiguchi, Guido Groeseneken, Byoung Hun Lee</i> | |
| GD-7 New Insights Into Gate-Dielectric Breakdown by Electrical Characterization of Interfacial And Oxide Defects With Reverse Modeling Methodology | 822 |
| <i>Y. Mamy Randriamihaja, D. Garetto, V. Huard, D. Rideau, D. Roy, M. Rafik, A. Bravaix</i> | |

ME-THERMO-MECHANICAL/MEMS

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| ME-1 On the Electro-Mechanical Reliability of NEMFET As an Analog/Digital Switch | 827 |
| <i>Ankit Jain, A. E. Islam, M. A. Alam</i> | |
| ME-2 Charge Collection Mechanism in MEMS Capacitive Switches..... | 834 |
| <i>Matroni Koutsourelis, Loukas Michalas, George Papaioannou</i> | |
| ME-3 Design and Analysis of Anchorless Shuttle Nano-Electro-Mechanical Non-Volatile Memory for High Temperature Applications | 839 |
| <i>Ramesh Vaddi, Tony T. Kim, Vincent Pott, Julius Tsai Ming Lin</i> | |

MY-MEMORY

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| MY-1 Effect of Interface States on 1T-FBRAM Cell Retention..... | 845 |
| <i>M. Aoulache, N. Collaert, P. Blomme, E. Simoen, L. Altimime, G. Groeseneken, M. Jurczak, L. Mendes Almeida, Ch. Caillat, N. N. Mahatme</i> | |
| MY-2 Current Overshoot During Set and Reset Operations of Resistive Switching Memories | 849 |
| <i>An Chen</i> | |
| MY-3 Total Ionizing Dose Effects on Ultra Thin Buried Oxide Floating Body Memories | 853 |
| <i>N. N. Mahatme, R. D. Schrimpf, R. A. Reed, B. L. Bhuva, A. Griffoni, E. Simeon, M. Aoulache, D. Linten, M. Jurczak, G. Groeseneken</i> | |
| MY-4 Improvement of Endurance Degradation for Oxide Based Resistive Switching Memory Devices Correlated with Oxygen Vacancy Accumulation Effect..... | 858 |
| <i>Y. Lu, B. Chen, B. Gao, Z. Fang, Y. H. Fu, J. Q. Yang, L. F. Liu, X. Y. Liu, H. Y. Yu, J. F. Kang</i> | |
| MY-5 Comprehensive Modeling of NAND Flash Memory Reliability: Endurance and Data Retention | 862 |
| <i>Zhiliang Xia, Dae Sin Kim, Narae Jeong, Young-Gu Kim, Jae-Ho Kim, Keun-Ho Lee, Young-Kwan Park, Chilhee Chung, Hwan Lee, Jungin Han</i> | |

PI-PROCESS INTEGRATION/3D/TSV

| | |
|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| PI-1 Improved Reliability of Al₂O₃ layers on InGaAs Substrates through In-Situ Forming Gas Annealing..... | 866 |
| <i>Robert O'Connor, Karim Cherkaoui, Roger Nagle, Michael Schmidt, Ian M. Povey, Martyn Pemble, Paul K. Hurley</i> | |
| PI-2 Volcano Effect in Open through Silicon via (TSV) Technology | 871 |
| <i>J. Kraft, E. Stückler, C. Cassidy, W. Niko, F. Schrank, E. Wachmann, C. Gspan, F. Hofer</i> | |

PV-PHOTOVOLTAIC DEVICES

| | |
|--------------------------------------------------------------------------------------|-----|
| PV-1 Analyzing Life Tests of CIS Solar Modules for Degradation Modeling | 876 |
| <i>Yukio Okuda</i> | |

SE-SOFT ERRORS

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| SE-1 SET Pulse-Width Measurement Eliminating Pulse-Width Modulation and Within-Die Process Variation Effects | 882 |
| <i>Ryo Harada, Yukio Mitsuyama, Masanori Hashimoto, Takao Onoye</i> | |
| SE-2 Temperature Dependence of Soft Error Rate in Flip-Flop Designs | 888 |
| <i>S. Jagannathan, Z. Diggins, N. Mahatme, T. D. Loveless, B. L. Bhuva, S. -J. Wen, R. Wong, L. W. Massengill</i> | |
| SE-3 Neutron-Induced Soft Error Analysis in MOSFETs from a 65nm to a 25 nm Design Rule using Multi-Scale Monte Carlo Simulation Method | 894 |
| <i>Shin-ichiro Abe, Yukinobu Watanabe, Nozomi Shibano, Nobuyuki Sano, Hiroshi Furuta, Masafumi Tsutsui, Taiki Uemura, Takahiko Arakawa</i> | |
| SE-4 Impact of Well Contacts on the Single Event Response of Radiation-Hardened 40 nm Flip-Flops | 900 |
| <i>Indranil Chatterjee, Srikanth Jagannathan, Daniel Loveless, Bharat L. Bhuva, Shi-Jie Wen, Richard Wong, Manoj Sachdev</i> | |
| SE-5 Evaluation of Parasitic Bipolar Effects on Neutron-Induced SET Rates for Logic Gates..... | 906 |
| <i>Jun Furuta, Ryosuke Yamamoto, Kazutoshi Kobayashi, Hidetoshi Onodera</i> | |

XR-TRANSISTORS/TFTS

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| XT-1 Spectroscopic Charge Pumping in the Presence of High Densities of Bulk Dielectric Traps | 911 |
| <i>J. T. Ryan, R. G. Southwick, J. P. Campbell, K. P. Cheung, C. D. Young, J. S. Suehle</i> | |
| XT-2 Evidence for Pb Center-Hydrogen Complexes After Subjecting PMOS Devices to NBTI Stress - a Combined DCIV/SDR Study | 915 |
| <i>Thomas Aichinger, Patrick M. Lenahan, Tibor Grasser, Gregor Pobegen, Michael Nelhiebel</i> | |
| XT-3 A Comprehensive and Critical Re-asessment of 2-Stage Energy Level NBTI Model..... | 921 |
| <i>Shashank Gupta, Binoy Jose, Kaustubh Joshi, Ankit Jain, Muhammad Ashraful Alam, Souvik Mahapatra</i> | |
| XT-4 Correlation of 1/f Noise and High-Voltage-Stress Induced Degradation in LDMOS..... | 927 |
| <i>M. Iqbal Mahmud, Zeynep Celik-Butler, Pinghai Hao, Purushothaman Srinivasan, Frank Hou, Benjamin L. Amey, Sameer Pendharkar, Xu Cheng, Weixiao Huang</i> | |
| XT-5 Correlation of Single Trapping and Detrapping Effects in Drain and Gate Currents of Nanoscaled nFETs and pFETs | 933 |
| <i>M. Toledano-Luque, B. Kaczer, E. Simoen, R. Degraeve, J. Franco, Ph. J. Roussel, T. Grasser, G. Groeseneken</i> | |
| XT-6 Organic Thin Film Transistor Degradation Under Sunlight Exposure..... | 939 |
| <i>N. Wrachien, A. Cester, D. Bari, G. Meneghesso, J. Kovac, J. Jakabovic, D. Donoval</i> | |
| XT-7 Analysis of the Threshold Voltage Turn-Around Effect in High-Voltage n-MOSFETs Due to Hot-CARRIER Stress | 946 |
| <i>I. Starkov, H. Enichlmair, S. Tyaginov, T. Grasser</i> | |
| XT-8 On the Frequency Dependence of the Bias Temperature Instability..... | 952 |
| <i>T. Grasser, B. Kaczer, H. Reisinger, P. -J. Wagner, M. Toledano-Luque</i> | |
| XT-9 Positive Bias Temperature Instability Induced Positive Charge Generation in P+ Poly/SiON pMOSFET's | 959 |
| <i>Hokyung Park, Paul E. Nicollian, Vijay Reddy</i> | |
| XT-10 On the Microscopic Limit of the Modified Reaction-Diffusion Model for the Negative Bias Temperature Instability | 963 |
| <i>Franz Schanovsky, Tibor Grasser</i> | |
| XT-11 Physical Understanding and Modelling of new HotCarrier Degradation Effect on PLDMOS Transistor | 969 |
| <i>Stefano Aresu, Rolf-Peter Vollertsen, Ralf Rudolf, Christian Schlünder, Hans Reisinger, Wolfgang Gustin</i> | |
| XT-12 The Energy Distribution of NBTI-Induced Hole Traps in the Si Band Gap in PNO pMOSFETS..... | 975 |
| <i>X. Ji, Y. Liao, F. Yan, Y. Shi, G. Zhang, Q. Guo</i> | |
| XT-13 Intrinsic Hot-CARRIER Degradation of nMOSFETs by Decoupling PBTI Component in 28nm High-k/Metal Gate Stacks | 980 |
| <i>Nathan Hui-Hsin Hsu, Jian-Wen You, Huan-Chi Ma, Shih-Ching Lee, Eliot Chen, L. S. Huang, Yao-Chin Cheng, Osbert Cheng, I. C. Chen</i> | |
| XT-14 Detailed Study of Fast Transient Relaxation of Vt Instability in HKMG nFETs..... | 984 |
| <i>K. Zhao, J. Stathis, E. Cartier, M. Wang, H. Jagannathan, S. Zafar</i> | |
| XT-15 Hot Carrier Degradation: From Defect Creation Modeling to Their Impact on NMOS Parameters | 988 |
| <i>Y. Mamy Randriamihaja, A. Zaka, V. Huard, M. Rafik, D. Rideau, D. Roy, A. Bravaix, P. Palestri</i> | |
| Author Index | |