

2012 IEEE/MTT-S International Microwave Symposium Digest

(MTT 2012)

**Montreal, Quebec, Canada
17-22 June 2012**

Pages 1-888



IEEE Catalog Number: CFP12MTT-PRT
ISBN: 978-1-4673-1085-7

TABLE OF CONTENTS

Remembering Roger Pollard.....	1
<i>J. Barr, I. Hunter, I. Robertson, L. Boglione, J. K. McKinney, M. Ward-Callan, N. Ridler, H. Komrij</i>	
D-Band Frequency Synthesis Using a U-band PLL and Frequency Tripler in 65nm CMOS Technology.....	4
<i>A. Tang, D. Murphy, G. Virbila, F. Hsiao, S. Tam, H. Yu, H. Hsieh, C. Jou, Y. Kim, Alden Wong, Alex Wong, Y. Wu, M. F. Chang</i>	
A Max 349 GHz 18.2mW/Pixel CMOS Inter-modulated Regenerative Receiver for Tri-Color mm-Wave Imaging.....	7
<i>A. Tang, Q. J. Gu, Z. Xu, G. Virbila, M. F. Chang</i>	
A CMOS 135-150 GHz 0.4 dBm EIRP Transmitter with 5.1dB P1dB Extension Using IF Envelope Feed-Forward Gain Compensation	10
<i>A. Tang, D. Murphy, F. Hsiao, Q. J. Gu, Z. Xu, G. Virbila, Y. Wang, H. Wu, L. Nan, Y. Wu, M. F. Chang</i>	
Wideband Balun Bandpass Filter Based on a Differential Circuit.....	13
<i>W. Feng, W. Che</i>	
A 1.0V 31GHz Differentially Controlled CMOS VCO with 191.9 dBc/Hz FOM.....	16
<i>K. Miyashita</i>	
A 32GHz Delay Locked Loop with a Full Rate Sub-psc Phase Detector in 40nm CMOS	19
<i>F. Aryanfar, E. Ho, X. Shi, K. Desai, C. Werner</i>	
Synthesis and Design of Four Pole Ultra-Wide Band (UWB) Bandpass Filter (BPF) Employing Multi-Mode Resonators (MMR).....	22
<i>S. Khalid, W. P. Wen, L. Y. Cheong</i>	
Enhanced Front-End to Extend Reading Range of Commercial RFID Readers Using Efficient Multisine Signals	25
<i>A. S. Boaventura, N. B. Carvalho</i>	
Microwave Single/Multi-Band Planar Filters With Bagley-Polygon-Type Four-Port Power Dividers	28
<i>R. Gomez-Garcia, M. Sanchez-Renedo</i>	
Wideband 60 GHz Bandpass Filter Based on Flexible PerMX Polymer Substrate.....	31
<i>S. Seok, J. Kim, N. Rolland</i>	
Handling Long-Term Memory Effects in X-Parameter Model	34
<i>A. Soury, E. Ngoya</i>	
A Smart Jamming System for UMTS/WCDMA Cellular Phone Networks for Search and Rescue Applications.....	37
<i>S. Zorn, M. Gardill, R. Rose, A. Goetz, R. Weigel, A. Koelpin</i>	
Linear Amplification Apparatuses of Class-C Power Amplifier Using Partial Envelope Delta-Sigma Modulation	40
<i>J. Kim, C. Park, S. Lee, B. Park, J. Jung, K. Lee</i>	
Accurate Modeling of Microwave Structures Using Generalized Shape-Preserving Response Prediction	43
<i>S. Koziel</i>	
CPU-Budget-Driven Automated Microwave Design Optimization Using Variable-Fidelity Electromagnetic Simulations	46
<i>S. Koziel, S. Ogurtsov</i>	
Space Mapping and Beyond: Knowledge-Driven Microwave Design Optimization	49
<i>S. Koziel, K. Madsen</i>	
High Power Solid-State Oscillator for Microwave Oven Applications	52
<i>T. Shi, K. Li</i>	
Highly Efficient Doherty Amplifier with Peaking Cell Controlled Using Optimized Shaped Gate Voltage	55
<i>J. Kim, C. Park, S. Lee, B. Park, J. Jung, K. Lee</i>	
High Performance Surface Acoustic Resonators in 1-3 GHz Range Using ScAlN/6H-SiC Structure.....	58
<i>K. Hashimoto, S. Sato, A. Teshigahara, T. Nakamura, K. Kano</i>	
Retrospective on Microwave CAD and Optimization Technology	61
<i>J. W. Bandler, Q. S. Cheng</i>	
RF Burn-in of Dielectric-Charging Characteristics of Micro-Electromechanical Capacitive Switches	64
<i>D. Molinero, C. Palego, X. Luo, J. C. M. Hwang, C. L. Goldsmith</i>	
The Evolution of Ferrite and Other Passive Control Components: A Personal Account	67
<i>L. R. Whicker</i>	
Reliable Low-Cost Co-Kriging Modeling of Microwave Devices.....	70
<i>S. Koziel, I. Couckuyt, T. Dhaene</i>	
Intelligent CMOS Control of RF MEMS Capacitive Switches	73
<i>G. Ding, W. Wang, S. Halder, C. Palego, D. Molinero, J. C. M. Hwang, C. L. Goldsmith</i>	
Notch-band UWB Bandpass Filter Using Slot-Embedded Short-Circuited Stub	76
<i>S. W. Wong, X. Wu, Q. Chu</i>	
Substrate-Integrated Waveguide Transitions to Planar Transmission-Line Technologies	79
<i>F. Taringou, D. Dousset, J. Bornemann, K. Wu</i>	
Miniaturized Dual-Band Microstrip Bandpass Filter with Wide Stopband	82
<i>S. Wu, Y. Tseng, W. Tu</i>	
Wireless Charging System of Mobile Handset Using Metamaterial-Based Cavity Resonator.....	85
<i>C. Liou, C. Kuo, M. Lee, S. Mao</i>	
A Low-Power SiGe Impulse Radio-UWB Transmitter with Biphase Modulation Function.....	88
<i>D. Lin, A. Trasser, H. Schumacher</i>	

Millimeter-Wave Multi-Port Radar Sensor with Integrated Receiver Front-end for Automotive Applications	91
<i>S. O. Tatu, B. Boukari, E. Moldovan, R. G. Bosio, K. Wu</i>	
Microwave/Digital Signal Correction with Integrable NGD Circuits	94
<i>B. Ravelo, Y. Liu</i>	
The Evolution of Low Noise Devices and Amplifiers	97
<i>E. C. Niehenke</i>	
The Evolution of Microwave and Millimeter Wave Tubes	100
<i>R. B. True</i>	
Sensitivity-based Microwave Imaging with Raster Scanning	103
<i>Y. Zhang, S. Tu, R. K. Amineh, N. K. Nikolova</i>	
Tunable BaSrTiO₃ Applications for the RF Front End	106
<i>A. H. Cardona</i>	
A 20.7% Locking Range W-band Fully Integrated Injection-Locked Oscillator Using 90 nm CMOS Technology	109
<i>Y. Yeh, C. Huang, H. Chang</i>	
Miniaturized RF/Microwave Filters Using Fractals	112
<i>J. Beneat, P. Jarry</i>	
Linearizing High Power Amplifiers with Emphasis on GaN	115
<i>A. Katz, R. Dorval</i>	
Highly Flexible Linearizer/Channel Amplifiers Using a Microcontroller	118
<i>A. Katz, R. Gray, G. Conway, R. Dorval, J. Macdonald</i>	
Isolator Utilizing Artificial Magnetic Gyrotropy	121
<i>T. Kodera, D. L. Sounas, C. Caloz</i>	
A Low Voltage Low Power Highly Linear CMOS Quadrature Mixer Using Transconductance Cancellation Technique	124
<i>K. Wang, K. Ma, W. Ye, K. S. Yeo, H. Zhang, Z. Wang</i>	
Transformed Radial Stub Cell Embedded Resonator for High Performance Filter Applications	127
<i>K. Ma, S. Mou, K. Wang, M. Nagarajan, K. S. Yeo</i>	
Miniaturized High-Order UWB Bandpass Filter Using Third-Order E-Shape Microstrip Structure	130
<i>R. T. Hammed, D. Mirshekar-Syahkal</i>	
Characterization and Compensation of AM-AM and AM-PM Distortion in Mixed Polarization Radio over Fiber Systems	133
<i>B. Hraimel, X. Zhang</i>	
High-Performance Reduced-Size 70-80 GHz CMOS Branch-Line Hybrid Using CPW and CPWG Guided-Wave Structures	136
<i>S. Shopov, R. E. Amaya, J. W. M. Rogers, C. Plett</i>	
A 2.6GHz Band 537W Peak Power GaN HEMT Asymmetric Doherty Amplifier with 48% Drain Efficiency at 7dB	139
<i>H. Deguchi, N. Watanabe, A. Kawano, N. Yoshimura, N. Ui, K. Ebihara</i>	
A 200 GHz 16-pixel Focal Plane Array Imager using CMOS Super Regenerative Receivers with Quench Synchronization	142
<i>A. Tang, G. Virbila, Y. Wang, Q. J. Gu, Z. Xu, L. Du, N. Yan, Yu-Hsiu Wu, Yi-Cheng Wu, Y. Kuan, M. F. Chang</i>	
Robust Space Mapping Optimization Exploiting EM-Based Models with Adjoint Sensitivities	145
<i>S. Koziel, S. Ogurtsov, J. W. Bandler, Q. S. Cheng</i>	
Statistical Prediction of Temperature Effects Inside Through-Silicon Vias by Means of Orthogonal Polynomials	148
<i>P. Manfredi, F. G. Canavero</i>	
The Multi-Port Technology for Microwave Sensing Applications	151
<i>K. Haddadi, T. Lasri</i>	
A New Triple-Mode Microstrip Bandpass Filter Using a Patch-Loaded Cross Resonator	154
<i>R. Zhang, L. Zhu</i>	
Characterization of a Slotted Circular Patch Resonator for Adjustable Dual-Mode Dual-Band Bandpass Filters	157
<i>R. Zhang, L. Zhu, S. Luo</i>	
A Ka-Band Broadband Active Frequency Doubler Using a CB/CE Balanced Configuration in 0.18 μm SiGe BiCMOS Process	160
<i>G. Chen, Y. Yeh, H. Chang, Y. Hsin</i>	
Wafer-level BCB CAP Packaging of Integrated MEMS Switches with MMIC	163
<i>S. Seok, J. Kim, M. Fryzel, N. Rolland, P. Rolland, H. Maher, W. Simon, R. Baggen</i>	
Design of Narrowband Microwave Filters with Mixed-topology	166
<i>G. Macchiarella, M. Oldoni, S. Tamiazzo</i>	
On the Design of Package-Integrated RF High-Power Amplifiers	169
<i>D. A. Calvillo-Cortes, K. Shi, M. De Langen, F. Van Rij, L. C. N. De Vreede</i>	
A Novel Ka Band Sliding IF Transmitter for Satellite Communication	172
<i>K. Ma, K. S. Yeo, S. Mou, C. B. Liang, F. Chen, R. M. Jayasuriya</i>	
Decade Bandwidth High Efficiency GaN HEMT Power Amplifier Designed With Resistive Harmonic Loading	175
<i>C. M. Andersson, J. Moon, C. Fager, B. Kim, N. Rorsman</i>	
A High Range Resolution 9.4/18.8 GHz Harmonic Radar for Bees Searching	178
<i>Z. Tsai, P. Jau, N. Kuo, J. Kao, K. Lin, F. Chang, E. Yang, H. Wang</i>	
UWB Time Domain Transmission Sensor for Free-Space Moisture Measurements	181
<i>H. Mextorf, F. Daschner, M. Kent, R. Knöchel</i>	
A Single Chip Multiband Power Amplifier using Active Load Modulation Techniques	184
<i>G. Lee, J. Lee, J. Song</i>	

Implementation of X-Parameter Models in Harmonic-Balance Simulators	187
A. Soury, E. Ngoya	
Compact Wide-Stopband Quad-Band Bandpass Filter with Tunable Transmission Zeros.....	190
K. Hsu, W. Tu	
Mixed Simulation Approach for Direct Connection between Power Amplifiers and Antenna Arrays without the Use of Isolators.....	193
G. Z. El Nashef, F. Torres, S. Mons, T. Reveyrand, E. Ngoya, T. Monédière, R. Quéré, M. Thevenot	
Time-Domain Electrothermal Circuit-Level Modeling of Microwave and RF PIN Diodes	196
R. H. Caverly	
THz Holographic Imaging: A Spatial-domain Technique for Phase Retrieval and Image Reconstruction	199
A. Enayati, A. Tamminen, J. Ala-Laurinaho, A. V. Räisänen, W. D. Raedt, G. A. E. Vandebosch	
An Application of Advanced SiGe to Millimeter-Wave Phased Arrays.....	202
H. B. Wallace	
Advances in RF MEMS Phase Shifters from 15 GHz to 35 GHz.....	205
B. Pillans, L. Coryell, A. Malczewski, C. Moody, F. Morris, A. Brown	
2-Watt Broadband GaN Power Amplifier RFIC Using the f_T Doubling Technique	208
A. El-Gabaly, C. E. Saavedra	
A New Vertical Transition for FR-4 Based Millimeter-Wave MCMs.....	211
J. Purden, D. Zimmerman, M. E. Miller	
An Active CMOS One-to-four Power Splitter for 60-GHz Phased-Array Transmitter	214
I. Chang, J. Kao, J. Kuo, K. Lin	
Phase Stabilized RF Reference Signal Dissemination over Optical Fiber Employing Instantaneous Frequency Control by VCO.....	217
T. Akiyama, H. Matsuzawa, E. Haraguchi, T. Ando, Y. Hirano	
Millimeter-Wave Broadband Positioning System for Indoor Applications.....	220
M. Bocquet, C. Loyez, M. Fryziel, N. Rolland	
Development of W and D-band Si-based MMICs at National Taiwan University	223
H. Wang	
On the Large-Signal Modeling of High Power AlGaN/GaN HEMTs.....	226
I. M. Angelov, M. Thorsell, K. Andersson, N. Rorsman, E. Kuwata, H. Ohtsuka, K. Yamanaka	
Miniaturized Rat-Race Coupler with Out-of-Band Suppression using Double-Layer Synthesized Coplanar Waveguides.....	229
H. Chiu, C. Lai, T. Ma	
A Dual Band SIW Leaky Wave Antenna.....	232
J. Machac, M. Polivka	
Application of a NVNA-based System and Load-Independent X-parameters in Analytical Circuit Design Assisted by an Experimental Search Algorithm	235
A. M. Pelaez-Perez, J. I. Alonso, M. Fernandez-Barciela, P. Tasker	
122-GHz Chip-to-Antenna Wire Bond Interconnect with High Repeatability	238
S. Beer, H. Gulau, M. Pauli, C. Rusch, G. Kunkel, T. Zwick	
Generalized Parallel Coupled Line and Interdigital Filters with Unusually Broad Upper Stop Bandwidth	241
W. M. Fathelbab	
A Space Mapping Schematic for Fast EM-Based Modeling and Design.....	244
Q. S. Cheng, J. W. Bandler, N. K. Nikolova, S. Koziel	
Microdegree Frequency and Phase Difference Control Using Fractional-N PLL Synthesizers	247
B. R. Gray, M. Masood, J. Galloway, R. Caplan, J. S. Kenney	
Continuous-ClassF3 Power Amplifier Mode Varying Simultaneously First 3 Harmonic Impedances	250
V. Carrubba, R. Quay, M. Schlechtweg, O. Ambacher, M. Akmal, J. Lees, J. Benedikt, P. J. Tasker, S. C. Cripps	
Results of Field Trials with Wide-Area Ubiquitous Network	253
H. Hayashi, O. Kagami, M. Harada	
Wireless Sensor Network with 24 GHz Local Positioning Transceiver	256
D. Shmakov, R. Ebelt, M. Vossiek	
Linearized Low-noise Cascode RF Amplifiers Using a Novel Distortion-cancelling Bias Scheme	259
Y. H. Chow, Y. W. Eng, M. H. Mazlan-Huzairi, M. F. Ayob, W. C. Chen	
A 79GHz UWB Pulse-Compression Vehicular Radar in 90nm CMOS	262
K. Tan, C. Lai, P. Lu, C. Tu, G. Huang, J. Wu, S. S. Hsu, T. Chu	
Low Cost and Miniaturized Helicopter Near Field Obstacle Warning Radar.....	265
V. Ziegler, F. Schubert, B. Schulte, A. Giere, R. Koerber, T. Waanders	
Aircraft Cabin-integrated 57-64GHz WLAN Communication System	268
V. Ziegler, B. Schulte, J. Sabater, S. Bovelli, J. Kunisch, K. Maulwurf, M. Martinez-Vazquez, C. Oikonomopoulos-Zachos, S. Glisic, M. Ehrig, E. Grass	
A 25.6 W 13.56 MHz Wireless Power Transfer System with a 94% Efficiency GaN Class-E Power Amplifier	271
W. Chen, R. A. Chinga, S. Yoshida, J. Lin, C. Chen, W. Lo	
Spectral-Impulse-Response Approach for Analyzing the Aperiodic Excitation of a Periodic Diffraction Grating.....	274
M. Memarian, G. V. Eleftheriades	
Low-Loss Millimeter-Wave Propagation of the E^{11}_x Mode in a Synthesized Insulated Image Guide	277
N. Dolatsha, J. Hesselbarth	
Transmitter Illumination Taper as a Design Parameter for Wireless Power Transmission Systems	280
S. J. Blank, M. F. Hutt	

In-Line Pseudoelliptic TE₀₁₀ Mode Dielectric Resonator Filters.....	283
S. Bastioli, R. V. Snyder	
On Knowledge-Based Neural Networks and Neuro-Space Mapping.....	286
J. E. Rayas-Sánchez, Q. Zhang	
A 72% PAE, 95-W, Single-Chip GaN FET S-Band Inverse Class-F Power Amplifier with a Harmonic Resonant Circuit.....	289
K. Motoi, K. Matsunaga, S. Yamanouchi, K. Kunihiro, M. Fukaishi	
W-Band Cryogenic InP MMIC LNAs with Noise Below 30K.....	292
L. Samoska, M. Varonen, R. Reeves, K. Cleary, R. Gawande, P. Kangaslahti, T. Gaier, R. Lai, S. Sarkozy	
Average Power Handling Capability of Quarter-Wavelength Microstrip Stepped-Impedance Resonator Bandpass Filter.....	295
L. Wu, J. Mao, W. Yin, M. Tang	
Envelope Tracking Power Amplifier with Dual-Mode Supply Modulator for LTE Applications.....	298
J. Kim, D. Kim, Y. Cho, D. Kang, B. Park, B. Kim	
An X-Band Internally-Matched GaN HEMT Amplifier with Compact Quasi-Lumped-Element Harmonic-Terminating Network.....	301
H. Uchida, H. Noto, K. Yamanaka, M. Nakayama, Y. Hirano	
Compact Wide-Passband and Wide-Stopband Microstrip Bandpass Filter Using Multi-Stub Resonator	304
M. Tsou, S. Chen, W. Tu	
Tunable Composite Piezoelectric Resonators: A Possible “Holy Grail” of RF Filters ?	307
A. Reinhardt, E. Defaïj, F. Perruchot, C. Billard	
Efficiency-Enhanced Doherty Amplifier with Extended Bandwidth Based on Asymmetrical Drain Voltage	310
Q. Lei, S. He, N. Zhang, F. You, L. Dong, Z. Hu	
A 24 GHz CMOS Power Amplifier Using Reversed Body Bias Technique to Improve Linearity and Power Added Efficiency	313
J. Kuo, H. Wang	
Detection of Closely-spaced Objects by a Low-cost Reader at 2.45 GHz.....	316
N. Arbizzani, M. D. Prete, D. Masotti, A. Costanzo	
Evolution of Passive and Active Microwave Filters.....	319
R. V. Snyder	
Implementing Voltage Controlled Current Source in Electromagnetic Full-Wave Simulation using the FDTD Method	322
K. Elmahgoub, A. Z. Elsherbeni	
Substrate Integrated Waveguide (SIW) Power Amplifier Using CBCPW-to-SIW Transition for Matching Network	325
Z. Wang, S. Adhikari, D. Dousset, C. Park, K. Wu	
Rugged and Reliable Ohmic MEMS Switches	328
J. Maciel, S. Majumder, J. Lampen, C. Guthy	
Polarization Friendly Retrodirective Antenna Array	331
J. H. Choi, Y. Dong, J. S. Sun, T. Itoh	
UWB and WiLAN Microstrip Diplexer for Differential-Mode Operation	334
H. Lobato-Morales, J. S. Sun, A. Corona-Chavez, J. L. Olvera-Cervantes, T. Itoh	
New Approach to Multi-stage Directional Filter Based on Band-Reject Filter Design	337
J. S. Sun, H. Lobato-Morales, A. Corona-Chavez, T. Itoh	
Automated Design of Optimized Tunable Matching Networks in the UHF band	340
C. Sanchez-Perez, J. De Mingo, P. L. Carro, P. Garcia-Ducar	
Compact Terahertz Surface Plasmon Switch Inside a Two Dimensional Electron Gas Layer	343
M. A. Khorrami, S. El-Ghazaly, S. Yu, H. Naseem	
Experimental Visualization and Group Velocity Evaluation of Wave Packet on Left-Handed Transmission Line.....	346
M. Tsuchiya, T. Shiozawa	
A Low/High-Mode Power Amplifier With Envelope-Tracking Operation	349
Y. Cho, D. Kang, J. Kim, D. Kim, B. Park, B. Kim	
28mW 10Gbps Transmitter for 120GHz ASK Transceiver	352
K. Katayama, M. Motoyoshi, K. Takano, N. Ono, M. Fujishima	
Integration of Six-Port Circuit Using MMIC Technology.....	355
B. Huyart, A. Khy	
A Low Voltage Q-band CMOS LNA with Magnetic Coupled Cascode Topology	358
H. C. Yeh, H. Wang, C. C. Chiong	
A 24-GHz Low Power and High Isolation Active Quasi-Circulator.....	361
D. Huang, J. Kuo, H. Wang	
A Compact Filtering Rat-Race Coupler Using Dual-Mode Stub-Loaded Resonators	364
C. Chen, T. Huang, C. Chen, W. Liu, T. Shen, R. Wu	
Tunable Differential-Mode Bandpass Filters with Wide Tuning Range and Constant Bandwidth	367
J. Mao, W. Che, Y. Ma, J. Chen	
Tunable FBARs: Intrinsic vs. Extrinsic Tunability	370
S. Gevorgian, A. Vorobiev	
Microwave Characterization of Intrinsically Tunable FBARs	373
A. Vorobiev, S. Gevorgian	
A W-Band Divider-less Cascading Frequency Synthesizer with Push-Push ×4 Frequency Multiplier and Sampling PLL in 65nm CMOS	376
L. Ye, Y. Wang, C. Shi, H. Liao, R. Huang	

Digital Predistortion Using Non-Stationary Windowed Sequences for LTE Power Amplifier Linearization	379
<i>L. Aladrén, P. García-Dícar, J. De Mingo, P. L. Carro, C. Sánchez-Pérez</i>	
A Single Inductor Approach to the Design of Low-Voltage CMOS MB-OFDM UWB Frequency Synthesizer	382
<i>W. Li, K. M. Cheng</i>	
An IQ-Modulator Based Heterodyne 77-GHz FMCW Colocated MIMO Radar System	385
<i>C. Pfeffer, R. Feger, C. M. Schmid, C. Wagner, A. Stelzer</i>	
A 917-μW Q-band Transformer-Feedback Current-Reused LNA Using 90-nm CMOS Technology	388
<i>M. Huang, J. Tsai, T. Huang</i>	
A 25 GHz Analog Demultiplexer with a Novel Track and Hold Circuit for a 50 GS/s A/D-Conversion System in InP DHBT Technology.....	391
<i>D. Ferenc, M. Grözing, M. Berroth, R. Makon, R. Driad, J. Rosenzweig</i>	
On the Symmetry Properties of Coplanar Waveguides Loaded with Symmetric Resonators: Analysis and Potential Applications.....	394
<i>J. Naqui, M. Duran-Sindreu, F. Martin</i>	
A 44-to-60GHz, 9.7dBm P1dB, 7.1% PAE Power Amplifier with 2D Distributed Power Combining by Metamaterial-based Zero-Phase-Shifter in 65nm CMOS	397
<i>W. Fei, H. Yu, K. S. Yeo, X. Liu, W. M. Lim</i>	
An Integrated 125 GHz Sensor with Read-Out Circuit for Permittivity Measurement of Liquids.....	400
<i>B. Laemmle, K. Schmalz, C. Scheytt, R. Weigel, D. Kissinger</i>	
Digital Pre-distortion for Improving Efficiency, Linearity and Average Output Power of Microwave Point-to-Point Power Amplifiers used in Cellular Backhaul Telecommunication Systems	403
<i>R. A. Branson, C. Steinbeiser, K. Tran, B. Loran, D. Wohlert</i>	
A 1.2V Broadband D-band Power Amplifier with 13.2-dBm Output Power in Standard RF 65-nm CMOS	406
<i>Z. Tsai, H. Liao, Y. Hsiao, H. Wang, J. Y. Liu, M. F. Chang, Y. Teng, G. Huang</i>	
A Modified Construction Method of Synthetic Basis Functions for Phased Antenna Array	409
<i>S. Xiang, G. Xiao, J. Mao</i>	
Band-Limited Volterra Series-Based Behavioral Modeling of RF Power Amplifiers	412
<i>C. Yu, L. Guan, A. Zhu</i>	
On the Feasibility of an Antenna in Package With Stacked Directors.....	415
<i>A. Hamidipour, A. Fischer, L. Maurer, A. Stelzer</i>	
RF-Down and RF-Up Converting Optoelectronic Oscillator for Spurious Suppression	418
<i>M. Mizuma, M. Tsuru, S. Kameyama, T. Ando, Y. Hirano</i>	
Hemispherical and Aspheric WGM Dielectric Resonators with Conducting Plane: Radiation and Conductivity Losses in Millimeter Wavelength Range.....	421
<i>N. T. Cherpak, A. A. Barannik, M. S. Kharchenko, S. A. Vitusevich</i>	
Seeing Through Walls with a Self-Injection-Locked Radar to Detect Hidden People	424
<i>F. Wang, T. Horng, K. Peng, J. Jau, J. Li, C. Chen</i>	
A 96 GHz Radar System for Respiration and Heart Rate Measurements.....	427
<i>S. Ayhan, S. Diebold, S. Scherr, T. Zwick, I. Kalfass, A. Tessmann, O. Ambacher</i>	
LO Leakage in Six-Port Modulators and Demodulators and its Suppression Techniques.....	430
<i>J. Osth, A. Serban, M. Karlsson, S. Gong</i>	
A 60-GHz Fully Integrated CMOS Sub-Harmonic RF Receiver with MM-Wave On-Chip AMC-Antenna/Balun-Filter and On-Wafer Wireless Transmission Test	433
<i>H. Kuo, H. Wang, H. Yue, Y. Ou, C. Lin, H. Chuang, T. Huang</i>	
A Subharmonic Chipset for Gigabit Communication around 240 GHz	436
<i>D. Lopez-Diaz, I. Kalfass, A. Tessmann, A. Leuther, S. Wagner, M. Schlechtweg, O. Ambacher</i>	
A 65-nm CMOS 250uW Quadrature LO Generation Circuit.....	439
<i>C. Bryant, H. Sjöland</i>	
Dynamic Measurement of Complex Impedance in Real-Time for Smart Handset Applications.....	442
<i>S. M. Ali, M. E. Buckley, J. B. Deforge, J. P. Warden</i>	
Accurate Extraction of Coupling Matrix for Coupled Resonator Filters	445
<i>X. Yin</i>	
The Design of Parallel Connected Filter Networks with Non-uniform Q Resonators.....	448
<i>M. Meng, I. C. Hunter</i>	
A 480 GHz Active Frequency Multiplier-by-Four SMMIC	451
<i>I. Kalfass, A. Tessmann, H. Massler, S. Wagner, A. Leuther</i>	
Effect of Input Second Harmonic Control for Saturated Amplifier.....	454
<i>J. Moon, S. Jee, Seokhyeon Kim, J. Kim, J. Son, J. Lee , Seungchan Kim, B. Kim</i>	
Ultra-Compact Filters Using TM Dual-Mode Dielectric-Loaded Cavities with Asymmetric Transmission Zeros	457
<i>L. Pelliccia, F. Cacciamani, C. Tomassoni, R. Sorrentino</i>	
A Single-Chip 15 to 30 GHz Six-Port Demodulator for Multi-Gbps Communications	460
<i>M. Bao, J. Chen, L. Aspemyr</i>	
Investigation of Class-B/J Continuous Modes in Broadband GaN Power Amplifiers	463
<i>S. Preis, D. Gruner, G. Boeck</i>	
Compact Ku Band Filter based on BMT Dielectric Resonators Made in a Single Part Using 3D Ceramic Stereolithography Process	466
<i>L. Carpentier, N. Delhote, S. Verdeyme, L. Estagerie, H. Leblond, D. Pacaud</i>	
A Passive UHF RFID Pressure Sensor Tag with a 7.27 bit and 5.47pJ Capacitive Sensor Interface.....	469
<i>A. Beriaín, I. Rebollo, I. Fernandez, J. F. Sevillano, R. Berenguer</i>	

Ultra-Compact X-Band SIW Filter in LTCC Technology Using High Permittivity Substrate for a Space Application	472
<i>J. Garreau, B. Potelon, E. Rius, J. Favenne, C. Quendo, C. Caille, H. Leblond, J. C. Azzara, L. Raynaud</i>	
Harmonics Induced Uncertainty in Phase Noise Measurements	475
<i>D. E. Calbaza, C. Gupta, U. L. Rohde, A. K. Poddar</i>	
Synthesis of Angle Modulated Ultra Wideband Signals Based on Regenerative Sampling.....	478
<i>C. Carlowitz, M. Vossiek</i>	
Trapezoidal Envelope Pulse Dynamics in Debye-Model Dielectrics.....	481
<i>K. E. Oughstun, C. L. Palombini</i>	
A Compact Chipless RFID Tag with Environment Sensing Capability.....	484
<i>A. Vena, E. Perret, S. Tedjini, D. Kaddour, A. Potie, T. Baron</i>	
Directional Cloak Formed by Photonic Crystal Waveguides.....	487
<i>N. Yogesh, V. Subramanian</i>	
A Micromachined Double-Dipole Antenna for 122 - 140 GHz Applications Based on a SiGe BiCMOS Technology.....	490
<i>R. Wang, Y. Sun, M. Kaynak, S. Beer, J. Borngraeber, J. C. Scheytt</i>	
A 1-to-8 GHz Miniaturized Dielectric Spectroscopy System for Chemical Sensing	493
<i>A. A. Helmy, K. Entesari</i>	
Simultaneous Localization and Respiration Detection of Multiple People Using Low Cost UWB Biometric Pulse Doppler Radar Sensor.....	496
<i>Y. Wang, Q. Liu, A. E. Fathy</i>	
Theoretical Design of Wideband Filters With Attenuation Poles Using Improved Parallel-Coupled Three-line Units	499
<i>C. Chen, J. Oda, T. Anada, Z. Ma, S. Takeda</i>	
A Second-Order Domain-Decomposition Method for Modeling Material Interfaces in Finite-Difference Discretizations.....	502
<i>R. B. Armenta, C. D. Sarris</i>	
Correction of Frequency Uncertainty in Wide Field of View Interferometric Angular Velocity Measurements	505
<i>J. A. Nanzer, A. H. Zai</i>	
A W-Band CMOS PA Encapsulated in an Organic Flip-Chip Package	508
<i>C. E. Patterson, D. Dawn, J. Papapolymerou</i>	
A Fully Passive RF Switch Based on Nanometric Conductive Bridge	511
<i>A. Vena, E. Perret, S. Tedjini, C. Vallée, P. Gonon, C. Mannequin</i>	
Novel Substrate Integrated Waveguide Bandpass Filter with Broadside-Coupled Complementary Split Ring Resonators	514
<i>L. Huang, I. D. Robertson, N. Yuan, J. Huang</i>	
Millimeter-Wave Power Amplifier Circuit-Device Simulations Through Coupled Harmonic Balance - Monte Carlo Particle-Based Device Simulator.....	517
<i>D. Guerra, D. K. Ferry, M. Saraniti, S. M. Goodnick</i>	
Carrier Noise-Limited Penetration in THz Radar Imaging	520
<i>K. B. Cooper, J. F. Trabert, R. J. Dengler</i>	
Octave Tunable Lumped-Element Notch Filter.....	523
<i>D. R. Jachowski</i>	
SiGe System on a Chip for Radar Applications	526
<i>M. S. Hauhe, G. M. Sakamoto</i>	
InP HEMT Integrated Circuits for Submillimeter Wave Radiometers in Earth Remote Sensing	529
<i>W. R. Deal, G. Chattopadhyay</i>	
A W- and G-band MMIC Source Using InP HBT Technology.....	532
<i>R. Kozhuharov, M. Bao, M. Gavell, H. Zirath</i>	
Self-Biased Self-Oscillating Mixing Receiver using Metamaterial-Based SIW Dual-Band Antenna	535
<i>C. M. Wu, T. Itoh</i>	
Hybrid Combination of Dual Band Isolation Circuits Based on Conventional and CRLH Transmission Lines for Triplexers	538
<i>H. Lee, T. Itoh</i>	
Study of the Mach-Zehnder Interferometric Technique for Dielectric Resonator Tuning	541
<i>H. J. De Los Santos, C. Rusch, Y. Chen</i>	
Remote Detection of Gastroesophageal Reflux Using an Impedance and pH Sensing Transponder	544
<i>H. Cao, V. Landge, S. Thakar, S. Rao, L. Hsu, S. Tang, S. Spechler, H. F. Tibbals, J. C. Chiao</i>	
Statistical Analysis and Yield Optimization in Practical RF and Microwave Designs.....	547
<i>R. Biernacki, S. Chen, G. Estep, J. Rousset, J. Sifri</i>	
Novel Surface Integral Equation Formulation for Accurate Broadband RL Extraction in Transmission Lines of Arbitrary Cross-Section.....	550
<i>A. Menshov, V. Okhmatovski</i>	
Novel Multi-Mode Ring Resonator Transversal Array Bandpass Filter with Very High Skirt Selectivity Using Multiple Transmission Zeros	553
<i>M. Ohira, Z. Ma</i>	
An RF MEMS Switch for High-Power Applications	556
<i>C. D. Patel, G. M. Rebeiz</i>	
Nonlinearity Consideration of GaN Based Envelope Tracking Power Amplifiers	559
<i>P. J. Draxler, D. F. Kimball, P. M. Asbeck</i>	

Design and Measurement of a Planar 9-Way Metamaterial Power Divider	562
<i>W. Lee, T. Chu</i>	
Design of Dual-Band Multi-Way Doherty Power Amplifiers	565
<i>X. Li, W. Chen, Z. Lu, Z. Feng, F. M. Ghannouchi, Y. Chen</i>	
Miniaturized Dual-Band Bandstop Filter Using Defected Microstrip Structure and Defected Ground Structure	568
<i>J. Wang, H. Ning, L. Mao, M. Li</i>	
A Dual-Polarized Transmission-Line Metamaterial Unit Cell.....	571
<i>M. Selvanayagam, G. V. Eleftheriades</i>	
Wireless Impedance Measurement of UHF RFID Tag Chips	574
<i>H. Chen, Y. W. Mak, S. Bae, A. Bhadkamkar, D. Van Der Weide</i>	
The Shoulders of the Giants on Which We Stand	577
<i>J. C. Rautio</i>	
The Evolution and Impact of Advanced Analytical and Computational Electromagnetics during the Last 60 Years	580
<i>C. A. Balanis</i>	
A Liquid-Metal Reconfigurable Double-Stub Tuner	583
<i>B. J. Lei, W. Hu, A. T. Ohta, W. A. Shiroma</i>	
Microwave Engineering Education from Field Theory to Circuit Theory	586
<i>D. Pozar</i>	
A Cursory Historical Overview on the Evolution of Wireless Communications	589
<i>M. Salazar-Palma, T. K. Sarkar</i>	
Transient Adjoint Sensitivity Analysis Exploiting FDTD.....	592
<i>Y. Zhang, M. Bakr</i>	
Field Theory for Electromagnetic Metamaterials and Beyond.....	595
<i>C. Caloz, D. L. Sounas</i>	
Compact Radio Frequency Model of Graphene Resonant Channel Transistor	598
<i>O. Li, Y. Xu, Y. Wu, Y. Guo, Y. Zhang, R. Xu, B. Yan</i>	
Development of Semi-Planar Chiral Metamaterials	601
<i>D. Zarifi, M. Soleimani, V. Nayyeri</i>	
Semiconductor- and Carbon-Devices for Innovative Nanoscale THz Sensors and Imagers	604
<i>Y. Kawano</i>	
Generalized Solving Scheme of Line-Series-Shunt Type Calibration for Broadband On-Wafer Scattering Parameter Measurements.....	607
<i>C. Huang, Y. Chen</i>	
Waveforms-Based Large-Signal Identification of Transistor Models.....	610
<i>G. Avolio, D. Schreurs, A. Raffo, I. Angelov, G. Crupi, G. Vannini, B. Nauwelaers</i>	
Overcoming Coil Misalignment using Magnetic Fields of Induced Currents in Wireless Power Transmission.....	613
<i>R. Jegadeesan, Y. Guo, M. Je</i>	
A Novel Resonator for Simultaneous Wireless Power Tranfer and Near Field Magnetic Communications	616
<i>M. Dionigi, M. Mongiardo</i>	
CAD Models of Losses for Elliptical and Circular Cylindrical CPW on Multilayered Dielectric Substrates.....	619
<i>P. Majumdar, A. K. Verma</i>	
Wideband Harmonically-Tuned GaN Doherty Power Amplifier	622
<i>K. Bathich, G. Boeck</i>	
Various Applications and Background of 10-200W 2.45GHz Microplasmas.....	625
<i>H. Heuermann, S. Holtrup, A. Sadeghfam, M. Schmidt, R. Perkuhn, T. Finger</i>	
A V-Band Injection-Locked Frequency Tripler Module with Adaptive Free-Running Frequency Tuning.....	628
<i>T. Yan, H. Lin, C. Kuo</i>	
Novel Even/Odd Mode-Based CRLH Unit Cells.....	631
<i>M. A. Othman, A. D. Alwakil, M. A. Shafee, T. M. Abuelfaid, A. M. E. Safwat</i>	
Wideband 50W Packaged GaN HEMT With Over 60% PAE Through Internal Harmonic Control in S-Band	634
<i>J. Chéron, M. Campoccchio, D. Barataud, T. Reyvrand, M. Stanislawiak, P. Eudeline, D. Floriot</i>	
Ultra-Narrow Band Tunable Superconducting Filter with Constant Bandwidth and Same Transmission Zero Points.....	637
<i>H. Kayano, T. Kawaguchi, N. Shiokawa, K. Nakayama, M. Yamazaki</i>	
MEMS Packaging for Reliable Resonators and Oscillators	640
<i>B. Kim, R. Melamud, R. A. Candler, M. A. Hopcroft, T. W. Kenny</i>	
All Digital Compensation Scheme for Spur Induced Transmit Self-Jamming in Multi-Receiver RF Front-Ends.....	643
<i>M. Omer, R. Rimini, P. D. Heidmann, J. S. Kenney</i>	
A New Power Amplifier Behavioral Model for Simultaneous Linearity and Efficiency Calculations	646
<i>J. C. Pedro, P. M. Cabral, T. R. Cunha, P. M. Lavrador</i>	
Efficient Transient Simulation of Transmission Lines and Distributed Circuits Using High-Order Stable Methods	649
<i>M. A. A. Farhan, E. Gad, M. Nakhla, R. Achar</i>	
A New Class of Pseudo-Elliptic Waveguide Filters using Resonant Posts	652
<i>C. Tomassoni, R. Sorrentino</i>	
Coping with Spurious Effects in Full-Wave Electromagnetic Design of a Wide-Band Waveguide Multiplexer	655
<i>H. Hu, K. Wu</i>	
L-Band 360W and 65% PAE GaN Amplifier with Mixed Class-E / F Harmonic Control.....	658
<i>K. Yamanaka, N. Yunoue, S. Chaki, M. Nakayama, Y. Hirano</i>	
Novel Error Correction Memory Compression Technique of a DDS Using the Equi-Section Division Method	661
<i>K. Tajima, K. Kawakami</i>	

Towards Ubiquitous RF Electronics Based on Graphene664
<i>H. Wang, A. Hsu, B. Mailly, K. K. Kim, J. Kong, T. Palacios</i>	
Second-Order Time-Domain Adjoint Sensitivity Analysis Exploiting TLM667
<i>M. H. Negm, M. H. Bakr, N. Nikolova</i>	
Graphene Frequency Doubler with Record 3GHz Bandwidth and the Maximum Conversion Gain Prospects670
<i>M. E. Ramon, K. N. Parrish, J. Lee, C. W. Magnuson, L. Tao, R. S. Ruoff, S. K. Banerjee, D. Akinwande</i>	
High Power and Efficiency Power Combining with Multi-way TWTAs for Satellite Communications673
<i>S. Dong, Y. Dong, Y. Wang, L. Gong</i>	
Wireless Power Transfer by Inductive Coupling for Implantable Batteryless Stimulators676
<i>Y. Seo, M. Q. Nguyen, Z. Hughes, S. Rao, J. C. Chiao</i>	
An NRD Guide Excited Millimeter-Wave Narrow Bandpass Filter using Whispering Gallery Mode High-Q Resonators679
<i>T. Shimizu, Y. Kogami</i>	
Mode Analysis of Nonreciprocal Metamaterials Using a Combination of Field Theory and Transmission Line Model682
<i>A. Porokhnyuk, T. Ueda, Y. Kado, T. Itoh</i>	
Miniaturized Dual-Band Bandpass Filter Using $\lambda/2$ Spiral-Resonator and Loaded Open-Stub685
<i>X. Luo, S. Sun, E. Li</i>	
Carrier Frequency Offset Compensation for 10-Gbaud QPSK RoF Transmission at 90 GHz with Free-running Optical LO Signal688
<i>A. Kanno, T. Kuri, I. Hosako, T. Kawanishi, Y. Yasumura, Y. Yoshida, K. Kitayama</i>	
Broadband and Low-loss Ruthroff-type Transmission Line Transformer in Integrated Passive Devices Technology691
<i>H. Y. Chung, Y. C. Hsu, H. K. Chiou, D. C. Chang, Y. Z. Juang</i>	
State of the Art 200 GHz Power Measurements on SiGe:C HBT using an Innovative Load Pull Measurement Setup694
<i>A. Potttrain, T. Lacave, D. Gloria, P. Chevalier, C. Gaquiere</i>	
TLM-based Time Domain Adjoint Sensitivities: State of the Art and Outlook697
<i>M. Bakr</i>	
Complex Frequency versus Complex Propagation Constant Modeling and Q-Balancing in Periodic Structures700
<i>S. Otto, A. Rennings, K. Solbach, C. Caloz</i>	
Passive Wireless Permittivity Sensor Based on Frequency-Coded Chipless RFID Tags703
<i>D. Girbau, A. Lázaro, R. Villarino</i>	
E-Band Active Frequency-Multiplier-by-Eight MMIC with > 20 dB Conversion Gain and Excellent Spurious Suppression706
<i>U. J. Lewark, A. Tessmann, H. Massler, A. Leuther, I. Kallfass</i>	
A Dual-Band Tandem Coupler with an Arbitrary Coupling Coefficient709
<i>X. Wang, K. Wu, W. Yin</i>	
Carbon Based Multi-Functional Materials Towards 3D System Integration. Application to Thermal and Interconnect Management712
<i>W. L. Chow, C. C. Yap, D. Tan, M. Shakerzadeh, M. K. Samani, C. Brun, E. H. T. Teo, D. Baillargeat, B. K. Tay</i>	
Compact Waveguide Twist Design Fitting with Interfacing Waveguide Cross Sections715
<i>U. Rosenberg, R. Beyer</i>	
Packaged BiCMOS Embedded RF-MEMS Switches with Integrated Inductive Loads718
<i>M. Kaynak, M. Wietstruk, W. Zhang, J. Drews, R. Barth, D. Knoll, F. Korndörfer, R. Scholz, K. Schulz, C. Wipf, B. Tillack, K. Kalletta, K. Zoschke, M. Wilke, O. Ehrmann, T. Purtova, A. C. Ulusoy, G. Liu, H. Schumacher, M. Suchodoletz</i>	
A 40W Push-Pull Power Amplifier for High Efficiency, Decade Bandwidth Applications at Microwave Frequencies721
<i>R. M. Smith, J. Lees, P. J. Tasker, J. Benedikt, S. C. Cripps</i>	
Millimeter-wave Broadband Transition of Substrate Integrated Waveguide on High-to-Low Dielectric Constant Substrates724
<i>N. Ghassemi, K. Wu</i>	
An Efficient Numerical Technique to Predict Phase Responses of Reconfigurable Reflectarray Cells with Mutual Coupling727
<i>C. Yann, R. Loison, R. Gillard, M. Labeyrie, J. Martinaud</i>	
A Method to Lower VCO Phase Noise by Using HBT Darlington Pair730
<i>S. Lai, M. Bao, D. Kuyljenstierna, H. Zirath</i>	
Low Frequency Dithering Technique for Linearization of Current Mode Class D Amplifiers733
<i>F. A. Malekzadeh, A. Van Roermund, R. Mahmoudi</i>	
A Comprehensive Electrothermal GaN HEMT Model Including Nonlinear Thermal Effects736
<i>J. B. King, T. J. Brazil</i>	
Silicon Interposer with Integrated Antenna Array for Millimeter-Wave Short-Range Communications739
<i>L. Dussupt, Y. Lamy, S. Joblot, J. Lantéri, H. Salti, P. Bar, H. Sibuet, B. Reig, J. Carpentier, C. Dehos, P. Vincent</i>	
A Methodology for Expedient Analysis of the Impact of Disorder in Periodic Waveguides742
<i>J. S. Ochoa, A. C. Cangellaris</i>	
Memory Efficient Adjoint Sensitivity Analysis Exploiting 3D Time Domain Transmission Line Modeling745
<i>O. S. Ahmed, M. H. Bakr, X. Li</i>	
Direct Calculation Method for Matching Network Dynamic Control748
<i>Q. Gu, A. Morris</i>	
Active Components for Advanced Commercial Satellite Systems751
<i>N. H. Chiang, J. J. Sowers, M. Willis, L. Do</i>	

Tunable Terahertz Metamaterials based on Metal-Insulator Phase Transition of VO₂ Layers	754
A. Crunteanu, J. Leroy, G. Humbert, D. Ferachou, J. Orlanges, C. Champeaux, P. Blondy	
Reducing Estimator Biases due to Equalization Errors in Adaptive Digital Predistortion Systems for RF Power Amplifiers	757
R. N. Braithwaite	
Highly Dispersive Delay Structure Exploiting the Tight Coupling Property of the CRLH-CRLH Coupler for Enhanced Resolution Analog Signal Processing	760
S. Gupta, C. Caloz	
Simulation of Automotive EMC Emission Test Procedures Based on Cable Bundle Measurements	763
M. Gonser, C. Keller, J. Hansen, V. Khillkevich, A. Radchenko, D. Pommerenke, R. Weigel	
A Linear-Complexity Direct Integral Equation Solver Accelerated by a New Rank-Minimized H²-Representation for Large-Scale 3-D Interconnect Extraction	766
W. Chai, D. Jiao	
Wideband 15-50GHz Symmetric Multi-Section Coupled Line Quadrature Hybrid Based on Surface Micromachining Technology	769
N. A. Sutton, J. M. Oliver, D. S. Filipovic	
Image Plane Coded Aperture Detectors for THz Imaging	772
O. Furxhi, E. L. Jacobs	
Dual-Resonance Combline Resonator for Dual-Band Filters	775
J. A. Ruiz-Cruz, M. M. Fahmi, R. R. Mansour	
A Very Low Loss 1.9-2.1 GHz RF MEMS Phase Shifter	778
C. Cheng, C. Ko, A. Morris, G. M. Rebeiz	
A New Method to Measure Pulsed RF Time Domain Waveforms with a Sub-Sampling System	781
T. Reveyrand, Z. Popovic	
Process-Orientated Physics-Based Modeling of Microwave Power Transistors: Small- and Large-Signal Characterization	784
J. P. Everett, M. J. Kearney, C. M. Snowden, H. Rueda, E. M. Johnson, P. H. Aaen, J. Wood	
High-Resolution Microwave Frequency Measurement Based on Temporal Channelization Using a Mode-Locked Laser	787
C. Wang, J. Yao	
Class-E RF Power Amplifier with a Flat-Top Transistor-Voltage Waveform	790
A. Mediano, N. O. Sokal	
External Cloak with Axial Constitutive Parameter as Constant	793
K. Zhang, Q. Wu, F. Meng, J. Fu	
Commercial Wideband MMIC Low Noise Amplifier with 50nm Gate-Length E-Mode InGaAs PHEMT	796
B. Ma, J. Bergman, D. Kim, P. Chen, Z. Griffith, J. Hacker, M. Uritega, C. Huang, Q. Vo, N. Salam	
High Efficiency Ka-band Power Amplifier MMICs Fabricated with a 0.15μm GaN on SiC HEMT Process	799
C. F. Campbell, M. Kao, S. Nayak	
Measurement-Based Effective Conductivity of Carbon Nanotube Networks for Microwave Design Purposes	802
E. Decrossas, M. A. El Sabbagh, V. F. Hanna, S. M. El-Ghazaly	
Layout-Dependent Effects on High Frequency Performance and Noise in Sub-40nm Multi-Finger N-Channel and P-Channel MOSFETs	805
K. Yeh, C. Chang, J. Guo	
Re-discovering Adjoint Sensitivities: Toward Field-based Analysis	808
N. K. Nikolova, S. Dadash, M. H. Bakr, Q. Zhang	
Methanol Decomposition Reaction using Pd/C as Solid Catalyst under Highly Precise Microwave Irradiation	811
S. Fujii, H. Kujirai, D. Mochizuki, M. Maitani, E. Suzuki, Y. Wada, N. Mayama	
A Millimeter-Wave Cylindrical Modified Luneberg Lens Antenna	814
C. Hua, X. Wu, W. Wu	
Using Near Field Probes to Observe Class E Waveforms in HF/VHF/UHF Power Amplifiers	817
A. Mediano	
A Dual-band Oscillator with Reconfigurable Cavity-Backed Complementary Split-Ring Resonator	820
Y. Dong, T. Itoh	
A New BAWR (Bulk Acoustic Wave Resonator) Structure for Near Zero TCF (Temperature Coefficient of Frequency)	823
S. U. Son, I. Song, J. Shin, H. Park, J. Cui, C. Kim, D. Kim	
A New Doubly Balanced Sub-harmonically Miniature Mixer Using Dual Marchand Balun in CMOS 0.18-μm Technology	826
C. Kuo, H. Lu, H. Wang	
A 1.8GHz Stacked Power Amplifier in 45nm CMOS SOI Technology with Substrate-Transferred to AlN	829
J. Chen, S. R. Helmi, H. Pajouhi, Y. Sim, S. Mohammadi	
Built-In Self Test Systems for Silicon-Based Phased Arrays	832
O. Inac, S. Kim, D. Shin, C. Kim, G. M. Rebeiz	
Novel C-Band Tunable Bandpass Filter with Low Bias Magnetic Fields Using Partially Magnetized Ferrites	835
X. Yang, J. Wu, S. Beguhn, Z. Zhou, J. Lou, N. Sun	
Wireless Power Transfer Versus Wireless Information Transfer	838
T. K. Sarkar, E. P. Caspers, M. Salazar-Palma, M. A. Lagunas	
Direct Optimal Synthesis of Microwave Bandpass Filters with A General Loading Effect	841
H. Meng, K. Wu	

Varactor-Tuned Substrate Integrated Waveguide Phase Shifter and Modulator	844
<i>Y. Ding, K. Wu</i>	
Analysis of Coupling Effects in Waveguides Using the BLT Equation and Numerical Methods	847
<i>J. Du, J. Yook, J. Ahn, S. Hwang</i>	
A 34% PAE, 26-dBm Output Power Envelope-Tracking CMOS Power Amplifier for 10-MHz BW LTE Applications	850
<i>D. Kang, B. Park, C. Zhao, D. Kim, J. Kim, Y. Cho, S. Jin, H. Jin, B. Kim</i>	
Multiband Pi-shaped Structure with Resonators for Tri-band Wilkinson Power Divider and Tri-band Rat-Race Coupler	853
<i>Z. Wang, C. Park</i>	
Millimeter-Wave Signal Transmission using Digitized Radio-over-fiber Technique	856
<i>Y. Yang, C. Lim, A. Nirmalathas</i>	
Novel Wideband GaN HEMT Power Amplifier Using Microstrip Radial Stub to Suppress Harmonics	859
<i>Z. Wang, C. Park</i>	
Non-Reciprocal Gyrotropy in Graphene: New Phenomena and Applications	862
<i>D. L. Sounas, T. Szkopek, C. Caloz</i>	
A Low Noise Multi-PFD PLL with Timing Shift Circuit	865
<i>K. Tsutsumi, Y. Takahashi, M. Komaki, E. Taniguchi, M. Shimozawa</i>	
A 57-64 GHz Low-phase-variation Variable-gain Amplifier	868
<i>C. Hsieh, J. Kao, J. Kuo, K. Lin</i>	
Low Noise Amplifier Receivers for Millimeter Wave Atmospheric Remote Sensing	871
<i>P. Kangaslahti, B. Lim, T. Gaier, A. Tanner, M. Varonen, L. Samoska, S. Brown, B. Lambriksen, S. Reising, J. Tanabe, O. Montes, D. Dawson, C. Parashare</i>	
A Hybrid Envelope Amplifier with Switching-Controlled Structure for EDGE/WCDMA/LTE Reconfigurable Transmitters	874
<i>H. S. Son, W. Y. Kim, J. Y. Jang, J. Kim, I. Y. Oh, C. Park</i>	
GaN Single-Chip Transceiver Frontend MMIC for X-Band Applications	877
<i>S. Masuda, M. Yamada, Y. Kamada, T. Ohki, K. Makiyama, N. Okamoto, K. Imanishi, T. Kikkawa, H. Shigematsu</i>	
Multi-Physics Modeling of High-Power Microwave Transistors	880
<i>P. H. Aaen, J. Wood, D. Bridges, L. Zhang, E. M. Johnson, T. Barbieri, J. A. Pla, C. M. Snowden, J. P. Everett, M. J. Kearney</i>	
An Extremely Miniaturized Ultra Wide Band 10-67 GHz Power Splitter in 65 nm CMOS Technology	883
<i>M. Ercoli, D. Dragomirescu, R. Plana</i>	
Development of a Single Board Microwave Sub-System Based on Substrate Integrated Waveguide (SIW) Technology	886
<i>J. Chen, W. Hong, Z. Hao, P. Yan, X. Zhu, J. Zhou, P. Chen, K. Wu</i>	
CMOS Enabled Silicon Photonics for Data Center Packet Switching	889
<i>L. Chen, Y. Tang, J. E. Bowers, L. Theogarajan</i>	
Highly Flexible and Miniaturized Triple-Band Bandpass Filter Design Using Coupled Stacked Spiral Resonators	892
<i>C. Chen, Y. Lin, T. J. Horng, S. Wu</i>	
A 60 GHz BiFET Constructive Wave Power Amplifier	895
<i>T. Kijasanayotin, J. F. Buckwalter</i>	
60 GHz Active Phase Shifter using an Optimized Quadrature All-Pass Network in 45nm CMOS	898
<i>W. Shin, G. M. Rebeiz</i>	
Concept of Plasmonic Waveguide Inspired by Half-Mode Substrate-Integrated Waveguide	901
<i>D. Baumann, C. Fumeaux, W. Withayachumnakul, R. Vahldieck</i>	
Design and Realization of Compact Folded Lange Coupler	904
<i>Q. Xu, Y. E. Wang</i>	
Fabrication and Characterization of a Fully Integrated Biosensor Associating Microfluidic Device and RF Circuit	907
<i>S. Pinon, D. L. Diedhiou, A. Boukabache, V. Conédéra, A. Gué, G. Prigent, C. Quendo, B. Potelon, J. Favennec, D. Bourrier, E. Rius</i>	
A 75.5-to-120.5-GHz, High-Gain CMOS Low Noise Amplifier	910
<i>D. Lu, Y. Hsu, J. Kao, J. Kuo, D. Niu, K. Lin</i>	
A SiGe-Based 140-GHz Four-Channel Radar Sensor With Digital Beamforming Capability	913
<i>M. Jahn, R. Feger, C. Pfeffer, T. Meister, A. Stelzer</i>	
Temporal Multi-Frequency Encoding Technique for Chipless RFID Applications	916
<i>R. Nair, E. Perret, S. Tedjini</i>	
Copper Redistribution Layer Process for GaAs MMICs	919
<i>S. Takatani, T. Hsiao, K. Wu, Y. Chen, J. Wu, J. Chung, C. Lin, S. Tsai</i>	
Compact 2-Pole and 4-Pole 1.5-0.9 GHz Constant Absolute Bandwidth Tunable Filters	922
<i>R. Stefanini, M. Chatras, P. Blondy</i>	
A 77-GHz Cooperative Secondary Radar System for Local Positioning Applications	925
<i>R. Feger, C. Pfeffer, W. Scheiblhofer, C. M. Schmid, M. J. Lang, A. Stelzer</i>	
SiGe BiCMOS Transceivers, Antennas, and Ultra-Low-Cost Packaging for the ISM Bands at 122 and 245 GHz	928
<i>J. C. Scheytt, Y. Sun, K. Schmalz, R. Wang</i>	
A Parallel-Trace High-Q Planar Spiral Coil for Biomedical Implants	931
<i>H. Jiang, S. Zhou, D. Lan, K. Goldman, J. Zhang, H. Shahnasser, S. Roy</i>	
Electrothermal Behavioral Model Identification and Validation from Time Domain Load Pull Measurement of a RF Power Amplifier	934
<i>F. Besombes, E. Nogoya, J. Mazeau, R. Sommet, S. Mons, J. Martinaud</i>	

Multi-Port Technology for Microwave and Optical Communications.....	937
<i>I. Molina-Fernandez, A. Moscoso-Martir, J. M. Avila-Ruiz, R. Halir, P. Reyes-Iglesias, J. Oliva-Rubio, A. Ortega-Moñux</i>	
IQ Signal Generator Using 2nd - Harmonic Injection Locked Oscillators.....	940
<i>J. M. Lopez-Villegas, N. Vidal, J. J. Sieiro, J. G. Macias-Montero, T. Carrasco-Carrillo, J. A. Osorio-Martí</i>	
An Improved Analytical Model for RF-DC Conversion Efficiency in Microwave Rectifiers	943
<i>J. Guo, X. Zhu</i>	
Design of Low Phase Noise LC VCO using Asymmetric Inductance Tank and HNFF Technology in InGaP/GaAs	
HBT Process.....	946
<i>C. Wang, N. Kim</i>	
A 60GHz Digitally Controlled 4-bit Phase Shifter with 6-ps Group Delay Deviation	949
<i>Y. Chiang, W. Li, J. Tsai, T. Huang</i>	
Stability of the Extended 3-D LOD-FDTD Including Lumped Elements	952
<i>F. Xia, Q. Chu</i>	
Modeling of Long Term Memory Effects in RF Power Amplifiers with Dynamic Parameters	955
<i>A. S. Tehrani, T. Eriksson, C. Fager</i>	
A Subgridding Scheme Using Hybrid One-Step Leapfrog ADI-FDTD and FDTD Methods.....	958
<i>S. Yang, Z. Chen, Y. Yu, W. Yin</i>	
Design of a Compact Dual-Band Dual-Mode Microstrip Filter with an Adjustable Transmission Zero	961
<i>Z. Yang, L. Zhang, Z. Ma, X. Yang</i>	
Bulk Acoustic Wave Resonators of Low Lateral Energy Leakage using Air Edge Reflector	964
<i>J. Shin, I. Song, M. Lee, H. Park, S. U. Son, C. Kim, D. Kim, J. Cui, S. Hwang, J. Rieh</i>	
Comprehensive Thermal Analysis of Pulsed GaAs HPAs for Lifetime Estimation.....	967
<i>J. W. Pomeroy, M. Kuball, G. D. Morrison, D. M. Craig, B. Wilkinson, M. Bernardoni</i>	
40 Gb/s VCSEL Driver IC with a New Output Current and Pre-Emphasis Adjustment Method	970
<i>B. Sedighi, J. C. Scheytt</i>	
Low-Power 20-Gb/s SiGe BiCMOS Driver with 2.5 V Output Swing	973
<i>B. Sedighi, P. Ostrovskyy, J. C. Scheytt</i>	
Characterization of a TEM Cell-based Setup for the Exposure of Biological Cell Suspensions to High-intensity Nanosecond Pulsed Electric Fields (nsPEFs).....	976
<i>S. Kohler, T. D. T. Vu, P. T. Vernier, P. Leveque, D. Arnaud-Cormos</i>	
Bandpass Filter With Generalized Multiple-Mode Ring Resonator Configuration	979
<i>T. Lin, J. Kuo, S. Chung</i>	
Low-Power BiCMOS Track-and-Hold Circuit with Reduced Signal Feedthrough	982
<i>B. Sedighi, Y. Borokhovych, H. Gustat, J. C. Scheytt</i>	
Injection-Controlled Charge Pump and Phase-Locked Loop Array for Beam-Scanning in Millimeter-wave Automotive Radar	985
<i>M. Y. Chia, S. Leong, S. Woon, A. Mulya</i>	
Trade-offs in Designing Antennas from Bundled Carbon Nanotubes.....	988
<i>P. Franck, D. Baillargeat, B. K. Tay</i>	
Design of a High Performance RF Transceiver for TDD-LTE System	991
<i>K. Zhou, J. Zhou, Z. Xu</i>	
Stiction in RFMEMS Capacitive Switches	994
<i>J. B. Muldavin, P. Wyatt, C. Bozler</i>	
Passive Subharmonic Generation Using LC-Oscillators	997
<i>Z. Safarian, H. Hashemi</i>	
Spectral Spike Reduction for Ultra-wideband Impulse Radio System	1000
<i>A. Pearce, H. Nie, Z. Chen</i>	
Inductively Coupled Super-Regeneration Amplifier Based on Integrated Transmission Line for Transcutaneous Data Transfer	1003
<i>A. Zahabi, L. Tianyi, M. Anis, M. Ortmanns</i>	
Ultra Broad Band CMOS Balanced Amplifiers Using Quadrature Power Splitters on Glass Integrated Passive Device (GIPD) and Low Temperature Cofired Ceramic (LTCC) with Flip Chip Interconnects for SiP Integration	1006
<i>H. Lu, C. Kuo, S. Wei, P. Huang, H. Wang</i>	
Antipodal Fin-Line Waveguide to Substrate Integrated Waveguide Transition	1009
<i>T. Djerafi, A. Ghiozzo, K. Wu</i>	
A V-band Low-Noise Amplifier with 5.3-dB NF and over 8-kV ESD Protection in 65-nm RF CMOS	1012
<i>M. Tsai, S. S. H. Hsu, T. Yeh, C. Jou, F. Hsueh</i>	
A Compact Dual-Linear Polarized Dual-Band Bases Station Antenna	1015
<i>H. Peng, B. Zong, W. Yin, J. Mao</i>	
A K-Band Single-Chip Reconfigurable/Multi-Functional RF-MEMS Switched Dual-LNA MMIC	1018
<i>R. Malmqvist, C. Samuelsson, A. Gustafsson, H. Maher, T. Vähä-Heikkilä, R. Baggen</i>	
Simulation for Microwave Heating of Catalysts for CO₂ Reduction to CO	1021
<i>T. Kayser, A. Melcher, G. Link, J. Jelonnek</i>	
Noise Figure Characterization of a Subharmonic Graphene FET Mixer.....	1024
<i>M. Andersson, O. Habibpour, J. Vukusic, J. Stake</i>	
Highly Efficient GaN Doherty Power Amplifier with 100 MHz Signal Bandwidth for 3.5 GHz LTE-Advanced Application	1027
<i>J. Xia, X. Zhu, L. Zhang, J. Zhai, J. Wang, M. Yang, Y. Sun</i>	
Artificial Surfaces of Intertwined Square Spirals: A CPW Model	1030
<i>A. Vallecchi, A. Schuchinsky</i>	

A 6.2-V_{pp} 100-Gb/s Selector-Driver Based on a Differential Distributed Amplifier in 0.7-μm InP DHBT Technology.....	1033
<i>J. Y. Dupuy, A. Konczykowska, F. Jorge, M. Riet, P. Berdaguer, V. Nodjiadjim, J. Godin, A. Ouslimani</i>	
A 50-GHz-Small-Signal-Bandwidth 50 GSa/s Track&Hold Amplifier in InP DHBT Technology.....	1036
<i>J. Deza, A. Ouslimani, A. Konczykowska, A. E. Kasbari, M. Riet, J. Godin, G. Pailler</i>	
Vital-Sign Detection Doppler Radar Based on Phase Locked Self-Injection Oscillator	1039
<i>P. Wu, J. Jau, C. Li, T. Horng, P. Hsu</i>	
Differential UWB Power-Distribution Network with Equal Power Ratio and Out-of-phase Single-ended Outputs	1042
<i>S. Shi, W. Choi, K. Tam, W. Che, Q. Xue</i>	
77 GHz Lens-Based Multistatic MIMO Radar with Colocated Antennas for Automotive Applications.....	1045
<i>S. Lutz, K. Baur, T. Walter</i>	
An Optimized Low Loss Feed Network of a Compact Vivaldi Antenna Array for High Quality Radar Imaging System.....	1048
<i>R. Kazemi, A. Fathy, R. A. Sadeghzadeh</i>	
Design of a UWB Radar System for Remote Breath Activity Monitoring.....	1051
<i>S. Pisa, E. Pittella, E. Piuzzi, M. Cavagnaro, P. Bernardi</i>	
Design and Performance of Log-Periodic Substrate Integrated Waveguide Slot Antennas.....	1054
<i>L. Jin, R. M. A. Lee, I. D. Robertson</i>	
A Novel Quad-Band Filter using Centrally Shorted-Stub Loaded Resonator and Stepped Impedance Resonator.....	1057
<i>S. Sun, B. Wu, S. Yang, K. Deng, C. Linag</i>	
A Lumped-Element Directional Coupler with Arbitrary Output Amplitude and Phase Distributions.....	1060
<i>E. Gandini, M. Ettorre, R. Sauleau, A. Grbic</i>	
Concurrent Dual-band Digital Predistortion	1063
<i>L. Ding, Z. Yang, H. Gandhi</i>	
Ultra Broadband 4×4 Compact Butler Matrix using Multilayer Directional Couplers and Phase Shifters.....	1066
<i>A. Abdelfghi, T. Denidni, M. Nedil</i>	
A 25 dBm Parallel Class E Power Amplifier with Minimal Efficiency Degradation under 10 dB Back-off	1069
<i>N. Singhali, R. Patel, S. Pamarti</i>	
Advanced Design and Optimization of Large Scale Microwave Devices	1072
<i>M. A. Ismail, Y. Wang, M. Yu</i>	
Domain and Modal Decomposition for Efficient Signal and Power Integrity Analysis of Multilayer Packages and PCBs.....	1075
<i>E. Li, E. X. Liu</i>	
Active Substrate Integrated Waveguide (SIW) Antenna with Phase-Shifterless Beam-Scanning Capabilities	1078
<i>F. Giuppi, A. Georgiadis, A. Collado, M. Bozzi</i>	
Developments Towards Real-Time Active and Passive Submillimetre-Wave Imaging for Security Applications	1081
<i>A. Luukanen, J. Ala-Laurinaho, D. Gómez-Martins, M. Grönholm, J. Häkki, P. Koivisto, M. Leivo, S. Mäkelä, P. Pursula, M. Sipilä, J. Säily, A. Tamminen, H. Toivanen, R. Tuovinen, A. Rautiainen, A. Räisänen, P. Rantakari</i>	
Microwave Biosensors for Identifying Cancer Cell Aggressiveness Grade.....	1085
<i>L. Zhang, C. Dalnay, A. Pothier, P. Blondy, C. B. Morand Du Puch, C. Laurette, A. Lacroix, F. Lalloue, S. Battu, M. O. Jauberteau</i>	
Ultra-Compact Millimeter-wave Substrate Integrated Waveguide Crossover Structure Utilizing Simultaneous Electric and Magnetic Coupling	1088
<i>A. B. Guntupalli, T. Djerafi, K. Wu</i>	
1 Gb/s Wireless Link at 200 GHz Using Heterodyne Detection	1091
<i>M. J. Fice, E. Rouvalis, C. C. Renaud, A. J. Seeds</i>	
Cryogenic 0.5-13 GHz Low Noise Amplifier with 3 K Mid-band Noise Temperature	1094
<i>J. Schleeh, N. Wadealk, P. Nilsson, P. Starski, G. Alestig, J. Halonen, B. Nilsson, A. Malmros, H. Zirath, J. Grahn</i>	
Overlapped Segment Piece-wise Polynomial Pre-distortion for the Linearisation of Power Amplifiers in the Presence of High PAPR OFDM Signals.....	1097
<i>S. Bensmida, K. Minis, K. A. Morris, M. A. Beach, J. P. McGeehan, J. Lees, J. Benedikt, P. J. Tasker</i>	
Physical-Based Broadband Modeling of Printed Periodic Structures by the MoM/BI-RME Method.....	1100
<i>M. Bozzi, M. Pasian, L. Perregini</i>	
GaAs MMIC Tunable Directional Coupler	1103
<i>R. Scheeler, Z. Popovic</i>	
Evaluation of Pulse Modulators for All-Digital Agile Transmitters	1106
<i>N. V. Silva, A. S. R. Oliveira, N. B. Carvalho</i>	
Upper Frequency Limit of the Power Loss Method for the Estimation of Ohmic Losses in Hollow Metallic Waveguides.....	1109
<i>C. A. Leal-Sevillano, J. A. Ruiz-Cruz, J. R. Montejano-Garai, J. M. Rebollar</i>	
Broadband Leaking Carrier Cancellation for RFID Systems.....	1112
<i>G. Lasser, R. Langwieser, R. Dallinger, C. F. Mecklenbräuker</i>	
Fully Electronic Active E-Band Personnel Imager with 2 m² Aperture.....	1115
<i>S. S. Ahmed, A. Genghammer, A. Schiessl, L. Schmidt</i>	
A Ka-Band Broadband Traveling-Wave Power Divider/Combiner Based on Low-Loss Septum Unsymmetrical E-plane T-junction Series	1118
<i>Z. Kang, Q. Chu, Q. Wu</i>	
First Demonstration of AlInN/GaN HEMTs Amplifiers at K Band	1121
<i>O. Jardel, G. Callet, D. Lancereau, J. Jacquet, T. Reveyrand, N. Sarazin, R. Aubry, S. Léger, E. Chartier, M. Oualli, C. Dua, S. Piotrowicz, E. Morvan, M. A. Di Forte-Poisson, S. L. Delage</i>	

Paint On Metamaterial: Low Cost Fabrication of Absorbers at X Band Frequencies	1124
C. R. Mutzel, S. Macnaughton, S. Sonkusale	
Linearity of GaN HEMT RF Power Amplifiers - A Circuit Perspective	1127
H. Sarbishaei, D. Y. Wu, S. Boumaiza	
Interferometric Technique for Microwave Measurement of High Impedances	1130
K. Haddadi, T. Lasri	
Novel Multi-band Filter Design and Substrate Integrated Waveguide Filter Realization	1133
F. Yang, H. Yu, X. He, Y. Zhou, R. Liu	
Biological Cells Proliferation in Microwave Microsystems	1136
F. Artis, D. Dubuc, M. Blatche, K. Grenier	
RF Sub-sampling Receiver Architecture based on Milieu Adapting Techniques	1139
N. Behjou, T. Larsen, O. K. Jensen	
Fast Electromagnetic Interference Analysis of Distributed Networks using Longitudinal Partitioning Based Waveform Relaxation	1142
S. Roy, A. Beygi, A. Dounavis	
Direction of Arrival Estimation using Luneburg Lens	1145
M. Liang, X. Yu, R. A. Sabory-Garcia, W. Ng, M. E. Gehm, H. Xin	
A Novel Dual Polarization Antenna Array Fed by a Dual Mode Non-Radiative Dielectric Waveguide	1148
U. Schmid, D. Lin, W. Menzel	
220 GHz Wireless Data Transmission Experiments up to 30 Gbit/s	1151
J. Antes, S. König, A. Leuther, H. Massler, J. Leuthold, O. Ambacher, I. Kallfass	
CMOS-based Bi-directional T/R Chipsets for Phased Array Antenna	1154
M. Cho, S. Yoon, S. Sim, L. Jeon, J. Kim	
High-Frequency Characteristics of a Via Connection	1157
R. Rodriguez-Bernal, F. Mesa, D. R. Jackson	
High Power (> 10W) RF MEMS Switched Capacitor	1160
H. Zareie, G. Rebeiz	
Fully Analytical Circuit-like Approach for the TE Scattering by Narrow-Slit Printed Gratings	1163
R. Rodriguez-Bernal, F. Mesa, F. Medina	
Inkjet-Printable UHF RFID Tag Antenna on a Flexible Ceramic-Polymer Composite Substrate	1166
A. A. Babar, J. Virtanen, V. A. Bhagavati, L. Ukkonen, A. Z. Elsherbeni, P. Kallio, L. Sydänheimo	
Terahertz Imaging for Margin Assessment of Breast Cancer Tumors	1169
A. M. Hassan, D. C. Hufnagle, M. El-Shenawee, G. E. Pacey	
Low-Terahertz Transmissivity with a Graphene-Dielectric Micro-Structure	1172
C. S. R. Kaipa, A. B. Yakovlev, G. W. Hanson, Y. R. Padooru, F. Medina, F. Mesa	
Filter Tuning and Coupling Matrix Synthesis by Optimization with Cost Function Based on Zeros, Poles and Hausdorff Distance	1175
T. Kacmajor, J. Gulgowski, J. J. Michalski	
A Three-Dimensional Spatially Filtered FDTD with Controllable Stability Beyond the Courant Limit	1178
C. Chang, C. D. Sarris	
Tunable Bandstop Filter with a 17-to-1 Upper Passband	1181
E. J. Naglich, J. Lee, D. Peroulis	
92-96 GHz GaN Power Amplifiers	1184
M. Micovic, A. Kurdoghlian, A. Margomenos, D. F. Brown, K. Shinohara, S. D. Burnham, I. Milosavljevic, A. Williams, P. Hashimoto, R. Grabar, C. Butler, P. Willadsen, R. L. Bowen, A. E. Schmitz, D. H. Chow	
A Novel Wideband and Reconfigurable High Average Efficiency Power Amplifier	1187
D. Gustafsson, C. M. Andersson, C. Fager	
Microwave Antenna for Selective Heating of Glass Melts	1190
M. A. Willert-Porada, T. Gerdes, A. Rosin	
Time-Domain Microwave Cancer Screening: Optimized Pulse Shaping Applied to Realistically Shaped Breast Phantoms	1193
E. Porter, A. Santorelli, S. A. Winkler, M. Coates, M. Popovic	
An 8W GaN-Based H-Bridge Class-D PA for the 900 MHz Band Enabling Ternary Coding	1196
A. Wentzel, C. Meliani, G. Fischer, W. Heinrich	
Low-order Macromodels of Planar Waveguides Exhibiting Geometric, Material, and Layout Uncertainty	1199
A. C. Cangellaris, A. Rong	
Continuous Harmonically Tuned Class-B Power Amplifier : A Closed Form Equation Design Approach	1202
K. Mimis, S. Bensmida, K. A. Morris, J. P. McGeehan	
A 350W, 2GHz, 44% Efficient LDMOS Power Amplifier Design with Capability to Handle a Wideband 65MHz Envelope Signal	1205
A. M. S. Ahmed, J. Babesku, J. Schultz, H. H. Ladhani, J. Jones, M. Bokarius, P. Hart	
Stacked Multistage Lumped Element Circulator	1208
A. Schuchinsky	
RF Noise Investigation in High-k/Metal Gate 28-nm CMOS Transistors	1211
Y. Tagro, L. Poulain, B. Dormieu, S. Lepilliet, D. Gloria, P. Scheer, G. Dambrine, F. Danneville	
Thermal Pyrolytic Graphite Composite with Coefficient of Thermal Expansion Matching for Advanced Thermal Management	1214
W. Fan, X. Liu, J. Mariner	
Frequency Synthesizer Design for Communications Satellite Payloads	1217
L. Dayaratna	

A 80 W Broadband GaN HEMT Envelope Tracking PA Harmonically Tuned for WCDMA and LTE with 50% Average Efficiency.....	1220
<i>N. Giovannelli, A. Cidronali, M. Mercanti, R. Hernaman, G. Wimpenny, G. Manes</i>	
A 50MHz-16GHz Low Distortion SOI Voltage Controlled Attenuator IC with IIP3 >+38dBm and Control Range of >25dB.....	1223
<i>E. Franzwa, A. Ellis, B. Nelson, M. Granger-Jones, G. Valenti</i>	
A 4-Element X-Band CMOS Phased-Array RFIC in a QFN Package.....	1226
<i>D. Shin, C. Y. Kim, D. Kang, G. M. Rebeiz</i>	
Increasing Low-Frequency Stability Margins in Microwave Amplifiers from Experimental Data	1229
<i>N. Otegi, A. Anakabe, J. Pelaz, J. M. Collantes, G. Soubercaze-Pun</i>	
Contactless Measurement of In-circuit Reflection Coefficients.....	1232
<i>R. Hou, M. Spirito, B. Kooij, F. Van Rijs, L. C. N. De Vreede</i>	
RTD-based THz-MIC by Film-Diode Technology.....	1235
<i>O. Cojocari, C. Sydlo, M. Feiginov, P. Meissner</i>	
Multi-Dimensional Scanning Multi-Beam Array Antenna Fed by Integrated Waveguide Butler Matrix	1238
<i>A. B. Guntupalli, K. Wu</i>	
Dual-Band Phase Offset Line with Required Transmission Phases at Two Operational Frequencies	1241
<i>K. Rawat, M. Rawat, M. S. Hashmi, F. Falcone, F. M. Ghannouchi</i>	
4-12 GHz and 25-34 GHz Cryogenic MHEMT MMIC Low Noise Amplifiers for Radio Astronomy.....	1244
<i>B. Ajia, M. Seelmann-Eggebert, A. Leuther, H. Massler, M. Schlechtweg, C. Diez, J. D. Gallego, I. Lopez-Fernandez, I. Malo, E. Artal, E. Villa</i>	
A Multi-Channel Photonic Transceiver	1247
<i>J. A. Nanzer, T. R. Clark, T. P. McKenna, M. L. Dennis, E. J. Adles, A. Karim, K. C. Lauritzen, S. H. Talisa</i>	
Sixty Years of Microwave Innovation, Transformation, and Globalization	1250
<i>M. F. Iskander, S. El-Ghazaly</i>	
Improving Wireless Power Transmission Efficiency Using Chaotic Waveforms	1253
<i>A. Collado, A. Georgiadis</i>	
Laser Machined Microsystems for Active Frequency Selective Surfaces.....	1256
<i>D. Robben, S. F. Peik, T. Henning, M. Becker, K. Froehner</i>	
Global Engineering Education: What Difference Does it Make?	1259
<i>J. M. Grandin</i>	
Generation of Steerable Continuous-Wave Terahertz Radiation Using Large-Area Photomixer	1261
<i>A. Eshaghi, M. Shahabadi, L. Chrostowski</i>	
Terahertz Detection and Coherent Imaging from 0.2 to 4.3 THz with Silicon CMOS Field-Effect Transistors	1264
<i>A. Lisauskas, S. Boppel, D. Seliuta, L. Minkevicius, I. Kasalynas, G. Valusis, V. Krozer, H. G. Roskos</i>	
On the Theory and Modeling of Dual-Mode Cavity Microwave Bandpass Filters.....	1267
<i>S. Amari</i>	
Globalization in Engineering Education: Current Challenges and Opportunities.....	1270
<i>R. A. Cheville</i>	
Macromodeling of Interconnect Networks from Frequency Domain Data using the Loewner Matrix Approach.....	1273
<i>M. Kabir, R. Khazaka</i>	
Advances in Silicon Phased-Array Receiver IC's	1276
<i>F. E. Van Vliet, E. A. M. Klumperink, M. C. M. Soer, S. K. Garakoui, A. De Boer, P. De Hek, W. De Heij, B. Nauta</i>	
8-42 GHz GaN Non-Uniform Distributed Power Amplifier MMICs in Microstrip Technology	1279
<i>P. Dennler, D. Schwantuschke, R. Quay, O. Ambacher</i>	
Analytical Modeling of a Printed-Circuit Tensor Impedance Surface	1282
<i>A. M. Patel, A. Grbic</i>	
Engineering Globalization: Implications for Engineering Education	1285
<i>R. Hira</i>	
Balanced and Symmetric Design of Active Composite Right-/ Left-handed Transmission Line with Gain	1288
<i>K. Chang, Q. Tang, H. Xin</i>	
Wideband Submillimeter Receivers based on Series Distributed SIS Junctions	1291
<i>C. E. Tong, P. K. Grimes, R. Blundell, M. Wang</i>	
Transmission-line Metamaterial Antennas for THz Quantum-Cascade Lasers	1294
<i>B. S. Williams, A. A. Tavallaei, P. W. C. Hon, Z. Liu, Q. Chen, T. Itoh</i>	
An Industry View of Industry/Academic Research Collaboration.....	1297
<i>G. Peters, J. Wenstrand, R. Stancliff, T. Wu</i>	
Acoustic Charge Transport in Graphene	1300
<i>V. Miseikis, J. E. Cunningham, K. Saeed, R. O'Rorke, A. G. Davies</i>	
W-band Heterodyne Receiver Module with 27 K Noise Temperature.....	1303
<i>R. S. Gawande, R. Reeves, K. Cleary, A. C. S. Readhead, T. Gaier, P. Kangaslahti, L. Samoska, S. Church, M. Sieth, P. Voll, A. Harris, R. Lai, S. Sarkozy</i>	
Design of Broadband High-Efficiency Power Amplifier using in-Band Class-F⁻¹/F Mode-Transferring Technique	1306
<i>K. Chen, D. Peroulis</i>	
Changing the Charge of Engineering Education – Preparing Students for the Global Work Place Through an Integrated International Dual Degree Curriculum	1309
<i>S. Berka</i>	
A New Approach on Broadband Calibration Methods for Free Space Applications.....	1312
<i>B. Will, I. Rolfs</i>	

New Wideband Integrated Miniature Branchline Coupler for Beamforming Applications	1315
<i>D. Titz, F. Ferrero, R. Pilard, C. Laporte, S. Jan, H. Ezzeddine, F. Gianesello, D. Gloria, C. Luxey, G. Jacquemod</i>	
Computational and Experimental Studies of Orthopedic Implants Heating under MRI RF Coils.....	1318
<i>Y. Liu, W. Kainz, F. Shellock, J. Chen</i>	
Research, Education and Training and Advancing Technology for the Benefit of Humanity: An IEEE View	1321
<i>P. W. Staecker</i>	
Direction of Arrival Estimation Utilizing Incident Angle Dependent Spectra	1324
<i>X. Yu, H. Xin</i>	
Efficiency and Linearity of Power Amplifiers with External Harmonic Injection	1327
<i>A. R. Dani, M. D. Roberg, Z. Popovic</i>	
Improvements in Distance Measurement and SAR-Imaging Applications by Using Ultra-High Resolution mm-Wave FMCW Radar Systems	1330
<i>T. Jaeschke, M. Vogt, C. Baer, C. Bredendiek, N. Pohl</i>	
A Wide-Range 77 GHz Direction of Arrival Detector with Integrated Dual Six-Port Receiver	1333
<i>G. Vinci, F. Barbon, B. Laemmle, R. Weigel, A. Koelpin</i>	
Novel 4-Way Combiner for Ka-Band AlGaN/GaN Power MMIC	1336
<i>A. M. Darwish, J. X. Qiu, E. A. Viveiros, H. A. Hung</i>	
A Six-Port Interferometer Based Micrometer-Accuracy Displacement and Vibration Measurement Radar	1339
<i>F. Barbon, G. Vinci, S. Lindner, R. Weigel, A. Koelpin</i>	
Improved Linearity of Power Amplifier GaN MMIC For Ka-Band SATCOM	1342
<i>A. M. Darwish, J. X. Qiu, E. A. Viveiros, H. A. Hung</i>	
Ku-Band High Power Dielectric Resonator Filters	1345
<i>A. Panariello, M. Yu, C. Ernst</i>	
Robustness of RF MEMS Capacitive Switches in Harsh Environments	1348
<i>C. Goldsmith, J. Hwang, C. Gudeman, O. Auciello, J. Ebel, H. Newman</i>	
Microwave Stabilization of HEB Mixer by a Microchip Controller	1351
<i>A. Shurak, C. E. Tong, R. Blundell, G. Gol'Tsman</i>	
Spintronics-Based Devices for Microwave Power Harvesting	1354
<i>S. Hamour, D. Houssameddine, R. Whig, J. M. Slaughter, K. Nagel, S. Aggarwal, Y. Gui, C. M. Hu, K. Wu</i>	
Efficient G-band Digital Communications Using Continuous Phase Modulation	1357
<i>J. X. Qiu, C. R. Dietlein, T. G. Ivanov, D. A. Wikner, E. A. Viveiros, H. A. Hung</i>	
Efficient Large Electromagnetic Problem Solving by Hybrid TLM and Modal Approach on Grid Computing	1360
<i>M. Alexandru, T. Monteil, P. Lorenz, F. Coccetti, H. Aubert</i>	
A 45GHz Doherty Power Amplifier with 23% PAE and 18dBm Output Power, in 45nm SOI CMOS	1363
<i>A. Agah, B. Hanafi, H. Dabag, P. Asbeck, L. Larson, J. Buckwalter</i>	
Passivity Enforcement for Passive Component Modeling Subject to Variations of Geometrical Parameters Using Neural Networks	1366
<i>Z. Guo, J. Gao, Y. Cao, Q. Zhang</i>	
A Quasi Bistable RF-MEMS Switched Capacitor	1369
<i>C. Guines, A. Crunteanu, M. Chatras, A. Pothier, P. Blondy</i>	
Low-Cost 63% Efficient 2.5-kW UHF Power Amplifier for a Wind Profiler Radar	1372
<i>B. Lindseth, T. Kelly, W. O. J. Brown, T. Hock, S. A. Cohn, Z. Popovic</i>	
A Ka-band Planar TE011 Mode Cavity Tunable Filter using a Mode-Splitter Ring	1375
<i>B. Yassini, M. Yu, B. Keats</i>	
Load Independent Bulk-Coupled Low Power Quadrature LC VCO	1378
<i>P. Liu, S. P. Sah, J. Jung, P. Upadhyaya, D. Heo</i>	
Novel Stretchable Electrically Conductive Composites for Tunable RF Devices	1381
<i>F. Cai, Z. Li, J. C. Agar, C. P. Wong, J. Papapolymerou</i>	
Hybrid Time-Frequency RFID System	1384
<i>B. Nikfal, C. Caloz</i>	
Design and Characterization of a Miniaturized Patch Antenna for Passive UHF RFID Applications	1387
<i>A. E. Abdulhadi, H. M. Tehran, R. Abhari</i>	
High-Efficiency Harmonically-Terminated Rectifier for Wireless Powering Applications	1390
<i>M. D. Roberg, E. Falkenstein, Z. Popovic</i>	
New Thermometry and Trap Relaxation Characterization Techniques for AlGaN/GaN HEMTs using Pulsed-RF Excitations	1393
<i>Y. Ko, P. Roblin, C. K. Yang, H. Jang, B. Poling</i>	
UHF Solar Powered Active Oscillator Antenna on Low Cost Flexible Substrates for Wireless Identification Applications	1396
<i>A. Georgiadis, A. Collado, S. Kim, H. Lee, M. M. Tentzeris</i>	
Novel Dual-Band Matching Network Topology and its Application for the Design of Dual-Band Class J Power Amplifiers	1399
<i>X. Fu, D. T. Bespalko, S. Boumaiza</i>	
Increasing Performance of SDR-based Collision-Free RFID Systems	1402
<i>D. D. Donno, V. Lakafosis, L. Tarricone, M. Tentzeris</i>	
Microwave Susceptor Design for Wafer Bonding Applications	1405
<i>A. Toossi, M. Daneshmand, D. Sameoto</i>	
Dielectric-less Quad-Ridge Adapters for Ferrite Faraday Rotators	1408
<i>A. Morini, G. Venanzoni</i>	

Passives Partitioning for Single Package Single Chip SoC on 32nm RFCMOS Technology	1411
<i>T. Kamgaing, V. R. Rao</i>	
A Fast High-Q X-band RF-MEMS Reconfigurable Evanescent-Mode Cavity Resonator	1414
<i>J. Small, W. Irshad, D. Peroulis</i>	
Simultaneous Electric and Magnetic Two-Dimensional Tuning of Substrate Integrated Waveguide Cavity Resonator	1417
<i>S. Adhikari, A. Ghiotto, K. Wu</i>	
Compact Diplexer with Edge-Coupled and Nonbianisotropic Split-Ring Resonators	1420
<i>A. Garcia-Lamperez, R. Gomez-Garcia, M. Salazar-Palma</i>	
Fully Integrated Switchable Filter Banks	1423
<i>E. R. Crespin, R. H. Olsson III, K. E. Wojciechowski, P. J. Clews, J. M. Gutierrez, D. W. Branch, R. B. Hurley</i>	
Compact Low Phase Imbalance Broadband Attenuator based on SiGe PIN Diode	1426
<i>A. O. Mikul, S. Zhu, P. Sun, Y. You, S. P. Sah, D. Heo</i>	
Micromachined-Silicon W-band Planar-Lens Antenna with Metamaterial Free-Space Matching	1429
<i>S. Dudorov, F. Töpfer, J. Oberhammer</i>	
Ka-Band RF Photonic Link with Optimized Performance	1432
<i>M. Aleommahad, D. Novak, R. Waterhouse</i>	
Shunt RF MEMS Contact Switch based on PZT-on-SOI Technology	1435
<i>T. G. Ivanov, J. S. Pulskamp, R. G. Polcawich, R. M. Proie Jr.</i>	
Peculiarities of Distributed Passive Intermodulation Generation in Coplanar Waveguide Transmission Lines	1438
<i>A. Shitov, A. Schuchinsky</i>	
Hybrid Silicon-Organic Packaged Antenna Array at 60 and 80 GHz Using a Low-Cost Bonding Technique	1441
<i>A. L. Vera Lopez, G. E. Ponchak, A. Akiba, S. Mitarai, K. Ikeda, J. Papapolymerou</i>	
A 58.4mW Solid-State Power Amplifier at 220 GHz Using InP HBTs	1444
<i>T. B. Reed, M. J. W. Rodwell, Z. Griffith, P. Rowell, M. Field, M. Uritega</i>	
A Single-Ended All-Pass Generalized Negative-Refractive-Index Transmission Line Using a Bridged-T Circuit	1447
<i>C. G. M. Ryan, G. V. Eleftheriades</i>	
A 100 Gb/s Ethernet Modulator Driver Module Based on Coplanar GaAs PHEMT Distributed MMIC Amplifier	1450
<i>H. T. Morkner, A. N. Riddle, S. Mahon, W. Kennan</i>	
The Evolution of Solid-State Power Devices and Power Amplifiers	1453
<i>K. R. Varian, J. J. Komiak, J. Horton</i>	
Simultaneous Transmit and Receive with a Small Planar Array	1456
<i>A. T. Wegener, W. J. Chappell</i>	
Automatic Integrated Filter Tuning Techniques	1459
<i>N. Zahirovic, R. R. Mansour</i>	
A 140-GHz Quad-Receiver IC and Sub-Assembly for Compact Passive Imaging Sensors	1462
<i>T. Kosugi, H. Sugiyama, H. Matsuzaki, M. Nakamura, H. Satoh, K. Throngnumchai, K. Murata</i>	
A Compact, Low Loss Piezoelectric RF MEMS Relay with Sub 100-ns Switching Times	1465
<i>R. M. Proie Jr., T. Ivanov, J. S. Pulskamp, R. G. Polcawich</i>	
Non-conformal Domain Decomposition Methods for Modeling EM Problems with Repetitions	1468
<i>J. Lee, Z. Peng</i>	
Tunable and Flexible Barium Strontium Titanate (BST) Varactors on Liquid Crystal Polymer (LCP) Substrates	1471
<i>Y. Shen, S. Ebadi, P. Wahid, X. Gong</i>	
RF Multi-Channel Head Coil Design with Improved B1+ Fields Uniformity for High-Field MRI Systems	1474
<i>S. Sohn, L. Delabarre, J. T. Vaughan, A. Gopinath</i>	
Varactor-Tuned Dual-Band Filter with Constant Absolute Bandwidth	1477
<i>Y. Zhao, T. Liu, T. Xu, Q. Nie, Y. Xia, R. Wang, G. Jiang, Y. Ye</i>	
Micromachined 100GHz Near-Field Measurement Probe for High-Resolution Microwave Skin-Cancer Diagnosis	1480
<i>F. Töpfer, S. Dudorov, J. Oberhammer</i>	
A Compact-Size Packaged Third-Order Harmonic Tag for Intraocular Pressure (IOP) Monitoring Inside a Mouse Eye	1483
<i>D. Ha, T. Lin, W. N. De Vries, B. Kim, A. L. Chlebowski, S. W. M. John, P. P. Irazoqui, W. J. Chappell</i>	
A Ka-band Dual Mode Dielectric Resonator Loaded Cavity Filter for Satellite Applications	1486
<i>S. C. Holme, J. S. Fieduszko, S. D. Berry</i>	
A Beam-Shifting Slab Implemented Using Printed, Tensor TL Metamaterials	1489
<i>G. Gok, A. Grbic</i>	
A 1-20 GHz InP HBT Phase-Lock-Loop IC for Optical Wavelength Synthesis	1492
<i>E. Bloch, H. Park, M. Lu, T. B. Reed, Z. Griffith, L. A. Johansson, L. A. Coldren, D. Ritter, M. J. W. Rodwell</i>	
In-depth Stability Analysis of Degenerate Parametric Amplifiers	1495
<i>M. Ponton, A. Suarez, B. R. Gray, F. Ramirez, J. S. Kenney, B. Melville</i>	
Passive Components for Advanced Satellite Systems	1498
<i>M. Yu, B. Yassini, A. Panariello, G. Healy</i>	
Modeling Chaos in On-Chip Ultra-Wideband Chaotic Oscillator	1501
<i>M. Park, J. Rodgers, D. Lathrop</i>	
Scaling of X-parameters for Device Modeling	1504
<i>D. E. Root, M. Marcu, J. Horn, J. Xu, R. Biernacki, M. Iwamoto</i>	
Millimeter-Wave and Terahertz Sources and Imaging Systems Based on 45nm CMOS Technology	1507
<i>M. Uzunkol, F. Golcuk, B. Cetinoneri, Y. A. Atsal, O. D. Gurbuz, J. M. Edwards, G. M. Rebeiz</i>	
Superlens Image Reconstruction using Deslauriers-Dubuc Interpolation Wavelets	1510
<i>R. S. Hegde, E. Li, W. J. R. Hoefer</i>	

Single-Layer Design of Microstrip Patch Electrically-Steerable Parasitic Array Radiator (ESPAR) with Integrated DC Isolation.....	1513
<i>J. J. Luther, S. Ebadi, X. Gong</i>	
General Phase-Noise Analysis from the Variance of the Phase Deviation.....	1516
<i>S. Sancho, A. Suarez, F. Ramirez</i>	
A 6 to 24 GHz Continuously Tunable, Microfabricated, High-Q Cavity Resonator With Electrostatic MEMS Actuation	1519
<i>M. S. Arif, D. Peroulis</i>	
A 16-Element Transmit/Receive Q-Band Electronically Steerable Subarray Tile	1522
<i>J. Hacker, C. Hillman, A. Papavasiliou, C. G. Kim, A. Abbaspour-Tamijani, C. Y. Kim, D. W. Kang, G. Rebeiz</i>	
Full W-band Power Amplifier/Combiner Utilizing GaAs Technology	1525
<i>B. Kim, A. Tran, J. Schellenberg</i>	
Design and Characterization of a SiGe RFICs for Millimeter-Wave Radiometers.....	1528
<i>J. W. May, M. Uzunkol, G. M. Rebeiz</i>	
An Efficient and Simple Approach to Suppressing the High-Frequency Power/Ground Plane Noise.....	1531
<i>G. Lei</i>	
Non-Reciprocal Tunable Low-Loss Bandpass Filters With Ultra-Wideband Isolation Based on Magnetostatic Surface Wave	1534
<i>J. Wu, X. Yang, J. Lou , S. Beguhn, N. Sun</i>	
A Class E Synchronous Rectifier based on an E-pHEMT Device for Wireless Powering Applications	1537
<i>M. N. Ruiz, R. Marante, J. A. Garcia</i>	
A GPS/BT/WiFi Triple-Mode RF FEM Using Si- and LTCC-based Embedded Technologies	1540
<i>B. C. Ham, D. H. Kim, J. M. Yook, J. I. Ryu, J. C. Kim, J. C. Park, Y. C. Park, D. Kim</i>	
A Novel Wideband Stepped-Impedance Rectangular-Ring Resonator Bandpass Filter with Two Notched Bands.....	1543
<i>A. Nakhostani, M. Movahhedi, A. Hakimi</i>	
Low Temperature Superconducting DC-Contact RF MEMS Switch for Superconducting Tunable Resonators.....	1546
<i>S. S. Attar, S. Setoodeh, R. R. Mansour, D. Gupta</i>	
Adaptive Noise Cancellation for Two Frequency Radars Using Frequency Doubling Passive RF Tags	1549
<i>A. Singh, V. M. Lubecke</i>	
Large Signal Performance of Ferroelectric FBARs	1552
<i>V. Lee, S. Lee, S. A. Sis, A. Mortazawi</i>	
Highly Compact Lumped Element Resonators in LTCC for Avionic Systems.....	1555
<i>S. H. Mousavi, A. Elzayat, A. B. Kouki</i>	
A UHF Class E² DC/DC Converter using GaN HEMTs	1558
<i>R. Marante, M. N. Ruiz, L. Rizo, L. Cabria, J. A. Garcia</i>	
MEMS Multi-Port Switches and Switch Matrices for Satellite Applications.....	1561
<i>M. Daneshmand, A. A. Fomani, M. M. Fahmi, J. A. Ruiz-Cruz, R. R. Mansour</i>	
Nonlinear Analysis of Pulsed Injection-locked Oscillators	1564
<i>F. Ramirez, A. Suarez, S. Sancho, E. Fernandez</i>	
Interferometric Radar Sensor with Active Transponders for Signal Boosting and Clutter Rejection in Structural Health Monitoring	1567
<i>C. Gu, G. Wang, J. Rice, C. Li</i>	
Tunable Outphasing for Power Amplifier Efficiency Improvement under Load Mismatch	1570
<i>C. Sanchez-Perez, D. Sardin, M. Roberg, J. De Mingo, Z. Popovic</i>	
Compact Dual-Band Quasi-Elliptic Bandpass Filter with Transmission-Zero Control	1573
<i>C. K. Chio, S. W. Ting, E. H. Lim, K. Tam</i>	
IMD Phase Analysis at mm-wave Frequencies	1576
<i>J. Martens, K. Noujeim</i>	
UWB-IR-Based Detection for Frequency-Spectra Based Chipless RFID	1579
<i>P. Kalansuriya, N. C. Karmakar</i>	
Characterization of a 400-GHz SiGe HBT Technology for Low-Power D-Band Transceiver Applications	1582
<i>A. Balteanu, I. Sarkas, V. Adinolfi, E. Dacquay, A. Tomkins, D. Celi, P. Chevalier, S. P. Voinigescu</i>	
Fast Extraction of High-Frequency Parallel Admittance of Through-Silicon-Vias and their Capacitive Coupling-Noise to Active Regions	1585
<i>C. Xu, R. Suaya, K. Banerjee</i>	
Wiener G-Functionals for Nonlinear Power Amplifier Digital Predistortion	1588
<i>F. Mkadem, D. Y. Wu, S. Boumaiza</i>	
A Battery-Less, Energy Harvesting Device for Long Range Scavenging of Wireless Power from Terrestrial TV Broadcasts	1591
<i>R. J. Vyas, H. Nishimoto, M. Tentzeris, Y. Kawahara, T. Asami</i>	
A W-Band Tunable Push-Push Oscillator with 128X Frequency Division for Frequency Synthesis Applications	1594
<i>M. Stuenkel, M. Feng</i>	
Dynamic Linearization of Diodes for High Speed and Peak Power Detection Applications	1597
<i>A. Hasan, M. Helaoui, F. Ghannouchi</i>	
Contactless Impedance Measurement of Large-Area High-Quality Graphene	1600
<i>H. S. Skulason, H. V. Nguyen, A. Guermoune, M. Siaj, C. Caloz, T. Szkopek</i>	
An Enhanced Analytical Neuro-Space Mapping Method for Large-Signal Microwave Device Modeling	1603
<i>L. Zhu, K. Liu, Q. Zhang, Y. Ma, B. Peng</i>	
A Planar Ultra Wide Band Single Layer Microstrip BALUN Operating from 200MHz to 10GHz.....	1606
<i>M. S. Mahani, R. Abhari</i>	

A 6-bit Segmented RZ DAC Architecture with up to 50-GHz Sampling Clock and 4 V_{pp} Differential Swing	1609
<i>A. Balteanu, P. Schvan, S. P. Voinigescu</i>	
Hyperthermia of Large Superficial Tumor with a Flat LHM Lens	1612
<i>Y. H. Tao, G. Wang</i>	
Method of Moments Modeling of Microstrip Patch Antennas with Automatic GPU Acceleration	1615
<i>A. Cerjanic, B. Sheikman, I. Chatterjee</i>	
A 100-GHz Varactorless CMOS VCO Using Source Degeneration	1618
<i>Y. Shiao, G. Huang, C. Chuang, H. Hsieh, C. Jou, F. Hsueh</i>	
L-band Wideband Filter in 0.13 μm CMOS with High Common-Mode Rejection	1621
<i>A. Taslimi, K. Moushaan</i>	
Compact Class-F RF-DC Converter with Antisymmetric Dual-Diode Configuration	1624
<i>A. Noda, H. Shinoda</i>	
Power Handling of High-Q Evanescent-Mode Tunable Filter with Integrated Piezoelectric Actuators	1627
<i>K. Chen, H. H. Sigmarsson, D. Peroulis</i>	
Overview of the Research and Applications of the Space-Spectral Domain Approach (SSDA)	1630
<i>M. Yu, Y. Wang</i>	
A Millimeter-Wave Elastomeric Microstrip Phase Shifter	1633
<i>S. Hage-Ali, Y. Orlic, N. Tiercelin, R. Sauleau, P. Pernod, V. Preobrazhensky, P. Coquet</i>	
A Dispersion-tapered Reflection Soliton Oscillator	1636
<i>D. S. Ricketts, A. Hillenius</i>	
Microwave Chemical Sensing Using a 3-18 GHz Wideband Overmoded Coaxial Cable	1639
<i>Y. Huang, K. M. Hotopp, B. C. Dian, W. J. Chappell</i>	
Development of a RF Waveform Stress Test Procedure for GaN HFETs Subjected to Infinite VSWR Sweeps	1642
<i>W. McGinn, H. Choi, J. Lees, M. Uren, J. Benedikt, P. Tasker</i>	
High-Performance Photoconductive Terahertz Sources Based on Nanoscale Contact Electrode Gratings	1645
<i>C. W. Berry, M. Jarrahi</i>	
The Development of T/R Modules for Radar Applications	1648
<i>N. J. Kolias, M. T. Borkowski</i>	
A Novel “Universal” Inkjet-Printed EBG-Backed Flexible RFID for Rugged On-Body and Metal Mounted Applications	1651
<i>H. Lee, S. Kim, D. D. Donno, M. M. Tentzeris</i>	
Optimization of Subsampling Dual Band Receivers Design in Nonlinear Systems	1654
<i>J. R. G. Oya, A. Kwan, S. A. Bassam, F. M. Chavero, F. Ghannouchi</i>	
Digitally Controlled CMOS Quadrature Ring Oscillator with Improved FoM for GHz Range All-Digital Phase-Locked Loop Applications	1657
<i>R. K. Pokharel, P. Nugroho, A. Anand, H. Kanaya, K. Yoshida</i>	
A New Architecture for Frequency-Selective Digital Predistortion Linearization for RF Power Amplifiers	1660
<i>J. Kim, P. Roblin, X. Yang, D. Chaillot</i>	
An Electronically Controlled Semiconductor Laser Phased Array	1663
<i>F. Aflatouni, H. Hashemi</i>	
A DC Voltage Dependent Switchable Acoustically Coupled BAW Filter Based on BST-on-Silicon Composite Structure	1666
<i>S. A. Sis, V. Lee, J. D. Phillips, A. Mortazawi</i>	
The Superlens as a Filter of the Spatial Spectrum	1669
<i>W. J. R. Hoefer</i>	
Virtual Receiving Array Method for Direction of Arrival Estimation on Unmanned Aerial Vehicles	1672
<i>E. Poliakov, C. Wu, Y. Antar</i>	
Compact Wilkinson Power Divider on Multilayer Organic Substrate	1675
<i>H. H. Ta, A. Pham</i>	
Test and Verification of Micro Coaxial Line Power Performance	1678
<i>P. E. Ralston, K. Vanhille, A. Caba, J. M. Oliver, S. Raman</i>	
A New Type of GaN HEMT Based High Power High-Pass/Low-Pass Phase Shifter at X Band	1681
<i>K. Hettak, T. Ross, J. Wight, D. Gratton</i>	
Temperature Dependence of DC Voltage Activated Switchable Ba_{0.5}Sr_{0.5}TiO₃ Solidly Mounted Resonator	1684
<i>G. N. Saddik, R. A. York</i>	
Modeling of Hybrid (Heat Radiation and Microwave) High Temperature Processing of Limestone	1687
<i>S. M. Allan, M. L. Fall, E. M. Kiley, P. Kopyt, H. S. Shulman, V. V. Yakovlev</i>	
An 18 - 32 GHz Ultra Wideband Low-Noise Amplifier with a Low Variation of Group Delay	1690
<i>B. Seo, S. Jeon</i>	
Wide Bandwidth Inverse Class F Power Amplifier with Novel Balun Harmonic Matching Network	1693
<i>A. N. Stameroff, A. Pham</i>	
A Miniature RF MEMS Metal-Contact Switch with High Biaxial and Stress-Gradient Tolerance	1696
<i>C. Niu, G. Rebeiz</i>	
Intrinsically Switchable Thin Film Ferroelectric Resonators	1699
<i>S. A. Sis, V. Lee, J. D. Phillips, A. Mortazawi</i>	
A Single-Chip 630 GHz Transmitter with 210 GHz Sub-Harmonic PLL Local Oscillator in 130nm InP HBT	1702
<i>M. Seo, M. Urteaga, A. Young, J. Hacker, A. Skalare, R. Lin, M. Rodwell</i>	
Complex Permittivity Multi-Frequency Measurements for Dielectric Sheets Using a Circular Disk Resonator	1705
<i>H. Suzuki, M. Inoue</i>	

Accurate Nanoliter Liquid Complex Admittance Characterization up to 40 GHz for Biomedical Applications	1708
<i>T. Chen, D. Dubuc, K. Grenier</i>	
Multifunction Low Noise Millimeter-Wave MMICs for Remote Sensing	1711
<i>H. Zirath, V. Vassilev, M. Abbasi, S. E. Gunnarsson, N. Wadefalk, I. Angelov, R. Kozhuharov, J. Svedin</i>	
Efficient Modeling of Metal Fill Parasitic Capacitance in On-Chip Transmission Lines	1714
<i>V. S. Shilimkar, S. G. Gaskell, A. Weisshaar</i>	
The Harsh Environment Robust Micromechanical Technology (HERMiT) Program: Success and Some Unfinished Business	1717
<i>C. T. C. Nguyen</i>	
Compact UHF 5th-Order Bandpass Filter with Sharp Skirt	1720
<i>B. Lee, S. Kahng, D. J. Eom, S. Yoo</i>	
A V-band Waveguide to Microstrip Inline Transition	1723
<i>K. Y. Han, C. Pao</i>	
Hybrid Modes Propagation inside Parallel Plate Waveguide Using Anisotropic Graphene Plate	1726
<i>S. A. Malek Abadi, S. Charlebois, D. Deslandes</i>	
Nonlinear Effects in MEMS Tunable Bandstop Filters	1729
<i>X. Liu, E. Naglich, D. Peroulis</i>	
A TM Guide for Surface Wave Power Routing and Application to Planar Quasi-Optical Dividing/Combining Arrays	1732
<i>S. K. Podilchak, A. P. Freudorfer, Y. M. M. Antar</i>	
2-D Wireless Human Subjects Positioning System Based on Respiration Detections	1735
<i>Y. Su, C. Chang, J. Guo, S. Chang</i>	
Characterization of Free Falling Drops Inside a Microwave Cavity	1738
<i>M. Cabanes-Sempere, C. Cozzo, J. M. Catalá-Civera, F. L. Penaranda-Foix, K. Ishizaki, S. Vaucher, M. A. Pouchon</i>	
A D-Band Compact Rat-Race Coupler Using Novel Phase Inverter in Standard CMOS Process	1741
<i>D. Hou, W. Hong, W. Goh, A. Arasu, Y. Xiong, C. Liu, M. Madhian</i>	
Tunable High Quality-Factor Absorptive Bandstop Filter Design	1744
<i>T. Snow, J. Lee, W. J. Chappell</i>	
RF to DC CMOS Rectifier with High Efficiency over a Wide Input Power Range for RFID Applications	1747
<i>S. Scorcioni, A. Bertacchini, L. Larcher, A. Ricciardi, D. Dondi, P. Pavan</i>	
A Broadband Power-Reconfigurable Distributed Amplifier	1750
<i>J. Kim, Y. Kim, S. Lee, J. Jeong, Y. Kwon</i>	
FDTD-based Microdosimetry for High-Intensity Nanosecond Pulsed Electric Fields (nsPEFs) Application	1753
<i>T. D. T. Vu, S. Kohler, C. Merla, D. Arnaud-Cormos, P. Leveque</i>	
Differential Circuit Technique for Six-Port Modulator and Demodulator	1756
<i>A. Serban, M. Karlsson, J. Osth, O. Owais, S. Gong</i>	
Highly Linear 1-3 GHz GaN HEMT Low Noise Amplifier	1759
<i>P. Chehirenagar, M. Abbasi, J. Grahn, K. Andersson</i>	
A Tunable Low-Pass Filter Using a Liquid-Metal Reconfigurable Periodic Defected Ground Structure	1762
<i>S. Guo, B. J. Lei, W. Hu, W. A. Shiroma, A. T. Ohta</i>	
Thinned MIMO Frame-Arrays for Radar Imaging	1765
<i>K. Rezer, C. Klickow, A. F. Jacob</i>	
High Electromechanical Coupling MEMS Resonators at 530MHz using Ion Sliced X-cut LiNbO₃ Thin Film	1768
<i>S. Gong, L. Shi, G. Piazza</i>	
Rat-Race Based Microstrip Coupler With Differential Port to Realize Monostatic RF Systems	1771
<i>R. W. Jungmaier, R. Feger, B. Prammer, H. Jäger, A. Stelzer</i>	
RF Switch-Mode Power Amplifier with an Integrated Diplexer for Signal Reconstruction and Energy Recovery	1774
<i>S. N. Ali, T. Johnson</i>	
Multiple Coupling Inductors Model Based on Four-Port Measurement	1777
<i>Z. Zong, K. Kang</i>	
A Microwave Sensing System for Aqueous Concentration Measurements based on a Microwave Reflectometer	1780
<i>M. Hofmann, F. Trenz, G. Fischer, R. Weigel, D. Kissinger</i>	
II(Pi)-matching Technique for RF Coil of MRI Systems	1783
<i>S. Sohn, L. Delabarre, J. T. Vaughan, A. Gopinath</i>	
InP HEMT Low-Noise Amplifier-based Millimeter-Wave Radiometers from 90 to 180 GHz with Internal Calibration for Remote Sensing of Atmospheric Wet-Path Delay	1786
<i>S. C. Reising, P. Kangaslahti, S. T. Brown, D. E. Dawson, A. Lee, D. Albers, O. Montes, T. C. Gaier, D. Hoppe, B. Khayatian</i>	
Self-Actuating Scanning Microwave Microscopy Probes	1789
<i>N. Sarkar, M. Azizi, S. Fouladi, R. R. Mansour</i>	
215GHz CMOS Signal Source based on a Maximum-Gain Ring Oscillator Topology	1792
<i>J. Sharma, H. Krishnaswamy</i>	
CMOS-MEMS Tuning and Impedance Matching Circuits for Reconfigurable RF Front-Ends	1795
<i>S. Fouladi, F. Domingue, R. Mansour</i>	
Kahn Envelope Elimination and Restoration Technique Using Injection-Locked Oscillators	1798
<i>C. Chen, Y. Lin, T. Horng, K. Peng, C. Li</i>	
Compact and Low Cost Substrate Integrated Waveguide Cavity and Bandpass Filter Using Surface Mount Shorting Stubs	1801
<i>A. Doghri, A. Ghiotto, T. Djerafi, K. Wu</i>	
Multi-Band Tunable Bandpass Filter with Nested Switchable Inductive Subcircuit for Multi-Decade Tuning	1804
<i>A. Abbaspour-Tamijani</i>	

Rapid Microwave Sintering of Protective ZrO₂ Coatings on Reactive Metal Powder Compacts.....	1807
<i>P. Veronesi, R. Rosa, E. Colombini</i>	
On-chip Sensing and Actuation Methods for Integrated Self-Healing mm-Wave CMOS Power Amplifier.....	1810
<i>K. Sengupta, K. Dasgupta, S. Bowers, A. Hajimiri</i>	
Graphene Modeling by TLM Approach.....	1813
<i>D. Mencarelli, L. Pierantoni, T. Rozzi</i>	
Effective Suppression of Current Collapse in Both E- and D-Mode AlGaN/GaN HEMTs on Si by [(NH₄)₂Sx] Passivation.....	1816
<i>S. Vicknesh, S. Arulkumaran, G. I. Ng</i>	
Comline Tunable Bandpass Filter Using RF-MEMS Switched Capacitor Bank	1819
<i>S. Fouladi, F. Huang, W. D. Yan, R. Mansour</i>	
Sampling of Stochastic Electromagnetic Fields.....	1822
<i>J. A. Russler, T. Asenov, P. Russler</i>	
Millimeter-Wave and Terahertz Transmission Loss of CMOS Process-Based Substrate Integrated Waveguide	1825
<i>H. Tang, G. Yang, J. Chen, W. Hong, K. Wu</i>	
Author Index	