

2012 IEEE 10th International Conference on Industrial Informatics

(INDIN 2012)

**Beijing, China
25 - 27 July 2012**

Pages 1-642



**IEEE Catalog Number: CFP12INI-PRT
ISBN: 978-1-4673-0312-5**

TABLE OF CONTENTS

| | |
|---|-----|
| A DEVICE CONFIGURATION MANAGEMENT TOOL FOR CONTEXT-AWARE SYSTEM..... | 10 |
| <i>A. Kuutti, A. Dvoryanchikova, A. Lobov, J. Lastra, T. Vahtera</i> | |
| A DISTRIBUTED NEGATIVE POWER CONTROL SYSTEM FOR HIGH EFFICIENCY SWIMMING OF ROBOTIC FISH | 16 |
| <i>D. Xu, H. Wei, T. Wang, S. Zheng</i> | |
| A LANE BOUNDARY DETECTION METHOD BASED ON HIGH DYNAMIC RANGE IMAGE | 21 |
| <i>F. Kou, W. Chen, J. Wang, Z. Zhao</i> | |
| A SMART METERING SYSTEM FOR MONITORING ELECTRICITY OF BUILDING BASED ON WIRELESS NETWORK | 26 |
| <i>D. Xu, H. Wei, T. Wang, S. Zheng</i> | |
| ABRASION OF ON-OFF VALVE SIDE FOR FUEL SYSTEM | 32 |
| <i>Y. Zhao, S. Wang</i> | |
| AN EASY-TO-USE AND FLEXIBLE OBJECT-ORIENTED FRAMEWORK FOR EXTENDED FINITE STATE MACHINES..... | 35 |
| <i>S. Lopes, S. Silva, J. Monteiro</i> | |
| AN IN-COORDINATE INTERVAL ADAPTIVE KALMAN FILTERING ALGORITHM FOR INS/GPS/SMNS | 41 |
| <i>L. Zhao, Z. He</i> | |
| COMPARISON OF TOOLS AND SIMULATORS FOR CONTROL SYSTEM SECURITY STUDIES..... | 45 |
| <i>J. Wu, K. Kobara</i> | |
| FACILITATING SERVICES AND ENGINEERING PROCESS MANAGEMENT IN DISTRIBUTED ENGINEERING OF CONTROL APPLICATIONS | 51 |
| <i>D. Hastbacka, S. Kuikka</i> | |
| FAULTY DEVICE REPLACEMENT FOR INDUSTRIAL NETWORKS | 57 |
| <i>M. Rentschler</i> | |
| MAGNETIC FIELD ANALYSIS OF PM SPHERICAL ACTUATOR | 63 |
| <i>Y. Meng, W. Chen, H. Wang, J. Liu</i> | |
| MULTI-CAMERA HOME APPLIANCE NETWORK: HANDLING DEVICE INTEROPERABILITY | 69 |
| <i>N. Cardoso, P. Garcia, T. Gomes, F. Salgado, P. Rodrigues, J. Cabral, J. Mendes, A. Tavares</i> | |
| ON-LINE MONITORING SYSTEM OF INSULATOR LEAKAGE CURRENT BASED ON ARM..... | 75 |
| <i>Z. Tingtao, L. Tianyu, C. Ke, H. Xiaoguang</i> | |
| SIMULATION INTEGRATION FRAMEWORK | 80 |
| <i>R. Sindelar, P. Novak</i> | |
| STUDY ON CHANGE OF AIRCRAFT CENTER OF GRAVITY DURING FUEL CONSUMPTION..... | 86 |
| <i>Y. Miao, S. Wang, Y. Zhao</i> | |
| A METHOD FOR MOBILE ROBOT OBSTACLE AVOIDANCE BASED ON STEREO VISION | 94 |
| <i>M. Chen, Z. Cai, Y. Wang</i> | |
| A NOVEL MULTIPHASE LEVEL SET METHOD TO IMAGE SEGMENTATION COMBINED WITH EDGE LINK METHOD | 99 |
| <i>J. Ren, Y. Zhang, J. Che, T. Wang, L. Shi, L. Zhang</i> | |
| AN AIRCRAFT-PROPULSION GEOMETRY/PERFORMANCE COLLABORATIVE DESIGN METHOD..... | 103 |
| <i>C. Tian, G. Gong</i> | |
| AN IMPROVED ALGORITHM TO DETERMINE THE RELATIVE ATTITUDE DURING ROLLING PHASE OF SPACECRAFT RENDEZVOUS AND DOCKING | 109 |
| <i>L. Zheng, Y. Jiang</i> | |
| AN IMPROVED CANNY EDGE DETECTION ALGORITHM FOR COLOR IMAGE | 113 |
| <i>G. Xin, C. Ke, H. Xiaoguang</i> | |
| AN IMPROVED STAR IDENTIFICATION METHOD BASED ON NEURAL NETWORK | 118 |
| <i>Y. Jing, W. Liang</i> | |
| ANALYSES ABOUT EFFICIENCY OF REINFORCEMENT LEARNING TO SUPPLY CHAIN ORDERING MANAGEMENT | 124 |
| <i>R. Sun, G. Zhao</i> | |

| | |
|--|------------|
| ARTIFICIAL BEE COLONY APPROACH TO PARAMETERS OPTIMIZATION OF PULSE COUPLED NEURAL NETWORKS..... | 128 |
| <i>K. Gao, H. Duan, Y. Xu, Y. Zhang, Z. Li</i> | |
| INDOOR AIR QUALITY CONTROL FOR ENERGY-EFFICIENT BUILDINGS USING CO₂ PREDICTIVE MODEL..... | 133 |
| <i>Z. Wang, L. Wang</i> | |
| INTELLIGENT FAULT DIAGNOSIS METHODOLOGY OF HYDRAULIC TRAVELING SYSTEM FOR CONSTRUCTION MACHINERY..... | 139 |
| <i>Y. Li, X. Feng, L. Yang</i> | |
| INTELLIGENT MULTIVARIATE SALES FORECASTING USING WRAPPER APPROACH AND NEURAL NETWORKS..... | 145 |
| <i>Z. Guo, M. Li, W. Wong, Z. Guo</i> | |
| LEARNING BEHAVIOR MODELS OF HYBRID SYSTEMS USING WAVELETS FOR AUTONOMOUS JUMPS DETECTION..... | 151 |
| <i>A. Vodencarevic</i> | |
| MODEL DRIVEN PLATFORM OF COMBAT SIMULATION SYSTEM BASED ON HLA..... | 157 |
| <i>H. Kong, N. Li, L. Han, C. Wang</i> | |
| MOTION SEGMENTATION OBJECT DETECTION IN COMPLEX AQUATIC SCENES AND ITS SURROUNDINGS..... | 162 |
| <i>N. Peixoto, N. Cardoso, P. Goncalves, P. Cardoso, J. Cabral, A. Tavares, J. Mendes</i> | |
| MULTI-RESOLUTION PATH PLANNING FOR MINIATURE AIR VEHICLES WITH WIND EFFECT..... | 167 |
| <i>D. Gao, G. Gong, J. Wang, L. Han</i> | |
| NOVEL SPATIAL PYRAMID MATCHING FOR SCENE AND OBJECT CLASSIFICATION..... | 172 |
| <i>K. Ding, W. Chen, X. Wu, Z. Liu</i> | |
| PARALLEL TEST TASK SCHEDULING OF AIRCRAFT ELECTRICAL SYSTEM BASED ON COST CONSTRAINT MATRIX AND ANT COLONY ALGORITHM..... | 178 |
| <i>X. Liang, B. Dong, H. Guo, D. Yan</i> | |
| PERFORMANCE ANALYSIS OF DIRECT SIGNAL AND SURFACE CLUTTER CANCELLATION FOR BISTATIC NOISE RADAR WITH LMS FILTER..... | 184 |
| <i>Z. Lu, M. Gao, Y. Li, S. Cheng</i> | |
| ROBUST OBJECTS TRACKING ALGORITHM BASED ON ADAPTIVE BACKGROUND UPDATING..... | 190 |
| <i>Y. Wei, Z. Long</i> | |
| ROUTING ALGORITHM OF POWER LINE CARRIER METER READING BASED ON ANT COLONY GENETIC ALGORITHM..... | 196 |
| <i>C. Ke, G. Xin, H. Xiaoguang</i> | |
| SUPPORT-VECTOR MODELING AND OPTIMIZATION FOR MICROWAVE FILTERS MANUFACTURING USING SMALL DATA SETS..... | 202 |
| <i>J. Zhou, J. Huang</i> | |
| THE APPLICATION OF T-S FUZZY FAULT TREE ANALYSIS IN SATELLITE ATTITUDE CONTROL SYSTEM..... | 208 |
| <i>L. Dong, H. Song, W. Liu, X. Yuan</i> | |
| A DISPATCH METHOD OF AIR COMPRESSORS BASED ON FORECASTING CONSUMPTION..... | 218 |
| <i>X. Fu, D. Kong, R. Song, Y. Shi, M. Cai</i> | |
| A STRUCTURAL ANALYSIS OF EMERGING PRODUCTION SYSTEMS..... | 223 |
| <i>L. Ribeiro, R. Rosa, J. Barata</i> | |
| A WEB-BASED SERVICE BACKEND FOR CONTROL AND MONITORING OF SOLAR PARKS..... | 229 |
| <i>A. Meliones, A. Nouvaki</i> | |
| ANALYSIS OF ENERGY BEHAVIOUR PROFILES OF PROSUMERS..... | 236 |
| <i>A. Rathnayaka, V. Potdar, T. Dillon, O. Hussain, S. Kuruppu</i> | |
| COMPUTATION DELAY COMPENSATION FOR REAL TIME IMPLEMENTATION OF ROBUST MODEL PREDICTIVE CONTROL..... | 242 |
| <i>Y. Su, K. Tan, T. Lee</i> | |
| CONTROL STRATEGY DESIGN FOR THE TRANSITIONAL MODE OF TILTROTOR UAV..... | 248 |
| <i>X. Fang, Q. Lin, Y. Wang, L. Zheng</i> | |
| DESIGN SCHEME OF SEEKER EQUIVALENT DEVICE OF MISSILE-BORNE SYNTHETIC APERTURE RADAR..... | 254 |
| <i>W. Gao, S. Chen, X. Hu</i> | |
| DISTRIBUTED CONTROL PATTERNS FOR INTELLIGENT MECHATRONIC SYSTEMS..... | 259 |
| <i>M. Sorouri, S. Patil, V. Vyatkin</i> | |

| | |
|---|------------|
| IMPLEMENTING DISTRIBUTED THREADS USING RTSJ | 265 |
| <i>R. Lorbieski, P. Plentz, L. Friedrich</i> | |
| MEASURING WIRELESSHART AGAINST WIRED FIELDBUS FOR CONTROL | 270 |
| <i>X. Zhu, T. Lin, S. Han, A. Mok, D. Chen, M. Nixon, E. Rotvold</i> | |
| THE DESIGN AND IMPLEMENTATION OF REAL-TIME HILS BASED ON RTX PLATFORM | 276 |
| <i>C. Lina, Z. Qiang</i> | |
| THE IMPLEMENTATION OF BUTTONS DRIVER USING THE LINUX INPUT SUBSYSTEM BASED ON S3C6410 PLATFORM | 281 |
| <i>Y. Gao, X. Zhao</i> | |
| TWO LAYER OPTIMAL CONTROL FOR A CLASS OF “GRAY-BOX SYSTEM”, THEORY AND EXPERIMENT | 287 |
| <i>S. Wu, Z. Jiao, B. Zhang, X. Wang, Q. Wei</i> | |
| WORKFLOW AND DECISION SUPPORT FOR THE DESIGN OF DISTRIBUTED AUTOMATION SYSTEMS | 293 |
| <i>T. Frank, K. Eckert, T. Hadlich, A. Fay, C. Diedrich, B. Vogel-Heuser</i> | |
| A CROSS-LAYER APPROACH TO ENERGY MANAGEMENT IN MANUFACTURING | 304 |
| <i>A. Florea, J. Montemayor, C. Postelnicu, J. Lastra</i> | |
| A SYSTEMATIZED APPROACH FOR OBTAINING A DEPENDABLE STRUCTURED SPECIFICATION FOR AN INDUSTRIAL AUTOMATION SYSTEM | 309 |
| <i>J. Machado, E. Seabra</i> | |
| AN OPTIMIZATION OF NURBS INTERPOLATION ALGORITHM..... | 316 |
| <i>J. Liu, B. Chen, M. Liu, D. Xu, Y. Li</i> | |
| ANALYSIS OF CLOUD SERVICE TRANSACTION IN CLOUD MANUFACTURING..... | 320 |
| <i>Y. Cheng, Y. Zhang, L. Lv, J. Liu, F. Tao, L. Zhang</i> | |
| APPLICABILITY OF MARKET-BASED COMPETITION MODELS FOR ENERGY EFFICIENT FACTORY AUTOMATION SYSTEMS..... | 326 |
| <i>C. Postelnicu, J. Lastra</i> | |
| AUTOMATION OF CHLORINATION PROCESS FOR DRINKING WATER TREATMENT PLANT: CONTROL STRATEGIES | 337 |
| <i>J. Gamiz, Y. Bolea, A. Grau, J. Gamiz, F. Luque, J. Vargas</i> | |
| A VIRTUAL MACHINE DEPLOYMENT APPROACH USING KNOWLEDGE CURVES IN CLOUD SIMULATION..... | 342 |
| <i>Z. Ren, X. Song, Lei Ren, L. Zhang, S. Zhang</i> | |
| DESIGN OF MODEL REFERENCE ADAPTIVE CONTROL LAW OF STEERING MECHANISM FOR HEAVY DUTY VEHICLE..... | 347 |
| <i>Y. Li, R. Zhou, Q. Zheng, L. Yang</i> | |
| DESIGN OF RAPID CHARGE SYSTEM FOR LITHIUM BATTERY BASED ON TMS320F2407 | 353 |
| <i>L. Zhang, X. Hou, S. Hou, H. Li</i> | |
| DETECTING ANOMALOUS ENERGY CONSUMPTIONS IN DISTRIBUTED MANUFACTURING SYSTEMS | 358 |
| <i>S. Faltinski, H. Flatt, F. Pethig, B. Kroll, A. Vodencarevic, A. Maier, O. Niggemann</i> | |
| EARLY PHASE FAULT PROPAGATION ANALYSIS OF SAFETY CRITICAL FACTORY AUTOMATION SYSTEMS | 364 |
| <i>N. Papakonstantinou, S. Sierla</i> | |
| ELECTRO-HYDRAULIC PROPORTIONAL PRESSURE CONTROL SYSTEM OF HYDRAULIC MACHINE | 370 |
| <i>Y. Gao, N. Ding</i> | |
| EVALUATION OF THE MECHANICAL SYSTEM TO PRODUCE FILE CUTTING EDGES IN A INDUSTRIAL MACHINE:THEORETICAL AND EXPERIMENTAL APPROACHES..... | 374 |
| <i>E. Seabra, J. Machado, L. Silva</i> | |
| FORMAL MODELLING OF COMPLEX EVENT PROCESSING: A GENERIC ALGORITHM AND ITS APPLICATION TO A MANUFACTURING LINE..... | 380 |
| <i>W. Ahmad, A. Lobov, J. Lastra</i> | |
| FRAMEWORK OF EVALUATION SYSTEM FOR ENERGY-SAVING AND EMISSION- REDUCTION BASED ON BOM | 386 |
| <i>L. Lv, F. Tao, H. Zhang, W. Huang, L. Zhang</i> | |
| KEY PERFORMANCE INDICATORS FOR ENERGY EFFICIENT ASSET MANAGEMENT IN A FACTORY AUTOMATION TESTBED | 391 |
| <i>B. Zhang, C. Postelnicu, J. Lasta</i> | |
| MASSIVE SENSOR DATA MANAGEMENT FRAMEWORK IN CLOUD MANUFACTURING BASED ON HADOOP | 397 |
| <i>Y. Bao, L. Ren, L. Zhang, X. Zhang, Y. Luo</i> | |

| | |
|---|-----|
| MIMO LPV STATE-SPACE IDENTIFICATION OF AN OPEN-FLOW IRRIGATION CANAL FOR CONTROL | 402 |
| <i>Y. Bolea, A. Grau, N. Chefdor</i> | |
| RESEARCH AND DESIGN OF DYNAMIC VOLTAGE RESTORER | 408 |
| <i>C. Songsong, W. Jianwei, G. Wei, H. Xiaoguang</i> | |
| RETROFITTING A FACTORY AUTOMATION SYSTEM TO ADDRESS MARKET NEEDS AND SOCIETAL CHANGES | 413 |
| <i>L. Moctezuma, J. Jokinen, C. Postelnicu, J. Lastra</i> | |
| SDSIM: A NOVEL SIMULATOR FOR SOLAR DRYING PROCESSES | 419 |
| <i>Y. Bolea, A. Grau, A. Miranda</i> | |
| THE IEC 61131 AS ENABLER OF OO AND MDD IN INDUSTRIAL AUTOMATION | 425 |
| <i>K. Thramboulidis</i> | |
| TRAJECTORY PLANNING BASED ON LATITUDE FOR PAINTING ON SPHERICAL SURFACE | 431 |
| <i>Y. Chen, X. Lu, H. Wei</i> | |
| TRANSFORMATION FROM PLC TO DISTRIBUTED CONTROL USING ONTOLOGY MAPPING | 436 |
| <i>W. Dai, V. Vyatkin</i> | |
| A DRIVER-AUTOMATION SYSTEM FOR BRAKE ASSISTANCE IN INTELLIGENT VEHICLES | 446 |
| <i>S. Modi, D. Chesnakov, W. Zhang, Y. Lin, G. Yang</i> | |
| A HIERARCHICAL GEOSTATISTICAL MODEL OF WALKING STYLE VARIETY | 452 |
| <i>J. Wang, C. Han, W. Ma, Y. Hu</i> | |
| COMPARATIVE STUDY ON FLIGHT REFERENCE FOR HELMET-MOUNTED DISPLAY (HMD) BASED ON EYE TRACKING TECHNOLOGY | 459 |
| <i>X. Liu, L. Wang, X. Li, F. Peng</i> | |
| HEALTH CARE PLATFORM BASED ON ACQUISITION OF ECG FOR HRV ANALYSIS | 464 |
| <i>Y. Hsu, C. Chiang, C. Lin, C. Chen, W. Yang</i> | |
| OPTIMIZATION OF A CASCADING TMR SYSTEM CONFIGURATION USING GENETIC ALGORITHM | 470 |
| <i>F. Khodadad, M. Jahed</i> | |
| REAL-TIME INDOOR SURVEILLANCE BASED ON SMARTPHONE AND MOBILE ROBOT | 475 |
| <i>S. Juang, J. Juang</i> | |
| REGIONS OF INTEREST EXTRACTION BASED ON HSV COLOR SPACE | 481 |
| <i>Z. Liu, W. Chen, Y. Zou, C. Hu</i> | |
| RESEARCH OF GENERAL NEW AIRCRAFT COMPONENT TESTING PLATFORM | 486 |
| <i>D. Jian, H. Xiaoguang</i> | |
| RESEARCH ON THE CLIMB-DIVE ANGLE AND ROLL SYMBOLOGY OF NON-DISTRIBUTED FLIGHT REFERENCE FOR HELMET-MOUNTED DISPLAY | 490 |
| <i>X. Liu, L. Wang, X. Li, Q. Zhang</i> | |
| STRATEGY FOR THE AMENDMENT OF PLANT INFORMATION MODELS BY MEANS OF OPC UA | 495 |
| <i>E. Reiswich, A. Fay</i> | |
| THE EYE ACTIVITY MEASUREMENT OF MENTAL WORKLOAD BASED ON BASIC FLIGHT TASK | 502 |
| <i>X. He, L. Wang, X. Gao, Y. Chen</i> | |
| THE STUDY OF CONVERSION BETWEEN THE PUPIL DIAMETER MEASURED BY EYE TRACKER AND THE REAL VALUE | 508 |
| <i>X. He, L. Wang, Y. Chen</i> | |
| VALIDATION AND RESEARCH OF THE THREE-PROCESS MODEL OF ALERTNESS PREDICTIONS | 512 |
| <i>H. Li, L. Wang, Y. Yu, Z. Guo</i> | |
| VERIFICATION OF DATA-BASED UPPERBODY REACH MODEL | 516 |
| <i>X. Gao, L. Wang, W. Xiang</i> | |
| VISION-BASED AUXILIARY NAVIGATION METHOD USING AUGMENTED REALITY FOR UNMANNED AERIAL VEHICLES | 520 |
| <i>H. Wu, Z. Cai, Y. Wang</i> | |
| "DUAL-LOOP CONTROL" OF LOAD SIMULATOR | 530 |
| <i>C. Wang, Z. Jiao, S. Wu, B. Chen</i> | |
| A DESIGN OF AIRCRAFT DRILLING END-EFFECTOR BASED ON FLEXIBLE RAILWAY | 536 |
| <i>F. Ma, P. Yuan, M. Gong, L. Yu, H. Xing, W. Huang</i> | |
| A MECHATRONICS APPROACH TO DESIGN OF PATH GENERATORS | 540 |
| <i>Z. Sun, D. He, B. Zhang, J. Huang, W. Zhang</i> | |

| | |
|---|------------|
| A METHOD FOR ROLLING BEARING FAULT DIAGNOSIS BASED ON THE POWER SPECTRUM ANALYSIS AND SUPPORT VECTOR MACHINE | 546 |
| <i>T. Guishuang, S. Wang, C. Zhang</i> | |
| A NOVEL TWO DEGREE-OF-FREEDOM ULTRASONIC PLANAR MOTOR DRIVEN BY SINGLE STATOR..... | 550 |
| <i>L. Yan, Y. Hu, H. Lan, N. Yao, Z. Jiao, I. Chen</i> | |
| ADAPTIVE CONTROL OF A QUADRUPED ROBOT BASED ON CENTRAL PATTERN GENERATORS | 554 |
| <i>Z. Pei, L. Song, B. Chen, X. Guo</i> | |
| ADAPTIVE FUZZY ROBUST CONTROL OF A CLASS OF NONLINEAR SYSTEMS VIA SMALL GAIN THEOREM..... | 559 |
| <i>X. Wang, S. Wang, K. Wang, W. Hong</i> | |
| AN EFFECTIVE METHOD FOR LONGWALL AUTOMATION IN THIN COAL SEAM | 565 |
| <i>B. Xu, Y. Zhang, M. Cheng</i> | |
| AN ELECTRONIC POD AND ITS FINITE ELEMENT ANALYSIS | 570 |
| <i>D. Yan, J. Shi, S. Wang</i> | |
| BACK-IRON EFFECT OF TUBULAR LINEAR MOTORS WITH DUAL HALBACH PERMANENT MAGNET ARRAYS | 574 |
| <i>L. Yan, L. Zhang, T. Wang, Y. Shang, Z. Jiao</i> | |
| BEARING FAULT DIAGNOSIS WITH AN IMPROVED HIGH FREQUENCY RESONANCE TECHNIQUE..... | 580 |
| <i>M. Segla, S. Wang, F. Wang</i> | |
| CENTRAL PATTERN GENERATORS OF ADAPTIVE FREQUENCY FOR LOCOMOTION CONTROL OF QUADRUPED ROBOTS..... | 586 |
| <i>L. Teng, X. Wu, W. Chen, J. Wang</i> | |
| DESIGN AND SIMULATION OF AXIAL PISTON PUMP WITH CONSTANT FLOW..... | 591 |
| <i>J. Yin, X. Wang, L. Wang</i> | |
| DESIGN AND STUDY OF DIGITAL POWER DRIVER CONTROLLER FOR A KIND OF VOICE COIL MOTOR | 596 |
| <i>X. Wang, Z. Jiao, S. Wu</i> | |
| DESIGN OF THE CONTROL SYSTEM FOR HYBRID DRIVING TWO-ARM ROBOT BASED ON VOICE RECOGNITION | 602 |
| <i>R. Huang, G. Shi</i> | |
| DEVELOPMENT RESEARCH OF REFLECTION-ABSORPTION COMPOUND TYPE FLUID PULSATION ATTENUATOR | 606 |
| <i>C. Guan, S. He, Z. Jiao</i> | |
| DIFFRACTION INTENSITY DISTRIBUTION OF THE CYLINDRICAL VARIED LINE-SPACE REFLECTION GRATING | 613 |
| <i>D. Wang, B. Li, Y. Bao</i> | |
| EXPERIMENTAL ANALYSIS OF PERFORMANCE DEGRADATION OF SOLID LUBRICATED BEARINGS WITH VIBRATION AND FRICTION TORQUE SIGNAL..... | 617 |
| <i>C. Zhang, S. Wang</i> | |
| EXPERIMENTAL EVALUATION OF DISTURBANCE ESTIMATION ALGORITHMS FOR SERVO CONTROL SYSTEMS | 621 |
| <i>Y. Lu, C. Syu</i> | |
| FAULT DIAGNOSIS FOR HYDRAULIC HOISTING SYSTEM BASED ON THE PROBABILISTIC SDG MODEL | 627 |
| <i>S. Lei, S. Hua, W. Hong</i> | |
| FAULT SIMULATION ANALYSIS OF AXIAL PISTON PUMP BASED ON THE COMPONENT'S FAILURE | 631 |
| <i>W. Zhao, S. Wang, H. Dou</i> | |
| FLEXIBLE LOGIC-BASED CO-SIMULATION OF MODELICA MODELS | 635 |
| <i>L. Baresi, G. Ferretti, A. Leva, M. Rossi</i> | |
| FLUID-SOLID ANALYSIS BASED ON IMPROVED BOND GRAPH METHOD | 641 |
| <i>J. Liang, S. Wang, X. Li, Y. Xu</i> | |
| FORCE FORMULATION OF A THREE-PHASE TUBULAR LINEAR MACHINE WITH DUAL HALBACH ARRAY..... | 647 |
| <i>L. Zhang, L. Yan, N. Yao, T. Wang, Z. Jiao, I. Chen</i> | |
| IDENTIFICATION OF UNDERACTUATED MANIPULATOR BASED ON GENETIC ALGORITHM | 653 |
| <i>W. Xu, J. Liu</i> | |

| | |
|---|-----|
| INTEGRATED RELIABILITY RESEARCH ARCHITECTURE FOR AFDX | 657 |
| <i>K. Wang, S. Wang, J. Shi</i> | |
| INVESTIGATION OF VIBRATION PROBLEM OF THE THROTTLE VALVE IN A MULTI-WAY VALVE TEST RIG | 663 |
| <i>X. Wang, Z. Jiao, S. Wu, J. Sun</i> | |
| KINEMATIC DESIGN OF A NEW PARALLEL KINEMATIC MACHINE FOR AIRCRAFT WING ASSEMBLY | 669 |
| <i>Y. Jin, X. Kong, C. Higgins, M. Price</i> | |
| MAGNETIC FIELD ANALYSIS OF A NOVEL SPHERICAL ACTUATOR WITH THREE-DIMENSIONAL POLE PATTERNS | 675 |
| <i>L. Yan, H. Meng, N. Yao, Z. Jiao</i> | |
| MODELING OF ATTRACTION FORCE GENERATED BY INTERDIGITAL ELECTRODES FOR ELECTROADHESIVE ROBOTS | 678 |
| <i>H. Shen, R. Liu, R. Chen, J. He</i> | |
| OVERVIEW OF STORAGE RELIABILITY FOR HIGH RELIABILITY PRODUCTS | 682 |
| <i>W. Hong, S. Wang, X. Wang, W. Wang</i> | |
| PROGNOSTIC ANALYSIS BASED ON HYBRID PREDICTION METHOD FOR AXIAL PISTON PUMP | 688 |
| <i>Z. He, S. Wang, K. Wang, K. Li</i> | |
| PROGNOSTIC MANAGEMENT VERIFICATION SYSTEM OF AIRCRAFT HYDRAULIC POWER SUPPLY SYSTEM | 693 |
| <i>J. Du, S. Wang, L. Han, S. Zhao, C. Guo</i> | |
| PSEUDO-MEASURED LPV KALMAN FILTER FOR SLAM | 700 |
| <i>E. Guerra, Y. Bolea, A. Grau</i> | |
| RADIAL MAXIMUM THERMAL NETWORK BASED ON HOLLOW CYLINDER STRUCTURE GEOMETRY | 706 |
| <i>K. Li, S. Wang, Z. He, K. Wang, J. Sullivan</i> | |
| RELIABILITY GROWTH TEST TEST BASED ON MISSION RELIABILITY FOR HYDRAULIC ACTUATION SYSTEM | 713 |
| <i>M. Bian, J. Shi, S. Wang, H. Xiao</i> | |
| RESEARCH FOR THE CHARACTERISTICS OF ELECTRO-MECHANICAL CONVERTER FOR 2D DIGITAL SERVO VALVE | 719 |
| <i>L. Sheng, M. Bin, R. Jian</i> | |
| RESEARCH OF SENSORLESS CONTROLLER OF BLDC MOTOR | 725 |
| <i>Y. Gao, Y. Liu</i> | |
| RESEARCH ON AVIATION SYNCHRONOUS GENERATOR DYNAMIC PERFORMANCE BASED ON EMPIRICAL MODE DECOMPOSITION AND SUPPORT VECTOR MACHINE | 729 |
| <i>W. Tang, D. Yan, C. Guo</i> | |
| RESEARCH ON PULSATION ATTENUATION CHARACTERISTICS OF EXPANSION CHAMBER IN HYDRAULIC SYSTEMS | 735 |
| <i>S. He, Z. Jiao, C. Guan, Y. Xu</i> | |
| ROBUST ADAPTIVE NEURAL NETWORK CONTROL OF AIRCRAFT BRAKING SYSTEM | 740 |
| <i>B. Chen, Z. Jiao, S. Sam, C. Wang</i> | |
| STIFFNESS ANALYSIS AND OPTIMIZATION OF A NOVEL CABLE-DRIVEN ANTHROPOMORPHIC-ARM MANIPULATOR | 746 |
| <i>J. Chen, W. Chen, C. Hu, Q. Chen</i> | |
| SYNCHRONIZATION MOTION CONTROL FOR QUAD-CYLINDER LIFT SYSTEMS WITH ACCELERATION COUPLING | 752 |
| <i>H. Dou, S. Wang, W. Zhao</i> | |
| THE MECHANICAL DESIGN OF SNAKE-ARM ROBOT | 758 |
| <i>J. He, R. Liu, K. Wang, H. Shen</i> | |
| TOP-LEVEL DESIGN AND ALL-OPERATION-PROFILE FAULT RECONFIGURATION STRATEGY FOR AEROPLANE HYDRAULIC SYSTEMS BASED ON AIRWORTHINESS REGULATIONS | 762 |
| <i>L. Han, S. Wang, J. Du, F. Yang</i> | |
| WEIGHT-VARYING NEURAL NETWORK FOR PARAMETER IDENTIFICATION OF AUTOMATIC VEHICLE | 766 |
| <i>H. Lei, S. Yikai, Y. Xiaoqing, D. Wang, Y. Ming</i> | |
| A 3D MODEL SIMPLIFICATION ALGORITHM BASED ON EDGE-COLLAPSE | 776 |
| <i>T. Ma, G. Gong, J. Yan</i> | |
| A MODULE-INTEGRATED ISOLATED SOLAR MICRO-INVERTER | 780 |
| <i>C. Yang, Y. Chang, C. Li, S. Cheng, Q. Huang, C. Chuang, H. Chiu, Y. Lo, M. Kuo, Y. Huang, Y. Jean</i> | |

| | |
|---|------------|
| AN APPROACH FOR ASSISTING INDUSTRIAL APPLICATION REENGINEERING | 786 |
| <i>A. Dubey, S. Bhattacharya</i> | |
| AN OPEN ENERGY CONSUMPTION-RELEVANT FACTORY AUTOMATION DATASET IN THE CLOUD | 792 |
| <i>B. Zhang, C. Postelnicu, J. Jokinen, J. Lastra</i> | |
| AVAILABILITY OPTIMIZATION FOR REPAIRABLE PARALLEL-SERIES SYSTEM BY APPLYING TABU-GA COMBINATION METHOD | 803 |
| <i>G. Liu</i> | |
| CONTEXT EXTRACTION FOR SELF-LEARNING PRODUCTION SYSTEMS | 809 |
| <i>S. Scholze, J. Barata, C. Decker</i> | |
| CONTROL RECONFIGURABILITY OF NONLINEAR SYSTEM BASED ON CONTROL REDUNDANCY..... | 815 |
| <i>Z. Yang, S. Hua, Q. Hongzhuan, L. Chengrui</i> | |
| COPY PROTECTION FOR AUTOMOTIVE ELECTRONIC CONTROL UNITS USING AUTHENTICITY HEARTBEAT SIGNALS..... | 821 |
| <i>A. Wasicek</i> | |
| DESIGN AND IMPLEMENTATION OF A CONTACT-LESS POWER CHARGER FOR ROBOT APPLICATIONS..... | 827 |
| <i>Y. Chang, C. Yang, C. Li, S. Cheng, H. Chiu, Y. Lo</i> | |
| DESIGN OF INFORMATION MANAGEMENT SYSTEM FOR MINER ENTERPRISE'S WORK SITES..... | 833 |
| <i>Y. Gai, Y. Shi, M. Cai, X. Fu, X. Cheng</i> | |
| DESIGN OF ON-LINE TEMPERATURE MONITORING SYSTEM FOR POWER CABLE JOINTS BASED ON SUPERCAPACITOR..... | 837 |
| <i>X. Meng, X. Hu</i> | |
| GPGPU AIDED METHOD FOR REAL-TIME SYSTEMS..... | 841 |
| <i>Y. Iwase, D. Abe, T. Yakoh</i> | |
| HEALTH SYSTEM ZEITGEIST: HOW TWEETS CAN PROVIDE REAL-TIME INSIGHT INTO THE HEALTH SYSTEM | 846 |
| <i>R. Steele, K. Min</i> | |
| HOLISTIC FRAMEWORK OF SECURITY MANAGEMENT FOR CLOUD SERVICE PROVIDERS..... | 852 |
| <i>G. Zhao</i> | |
| INFORMATION FUSION AND DISCOUNTING TECHNIQUES FOR DECISION SUPPORT IN AEROSPACE | 857 |
| <i>F. Browne, Y. Jin, D. Bell, W. Liu, C. Higgins, N. Rooney, H. Wang</i> | |
| MULTIPLE DESCRIPTION CODING WITH DELTA-SIGMA MODULATION..... | 863 |
| <i>R. Shiomi, D. Abe, T. Yakoh</i> | |
| REAL TIME DIGITAL CONTROL SYSTEM FOR A SINGLE-PHASE SHUNT ACTIVE POWER FILTER | 869 |
| <i>V. Silva, J. Pinto, J. Cabral, J. Afonso, A. Tavares</i> | |
| REALISTIC TRAINING SIMULATIONS OF EXPLOSIVE ORDNANCE DISPOSAL & IMPROVED EXPLOSIVE DEVICE DISPOSAL ROBOTS..... | 875 |
| <i>W. Schoor, M. Forster, A. Radetzky</i> | |
| RESEARCH ON KEY TECHNIQUES FOR MULTI-PROJECTOR DISPLAY WALL | 881 |
| <i>Z. Song, G. Gong</i> | |
| STUDY OF CURRENT TRANSFORMER CALIBRATING SYSTEM BASED ON EQUIVALENT-MODEL..... | 886 |
| <i>Y. Wang, T. Liu, X. Hu</i> | |
| STUDY OF VIBRATION SENSITIVE AREAS ON 500KV POWER TRANSFORMER TANK..... | 891 |
| <i>L. Aidi, W. Zebo, H. Hai, W. Jinhui, Z. Jianping</i> | |
| THE APPLICATION OF A POLYNOMIAL FIT BASED SIMULATION METHOD IN HYDRAULIC ACTUATOR CONTROL SYSTEM..... | 897 |
| <i>J. Wang, Y. Tian</i> | |
| THE HIGH ANGLE OF ATTACK MODELING AND NONLINEAR DYNAMIC INVERSION FLIGHT CONTROL LAW DESIGN | 901 |
| <i>F. Zhanqi, L. Lin</i> | |
| VIDEO COMMUNICATION SYSTEM BASED ON HYBRID PACKETIZATION SCHEME..... | 906 |
| <i>X. Zhao, L. Zhao</i> | |
| VISION-BASED AUTO-TEACHING FOR AUTOMATED PCB DEPANELING..... | 910 |
| <i>W. Li, M. Breier, T. Aach</i> | |

| | |
|--|------|
| COMPUTATIONAL STUDY OF HYDRODYNAMIC PERFORMANCE OF VERTICAL AXIS WATER TURBINES | 920 |
| <i>Y. Sun, L. Zhang</i> | |
| CONTROL AND HARDWARE-IN-THE-LOOP SIMULATION OF FRUIT PACKING MACHINE WITH IEC 61499 | 923 |
| <i>J. Yan, V. Vyatkin, G. Weber, N. Beach</i> | |
| FAULT DETECTION AND ACCOMMODATION OF A CLASS OF NONLINEAR SYSTEMS | 929 |
| <i>J. Yao, Z. Jiao, B. Yao, W. Dong</i> | |
| FRAMEWORK FOR DYNAMIC VERIFICATION OF MULTI- DOMAIN VIRTUAL PLATFORMS IN INDUSTRIAL AUTOMATION | 935 |
| <i>F. Mendoza, J. Pascal, P. Nenninger, J. Becker</i> | |
| ICT IN MANUFACTURING: TRENDS AND CHALLENGES FOR 2020 - AN EUROPEAN VIEW | 941 |
| <i>M. Taisch, B. Stahl, G. Tavola</i> | |
| MODELING ASSET INFORMATION FOR INTEROPERABLE SOFTWARE SYSTEMS | 947 |
| <i>D. Kampert, U. Epple</i> | |
| RESEARCH ON THE VELOCITY SHOCK AND ENERGY LOSS OF T-JUNCTION AND ARC-JUNCTION IN AIRCRAFT HYDRAULIC SYSTEM | 953 |
| <i>X. Li, S. Wang, J. Liang</i> | |
| A COMBINATION OF CBR AND BOTTOM UP APPROACH FOR FEVER DETECTION | 962 |
| <i>S. Deyashi, D. Banerjee, B. Chakraborty</i> | |
| APPLICATION OF TREE STRUCTURE FOR PRIMARY DISEASE DETECTION FOR AUTOMATED PATIENT ADMISSION SYSTEM | 968 |
| <i>S. Halder, R. Mondal, S. Dey, B. Chakraborty</i> | |
| CAN AVOID THE PRESENT “BABEL TOWER” EFFECT, CAUSED BY THE UNCONTROLLED PROLIFERATION OF MANAGEMENT METHODS? | 974 |
| <i>G. Montejano, N. Debnath, M. Cota</i> | |
| CLASSIFICATION BASED ON AN ONTOLOGICAL MODEL APPLICATION TO THE CLASSIFICATION OF SPARE PARTS FOR FRENCH NUCLEAR POWER PLANTS | 980 |
| <i>A. Dourgnon-Hanoune, C. Meuwisse, A. Gauthier</i> | |
| CLUSTERING AROUND MEDOIDS BASED ON ULTRAMETRIC PROPERTIES | 986 |
| <i>S. Fouchal, M. Bui, I. Lavallee</i> | |
| GRAPH SEMANTIC BASED DESIGN OF XML DATA WAREHOUSE: A CONCEPTUAL PERSPECTIVE | 992 |
| <i>A. Sarkar, S. Choudhury, N. Debnath</i> | |
| MEASURING COMPLEXITY OF MULTI-AGENT SYSTEM ARCHITECTURE | 998 |
| <i>A. Sarkar, N. Debnath</i> | |
| MINING AND CHECKING WEB SERVICE BEHAVIOR | 1004 |
| <i>X. Wan, X. Mao, Z. Dai</i> | |
| MITIGATING ROUTE REQUEST FLOODING ATTACK IN MANET USING NODE REPUTATION | 1010 |
| <i>P. Choudhury, S. Nandi, A. Pal, N. Debnath</i> | |
| MOBILITY AWARE DISTRIBUTED SERVICE COMPOSITION FRAMEWORK IN SOA BASED MANET APPLICATION | 1016 |
| <i>P. Choudhury, P. Dutta, S. Nandi, N. Debnath</i> | |
| NETWORK ANALYSES OF BEIJING SUBWAYS | 1022 |
| <i>S. Liu, W. He</i> | |
| OPTIMIZATION DESIGN OF ELECTRIC SERVO BASED ON DYNAMIC PERFORMANCE AND RELIABILITY | 1025 |
| <i>H. Xiao, S. Wang, J. Shi, M. Bian</i> | |
| RESEARCH ON INFORMATION ORGANIZATION MODEL FOR MICROBLOG PLATFORM | 1031 |
| <i>G. Zhan</i> | |
| TRANSFORMATION OF BUSINESS PROCESS MODELS BPMN 2.0 INTO COMPONENTS OF THE JAVA BUSINESS PLATFORM | 1035 |
| <i>N. Debnath, C. Martinez, F. Zorzan, D. Riesco, G. Montejano</i> | |
| UTILISATION OF DATA MINING IN MINING INDUSTRY: IMPROVEMENT OF THE SHEARER LOADER PRODUCTIVITY IN UNDERGROUND MINES | 1041 |
| <i>B. Balaba, M. Ibrahim, I. Gunawan</i> | |
| A WEB OF THINGS TO REDUCE ENERGY WASTAGE | 1050 |
| <i>M. Lanthaler, C. Gutl</i> | |
| LIBERATION OF SMART GRIDS ADDRESSED THROUGH SOC: AN APPLICATION OF THE SERVICE DISCOVERY FRAMEWORK ACTAS | 1056 |
| <i>R. Kloos, R. Unland, C. Branki</i> | |

| | |
|--|------|
| RESEARCH ON THE MECHANICAL STATE PARAMETER EXTRACTION METHOD OF HIGH VOLTAGE CIRCUIT BREAKERS | 1062 |
| <i>Y. Fan, H. Xiaoguang</i> | |
| SMART GRID AUTOMATION: DISTRIBUTED PROTECTION APPLICATION WITH IEC61850/IEC61499 | 1067 |
| <i>C. Yang, G. Zhabelova, V. Vyatkin, N. Nair, A. Apostolov</i> | |
| THE REALIZATION OF BROADBAND CARRIER COMMUNICATION IN REMOTE AUTOMATIC METER READING SYSTEM | 1073 |
| <i>Q. Chen-xi, H. Xiao-guang</i> | |
| HIERARCHICAL OPTIMIZATION OF COUPLED SELF-OPTIMIZING SYSTEMS | 1080 |
| <i>C. Holscher, D. Zimmer, J. Kebler, M. Kruger, A. Trachtler</i> | |
| PARALLEL SCHEDULING FOR EVOLVING MANUFACTURING SYSTEMS | 1086 |
| <i>B. Klopper, J. Pater, W. Dangelmaier</i> | |
| RUNTIME SAFETY ANALYSIS FOR SAFE RECONFIGURATION | 1092 |
| <i>C. Priesterjahn, C. Heinzemann, W. Schafer, M. Tichy</i> | |
| TOWARDS HIERARCHICAL SELF-OPTIMIZATION IN AUTONOMOUS GROUPS OF MOBILE ROBOTS | 1098 |
| <i>T. Schierbaum, A. Jungmann, C. Rasche, B. Werdehausen, B. Kleinjohann</i> | |
| A CLOSED-LOOP CONTROL ALLOCATION METHOD FOR SATELLITE PRECISION POINTING | 1108 |
| <i>Y. Zhang, Z. Chen</i> | |
| FAULT DETECTION OF NETWORKED CONTROL SYSTEMS BASED ON FUZZY ADAPTIVE INTERACTING MULTIPLE-MODEL ALGORITHM | 1113 |
| <i>E. Niu, Q. Wang, C. Dong</i> | |
| FUZZY SCHEDULER DESIGN FOR NETWORKED CONTROL SYSTEM WITH LIMITED BANDWIDTH | 1118 |
| <i>W. Zhuang, Q. Wang, Z. Wang, C. Dong</i> | |
| NETWORKED SLIDING MODE CONTROL FOR LEVELING SUBSYSTEM OF MULTI-AXLE TRANSPORTATION VEHICLES | 1124 |
| <i>L. Yang, M. Zhang, Y. Li</i> | |
| SINGLE NEURON PID CONTROLLER BASED ON ADAPTIVE SMITH PREDICTOR FOR NETWORKED CONTROL SYSTEMS | 1136 |
| <i>X. Zhang, L. Yang, Y. Li</i> | |
| STATE MACHINE MODEL-BASED MIDDLEWARE FOR CONTROL AND PROCESSING IN INDUSTRIAL WIRELESS SENSOR AND ACTUATOR NETWORKS | 1142 |
| <i>J. Cecilio, P. Martins, J. Costa, P. Furtado</i> | |
| CHALLENGES FOR SERVICE ROBOTS OPERATING IN NON-INDUSTRIAL ENVIRONMENTS | 1152 |
| <i>A. Soroka, R. Qiu, A. Noyvirt, Z. Ji</i> | |
| CLASSIFICATION OF MULTI-CHANNELS SEMG SIGNALS USING WAVELET AND NEURAL NETWORKS ON ASSISTIVE ROBOT | 1158 |
| <i>S. Gu, Y. Yue, C. Maple, B. Liu, C. Wu</i> | |
| FUZZY LOGIC BASED SYMBOLIC GROUNDING FOR BEST GRASP POSE FOR HOMECARE ROBOTICS | 1164 |
| <i>B. Liu, D. Li, Y. Yue, C. Maple, S. Gu, R. Qiu</i> | |
| HOMING ALGORITHM ANALYSIS FOR A CABLE-DRIVEN 3-DOF SHOULDER JOINT | 1170 |
| <i>W. Chen, Q. Chen, R. Liu, J. Zhang</i> | |
| HUMAN DETECTION AND TRACKING IN AN ASSISTIVE LIVING SERVICE ROBOT THROUGH MULTIMODAL DATA FUSION | 1176 |
| <i>A. Noyvirt, R. Qiu</i> | |
| INDOOR LOCALIZATION AND 3D SCENE RECONSTRUCTION FOR MOBILE ROBOTS USING THE MICROSOFT KINECT SENSOR | 1182 |
| <i>Y. Zou, W. Chen, X. Wu, Z. Liu</i> | |
| SHARP CURVE LANE BOUNDARIES PROJECTIVE MODEL AND DETECTION | 1188 |
| <i>Y. Chen, M. He</i> | |
| TOWARDS AUTOMATED TASK PLANNING FOR SERVICE ROBOTS USING SEMANTIC KNOWLEDGE REPRESENTATION | 1194 |
| <i>Z. Ji, R. Qiu, A. Noyvirt, A. Soroka, M. Packianather, R. Setchi, D. Li, S. Xu</i> | |
| A MULTI-CHANNEL MAC PROTOCOL DESIGN BASED ON IEEE 802.15.4 STANDARD IN INDUSTRY | 1206 |
| <i>C. Wu, H. Yan, H. Huo</i> | |

| | |
|---|------|
| DESIGN AND IMPLEMENTATION OF A STREET PARKING SYSTEM USING WIRELESS SENSOR NETWORKS | 1212 |
| <i>J. Gu, Z. Zhang, F. Yu, Q. Liu</i> | |
| TOWARDS RELIABLE AND LIGHTWEIGHT COMMUNICATION IN INDUSTRIAL WIRELESS SENSOR NETWORKS | 1218 |
| <i>F. Barac, K. Yu, M. Gidlund, J. Akerberg, M. Bjorkman</i> | |
| A COOPERATIVE APPROACH TO MULTIPLE UAVS SEARCHING FOR MOVING TARGETS BASED ON A HYBRID OF VIRTUAL FORCE AND RECEDING HORIZON | 1228 |
| <i>X. Xiao, Z. Dong, J. Wu, H. Duan</i> | |
| AUTOMATED DECENTRALIZED IT SECURITY SUPERVISION IN AUTOMATION NETWORKS | 1234 |
| <i>M. Runde, C. Tebbe, K. Niemann, J. Toemmler</i> | |
| DEVELOPMENT OF SMART FIELD DEVICES USING HETEROGENEOUS MULTICORE PROCESSORS | 1240 |
| <i>F. Colln, C. Koch, J. Stapelfeldt</i> | |
| SERVICE-ORIENTED ARCHITECTURE APPROACH FOR INDUSTRIAL “SYSTEM OF SYSTEMS”: STATE-OF-THE-ART FOR ENERGY MANAGEMENT | 1246 |
| <i>D. Mora, M. Taisch, A. Colombo, J. Mendes</i> | |
| SYSTEM ARCHITECTURE FOR DATA COMMUNICATION AND LOCALIZATION UNDER HARSH ENVIRONMENTAL CONDITIONS IN MARITIME AUTOMATION | 1252 |
| <i>T. Wehs, M. Janssen, C. Koch, G. Colln</i> | |
| A LOW-OVERHEAD RECOVERY APPROACH FOR DISTRIBUTED COMPUTING ENVIRONMENT | 1258 |
| <i>B. Gupta, S. Rahimi, N. Debnath</i> | |
| RELIABILITY OF WIRELESS SENSOR NETWORK: HOTSPOT AND CRITICAL CHALLENGES | 1262 |
| <i>N. Yao, S. Wang, Y. Shang, J. Shi</i> | |
| Author Index | |