2012 IEEE Bipolar/BkCMOS Circuits and Technology Meeting

(BCTM 2012)

Portland, Oregon, USA 30 September – 3 October 2012



IEEE Catalog Number: ISBN:

CFP12BIP-PRT 978-1-4673-3020-6

Table of Contents

Characteristics of	GaAs Spike	Doped	Collectors	%
Peter Zampardi				

A Circuit-Based Approach for the Compensation of Self-Heating-Induced Timing Errors in Bipolar Comparators)

Kyle Webb

A Study of SiGe Signal Sources in the 220-330 GHz Range -- Sorin Voinigescu

A Low Phase Noise Colpitts VCO for Ku-band applications "% Domine Leenaerts

HBT device robustness against process variations in millimeter-wave BiCMOS technology "%+ Gregory AVENIER

A Clock Phase Adjustment Circuit for Synchronizing Multiple High-Speed DEMUXs ** & Rahul Shringarpure

Thin-film Silicon Technology for Highly-Efficient Solar Cells `&)

Rene van Swaaij

Double-Polysilicon Self-Aligned SiGe HBT Architecture Based on Nonselective Epitaxy and Polysilicon Reflow ** &

Hans Mertens

Extrinsic Base Resistance Optimization in DPSA-SEG SiGe:C HBTs (\$ Elodie Canderle

SFDR Considerations for Current Steering High-Speed Digital to Analog Converters "((
Mohammad Mahdi Khafaji

Innovative Architectures for Advanced Handset Power Amplifier Performance"(, Peter Wright

47-77 GHz and 70-155 GHz LNAs in SiGe BiCMOS Technologies) * Gang Liu

Systematic Large-Signal Verification Procedure for mm-wave SiGe Bipolar Transistors ** \$ Jaap Essing

An overview on the state-of-the-art of Carbon-based radio-frequency electronics ** (
Michael Schroter

Considerations for Forward Active Mode Reliability in an Advanced Hetero-Junction Bipolar Transistor **+&

jonggook kim

Extraction of the emitter related space charge weighting factor parameters of HICUM L2.30

using the Lambert W function "+*

Felix Stein

Fast noise extraction method, using only standard DC and S-parameter measurements[™], \$
Evelyne Gridelet

Modeling Collector Current Noise PSD of SiGe HBTs Including Self-Heating and Non-Quasi-Static Effects $\dot{}$, (

Anjan Chakravorty

On-Die Self-Healing of Mixer Image-Rejection Ratio for Mixed-Signal Electronic Systems", , Subramaniam Shankar

A Broadband 1.33 THz GBP 120-mW Common-Collector Feedback Amplifier in SiGe Technology - &

Ahmed Gharib

State-of-the-art and Future Perspectives in Calibration and De-Embedding Techniques for Characterization of Advanced SiGe HBTs featuring sub-THz fT/fMAX $^{\cdot\cdot}$ - *

DERRIER NICOLAS

Temperature and geometry dependence of the electrothermal instability of bipolar transistors "%\$(

Andries Scholten

4 × 24 Gb/s 2^7 - 1 PRBS Generator Using 1.8 V MOS-HBT Quasi-CML Logic ∵%\$, Victor Kozlov

Terahertz Detector Arrays in a High-Performance SiGe HBT Technology "%%& Richard Al Hadi

Best Practices to Ensure the Stability of SiGe HBT Cascode Low Noise Amplifiers "%%*
Robert Schmid

A Novel Ccb and Rb Reduction Technique for High-Speed SiGe HBTs ** %&\$
Peng Cheng

Design and Analysis of New Silicided Nano Crystal Dots Field Programmable ESD Protection Structures in BiCMOS⁻⁻%&(

Albert Wang

Examination of Horizontal Current Bipolar Transistor (HCBT) with Double and Single Polysilicon Region ** %4,

Tomislav Suligoj

Characterization of Mutual Heating inside a SiGe Ring Oscillator '% & Mario Weiß

From the future to the mainstream, has GaAs reliability finally come of age? "% * William Roesch

Co-integration of high-performance and high-breakdown SiGe HBTs in a BiCMOS technology '%()

John Pekarik

Impact of the Emitter Charge on RF Noise of Junction Bipolar Transistors "%(- Francesco Vitale

Dynamic electrothermal analysis of bipolar devices and circuits relying on multi-port positive fraction Foster representation "%) '

Vincenzo d'Alessandro

A Highly Efficient Watt-level SiGe BiCMOS Power Amplifier with Envelope Tracking for LTE Applications % +

Ruili Wu

High Speed Op Amps: Performance, Process and Topologies $\bar{\ \ }\%^*\,\%$

JoAnn Close

A V-band Differential SiGe VCO With Varactor-less Tuning "% -

Saeed Zeinolabedinzadeh

Differential Signal Source Chips at 150 GHz and 220 GHz in SiGe Bipolar Technologies Based on Gilbert-Cell Frequency Doublers "%+"

Christian Bredendiek

Ruili Wu

Low-Cost, High-Voltage SiGe:C HBTsfor a 0.18 µm BiCMOS Process % %

Dieter Knoll

Living Chips and Chips for the Living '%)

Ronald Dekker

Heterogeneous BiCMOS technologies and circuits and the DARPA Diverse Accessible Heterogeneous Integration (DAHI) program '% (

Sanjay Raman

MEMS Module Integration into SiGe BiCMOS Technology for Embedded System Applications "%-)

Mehmet Kaynak