

# **Horiba International Conference - The 19th International Conference on the Application of High Magnetic Fields in Semiconductor Physics and Nanotechnology'4232**

**Journal of Physics: Conference Series Volume 334**

**Fukuoka, Japan  
1-6 August 2010**

**ISBN: 978-1-62276-681-9  
ISSN: 1742-6588**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2010) by the Institute of Physics  
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact the Institute of Physics  
at the address below.

Institute of Physics  
Dirac House, Temple Back  
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481  
Fax: 44 1 17 920 0979

[techtracking@iop.org](mailto:techtracking@iop.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

## Papers

- 012001 [Spin-orbit coupling and the Landau level spectrum of ABA-stacked trilayer graphene](#) Edward McCann and Mikito Koshino 1
- 012002 [Spontaneous Quantum Hall States and Novel Luttinger Liquids in Chiral Graphene](#) Fan Zhang, Jeil Jung and Allan H MacDonald 11
- 012003 [DMRG study of fractional quantum Hall effect and valley skyrmions in graphene](#) Naokazu Shibata 20
- 012004 [Topological aspect of graphene physics](#) Y Hatsugai 27
- 012005 [Orbital magnetism of Dirac systems](#) Mikito Koshino and Tsuneya Ando 40
- 012006 [Tilt-Induced Anisotropic Phases in Wide GaAs Quantum Wells](#) D R Luhman, W Pan, T M Lu, D C Tsui, L N Pfeiffer, K W Baldwin and K W West 47
- 012007 [Nonequilibrium transport in very high Landau levels](#) M A Zudov, A T Hatke, H - S Chiang, L N Pfeiffer, K W West and J L Reno 53
- 012008 [Real-space mapping of a disordered two-dimensional electron system in the quantum Hall regime](#) K Hashimoto, J Wiebe, T Inaoka, Y Hirayama, R Wiesendanger and M Morgenstern 63
- 012009 [Coherent control of two individual electron spins and influence of hyperfine coupling in a double quantum dot](#) S Tarucha, T Obata, M Pioro-Ladriere, R Brunner, Y - S Shin, T Kubo and Y Tokura 69
- 012010 [Electronic energy levels, wavefunctions and potential landscape of nanostructures probed by magneto-tunnelling spectroscopy](#) O Makarovsky, O Thomas, A Patanè, R P Campion, C T Foxon, E E Vdovin, D K Maude, A G Balanov and L Eaves 75
- 012011 [Magneto-optical cavity quantum electrodynamics effects in quantum dot - micropillar systems](#) S Reitzenstein, S Münch, P Gold, P Franeck, A Rahimi-Iman, A Löffler, S Höfling, L Worschech, I V Ponomarev, T L Reinecke and A Forchel 84
- 012012 [Additional Evidence for the Surface Origin of the Peculiar Angular-Dependent Magnetoresistance Oscillations Discovered in a Topological Insulator  \$\text{Bi}\_{1-x}\text{Sb}\_x\$](#)  A A Taskin, Kouji Segawa and Yoichi Ando 92
- 012013 [Thermoelectric transport of perfectly conducting channels in two- and three-dimensional topological insulators](#) Shuichi Murakami, Ryuji Takahashi, O A Tretiakov, Ar Abanov and Jairo Sinova 97

- 012014 [Zero-resistance states in bilayer electron systems induced by microwave irradiation](#) S Wiedmann, G M Gusev, O E Raichev, A K Bakarov and J C Portal 106
- 012015 [Nonequilibrium magnetooscillations in spatially non-uniform quantum Hall systems](#) Ivan A Dmitriev 111
- 012016 [Symmetry breaking as the origin of zero-differential resistance states of a 2DEG in strong magnetic fields](#) Manuel Torres and Alejandro Kunold 117
- 012017 [Investigation of Serial Quantum Hall arrays as a Quantum Resistance Standard](#) J Könemann, C Leicht, F-J Ahlers, E Pesel, K Pierz and H W Schumacher 123
- 012018 [Spatial mapping of potential fluctuation in GaAs/AlGaAs and graphene by a scanning nano electrometer](#) Yukio Kawano and Koji Ishibashi 127
- 012019 [Hall-potential distribution in AC quantum Hall effect](#) Hiroshi Akera 132
- 012020 [A Numerical Study of Non-local Magneto Transport Effects in Quantum Hall Device Structures](#) Josef Oswald, Christoph Uiberacker and Christian Stecher 137
- 012021 [High-sensitive optical measurement of spin polarization in a quantum Hall system](#) H Ito, T Yamazaki, D Fukuoka, K Oto, K Muro, Y Hirayama and N Kumada 142
- 012022 [Optical probing of quantum Hall effect of composite fermions and of the liquid-insulator transition](#) F Rossella, V Bellani, F Dionigi, M Amado, E Diez, K Kowalik, G Biasiol and L Sorba 148
- 012023 [Modulation induced stripe phase at fractional fillings](#) Akira Endo, Naokazu Shibata and Yasuhiro Iye 153
- 012024 [Critical tunnel currents and dissipation of Quantum-Hall bilayers in the excitonic condensate state](#) Y Yoon, X Huang, E Yarar, W Dietsche, L Tiemann, S Schmult and K v Klitzing 158
- 012025 [Density-Imbalance Stability Diagram of the  \$\nu\_T = 1\$  Bilayer Electron System at Full Spin Polarization](#) Keiko Takase and Koji Muraki 163
- 012026 [Emergent fractional quantum Hall effect at even denominator  \$\nu = 3/2\$  in a triple quantum well in tilted magnetic fields](#) S Wiedmann, G M Gusev, A K Bakarov and J C Portal 168
- 012027 [Comparison of the Magnetoresistance Hysteresis between Bilayer  \$\nu = 4/3\$  and Monolayer  \$\nu = 2/3\$  Quantum Hall States](#) S Tsuda, A Fukuda, D Terasawa, N Minh Hai, Y Ogasawara, Y D Zheng and A Sawada 173

- 012028 [Dynamic nuclear polarization induced by the breakdown of fractional quantum Hall effect](#) Minoru Kawamura, Masashi Ono, Yoshiaki Hashimoto, Shingo Katsumoto and Tomoki Machida 177
- 012029 [Resistively detected NMR with dispersive lineshape in single InSb quantum wells](#) K F Yang, H W Liu, T D Mishima, M B Santos, K Nagase and Y Hirayama 181
- 012030 [Interlevel hybridization phenomena in the coincidence effect under quantum Hall regime in a HgTe quantum well](#) M V Yakunin, A V Suslov, S M Podgornykh, S A Dvoretzky and N N Mikhailov 185
- 012031 [Non-equilibrium transport in a quantum wire in the quantum Hall regime](#) K Chida, M Hashisaka, Y Yamauchi, S Nakamura, T Arakawa, T Machida, K Kobayashi and T Ono 190
- 012032 [Field and Density Dependence of Edge Magnetoplasmon Transport in a Quantum Hall System](#) N Kumada, H Kamata, K Muraki and T Fujisawa 194
- 012033 [Quantum phase transition of dynamical resistance in a mesoscopic capacitor](#) Yuji Hamamoto, Thibaut Jonckheere, Takeo Kato and Thierry Martin 198
- 012034 [Edge state distribution in an Aharonov-Bohm electron interferometer in the integer quantum Hall regime](#) T Ozturk, A E Kavruk, A Ozturk, U Atav and H Yuksel 203
- 012035 [Magneto-transport in the zero-energy Landau level of single-layer and bilayer graphene](#) U Zeitler, A J M Giesbers, H J van Elferen, E V Kurganova, A McCollam and J C Maan 207
- 012036 [High-field magneto-transport at charge neutrality point in monolayer graphene](#) T Yoshida and K Oto 212
- 012037 [Observation of quantum Hall effect in mono- and bi-layer graphene using pulse magnet](#) S Masubuchi, K Suga, K Kindo, S Takeyama and T Machida 217
- 012038 [Quantum Hall Transport across Monolayer-Bilayer Boundary in Graphene](#) A Tsukuda, H Okunaga, D Nakahara, K Uchida, T Konoike and T Osada 222
- 012039 [Magnetoresistance of Rippled Graphene in a Parallel Magnetic Field](#) Junichi Wakabayashi and Tomoya Sano 227
- 012040 [ESR in a disordered network of nanographene sheets](#) M Hagiwara, H Tsugeno, H Yamaguchi, V L J Joly, K Takai and T Enoki 232
- 012041 [Single-electron switching effect in graphene parallel-coupled double quantum dots](#) M Arai, S Masubuchi and T Machida 237

- 012042 [Numerical study of electronic structure under uniform magnetic field and quantized Hall conductance for multi-band tight-binding models](#) Masao Arai and Yasuhiro Hatsugai 242
- 012043 [Edge states in graphene quantum Hall system with bond vs potential disorder](#) Mitsuhiro Arikawa, Hideo Aoki and Yasuhiro Hatsugai 246
- 012044 [Manipulation of the Dirac cones and the anomaly in the graphene related quantum Hall effect](#) H Watanabe, Y Hatsugai and H Aoki 250
- 012045 [Dynamical scaling analysis of the optical Hall conductivity in the graphene quantum Hall system with various types of disorder](#) Takahiro Morimoto, Yshai Avishai and Hideo Aoki 255
- 012046 [Many-body corrections to cyclotron resonance in graphene](#) K Shizuya 260
- 012047 [Dirac cones on the generalized honeycomb lattice](#) Keita Kishigi, Kai Ueno, Eriko Miyamoto and Yasumasa Hasegawa 265
- 012048 [Search for non-Abelian statistics in half-filled Landau levels of graphene](#) A Wójs, G Möller and N R Cooper 270
- 012049 [Magnetotransport of Massless Dirac Fermions in Multilayer Organic Conductors](#) T Osada, K Uchida and T Konoike 275
- 012050 [Strong temperature destabilization of free exciton recombination in a two-dimensional structures with hole gas](#) J Jadczyk, L Bryja, A Wójs, G Bartsch, D R Yakovlev, M Bayer, P Plochocka, M Potemski, D Reuter and A Wieck 280
- 012051 [Aharonov-Bohm Exciton Splittings in Carbon Nanotubes in Ultra-High Magnetic Fields](#) S Takeyama, H Suzuki, Y Otsubo, H Yokoi, Y Murakami and S Maruyama 284
- 012052 [Near-infrared magneto-optical study of excitonic states in single-walled carbon nanotubes under ultra-high magnetic fields](#) H Yokoi, Mukhtar Effendi, N Minami and S Takeyama 288
- 012053 [Photoluminescence anomalies of indirect excitons localized at interfaces in CdS/ZnSe MQWs in very high magnetic fields](#) H Saito, R Akimoto, K Kindo and S Takeyama 293
- 012054 [Photo induced cyclotron resonance in ZnSe/BeTe type-II quantum wells](#) R Shen, R Akimoto and S Takeyama 297
- 012055 [Propagation length of spin waves in a conducting system](#) J Gómez, F Perez, B Jusserand, G Karczewski and T Wojtowicz 301

- 012056 [Cyclotron resonance in InMnAs and InMnSb ferromagnetic films](#) Y H Matsuda, G A Khodaparast, R Shen, S Takeyama, X Liu, J Furdyna and B W Wessels 305
- 012057 [Cyclotron resonance in the two-dimensional metallic phase of Si quantum wells](#) R Masutomi, K Sasaki, I Yasuda, A Sekine, K Sawano, Y Shiraki and T Okamoto 309
- 012058 [High-field ESR using SQUID magnetometer](#) T Sakurai, R Goto, N Takahashi, S Okubo and H Ohta 314
- 012059 [Intersubband population inversion and stimulated terahertz transitions between Landau levels in resonant tunneling multiple quantum well structures](#) Maxim P Telenkov, Yury A Mityagin and Petr F Kartsev 318
- 012060 [All Optical Measurement Proposed for the Photovoltaic Hall Effect](#) Takashi Oka and Hideo Aoki 322
- 012061 [Cyclotron resonance of two dimensional Rashba systems in InGaAs](#) Yasutaka Imanaka, Tadashi Takamasu, Shunsaku Nitta and Syoji Yamada 327
- 012062 [Anisotropic spin transport affected by competition between spin orbit interaction and Zeeman effect in an InGaAs based wire](#) Junsaku Nitta, Sylvain Moulis and Makoto Kohda 331
- 012063 [Magnetic field dependency of spin-splitting in In<sub>0.75</sub>Ga<sub>0.25</sub>As/ In<sub>0.75</sub>Al<sub>0.25</sub>As two dimensional electron gas with strong Rashba spin-orbit coupling](#) Syoji Yamada, Shunsaku Nitta, Hiuma Iwase, Masashi Akabori, Yasutaka Imanaka and Tadashi Takamasu 336
- 012064 [Tunable magnetic property of lateral quantum dot molecules](#) Fanyao Qu, D R Santos Jr, R B Azevedo, V López-Richard and G E Marques 340
- 012065 [Symmetric Double Quantum Dot Energy States in a High Magnetic Field](#) Norman J Morgenstern Horing and Makoto Sawamura 345
- 012066 [The self-consistent calculation of the edge states in bilayer quantum Hall bar](#) A E Kavruk, T Ozturk, A Ozturk, U Atav and H Yuksel 351