

# **2012 Electrical Systems for Aircraft, Railway and Ship Propulsion**

**(ESARS 2012)**

**Bologna, Italy  
16 – 18 October 2012**



**IEEE Catalog Number: CFP1292L-PRT  
ISBN: 978-1-4673-1370-4**

**AEA0003**

*Shanshui Y., Meng L., Ruan L., Zhao J., Wang L. - (China)*

Modeling and simulation of aircraft automatic power distribution system""3

**AEA0004**

*Giraud X., Piquet H., Budinger M., Roboam X., Sartor M., Vial S. - (France)*

Knowledge-based system for aircraft electrical power system reconfiguration""7

**AEA0005**

*Pelc M., Med S., Dub M. - (Czech Republic)*

Concept of experimental ehas power pack design""33

**AEA0008**

*Rakhra P., Norman P. J., A Fletcher S. D., Galloway S. J., Burt G. M. - (United Kingdom)*

Toward optimising energy storage response during network faulted conditions within an aircraft electrical power system""37

**AEA0009**

*Brombach J., Lücken A., Nya B., Johannsen M., Schulz D. - (Germany)*

Comparison of different electrical hvdc- architectures for aircraft application""43

**AEA0010**

*Nya B., Brombach J., Schulz D. - (Germany)*

Benefits of high voltage levels in aircraft electrical power systems""49

**AEA0011**

*Antunes A., Antunes V., Antunes C. - (Portugal)*

A modular CAN based acquisition system for flight simulators""54

**AEA0012**

*Monroy A. O., Le-Huy H., Lavoie C. - (Canada)*

Modeling and simulation of a 24-pulse transformer rectifier unit for more electric aircraft power system""5:

**AEA0013**

*Creosteanu A., Creosteanu L. - (Romania)*

Investigation of the electromagnetic interference effect on the speed sensor of an aircraft starter generator""65

**AEA0014**

*Bienaime D., Devillers N., Pera M. C., Gustin F., Berthon A., Grojo M. L.* - (France)

Energetic macroscopic representation as an efficient tool for energy management in a hybrid electrical system embedded in a helicopter""69

**AEA0015**

*Smith T., Bingham C., Stewart P., Allarton R., Stewart D. J.* - (United Kingdom)

Maat high altitude cruiser feeder airship concept energy harvesting and power network architectures""75

**AEA0016**

*Schlabe D., Lienig J.* - (Germany)

Energy management of aircraft electrical systems - state of the art and further directions""7;

**AEA0017**

*Griffo A., Drury D.* - (United Kingdom)

Hardware in the loop emulation of synchronous generators for aircraft power systems""87

**AEA0018**

*Seemann S., Rottach M., Bozhko S., Schlegel C.* - (Germany, United Kingdom)

Modeling of a fault-tolerant electromechanical actuation system for helicopters using modelica""93

**AEA0019**

*Zha W., Wang L., Chen W.* - (China)

Theoretical and experimental study of spread spectral domain reflectometry""9;

**AEA0020**

*Bennouna O., Langlois N.* - (France)

Development of a fault tolerant control for aircraft electromechanical actuators""8: 5

**AEA0021**

*Siva B., Renukaprasad N., Deepak P. M.* - (India)

Unified coil solenoid actuator for aerospace application""8: :

**AEA0022**

*Zhu J., Wang L., Ruan L., Yang S.* - (China)

The skin effect and proximity effect analysis of main feeder of air variable frequency AC system""8; 5

**ERT0002**

*Rassõlkin A., Hõimoja H.* - (Estonia, Switzerland)  
Power quality application of hybrid drivetrain'''''''' ;

**ERT0003**

*Hirose H.* - (Japan)  
Development of catenary and storage battery hybrid train system''''''''325

**ERT0004**

*Lee S., Jung G., Shin S., Kim Y., Song B., Shin J., Cho D.* - (South Korea)  
The optimal design of high-powered power supply modules for wireless power transferred train''''''''329

**ERT0005**

*Wallmark O., Galic J.* - (Sweden)  
Prediction of DC-link current harmonics from pm-motor drives in railway applications''''''''333

**ERT0006**

*Delgado E., Aizpuru I., Canales J. M., Ayarzagüena M., Galparsoro A., Nieva T.* - (Spain)  
Static switch based solution for improvement of neutral sections in hsr systems''''''''33;

**ERT0007**

*Bartolini F., Vanni M., Mpanda A., Allotta B.* - (France, Italy)  
Experimental tuning campaign of control strategies for active pantograph under emulated catenary''''''''347

**ERT0008**

*Saito T., Kondo K., Koseki T., Mizuma T., Hisatomi K.* - (Japan)  
Frequency domain based power controller of energy storage device for a hybrid traction system in a dc-electrified railway''''''''352

**ERT0009**

*Yamashita M., Soeda T.* - (Japan)  
Development of a new traction control method to suppress wheel-slip of electric locomotive''''''''355

**ERT0010**

*Ogawa T., Kanno H., Soeda T., Sugiyama Y.* - (Japan)  
Environmental evaluation of a diesel hybrid shunting locomotive''''''''35;

**ERT0011**

*Ogunsola A., Mariscotti A., Sandrolini L.* - (United Arab Emirates)  
Measurement of AC side harmonics of a DC metro railway''''367

**ERT0012**

*Kara A., Mardikyan K., Baran S.* - (Turkey)  
Application of regenerative braking energy to istanbul metro operation system''''372

**ERT0014**

*Spichartz M., Heising C., Staudt V., Steimel A.* - (Germany)  
State control of induction machines in converter-fixed reference frame''''375

**ERT0015**

*Schrader T., Heising C., Staudt V., Steimel A.* - (Germany)  
Multivariable control of mmc-based static converters for railway applications''''37;

**ERT0016**

*Schrader T., Heising C., Staudt V., Steimel A.* - (Germany)  
Pole-restraining observer for single-phase 16.7-hz line-side converter applications''''387

**ERT0017**

*Popa G., Arsene S., Mihailescu M.* - (Romania)  
Startup railway vehicles with asynchronous traction motors''''393

**ERT0018**

*Popa G., Mihailescu M., Arsene S.* - (Romania)  
Unified system for optimizing the transmission of technical data flow from railway vehicles''''399

**ERT0019**

*Popa G., Mihailescu M., Arsene S.* - (Romania)  
Contact line oscillations induced by the pantograph coupling''''3: 3

**ERT0022**

*Sita I. V.* - (Romania)  
Train comfort, access and security using knx and logo! controllers''''3: 9

**ERT0023**

*Boschetti G., Mariscotti A. - (Italy)*

Integrated electromechanical simulation of traction systems: relevant factors for the analysis and estimation of energy efficiency""3; 5

**ERT0024**

*Glasberger T., Janda M., Muzikova V., Majorszky J., Peroutka Z. - (Czech Republic)*

Frequency analysis and stability enhancement of DTC controlled PMSM drive with input LC filter""3; ;

**ERT0025**

*Colak K., Czarkowski D., de León F. - (United States)*

Energy minimization for catenary-free mass transit systems using particle swarm optimization""427

**ERT0026**

*Coppola M., Iannuzzi D., Del Pizzo A. - (Italy)*

Innovative Power Traction Converter based on Modular Multilevel Architecture integrated with Energy Storage Devices""432

**ERT0027**

*Gritli Y., Tani A., Mengoni M., Zarri L., Serra G., Filippetti F., Casadei D. - (Italy)*

Demagnetization diagnosis for five-phase surface-mounted permanent-magnet motor based on wavelet transform analysis""439

**ERT0028**

*Ciccarelli F., Fantauzzi M., Lauria D., Rizzo R. - (Italy)*

Special transformers arrangement for AC railway systems""446

**ERT0029**

*Chiodo E., Lauria D. - (Italy)*

Probabilistic description and prediction of electric peak power demand""452

**ERT0030**

*Chiodo E., Lauria D. - (Italy)*

Stochastic index definition and estimation for reliability and quality assessment of transportation systems""459

**ESR0001**

*Ganchev M., Kral C., Wolbank T. - (Austria)*

Hardware and software implementation of sensorless rotor temperature estimation technique for permanent magnet synchronous motor""464

**ESR0002**

*Unger J., Hametner C., Jakubek S., Quasthoff M.* - (Austria, Switzerland)

Optimal model based design of experiments applied to high current rate battery cells''''46:

**ESR0003**

*Charalambous A., Christidis G. C., Tatakis E. C.* - (Greece)

Comparative study of the DC/DC boost converter with SiC and si power devices''''476

**ESR0004**

*Marino R., Scalzi S., Verrelli C. M.* - (Italy)

Speed and traction control in electric vehicles with induction motors''''47;

**ESR0005**

*Park J. S., Bon-Gwan Gu, Jin-Hong Kim, Jun-Hyuk Choi, In-Soung Jung* - (South Korea)

Development of BLDC motor drive for automotive applications''''487

**ESR0006**

*Jun-Hyuk Choi, Jin-Hong Kim, Park J. S., Bon-Gwan Gu, In-Soung Jung, Chung-Yuen Won* - (South Korea)

Experimental evaluation of ipm motor for electric vehicle application''''493

**ESR0007**

*Shin J., Shin S., Kim Y., Lee S., Song B., Jung G.* - (South Korea)

Optimal current control of a wireless power transfer system for high power efficiency''''497

**ESR0008**

*Mathe L., Kopacz C., Bede L., Rasmussen P. O.* - (Denmark)

Sensor fault tolerant control of PMSM in flux-weakening operation''''49;

**ESR0009**

*Igelspacher J., Hecker Q., Hans-Georg Herzog* - (Germany)

Simulation of an axial-flux induction machine with squirrel cage based on the winding function theory''''4: 7

**ESR0010**

*Ibanez F., Echeverria J. M., Vadillo J., Fontan L.* - (Spain)

25kw DC/DC converter applied to a supercapacitor stack''''4; 3

**ESR0011**

*Mandiola J. F., Carmona D. C., Haghbin S., Abdulahovic T., Ellsen M.* - (Sweden)

An FPGA implementation of a voltage-oriented controlled three-phase PWM boost rectifier""4; 9

**ESR0012**

*Tessarolo A., Luise F., Mezzarobba M., Bortolozzi M., Branz L.* - (Italy)

Special magnetic wedge design optimization with genetic algorithms for cogging torque reduction in permanent-magnet synchronous machines""525

**ESR0013**

*Tessarolo A., Luise F., Bortolozzi M., Mezzarobba M.* - (Italy)

A new magnetic wedge design for enhancing the performance of open-slot electric machines""52;

**ESR0014**

*Menis R., Mezzarobba M., Tessarolo A.* - (Italy)

A survey of mechanical and electromagnetic design techniques for permanent-magnet motor flux-weakening enhancement""536

**ESR0015**

*Veneri O., Ferraro L., Capasso C., Iannuzzi D.* - (Italy)

Charging infrastructures for ev: overview of technologies and issues""542

**ESR0016**

*Falvo M. C., Lamedica R., Ruvio A.* - (Italy)

Energy storage application in trolley-buses lines for a sustainable urban mobility""548

**ESR0017**

*Brando G., Dannier A., Del Pizzo A.* - (Italy)

An effective control technique for shaft-torque smoothing in dc-brushless drives with arbitrary shape of air-gap magnetic field""554

**ESR0018**

*Buccella C., Cecati C., Cimatoroni M. G.* - (Italy)

Investigation about numerical methods for selective harmonics elimination in cascaded multilevel inverters""55:

**ESR0019**

*Konishi T., Tobita M.* - (Japan)

Fixed energy storage technology applied for DC electrified railway (traction power substation) t. konishi, m. tobita""566



**SEA0001**

*Roscoe A. J., Jackson G., Elders I. M., McCarthy J., Burt G. M.* - (United Kingdom)

Demonstration of sustained and useful converter responses during balanced and unbalanced faults in microgrids""572

**SEA0003**

*de Paula G., de Almeida T., de Monteiro J. R.A., de Santana M., Faracco J.* - (Brazil)

Development of an autonomous aquatic vehicle employed on special activities""578

**SEA0005**

*Postiglione C. S., Collier D., Dupczak B. S., Heldwein M. L., Perin A. J.* - (Brazil)

Propulsion system for an all electric passenger boat employing permanent magnet synchronous motors and modern power electronics""584

**SEA0007**

*Mirosevic M.* - (Croatia)

The dynamics of diesel generator units with different voltage controller parameters""58:

**SEA0008**

*Prousalidis J., Patsios C., Kanellos F., Sarigiannidis A., Tsekouras N., Antonopoulos G.* - (Greece)

Exploiting shaft generators to improve ship efficiency""595

**SEA0009**

*Bruzzese C., Mazzuca T.* - (Italy)

Diem project's outcomes: an automated air-gap monitoring approach for italian navy's on-board low-voltage generators""59;

**SEA0010**

*Palmer P. R., Molina-Cristobal A., Parks G. T.* - (United Kingdom)

Inverse induction motor modelling of a submarine propulsion system""5: 7

**SEA0011**

*Mazzuca T., Bruzzese C.* - (Italy)

Project iso: innovative solutions for italian navy's onboard full-electric actuators""5; 7

**SEA0012**

*Bosich D., Filippo M., Giulivo D., Sulligoi G., Tessarolo A.* - (Italy)

Thruster motor start-up transient in an all-electric cruise-liner: numerical simulation and experimental assessment""623

**SEA0013**

*Veneri O., Migliardini F., Capasso C., Corbo P.* - (Italy)

Overview of electric propulsion and generation architectures for naval applications\*\*\*\*\*628

**SEA0014**

*Patsios C., Antonopoulos G., Prousalidis J.* - (Greece)

Discussion on adopting intelligent power management and control techniques in integrated power systems of all-electric ships\*\*\*\*\*634

**SEA0015**

*Sulligoi G., Bosich D., Mazzuca T., Piva L.* - (Italy)

The fremm simulator: a new software tool to study electro-mechanic dynamics of the shipboard integrated power system\*\*\*\*\*63:

**SEA0016**

*Menis R., da Rin A., Vicenzutti A., Sulligoi G.* - (Italy)

Dependable design of all electric ships integrated power system: guidelines for system decomposition and analysis\*\*\*\*\*646

**SS10005**

*Christidis G. C., Karatzaferis I. Ch., Perpinnas I. I., Sautreuil M., Bezes G., Papanikolaou N. P., Loupis M., Spanoudakis I., Tatakis E. C.* - (Greece, France)

Innovative waste heat recovery systems in rotorcrafts\*\*\*\*\*652

**SS10006**

*Kohlmann M., Fang J., Staudt V., Steimel A.* - (Germany)

Design and realization of a back-to-back IGBT converter for research issues\*\*\*\*\*656

**SS10008**

*Cougo B., Meynard T., Schneider H.* - (France)

Reconfigurable dual active bridge converter for aircraft applications\*\*\*\*662

**SS10009**

*Avila D. M. A., Cougo B., Meynard T., Gateau G., Mendes M. A. S.* - (France, Brazil)

Reconfigurable parallel interleaved three-phase inverter for aeronautical applications\*\*\*\*668

**SS20001**

*Nomura H., Shikata K., Fukasawa S., Kawai H., Aoki H., Tasaka Y.* - (Japan)

PMSM propulsion system for tokyo metro\*\*\*\*\*674

**SS20002**

*Wallmark O., Galic J., Jansson M., Mosskull H.* - (Sweden)

A robust sensorless control scheme for permanent-magnet motors in railway traction applications''''67:

**SS20003**

*Yerpes A., Manzano R., Conejo P., Jiménez E.* - (Spain)

Talgo hybrid train: maximum interoperability in propulsion system''''685

**SS20004**

*Oettmeier M., Spichartz M., Staudt V., Steimel A.* - (Germany)

Stator-flux-oriented control of PMSM in traction – experimental results''''68:

**SS20006**

*Steimel A.* - (Germany)

Under europe's incompatible catenary voltages a review of multi-system traction technology''''696

**SS20007**

*Mosskull H., Galic J., Jansson M.* - (Sweden)

Robust and efficient torque control of permanent magnet synchronous motors in traction applications''''6: 4

**SS20008**

*Re F.* - (Germany)

Viability and state of the art of environmentally friendly aircraft taxiing systems''''6: :

**SS20009**

*Ladoux P.* - (France)

Outlook for SiC devices in traction converters''''6: 6

**SS30001**

*Buzzoni L., Pede G.* - (Italy)

New prospects for public transport electrification''''722

**SS30003**

*Musolino V., Piegari L., Tironi E.* - (Italy)

Storage systems for transportation, land handling and naval applications''''727

**SS40001**

*Kuperman A., Arogeti S., Brand Z., Zhong Q.-C.* - (Israel, United Kingdom)  
Robust ude-based control of active magnetic bearing for flywheel applications\*\*\*\*\*736

**SS50001**

*Lazcano U., Poza J., Aranburu A., Nieva T.* - (Spain)  
DC voltage signal injection for temperature monitoring in very small resistance induction machines\*\*\*\*\*73;

**SS60001**

*Amreiz H.* - (Libya, United Kingdom)  
Use of 2D and 3D finite elements in the design of novel transverse flux machines\*\*\*\*\*747

**SS60002**

*Tursini M., Fabri G., Loggia E. D., Villani M.* - (Italy)  
Parallel positioning of twin emas for fault-tolerant flap applications\*\*\*\*\*753

**SS60003**

*Amreiz H.* - (Libya, United Kingdom)  
Difficulties and complexities encountered in the design of transverse flux machines\*\*\*\*\*759

**SS70001**

*Yang T., Bozhko S., Asher G.* - (United Kingdom)  
Modeling of uncontrolled rectifiers using dynamic phasors\*\*\*\*\*765

**SS70002**

*Wheeler P., Bozhko S., Clare J., Trentin A.* - (United Kingdom)  
Regeneration of energy onto an aircraft electrical power system from an electro-mechanical actuator\*\*\*\*\*76;

**SS70004**

*Nikovski D., Lidicky B., Zhang W., Kataoka K., Yoshimoto A. K.* - (United States, Japan)  
Markov decision processes for train run curve optimization\*\*\*\*\*777

**SS70005**

*Siemaszko D.* - (Switzerland)  
Grid synchronization of power converters to weak unbalanced networks with disturbances\*\*\*\*\*783

**SS70006**

*Djebbar M.S., Benalla H.* - (Algeria)

Multi level converters applied to the field oriented control of the machine induction""789

**SS70007**

*Zhou Q., Nothofer A.* - (United Kingdom)

Conducted emission analysis of electric nacelle anti ice system in aircraft""795

**SS70008**

*Boudjit K.* - (Algeria)

DSP use distribution power grids - a new approach for high impedance arc faults detection""79:

**SS70009**

*Papadopoulos K. G., Siemaszko D., Margaris N. I.* - (Switzerland, Greece)

Optimal automatic tuning of PID controllers applied to grid converters""7: 6

**SS70012**

*Siemaszko D.* - (Switzerland)

Positive and negative sequence control for power converters under weak unbalanced networks""7; 2

**SS70013**

*Oleshuk V., Grandi G., Dragonas F. A.* - (Italy, Moldova)

Synchronized PWM control of asymmetrical dual-inverter fed open-end winding traction drive""7; 8

**SS70014**

*Abrahamsson L., Östlund S., Söder L.* - (Sweden)

HVDC feeding with opf and unit commitment for electric railways""826

**SS70015**

*Delgado F.* - (Spain)

Study on the cooling capacity of alternative liquids in power transformers""832

**SS70016**

*Grandi G., Sanjeevikumar P., Gritli Y., Filippetti F.* - (Italy, India, Tunisia)

Experimental investigation of fault-tolerant control strategies for quad-inverter converters""838

**SS80003**

*Mariscotti A.* - (Italy)

On the common mode to differential mode transformation of conducted disturbance in double track traction lines""846

**SS80004**

*Jabbehdari S., Mariscotti A.* - (Italy, Iran)

Sensitivity analysis of multilayer earth models""84;

**SS80005**

*Deniau V., Dudoyer S., Heddebaut M., Mariscotti A., Marrese A., Pasquino N.* - (Italy, France)

Test bench for the evaluation of gsm-r operation in the presence of electric arc interference""857

**SS90001**

*Grötsch M.* - (Germany)

Development of a fuel cell range extender for commercial vehicles""863

**SS90002**

*Hammadi M., Choley J., Penas O., Riviere A.* - (France)

Multidisciplinary approach for modelling and optimization of road electric vehicles in conceptual design level""868

**SS90003**

*Veneri O., Migliardini F., Capasso C., Corbo P.* - (Italy)

Zebra battery based propulsion system for urban bus applications: preliminary laboratory tests""874

**SS90004**

*Migliardini F., Corbo P.* - (Italy)

Optimization of fuel cell performance in vehicles by electrochemical impedance spectroscopy""87:

**SS90005**

*Migliardini F., Veneri O., Corbo P.* - (Italy)

Management issues of direct hydrogen fuel cell systems for application in automotive field""886

**SS90006**

*Romeo G., Borello F., Cestino E.* - (Italy)

Design of inter-city transport aircraft powered by fuel cell & flight test of zero emission 2-seater aircraft powered by fuel cells fuelled by hydrogen""892

**SS90007**

*Adebusuyi A., Ashworth L.* - (Denmark)

Review and comparison of different commercial vehicle hybridisation techniques""899

**SSA0001**

*Camilleri R., Howey D. A., McCulloch M. D.* - (United Kingdom)

Thermal limitations in air-cooled axial flux in-wheel motors for urban mobility vehicles: a preliminary analysis""8: 3

**SSA0002**

*Vazquez R. E., Mathis Dr. C., Steinhuber A. A.* - (Austria)

New digital simulator and emulator for automobile energy management""8: ;

**SSA0003**

*Vazquez R. E., Mathis Dr. C., Steinhuber A. A.* - (Austria)

Adaptive ems for dual power network vehicles""8; 7

**SSA0004**

*Fahimi B., Wang W.* - (United States)

Comparative study of electric drives for ev/hev propulsion system""923

**SSA0005**

*Boldea I., Tutelea L. N., Deaconu S. I., Marignetti F.* - (Romania)

Dual rotor single- stator axial air gap PMSM motor/generator drive for hevcs: a review of comprehensive modeling and performance characterization""929

**SSA0006**

*Arco S. D., Piegari L., Tricoli P.* - (Norway, Italy, United Kingdom)

A modular converter with embedded battery cell balancing for electric vehicles""937

**SSB0001**

*Witzenhausen H., Käbitz S., Sauer D. U.* - (Germany)

Coupled thermal and impedance based spatially resolved electric model for fault analysis of lithium ion battery modules""943

**SSB0002**

*Kampker A., Burggräf P., Deuskens C., Heimes H., Schmidt M.* - (Germany)

Process alternatives in the battery production""949

**SSB0003**

*Steentjes S., Leßmann M., Hameyer A. K. - (Germany)*

Advanced iron-loss calculation as a basis for efficiency improvement of electrical machines for automotive application\*\*\*\*955

**SSB0004**

*Rothgang S., Nordmann H., Schäper C., Uwe Sauer D. - (Germany)*

Challenges in battery pack design\*\*\*\*95;