# 2012 International Symposium on Information Theory and its Applications

(ISITA 2012)

Honolulu, Hawaii, USA 28 – 31 October 2012



IEEE Catalog Number: CH ISBN: 978

CFP1205E-PRT 978-1-4673-2521-9

# Program

# 2012 International Symposium on Information Theory and its Applications

### LDPC Codes 1

3-Bit Decoding Algorithm for AWGN Channels Hiroshi Kamabe (Gifu University, Japan), Hiroshi Ono	(Gifu University, Japan)	1
Multi-bit flip type gradient descent bit flipping decoding us Ryoji Haga (Meijo University, Japan), Shogo Usami (M		6
An Improved LT Encoding Scheme with Extended Chain Lo Kuo-Kuang Yen (National Chiao Tung University, Taiw (National Chiao Tung University, Taiwan), Hsie-Chia C University, Taiwan)	an), Chih-Lung Chen Chang (National Chiao Tung	.1
Generalization of Lu's Linear Time Encoding Algorithm for Kazuki Kobayashi (Sophia University, Japan), Tomoha University, Japan)	ru Shibuya (Sophia	.6
Communication Systems 1		
Proposal of New Decision Feedback Carrier Synchronization	n Method for Meteor Burst	
Keisuke Komatsubara (Shizuoka University, Japan), K University, Japan), Tadahiro Wada (Shizuoka Universi		1
A study on Read-back Signal Generation Modeling for Shir Recording from Experimental Results Kohsuke Harada (Toshiba Corp., Japan), Yasushi Tom Akihiko Takeo (Toshiba Corp., Japan), Yuuichi Yamada Kazuto Kashiwagi (Toshiba Corp., Japan), Kenji Yoshi	izawa (Toshiba Corp., Japan), a (Toshiba Crop., Japan),	26
N-PE Transmission System for Narrow-Band PLC Shinji Tsuzuki (Ehime University, Japan), Yukiaki Yosh Japan), Intan Sari Areni (Ehime University, Japan), Yo University, Japan)	nizawa (Ehime University, oshio Yamada (Ehime	
Unequal Error Protection with CRC-16 Bits in EPC Class-1 Systems	Generation-2 UHF RFID	
Robert H Morelos-Zaragoza (San Jose State University  Maximum Mutual Information Rate for The Uniformly Sym		6
without Channel State Information Benshuai Xu (University of Greenwich, United Kingdor (Australian National University, Australia), Predrag Ra Greenwich, United Kingdom), Yifan Chen (South University) Technology of China, P.R. China)	n), Zarko B. Krusevac pajic (University of ersity of Science and	1
Shannon Theory		
On Two Strong Converse Theorems for Discrete Memoryle Yasutada Oohama (University of Electro-Communicati	ess Channels ons, Japan) 4	6
Optimal Reliability over a DMC with Feedback via Determi Mohammad Naghshvar (University of California, San I (UCSD, USA)	Diego, USA), Tara Javidi	1
Non-Binary Serially Concatenated Codes for Distributed S Satoru Nakagawa (Kwansei Gakuin University, Japan) Gakuin University, Japan)	, Motohiko İsaka (Kwansei	6

	Wireless Mesh Networks Allowing Intra-Link Errors: CEO Problem Viewpoint Xin He (Japan Advanced Institute of Science and Technology, Japan), Xiaobo Zhou (Japan Advanced Institute of Science and Technology, Japan), Khoirul Anwar (Japan Advanced Institute of Science and Technology, Japan), Tad Matsumoto (Japan Advanced Institute of Science and Technology, Japan)	61
	Power Controlled Adaptive Sum-Capacity in the Presence of Distributed CSI Krishnamoorthy Iyer (IIT Bombay, India), Sibi Raj B Pillai (IIT Bombay, India), Bikash K Dey (Indian Institute of Technology Bombay, India)	66
Detecti	ion and Estimation Theory	
	Bayesian Criteria based on Universal Measures Joe Suzuki (Osaka University, Japan)	71
	The Multiple Sensor Positive Detection Problem Rhonda Phillips (MIT Lincoln Laboratory, USA)	76
	Mean Square Error Reduction by Precoding of Mixed Gaussian Input John Flåm (Norwegian University of Science and Technology, Norway), Mikko Vehkaperä (Aalto University, Finland), Dave Zachariah (KTH EE, Sweden), Efthymios Tsakonas (KTH, Sweden)	81
	Asymptotics of Bayesian estimation for nested models under misspecification Nozomi Miya (Waseda University, Japan), Tota Suko (Waseda University, Japan), Goki Yasuda (Waseda University, Japan), Toshiyasu Matsushima (Waseda University, Japan)	86
Coding	g for Flash Memories	
	Comparing Euclidean, Kendall tau Metrics Toward Extending LP Decoding Justin Kong (University of Hawaii, USA), Manabu Hagiwara (Advanced Industrial Science and Technology, Japan)	91
	On Codes Correcting Bidirectional Limited-Magnitude Errors for Flash Memories  Myeongwoon Jeon (Seoul National University, School of EE, Korea), Jungwoo Lee (Seoul National University, Korea)	96
	Lattice-Based WOM Codebooks that Allow Two Writes Brian Michael Kurkoski (Japan Advanced Institute of Science and Technology (JAIST), Japan)	101
	Index-Less Flash Codes with Arbitrary Small Slices Hiroyuki Nagahara (Nara Institute of Science and Technology, Japan), Yuichi Kaji (Nara Institute of Science and Technology, Japan)	106
Error C	Control and Applications	
	A Soft-Decision Sphere Decoding based on the Recursive Vector Generator Takuya Kusaka (Okayama University, Japan), Ryuhei Yokoyama (Okayama University, Japan), Toru Fujiwara (Osaka University, Japan)	111
	Some Results and Challenges on Codes and Iterative Decoding with Non-equal Symbol Probabilities Bowen Dai (Unversity of Central Florida, USA), Lei Wei (University of Central Florida, USA)	116
	Write-Margin Evaluation of LDPC Coding and Iterative Decoding System in BPM R/W	
	Mixed-Scheduling Belief Propagation for LDPC Decoders in the Magnetic Recording Systems	125
		125

Watid Phakphisut (King Mongkut's Institute of Technology Ladkrabang, Thailand), Pornchai Supnithi (KMITL, Thailand)

## **Communication Systems 2**

	Novel 64QAM Space-Time Codes Using a Large Number of Receive Antennas Tatsumi Konishi (Aichi Institute of Technology, Japan)	130
	Cooperative Reception Scheme Using Multiple Terminals for Digital Terrestrial Television Broadcasting One-Segment Service Ryo Araki (Tokyo University of Science, Japan), Naoki Kobayashi (Tokyo University of Science, Japan), Akira Nakamura (Tokyo University of Science, Japan), Kohei Ohno (Tokyo University of Science, Japan), Makoto Itami (Tokyo University of	
	Science, Japan)	135
	A Theoretical Study on Demodulation of Pre-Coded OFDM by Pre-Coded Symbol Replacement Naoki Sunaga (Tokyo University of Science, Japan), Kohei Ohno (Tokyo University of Science, Japan), Makoto Itami (Tokyo University of Science, Japan)	140
	Complexity reduction using QRD-M or SD in MIMO Interleaved SC-FDMA receiver with	
	iterative detection Masaaki Moriyama (Nagoya Institute of Technology, Japan), Yasunori Iwanami (Nagoya Institute of Technology, Japan)	145
	Interference Mitigation Depending on the Number of Antennas and CSI Available at Femtocells	
	Genji Hayashi (Keio University, Japan), Tomoaki Ohtsuki (Keio University, Japan)	150
Multi-	-User Coding 1	
	On the Redundancy of Variable-Rate Slepian-Wolf Coding Shigeaki Kuzuoka (Wakayama University, Japan)	155
	Computing Polynomial Functions of Correlated Sources: Inner Bounds Sheng Huang (KTH Royal Institute of Technology, Sweden), Mikael Skoglund (KTH Royal Institute of Technology, Sweden)	160
	Layered LDPC Convolutional Codes for Compression of Correlated Sources under Adversarial Attacks Farshad Naghibi (KTH Royal Institute of Technology, Sweden), Ragnar Thobaben (KTH Royal Institute of Technology, Sweden), Somayeh Salimi (KTH Royal Institute of Technology, Sweden), Mikael Skoglund (KTH Royal Institute of Technology, Sweden)	165
	Source Coding with Side Information at the Decoder: Models with Uncertainty, Performance Bounds, and Practical Coding Schemes Elsa Dupraz (L2S - CNRS - SUPELEC - UniversityParis-Sud, France), Aline Roumy (INRIA Rennes, France), Michel Kieffer (L2S - CNRS - SUPELEC - UniversityParis-	
	Sud, France)  An Optimization Algorithm for Scalable Multiple Description Scalar Quantizers Shahid Satti (Vrije Universiteit Brussel - IBBT, Belgium), Nikos Deligiannis (Vrije Universiteit Brussel - IBBT, Belgium), Adrian Munteanu (Vrije Universiteit Brussel, Belgium), Peter Schelkens (Vrije Universiteit Brussel, Belgium), Jan P.H. Cornelis	
Detec	(Vrije Universiteit Brussel, Belgium)  ction and Estimation Applications	175
		100
	Signal Detection and Modulation Classification Using a Goodness of Fit Test	180
	A Study on Location Tracking System using Kalman Filter based on Sensor Information	184
		104

Ryo Ogawara (Utsunomiya University, Japan), Masahiro Fujii (Utsunomiya University, Japan), Yu Watanabe (Utsunomiya University, Japan)
Heart Pate Detection from Waist ECG/PCG Sensors for a Vital Signal Acquisition System

Heart Rate Detection from Waist ECG/PCG Sensors for a Vital Signal Acquisition System for Athletes	
Nao Masuoka (Osaka City University, Japan), Tetsuo Tsujioka (Osaka City University, Japan), Shinsuke Hara (Osaka City University, Japan)	189
On Real-Time Arrhythmia Detection in ECG Monitors Using Antidictionary Coding Takahiro Ota (Nagano Prefectural Institute of Technology, Japan), Hiroyoshi Morita (University of Electro-Communications, Japan)	194
Quantum Information Processing 1	
Improvement of 2-EPP using quantum error correcting codes and binary search Shigeyori Nagahashi (Nagoya Institute of Technology, Japan), Tsuyoshi Usuda (Aichi Prefectural University, Japan), Ichi Takumi (Nagoya Institute of Technology, Japan)	199
Superiority of 2-EPPs to 1-EPPs with finite entangled resources Yoshiaki Yazaki (Meijo University, Japan), Shogo Usami (Meijo University, Japan), Tsuyoshi Usuda (Aichi Prefectural University, Japan)	203
On the Hardness of Decoding Quantum Stabilizer Codes under the Depolarizing Channel Kao-Yueh Kuo (National Tsing Hua University, Taiwan), Chung-Chin Lu (National Tsing Hua University, Taiwan)	208
Property of capacity by WDM for attenuated quantum channel Kazuha Ohashi (Aichi Prefectural University, Japan), Tsuyoshi Usuda (Aichi Prefectural University, Japan)	212
Error Control and Synchronization	
An Improvement of Insertion/Deletion/Substitution Error Correction Capabilities of LDPC codes Using Slide Decoding Tooru Shigehiro (Tokyo University of Science, Japan), Hirohisa Yabe (Tokyo University of Science, Japan), Keiichi Iwamura (Tokyo University of Science, Japan)	216
Insertion/Deletion/Substitution Error Correction using Adaptive Inversion of Synchronization Marker Masato Inoue (Tokyo Institute of Technology, Japan), Haruhiko Kaneko (Tokyo Institute of Technology, Japan)	221
A direct product construction for high-rate self-synchronizing codes Yuichiro Fujiwara (Michigan Technological University, USA), Vladimir D. Tonchev (Michigan Technological University, USA)	226
Combined Permutation Codes for Synchronization Reolyn Heymann (University of Johannesburg, South Africa), Hendrik C Ferreira (University of Johannesburg, South Africa), Theo G. Swart (University of Johannesburg, South Africa)	230
MIMO Diversity Techniques	
An Adaptive Conditional Zero-Forcing Decoder with Full-diversity, Least Complexity and Essentially-ML Performance for STBCs Lakshmi Prasad Natarajan (Indian Institute of Science, Bangalore, India), B. Sundar Rajan (Indian Institute of Science, India)	235
Large System Analysis of Power Minimization in Multiuser MISO Downlink with Transmit-side Channel Correlation Yichao Huang (University of California, San Diego, USA), Chee Wei Tan (City University of Hong Kong, Hong Kong), Bhaskar Rao (University of California, San Diego, USA)	240
Diego, USA)	240

	Large-System Analysis of Joint User Selection and Vector Precoding with Zero-Forcing Transmit Beamforming for MIMO Broadcast Channels Keigo Takeuchi (The University of Electro-Communications, Japan), Ralf R. Müller (Norwegian University of Science and Technology, Norway), Tsutomu Kawabata (University of Electro-Communications, Japan)	245
	An Alternate View of Transmit Diversity for the Collocated MIMO System Vijayvaradharaj Muralidharan (Indian Institute of Science, India), B. Sundar Rajan (Indian Institute of Science, India)	
Se	ecret Sharing Schemes	
	Secret sharing schemes based on minimum bandwidth regenerating codes Masazumi Kurihara (University of Electro-Communications, Japan), Hidenori Kuwakado (Kobe University, Japan)	255
	On the Role of Mutual Infomation between the Shares in a Robust (k,n)-Threshold Scheme Hiroki Koga (University of Tsukuba, Japan), Kazuya Koyano (University of Tsukuba,	
	Japan)	260
	Consideration for multi-threshold multi-secret sharing schemes Atsushi Waseda (National Institute of Information and Communications Technology, Japan), Masakazu Soshi (Hiroshima City University, Japan)	265
	Churn Resilience in Network Coding-based Anonymous P2P System Todorka Alexandrova (Waseda University, Japan), Gergely Huzsak (University of Electro-Communications, Tokyo, Japan), Hiroyoshi Morita (University of Electro- Communications, Japan)	270
Si	gnal Processing	
	A Design Method for FIR Filters with Complex Coefficients by Successive Projection Method	
	Toma Miyata (Tokyo University of Science, Japan), Kosuke Teramoto (Free, Japan), Naoyuki Aikawa (Tokyo University of Science, Japan)	275
	An L1-Method for Designing FIR Digital Filters with Complex coefficients Ikuya Murakami (Tokyo University of Science, Japan), Yukio Mori (Salesian Polytechnic, Japan), Naoyuki Aikawa (Tokyo University of Science, Japan)	279
	On Statistical Restricted Isometry Property of a New Class of Deterministic Partial Fourier Compressed Sensing Matrices	
	Nam Yul Yu (Lakehead University, Canada)	284
	Performance Bounds for Vector Quantized Compressive Sensing Amirpasha Shirazinia (KTH Royal Institute of Technology, Sweden), Saikat Chatterjee (KTH - Royal Institute of Technology, Sweden), Mikael Skoglund (KTH Royal Institute of Technology, Sweden)	289
	Logarithmic Cubic Vector Quantization: Concept and Analysis Christian Rohlfing (RWTH Aachen University, Germany), Hauke Krüger (RWTH Aachen University, Germany), Peter Vary (RWTH Aachen University, Germany)	294
Qι	uantum Information Processing 2	
	Lower Bounds on the Error Probability in Classical and Quantum State Discrimination Takuya Kubo (University of Electro-Communications, Japan), Hiroshi Nagaoka (University of Electro-Communications, Japan)	299
	Explicit receivers for pure-interference bosonic multiple access channels Mark M Wilde (McGill University, Canada), Saikat Guha (Raytheon BBN Technologies, USA)	303

	Error performance of semi-classical quantum receivers for CPPM signals in KCQ key	
	generation Hiro Yamashita (Aichi Prefectural University, Japan), Tsuyoshi Usuda (Aichi Prefectural University, Japan), Shogo Usami (Meijo University, Japan)	308
	Security on the Quantum-type Even-Mansour Cipher Hidenori Kuwakado (Kobe University, Japan), Masakatu Morii (Kobe University, Japan)	312
	Quantum Key Distribution using Mean King Problem with Modified Measurement Schemes Masakazu Yoshida (Chuo University, Japan), Takayuki Miyadera (AIST, Japan), Hideki Imai (Chuo University, Japan)	317
Ensemb	ole Analysis	
	Average Growth Rate of Low-Density Generator-Matrix Codes Ensembles Kazushi Mimura (Hiroshima city university, Japan), Tadashi Wadayama (Nagoya Institute of Technology, Japan), Yoshiyuki Kabashima (Tokyo Institute of Technology, Japan)	322
	Probabilistic Analysis of the Network Reliability Problem on a Random Graph Ensemble Akiyuki Yano (Nagoya Institute of Technology, Japan), Tadashi Wadayama (Nagoya Institute of Technology, Japan)	327
	A Coding Theoretic Approach for Evaluating Accumulate Distribution on Minimum Cut Capacity of Weighted Random Graphs Yuki Fujii (Nagoya Institute of Technology, Japan), Tadashi Wadayama (Nagoya Institute of Technology, Japan)	332
	Asymptotic Analysis of Spatially Coupled MacKay-Neal and Hsu-Anastasopoulos LDPC Codes David G. M. Mitchell (University of Notre Dame, USA), Kenta Kasai (Tokyo Institute of Technology, Japan), Michael Lentmaier (Dresden University of Technology, Germany), Daniel J. Costello, Jr. (University of Notre Dame, USA)	337
Spread	Spectrum Systems	
	Extrinsic Information Transfer Analysis of Finite Field Spreading Guanghui Song (Doshisha University, Japan), Yuta Tsujii (Doshisha University, Japan), Jun Cheng (Doshisha University, Japan), Yoichiro Watanabe (Doshisha University, Japan)	342
	A Novel Spreading Sequence and its Performances for Code-Diversity in DS/CDMA Communication Systems Hayato Noguchi (Nagaoka National College of Technology, Japan), Shinichi	
	Tachikawa (Nagaoka National College of Technology, Japan)  A Novel Synchronization Scheme for Bi-orthogonal Modulation Using Modified Pseudo- Ternary M-sequence Masaya Yamagata (Ibaraki University, Japan), Hiromasa Habuchi (Ibaraki	347
	University, Japan)	352
	Analysis of hierarchical multi-pulse PPM using modified pseudo orthogonal M-sequence set Yusuke Kozawa (Tokyo University of Science, Japan), Hiromasa Habuchi (Ibaraki University, Japan)	357
	Performance Analysis of Multi-pulse PPM/CSK on Ultra Wideband Impulse Radio Tomoyuki Mochizuki (Graduate School of Engineering, Shizuoka University, Japan), Kouji Ohuchi (Shizuoka University, Japan)	
Multi-Us	ser Coding 2	JJ_
	Minimal-Rate Description for Multiple-Access Channels	
	Timinal Nate Description for Prataple Access Charmers	367

Sue-May Huang (National Chiao Tung University, Taiwan), Hsiao-feng Francis Lu (National Chiao Tung University, Taiwan), Stefan M. Moser (National Chiao Tung University NCTU, Taiwan)
Conding Two Coverings over the Covering MAC with Bondwidth Eventure

Sending Two Gaussians over the Gaussian MAC with Bandwidth Expansion Nan Jiang (Texas A&M University, USA), Yang Yang (Texas A&M University, USA), Anders Høst-Madsen (University of Hawaii, USA), Zixiang Xiong (Texas A&M University, USA)	372
	3,2
Finite Blocklength Bounds for Multiple Access Channels with Correlated Sources Hideki Yagi (University of Electro-Communications, Japan)	377
Decoding for non-binary signature code Shan Lu (Doshisha University, Japan), Jun Cheng (Doshisha University, Japan), Yoichiro Watanabe (Doshisha University, Japan)	382
Network Coding	
Weighted Sum-rate Functional Dependence Bound for Network Coding Capacity Xiaoli Xu (Nanyang Technological University, Singapore), Satyajit Thakor (Institute of Network Coding, The Chinese University of Hong Kong, Hong Kong), Yong Liang Guan (Nanyang Technological University, Singapore)	387
A distribution scheme of certificate revocation list by inter-vehicle communication using a random network coding Taisuke Yamamoto (Nagoya Institute of Technology, Japan), Youji Fukuta (Aichi University of Education, Japan), Masami Mohri (Gifu University, Japan), Masanori Hirotomo (Saga University, Japan), Yoshiaki Shiraishi (Nagoya Institute of Technology, Japan)	392
A Graph Theoretical Approach to Network Encoding Complexity Easton Li Xu (The University of Hong Kong, Hong Kong), Weiping Shang (Institute of Applied Mathematics, Chinese Academy of Sciences, P.R. China), Guangyue Han (University of Hong Kong, Hong Kong)	
A Construction of Matroidal Error Correcting Networks Krishnan Prasad (Indian Institute of Science, India), B. Sundar Rajan (Indian Institute of Science, India)	401
On the Existence of Generalized Rank Weights Frederique Oggier (Nanyang Technological University, Singapore), Adnen Sboui (Nanyang Technological University, Singapore)	406
Public Key Cryptography 1	
Faster Elliptic Curve Arithmetic for Double-Base Chain by Reordering Sequences of Field Operations	
Chitchanok Chuengsatiansup (The University of Tokyo, Japan)	411
Improving GGH Cryptosystem for Large Error Vector Masayuki Yoshino (Hitachi, Ltd, Japan), Noboru Kunihiro (The University of Tokyo, Japan)	416
Homomorphic Encryption Based Cancelable Biometrics Secure against Replay and Its Related Attack Takato Hirano (Mitsubishi Electric Corporation, Japan), Mitsuhiro Hattori (Mitsubishi Electric Corporation, Japan), Takashi Ito (Mitsubishi Electric Corporation, Japan), Nori Matsuda (Mitsubishi Electric Corporation, Japan), Takumi Mori (Mitsubishi Electric Corporation, Japan)	421
Upper Bound of The Shortest Vector Coefficients and Its Applications Ken Naganuma (Hitachi, Japan), Masayuki Yoshino (Hitachi, Ltd, Japan), Hisayoshi Sato (Hitachi, Ltd., Japan)	426
Cate (Titudin, Ett., Jupan)	720

## Algebraic Codes

	Improved multipoint codes from Hermitian curves  Masaya Fujisawa (Tokyo University of Science, Japan), Shojiro Sakata (University of Electro-Communications, Japan)	431
	Decoding a Class of Affine Variety Codes with Fast DFT Hajime Matsui (Toyota Technological Institute, Japan)	436
	The Designed Minimum Distance of Medium Lengths for Binary Cyclic Codes Junru Zheng (Kyushu Women's University, Japan), Takayasu Kaida (Kinki University, Japan)	441
	On Improved Algorithms of the Proposed Lower Bound Including Well-Known Bounds for Cyclic Codes Takayasu Kaida (Kinki University, Japan), Junru Zheng (Kyushu Women's University, Japan)	446
	On Nonbinary quantum nonprimitive non-narrow-sense BCH codes Giuliano Gadioli La Guardia (State University of Ponta Grossa, Brazil)	450
Mobile	e Communications	
	Performance of Multihop Decode-and-Forward Relaying assisted Device-to-Device Communication Underlaying Cellular Networks Donghoon Lee (Korea University, Korea), Sung-Il Kim (Korea University, Korea), Jae Young Lee (Korea university, Korea), Jun Heo (Korea University, Korea)	455
	Carrier to Interference Ratio in Shotgun Cellular Systems over Composite Fading Channels Asma Bagheri (Ferdowsi University of Mashhad, Iran), Ghosheh Abed Hodtani (Ferdowsi University of Mashhad, Mashhad, Iran)	460
	User Pairing Algorithms for Multi-cell and Multi-user Communications Fong-Ru Huang (National Chung Cheng University, Taiwan), Mao-Ching Chiu (National Chung Cheng University, Taiwan), Wern-Ho Sheen (Chaoyang University of Technology, Taiwan)	465
	Performance Evaluation of The Modified Binary Countdown Scheme Considering The Priority of Packet Koichiro Hashiura (Akita Prefectural University, Japan), Fumie Ono (National Institute of Information and Communications Technology, Japan)	470
	A VLC Receiving Devise Using Audio Jacks with a Folding Noise Yuta Ashida (Ryukoku University, Japan), Kuniyoshi Okuda (Ryukoku University, Japan), Wataru Uemura (Ryukoku University, Japan)	475
Data (	Compression and Complexity	
	A Fast Binary Arithmetic Coding Using Probability Table of Expanded Symbols Shota Kanahara (Graduate School of Engineering, Utsunomiya University, Japan), Madoka Hasegawa (Utsunomiya University, Japan), Shigeo Kato (Utsunomiya University, Japan), Yuichi Tanaka (Tokyo University of Agriculture and Technology, Japan)	480
	On Variable-to-Fixed Length Coding of A General Source with Infinite Alphabet Mitsuharu Arimura (Shonan Institute of Technology, Japan), Ken-ichi Iwata (University of Fukui, Japan)	485
	On the Maximum Redundancy of CSE for I.I.D. Sources  Ken-ichi Iwata (University of Fukui, Japan), Mitsuharu Arimura (Shonan Institute of Technology, Japan), Yuki Shima (University of Fukui, Japan)	489
	Universal Codes on Continuous Alphabet using Sparse Matrices Shigeki Miyake (NTT, Japan), Jun Muramatsu (NTT Corporation, Japan)	493

	On the ratio between the maximal T-complexity and the T-complexity of random	
	strings T. Aaron Gulliver (University of Victoria, Canada), Ulrich Speidel (University of Auckland, New Zealand)	498
Data	Networks	
	Optimal Scheduling for Two Sources over Time Varying Wireless Channels  Mohamed Kashef (University of Maryland, College Park, USA), Anthony Ephremides  (University of Maryland at College Park, USA)	501
	Revisiting Minimum-Length Scheduling in Wireless Networks: An Algorithmic Framework	
	Qing He (Linköping University, Sweden), Vangelis Angelakis (Linköping University, Sweden), Anthony Ephremides (University of Maryland at College Park, USA), Di Yuan (Linköping University, Sweden)	506
	On Rate Scaling Laws with CDF-based Distributed Scheduling in Multicell Networks Yichao Huang (University of California, San Diego, USA), Bhaskar Rao (University of California, San Diego, USA)	511
	Memory Placement in Network Compression: Line and Grid Topologies  Mohsen Sardari (Georgia Institute of Technology, USA), Ahmad Beirami (Georgia Institute of Technology, USA), Faramarz Fekri (Georgia Institute of Technology, USA)	516
Secre	et Key Cryptography	
	A middletext distinguisher for full CLEFIA-128 Kazumaro Aoki (NTT, Japan)	521
	A Peculiar Higher Order Differential of CLEFIA Naoki Shibayama (Tokyo University of Science, Japan), Toshinobu Kaneko (Tokyo University of Science, Japan)	526
	The Optimal Key Estimation of Stream Ciphers and Its Approximation Algorithm Based on a Probabilistic Inference Yuji Iikubo (Waseda University, Japan), Shunsuke Horii (Waseda University, Japan), Toshiyasu Matsushima (Waseda University, Japan)	531
	HB^\flat Protocol For Lightweight Authentication; Its Information Theoretic Indistinguishability Against MITM Attack Watching Reader's Response Xuedi Song (Chuo University, Japan), Kazukuni Kobara (AIST, Japan), Kentaro Imafuku (AIST, Japan), Hideki Imai (Chuo University, Japan)	536
	Another Look on the Relation between Template Attack and Higher Order DPA Yuichi Komano (Toshiba Corporation, Japan), Hideo Shimizu (Toshiba Corporation, Japan), Chiho Mihara (Toshiba Corporation, Japan)	541
LDPC	C Codes 2	
	Unequal Error Protection QC-LDPC Codes via Masking Chi-Jen Wu (National Tsing Hua University, Taiwan), Chung-Hsuan Wang (National Chiao Tung University, Taiwan), Chi-chao Chao (National Tsing Hua University, Taiwan)	546
	An Efficient Method for Computing the Weight Spectrum of LDPC Convolutional Codes Constructed from Quasi-Cyclic Codes Masanori Hirotomo (Saga University, Japan), Masakatu Morii (Kobe University, Japan)	551
	Weight Enumerator Analysis for (2,P)- and (3,P)-SFA LDPC Codes  Manabu Hagiwara (Advanced Industrial Science and Technology, Japan), James  Nation (University of Hawaii at Manoa, USA)	556

## **Optical Communications**

	Consideration on modified Gold sequences for Optical CDM Satoru Aoyama (Meijo University, Japan), Shogo Usami (Meijo University, Japan)	561
	An Evaluation of a Parallel Transmission Visible Light Communication System employing an LDPC code	
	Junya Amano (Shizuoka University, Japan), Tadahiro Wada (Shizuoka University, Japan), Kaiji Mukumoto (Shizuoka University, Japan)	566
	A Study on Code Construction of Optical Orthogonal Codes with Variable Chip Rates Tetsuo Tsujioka (Osaka City University, Japan)	571
	BER Performance of Multiplexed CSK using Linear/Circular Polarization in Optical Wireless Communications Chiharu Mukai (Graduate School of Engineering Shizuoka University, Japan), Kouji Ohuchi (Shizuoka University, Japan)	576
	Two-Level Signaling for IPACT in Passive Optical Networks Shoichiro Matsumoto (Chiba Institute of Technology, Japan), Koji Kamakura (Chiba Institute of Technology, Japan)	581
Applica	ations of Information Theory	
	Localization of Faults in Software Programs Using Bernoulli Divergences Shounak Roychowdhury (University of Texas at Austin, USA), Sarfraz Khurshid (University of Texas at Austin, USA)	586
	Formalization of Gaussian Integers, Gaussian Rational Numbers, and Their Algebraic Structures with Mizar Yuichi Futa (Shinshu University, Japan), Daichi Mizushima (Shinshu University, Japan), Hiroyuki Okazaki (Shinshu University Graduate School, Japan)	591
	On the Second-Order Nonlinearity of Cubic Maiorana-McFarland Boolean Functions Nicholas Kolokotronis (University of Peloponnese, Greece), Konstantinos Limniotis (National and Kapodistrian University of Athens, Greece)	596
	A Greedy Algorithm for Checking Normality of Cryptographic Boolean Functions Nicholas Kolokotronis (University of Peloponnese, Greece), Konstantinos Limniotis (National and Kapodistrian University of Athens, Greece)	601
Sequer	nces	
	On a Shannon Cover of Certain Reducible Shift of Finite Type Akiko Manada (The University of Electro-Communications, Japan)	606
	Linear complexity of quaternary sequences constructed from binary Legendre sequences	
	Young-Sik Kim (Chosun University, Korea), Ji-Woong Jang (LG Electronics, Korea), Sang-Hyo Kim (Sungkyunkwan University, Korea), Jong-Seon No (Seoul National University, Korea)	611
	On the Linear Complexity over F_p of Quaternary Sequences from Binary Sidel'nikov Sequences	
	Young-Sik Kim (Chosun University, Korea), Ji-Woong Jang (LG Electronics, Korea), Sang-Hyo Kim (Sungkyunkwan University, Korea), Jong-Seon No (Seoul National University, Korea)	615
	Distribution of the Loops on the Logistic Maps over Integers for the Control Parameter	.620
	Fourier Analysis of Sequences over a Composition Algebra of the Real Number Field	625
		_

Takao Maeda (University of Aizu, Japan), Takafumi Hayashi (University of Aizu, Japan)

## Watermarking 1

	Digital Watermarking Method by Selecting Suitable Pixel Value from Pixel Value Candidates Near to Original Pixel Value Motoi Iwata (Osaka Prefecture University, Japan)	629
	An Implementation of Steganography Using Construction of Huffman Tree Hiroshi Yamamoto (Tokai University, Japan), Hayato Fujioka (Tokai University, Japan)	634
	An Improvement of Steganography Scheme Based on Complete Complementary Codes Ryusuke Mayuzumi (The University of Electro-Communications, Japan), Tetsuya Kojima (Tokyo National College of Technology, Japan)	638
	Analysis of Binary Fingerprinting Codes under Relaxed Marking Assumption Minoru Kuribayashi (Kobe University, Japan)	643
Conv	volutional Codes	
	Error-Trellises for Tailbiting Convolutional Codes Masato Tajima (University of Toyama, Japan), Koji Okino (University of Toyama, Japan)	648
	Reconstruction of Constellation Labeling with Convolutional Coded Data Nicolas Sendrier (INRIA, France), Marion Bellard (INRIA Rocquencourt, France)	653
	Theoretical analysis of bit error probability for punctured convolutional codes Hideki Yoshikawa (Tohoku Gakuin University, Japan)	658
	A Construction of High Rate Punctured Convolutional Codes Hiroshi Sasano (Kinki University, Japan), Sen Moriya (Kinki University, Japan)	662
Coop	perative Communications 1	
	Coupling Effects between Transmit and Receive Antennas in Frequency Offset Amplify- and-Forward Relay Naoki Kikuchi (Keio University, Japan), Mamiko Inamori (Keio University, Japan), Yukitoshi Sanada (Keio University, Japan)	667
	SAGE-based Estimation Algorithms for Time-varying Channels in Amplify-and-Forward Cooperative Networks Nico Aerts (Ghent University, Belgium), Marc Moeneclaey (Ghent University, Belgium)	
	Trade-Off of Multiplexing-Diversity Gain for High Throughput Multiple-Hop MIMO Relay System	
	Pham Thanh Hiep (Yokohama national university, Japan), Ryuji Kohno (Yokohama National University, Japan)	677
	MIMO Detect-and-Forward Relay scheme using Symbol LLR Threshold Daniel Ciarlini Pinheiro (Nagoya Institute of Technology, Japan), Yasunori Iwanami (Nagoya Institute of Technology, Japan)	682
Multi	i-User Coding 3	
	Energy Efficiency in Large Interference Networks	687
	Energy Efficiency in Fading Interference Channels under QoS Constraints	692
		•

	USA), Pramod Varshney (Syracuse University, USA), M. Cenk Gursoy (Syracuse University, USA)	
	Cognitive Interference Channels with Confidential Messages under Randomness Constraint	
	Shun Watanabe (Tokushima University, Japan), Yasutada Oohama (University of Electro-Communications, Japan)	697
Macl	hine Learning	
	Accuracy of Latent Variable Estimation with the Maximum Likelihood Estimator for Partially Observed Hidden Data Keisuke Yamazaki (Tokyo Institute of Technology, Japan)	. 707
	Fault Diagnosis Algorithm in Multi-Computer Systems based on Lagrangian Relaxation Method Shunsuke Horii (Waseda University, Japan), Manabu Kobayashi (Shonan Institute of Technology, Japan), Toshiyasu Matsushima (Waseda University, Japan), Shigeichi Hirasawa (Waseda University, Japan)	
	An Error Probability Estimation of the Document Classification Using Markov Model Manabu Kobayashi (Shonan Institute of Technology, Japan), Hiroshi Ninomiya (Shonan Institute of Technology, Japan), Toshiyasu Matsushima (Waseda University, Japan), Shigeichi Hirasawa (Waseda University, Japan)	
	Chinese Text Categorization Using the Character N-gram Makoto Suzuki (Shonan Institute of Technology, Japan), Naohide Yamagishi (Shonan Institute of Technology, Japan), Tsai Yiching (Kang Ning University, Japan)	722
Publ	lic Key Cryptography 2	
	Scheme Overcoming Incompatibility of Privacy and Utilization of Personal Data Shigeo Tsujii (Chuo University, Japan), Kohtaro Tadaki (Chuo University, Japan), Ryo Fujita (Chuo University, Japan), Hiroshi Yamaguchi (Chuo University, Japan), Masahito Gotaishi (Chuo University, Japan), Yukiyasu Tsunoo (NEC Corporation, Japan), Takahiko Syouji (YDK Technologies Company, Japan), Norihisa Doi (Chuo University, Japan)	, 727
	Security Analysis of Shifted Odd Knapsack Public Key Encryption Scheme Ryuichi Sakai (Osaka Electro-Communication University, Japan), Yasuyuki Murakami (Osaka Electro-Communication University, Japan), Masao Kasahara (Osaka Gakuin University, Japan)	731
	A Public-key Cryptosystem Based on Decision Version of Subset Sum Problem Yasuyuki Murakami (Osaka Electro-Communication University, Japan), Shinsuke Hamasho (Osaka Electro-Communication University, Japan), Masao Kasahara (Osaka Gakuin University, Japan)	
	A Study on Precision of Pseudorandom Number Generators Using the Logistic Map Shunsuke Araki (Kyushu Institute of Technology, Japan), Takeru Miyazaki (The University of Kitakyushu, Japan), Satoshi Uehara (The University of Kitakyushu, Japan), Ken'ichi Kakizaki (Kyushu Institute of Technology, Japan)	
Pola	r and Sparse Graph Codes	
	Polar codes for private classical communication Mark M Wilde (McGill University, Canada), Joseph M Renes (ETH Zurich, Switzerland)	745
	Performance of Mismatched Polar Codes over BSCs	
	Fast Linear-Programming Decoding of LDPC Codes over GF(2^m)	

Junya Honda (The University of Tokyo, Japan), Hirosuke Yamamoto (The University of Tokyo, Japan)	
A Hybrid Structured Turbo Code of CBRM in Conjunction with XOR Coded Parity Compression	
Yasuhiro Kitamura (Osaka University, Japan), Shinsuke Ibi (Osaka University, Japan), Seiichi Sampei (Osaka University, Japan)	759
Cooperative Communications 2	
Error-Controlling Scheme with Encoding and Spreading in Multi-hop Relay Network Eriko Saeki (Yokohama National University, Japan), Ryuji Kohno (Yokohama	
National University, Japan)	764
Capacity Bounds for the Alternative Relaying Diamond Channel with Conferencing Links Chuan Huang (Texas A&M University, USA), Shuguang Cui (Texas A&M University, USA)	769
A Design of Code-Aided Channel Estimation in Two-Way Relay Networks Ping-Chung Wang (National Taiwan University, Taiwan), Hua-Lung Tsai (National	
Taiwan University, Taiwan), Mao-Chao Lin (National Taiwan University, Taiwan)	774
Speech/Image Processing	
A system combining extrapolated and interpolated side information for single view multi-hypothesis distributed video coding  Daniel Louw (Tokyo Institute of Technology, Japan), Haruhiko Kaneko (Tokyo	
Institute of Technology, Japan)	779
Steganalysis of synthetic low-colour images Sathiamoorthy Manoharan (University of Auckland, New Zealand)	784
A New Robust Pitch Determination Algorithm for Telephone Speech Liang Chang (Tsinghua University, P.R. China), Jingde Xu (Tsinghua University, P.R. China), Kun Tang (Tsinghua University, Taiwan), Huijuan Cui (Tsinghua University, P.R. China)	789
Watermarking 2	
Performance Characteristics of LSB Steganalysis Based on Statistics of Image Difference Signal	
Tadakazu Sakakura (Kanazawa Technical College, Japan), Akira Hayashi (Kanazawa Institute of Technology, Japan)	792
New Hybrid Additive-Multiplicative Watermarking with Better Tradeoff between Image Quality and Detection Accuracy Seigo Ikeda (Osaka University, Japan), Maki Yoshida (Osaka University, Japan),	
Toru Fujiwara (Osaka University, Japan)	797
Proposal of a watermarking scheme using winding number and unneeded synchronism Hiroki Nishikawa (Tokyo University of Science, Japan), Yoshio Kakizaki (Tokyo University of Science, Japan), Keiichi Iwamura (Tokyo University of Science, Japan)	802
Private and Blind Digital Fingerprinting Schemes Based upon Complete Complementary Codes	
Tetsuya Kojima (Tokyo National College of Technology, Japan), Naoki Ohtani (NHK Media Technology Inc., Japan)	806