

2012 IEEE International Conference on Condition Monitoring and Diagnosis

(CMD 2012)

**Bali, Indonesia
23 – 27 September 2012**

Pages 1-608



**IEEE Catalog Number: CFP1230D-PRT
ISBN: 978-1-4673-1019-2**

Contents

1.	KN-1	Development of Asset Management Support Tools for Electric Power Equipment <i>Tatsuki Okamoto¹, Tsuguhiro Takahashi² (¹Electric Power Engineering Research Laboratory, CRIEPI, Nagasaka 2-6-1, Yokosuka, Japan, ²Electric Power Engineering, Research Laboratory, CRIEPI, Nagasaka 2-6-1, Yokosuka, Japan)</i>	1
2.	KN-2	Condition Assessment of Power Transformers <i>Jitka Fuhr (AF Engineers + Consultants (AFEC), CH-3807 Iseltwald, Switzerland)</i>	9
3.	IS-1	Recent Progress of CMD Research and Applications in China <i>Cheng-rong LI^{1,2}, Guo-ming MA^{1,2}, Bo QI^{1,2}, Guang-jun ZHANG³ (¹State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University, Beijing, 102206, China, ²Beijing Key Laboratory of High Voltage and EMC, North China Electric Power University, Beijing, 102206, China, ³State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an, 710049, China)</i>	18
4.	IS-2	Transmission Asset Management in PLN P3B Jawa Bali <i>Y. Hakim, Sugiarto, A. Pharmatrisanti (PT. PLN (Persero) P3B Jawa Bali, Depok, Indonesia)</i>	24
5.	IS-3	The Scope of High Voltage with CMD of the Smart Grid in Korea <i>Sang-Jin Kim^{1*}, Duck-Ki Seo¹, Dae-Kwon Kang¹, Wan-Seok Song¹, Youn-Seek Cho² and Dae-Hee Park² (¹KEPCO Knowledge Data Network, Seoul, Korea, 137-862 ²Wonkwang University, Iksan, Korea, 570-749)</i>	30
6.	A-313	Analysis and Interpretation of Dissolved Gases in Transformer Oil A case study <i>S. N. Hettiwatte¹, H. A. Fonseka² (¹School of Engineering and Energy, Murdoch University, Murdoch, Australia ²Transpower New Zealand Ltd, Auckland, New Zealand)</i>	35
7.	A-36	Photo-Acoustic Spectroscopy for dissolved gas analysis Benefits and Experience <i>Donal Skelly (GE Energy, Lisburn, United Kingdom)</i>	39
8.	A-136	Study of Partial Discharge Induced Electromagnetic Wave Propagation Property in Power Transformer Model <i>Norio Morita¹, Masahiro Kozako², Masayuki Hikita³, Soh Yoshida⁴, Masaki Uchiyama⁵, Shin Yamada⁶ (Kyushu Institute of Technology¹, Kyushu Institute of Technology², Kyushu Institute of Technology³, TOSHIBA Corporation⁴, TOSHIBA Corporation⁵, TOSHIBA Corporation⁶)</i>	44
9.	J-17	Influence of Insulation Paper Degradation on Economical Operation Period of Power Transformers <i>Bambang CAHYONO¹, SUWARNO², Nanang HARIYANTO², Tsuguhiro TAKAHASHI³, Tatsuki OKAMOTO³ (¹Asset Management/School of Electrical and Informatics, PT. PLN (PERSERO)/Bandung Institute of Technology (ITB), Jakarta Selatan/Bandung, Indonesia, ²School of Electrical and Informatics, Bandung Institute of Technology (ITB), Bandung, Indonesia, ³Electric Power Engineering Research Laboratory, Central Research Institute of Electric Power industry (CRIEPI), Yokosuka, Kanagawa, Japan)</i>	48
10.	A-153	Modern Insulation Condition Assessment for Instrument Transformers <i>Stephanie Raetzke, Maik Koch, Martin Anghuber (OMICRON electronics, Klaus, Austria)</i>	52

11. A-43 New Diagnosis Method of Aging Degradation for Insulating Paper in Power Transformers by Measuring the Refractive Index of Cellulose Fibers 56
Masanobu Yoshida¹, Katsumi Uchida¹, Masamichi Kato², Yoshinori Konishi²
(¹Electric power Research & Development, Center, Chubu Electric Power Co., Inc, Nagoya, Japan ²Research & Development Section, Yuka Industries Co., Ltd., Tokyo, Japan)
12. D-79 Dielectric Properties Measurements of Oil Immersed Pressboard 60
F. Pratomosiwi¹, N. Pattanadech¹, B. Wieser¹, M. Muhr¹, G. Pukel², M. Stössl²
(¹Institute of High Voltage Engineering and System Management, Technische Universität Graz, Inffeldgasse 18, A - 8010 Graz, Austria ²Siemens Transformer Austria GmbH & Co KG, Elingasse 3, 8160 Weiz, Austria)
13. IL-6/A-4 Calculation of Impulse Voltage Distribution at High Voltage Resistive Cable Terminations 64
 (Invited)
A. A Al-Arainy, N. H. Malik, F. R. Pazheri and M. I. Qureshi (Saudi Aramco Chair in Electrical Power, EE Department, College of Engineering, King Saud University, P. O. Box 800, Riyadh 11421, Saudi Arabia)
14. A-32 WEB Database for the Evaluation of PD Measurements on MV Cable System 68
H.T. Putter, D. Götz, F. Petzold, S. Böttcher (SebaKMT, Baunach, Germany, Freitaler Strom und Gasversorgung GmbH, Freital, Germany)
15. A-80 Experiments of power cable diagnosis by using Isothermal Relaxation Current Method 72
Tepei Ueyama, Toshio Mori, Kiyoka Suenaga (JFE Steel Corporation, Kurashiki, Japan)
16. A-17 Power Cable Joint Model In High Frequency 76
Yan Li¹, Peter A. A. F. Wouters¹, Paul Wagenaars², Peter C. J. M. van der Wielen², E. Fred Steennis²
(¹Electrical Energy Systems, Eindhoven University of Technology, Eindhoven, the Netherlands, ²DNV KEMA Energy, Sustainability, Arnhem, the Netherlands)
17. A-12 Electric field distribution in 132 kV XLPE cable termination model from finite element method 80
H. A. Illias, Q. L. Ng, A. H. A. Bakar, H. Mokhlis, A. M. Ariffin (UMPEDAC, Electrical Engineering Department, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia, College of Engineering, Universiti Tenaga Nasional, Selangor, Malaysia)
18. A-83 Fundamental Study on Residual Charge Detection with Pulse Voltages as Diagnostic Method of Water Tree-Degraded XLPE Cables 84
Takashi Kurihara^{1}, Tatsuki Okamoto¹, Taizo Tsuji², Katsumi Uchida², Myong Hwan Kim³ and Naohiro Hozumi³*
(¹Central Research Institute of Electric Power Industry, 2-6-1 Nagasaka, Yokosuka, Kanagawa 240-0196 JAPAN ²Chubu Electric Power Co., Inc., Kitasekiyama, Ohdaka-cho, Midori-ku, Nagoya 459-8522 JAPAN ³Toyohashi University of Technology, 1-1 Hibarigaoka Tenpaku-cho, Toyohashi, Aichi 441-8580 JAPAN)
19. K-5 Recyclable insulation Material Based on Polyethylene For Power Cable 88
Jae Soon Lee¹, Kyu Cheol Cho², Kwang Hoi Ku³, Gyuchan Cho⁴, June-Ho Lee⁵
(^{1,2,3,4}Polymer Lab, Global Technology, SK Innovation, Daejeon, Republic of KOREA ²Dept. of Electrical engineering, Hoseo University, Asan, Republic of KOREA)

20	IL-3 (Invited)	High Voltage and High Current Test Techniques <i>Ernst Gockenbach, Schering Institute, Leibniz Universität Hannover, Hannover, Germany</i>	91
21.	G-50	Calibration of Lightning EMP Sensor <i>Syarif Hidayat, Arga Aridarma (ITB, Indonesia)</i>	95
22.	G-37	PD Current Pulse Waveforms of Environmental Friendly Gases Measured with SHF_PDPW System and the Applicability of the UHF Method <i>Shinya Ohtsuka¹, Kohei Fukuda², Minoru Fukuzaki³ (Kyushu Institute of Technology^{1,2,3})</i>	99
23.	G-11	Analysis of UHF PD Monitoring Data by Means of Normalized Cross-Correlation <i>M. Beltle¹, A. Müller², S. Tenbohlen³ (Institute of Power Transmission and High Voltage Technology, University of Stuttgart, Stuttgart, Germany^{1,2,3})</i>	103
24.	G-16	Proposal of diagnosis technique for radiation of electromagnetic field generated by electronic device <i>Yuji Komine¹, Chiyo Noritaka², Masahiro Konomi³, Yasuhiro Tanaka⁴, Takashi Maeno⁵ (Tokyo City University, Measurement and Electric Machine Control Laboratory, Tokyo, Japan^{1,2,3,4}, National Institute of Information and Communications Technology, Tokyo, Japan⁵)</i>	107
25.	G-41	A novel magnetic field sensor based on the combination use of microfiber knot resonator and magnetic fluid <i>Xianli Li¹, Hui Ding², Chunyang Han³ (State Key Laboratory of Electrical Insulation and Power Equipment Xi'an Jiaotong University^{1,2,3})</i>	111
26.	G-22	Frequency Bandwidth Dependence of PD current Waveforms in Transformer Oil Measured with the SHF_PDPW system <i>Minoru Fukuzaki¹, Kohei Fukuda², Shinya Ohtsuka³ (Kyushu Institute of Technology^{1,2,3})</i>	114
27.	B-1	Requirements for Fiber Optic Sensors for Stator Endwinding Vibration Monitoring <i>M. Sasic, H. Jiang, G.C. Stone (Iris Power – Qualitrol, Toronto, Canada)</i>	118
28.	D-17	Space Charge Accumulation in Coating Materials for Motor Windings under DC High Voltage <i>Motohiro Negishi¹, Kentaro Akada², Kaoru Takizawa³, Hiroaki Miyake⁴, Yasuhiro Tanaka⁵, Tatsuo Takada⁶ (Tokyo City University^{1,2,3,4,5,6})</i>	122
29.	G-2	Partial discharge location using 2 sensors and optical fibers <i>Jeongtae Kim¹, Dong-uk Kim¹, Gijin Nam¹, Won Choi², Youngjo Lee², Jayoon Koo² (¹Dept. of Electrical Eng., Daejin University, Gyeonggi-Do, Korea, ²Dept. of Electrical Eng., Hanyang University, Gyeonggi-Do, Korea)</i>	126
30.	A-97	Prediction of the State of Deterioration of High-Voltage Motors by Combining On-site, Online Diagnosis and Offline Diagnosis <i>Keisuke Etoh¹ (Idemitsu Engineering Co.,Ltd. Engineering Design & Technical Department)</i>	130
31.	B-2	Rotor shape vs. rotor field pole shorted turns Impact on rotor induced vibration on hydrogenerators <i>Andre Tetreault (Tests & Diagnostics Division, VibroSystM Inc., Longueuil, Qc, Canada)</i>	133

32	A-44	Ageing-condition Assessment of Generator Transformer Bushings by means of Dielectric Simulation Models <i>M. H. Zink¹, V. Klipfel¹, F. Berger² (¹EnBW Kernkraft GmbH, Philippsburg, Germany ²Technische Universität, Ilmenau, Ilmenau, Germany)</i>	137
33.	IL-7/G-44 (Invited)	Location of Water Tree Degradation in a Long Polymeric Cable Line <i>Myong Hwan Kim¹, Yoshinobu Murakami², Masayuki Nagao³, Takashi Kurihara⁴, Tatsuki Okamoto⁵, Taizo Tsuji⁶, Katsumi Uchida⁷, Naohiro Hozumi⁸ (Toyohashi University of Technology^{1,2,3,8}, Central Research Institute of Electric Power Industry^{4,5}, Chubu Electric Power Co., Inc^{6,7})</i>	141
34.	A-161	Analysis of Cable Insulation Condition using Dielectric Spectroscopy and Polarization/Depolarization Current Techniques <i>A. Mohd Ariffin¹, S. Sulaiman¹, A. Z. Che Yahya², A. B. Abd. Ghani² (¹Department of Electrical Power Engineering, Universiti Tenaga, Nasional (UNITEN), Kajang, Selangor, Malaysia ²TNB Research (TNBR) Sdn. Bhd., Kajang, Selangor, Malaysia)</i>	145
35.	A-121	New developments in on-site testing of long lengths of (E)HV power cable <i>Rogier Jongen, Ben Quak, Stefan Tenbohlen, Edward Gulski (Seitz Instruments AG, University Stuttgart, Poznan University of Technology)</i>	149
36.	A-237	A New Degradation Model with Critical Antioxidant Concentration Concept for Safety Cables <i>Noirkazu Fuse, Hiroya Homma, and Tatsuki Okamoto (High-voltage & Insulation Sector, Electric Power Engineering Research Laboratory, Central Research Institute of Electric Power Industry, Yokosuka, JAPAN)</i>	153
37.	A-218	The Application of Partial Discharge Detector and Electro-Acoustic Signals Analysis Methods for Power Cables Monitoring <i>Ju-Chu Hsieh^{1,2}, Cheng-Chi Tai¹, Ching-Chau Su², Chien-Yi Chen^{1,2}, Ching-Chau Su², Chien-Yi Chen^{1,2}, Jiann-Fuh Chen¹, Yu-Hsun Lin³ (¹Department of Electrical Engineering, National Cheng Kung University, Tainan 70101, Taiwan ROC ²Department of Electrical Engineering, Nan Jeon Institute of Technology, Tainan 73746, Taiwan ROC ³Department of Electrical Engineering, National Penghu University of Science and Technology, Penghu, Taiwan ROC)</i>	157
38.	A-158	Application of PD Localization Technology to 110kV Power Cable Circuit <i>Chen Min, Koji Urano, Liu Yi-gang (SE Technology Ltd., Hong Kong, China; Power Transmission Dept. of Guangzhou Power Co., Guangzhou, China)</i>	161
39.	K-8	Damages of Insulators due to Lightning Strikes in Indonesian Power System <i>Reynaldo Zoro (Lightning Research Center, School of Electrical Engineering and Informatics, Institute of Technology Bandung)</i>	166
40.	C-2	The Effect of Needle Curvature and Aluminum Foil on the Transition of Discharge Mechanism under Needle-plate Configuration <i>Kai Wu¹, Cheng Pan², Kai Qin³, Yongpeng Meng⁴(State Key Lab of Electrical Insulation and Power Equipment, Xi'an Jiaotong University^{1,2,3,4})</i>	172
41.	C-30	Characteristics of Lightning Discharges in Indonesia <i>Syarif Hidayat (ITB, Indonesia)</i>	176
42.	C-16	Bridging Phenomenon in Contaminated Transformer Oil <i>Shekhar Mahmud¹, George Chen², Igor O. Golosnoy³, Gordon Wilson⁴, Paul Jarman⁵(University of Southampton, UK^{1,2,3}, National Grid, UK^{4,5})</i>	180

43.	C-17	Evaluation on Current Transformer Assessment Method Based on Investigation Result <i>D. S. Rahmani¹, A. Muchtar², H. Gumilang³, R. Siregar⁴, A. Pharmatrisanti⁵ (PT PLN (Persero) P3B Jawa Bal^{1,2,3,4,5})</i>	184
44.	C-22	Simulation of positive point streamer propagation in SF ₆ and its transient products <i>Ming Ren¹, Ming Dong², Ai-Ci Qiu^{1,2}(State Key Laboratory of Electrical Insulation for Power Equipment, EEC, Xi'an Jiaotong University^{1,2,3}, Northwest Institute of Nuclear Technology of China^{1,2})</i>	189
45.	IL-1 (Invited)	Recent Progress in Diagnosis of Transformers using Non- Conventional Partial Discharge Measurements <i>Masayuki Hikita, Masahiro Kozako (Department of Electrical and Electronic Engineering, Kyushu Institute of Technology, Kitakyushu Japan 804-8550)</i>	193
46.	A-147	Investigation of Transformer Top-Oil Temperature Considering External Factors <i>Indera ARIFANTO^{1,2,3#}, Fretz JOSUE^{1,2,3}, Robert SAERS³, Johanna ROSENLIND⁴, Patrik HILBER⁴, SUWARNO² (¹PT. PLN (Persero), Indonesia ²School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia ³Power Technologies, ABB Corporate Research, Sweden ⁴School of Electrical Engineering, KTH Royal Institute of Technology, Sweden)</i>	198
47.	A-122	Electrostatic charging tendency of new and aged pressboard samples <i>A. Zlodnjak¹, T. Judendorfer¹, M. Muhr¹, W. Exner², S. Jaufer² (¹Institute of High Voltage Engineering and System Management, Graz University of Technology, Graz, Austria ²WEIDMANN Electrical Technology AG, Rapperswil, Switzerland)</i>	202
48.	A-154	Analysis of Frequency Domain Spectroscopy Measurements on power transformers by the use of a Finite Element based model <i>D. Geißler, M. Jaya, T. Leibfried (Institute of Electric Energy Systems and High Voltage Technology, Karlsruhe Institute of Technology (KIT), Karlsruhe, Federal Republic of Germany)</i>	206
49.	A-71	The Comparative Analysis of The Partial Discharge In The Inter-turn Insulation of Transformers Between Constant Voltage and Increasing Voltage <i>Hongxin Ji¹, Yangchun Cheng^{1,2}, Jingqing Wei¹, Shaoyu Liu³, Chun Deng³, Chengrong Li^{1,2} (¹Beijing Key Laboratory Of High Voltage And EMC, North China Electric Power University, Beijing, P.R.China, 102206 ²State Key Laboratory Of Alternate Electrical Power System With Renewable Energy Sources, North China Electric Power University, Beijing, P.R.China, 102206 ³North China Electric Power Research Institute Co.Ltd, Beijing, P.R.China)</i>	211
50.	A-210	Transformer Hot-Spot Temperature Estimation for Short-time Dynamic Loading <i>F. Josue^{1,2,3#}, I. Arifianto^{1,2,4}, R. Saers², J. Rosenlind⁵, P. Hilber⁵, Suwarno¹ (¹Institut Teknologi Bandung (ITB), Sekolah Teknik Elektro dan Informatika, Indonesia ²ABB Corporate Research, Power Technologies, Sweden ³PT.PLN (Persero), P3B Sumatera, Indonesia ⁴PT PLN (Persero), P3B Jawa-Bali, Indonesia ⁵KTH Royal Institute of Technology, School of Electrical Engineering, Sweden)</i>	217
51.	A-316	Effective Partial Discharge Measurement Method for XLPE Cables Based on Propagation Characteristics of High Frequency Signal <i>Toshihiro Takahashi¹, Tatsuki Okamoto² (Central Research Institute of Electric Power Industry¹, Central Research Institute of Electric Power Industry²)</i>	221

52.	A-91	The Development of Condition Based Maintenance for 33kV Oil- Filled Cable <i>Zairul Aida Abu Zarim, Tashia Marie Anthony (HV Cable Diagnostics, TNB Research Sdn. Bhd., Kajang, Malaysia)</i>	225
53.	B-3	Comparison of Broadband Impedance Spectroscopy and Time Domain Reflectometry for Locating Cable Degradation <i>Naoshi Hira¹, Takayuki Yamada², Yoshimichi Ohki³ (Waseda University¹, Waseda University², Waseda University³)</i>	229
54.	E-12	Transmission Line Assessment <i>Arief Ibrahim Wuller¹, Anita Pharmatrisanti² (PT PLN (Persero) P3B Jawa Bali¹)</i>	233
55	A-50	Organo-Montmorillonite as an Electrical Treeing Retardant for Polymeric Insulating Materials <i>A.A.A. Jamil¹, M. Kamarol¹, M. Mariatti¹, N. Bashir^{2*}, M.H.Ahmad², Y.Z. Arief², N.A.Muhamad² (¹Universiti Sains Malaysia, 14300 Nibong Tebal, Penang, Malaysia ²Universiti, Teknologi Malaysia, 81310 Johor Bahru, Johor, Malaysia)</i>	237
56.	K-6	A Study on Electrical Properties of Eco-friendly Non-Crosslinked Polyethylene. <i>June-Ho Lee¹, Seong-Jung Kim¹, Ki-Hyung Kwon¹, Chul Ho Kim¹, Kyu Cheol Cho² (¹Hoseo University ²SK Innovation)</i>	241
57.	E-13	Best Practices For Dielectric Frequency Response Measurements and Analysis in Real-world Substation Environment <i>Matz Ohlen¹, Peter Werelius², Joacim Skolding³, Jialu Cheng⁴ (Megger Sweden^{1,2,3,4})</i>	244
58.	D-7	Diagnosis of HVDC Insulation Systems by use of Oil-conductivity Measuring Methods <i>F. Schober¹, M. H. Zink², A. Kuchler³, M. Liebschner⁴, Ch. Krause⁵ (University of Applied Sciences FHWS^{1,2,3}, Aalen University⁴, Technology Services and Innovation, WEIDMANN Electrical Technology AG⁵)</i>	250
59.	D-49	The Self-healing Property of Silicone Rubber after Degraded by Treeing <i>Rudi K¹, Andrew D.H², Managam R.³, Zainuddin Nawawi⁴, Naohiro Hozumi⁵, Masayuki Nagao⁶ (Dept. of Electrical Engineering Tanjungpura University^{1,2,3}, Dept. of Electrical Engineering, Sriwijaya University⁴, Dept. of Electr. & Electronics Engg. Toyohashi University of Technology^{5,6})</i>	254
60.	D-22	An investigation on the parameters affecting the conductivity of pressboard in oil by measuring leakage current under DC <i>S.J.Cho¹, Z.X.Nan², I.J.Seo³, J.Y.Koo⁴, Y.H.Kim⁵, B.Y.Soek⁶ (Dept. Electrical engineering Hanyang University, Ansan, Korea^{1,2,3,4}, Dept. Electrical engineering research Hyundai Heavy Industries Co., LTD², Yongin, Korea)</i>	258
61.	D-88	Depletion Rate of Oxidation Inhibitor in Hydroprocessed Mineral Insulating Oil and Naphthenic Oils <i>K. Baburao¹, Dr. Daya Shukla², Nalin Nanavati³ (Department of Research & Development Raj Petro Specialities P. Ltd.^{1,2,3})</i>	261
62.	D-15	Space Charge Behavior in Oil-paper Insulation under Polarity Reversed Voltage <i>Da Wang¹, Shiqiang Wang², Min Lei³, Haibao Mu⁴, Guan-Jun Zhang⁵ (State Key Lab of Electrical Insulation and Power Equipment, Xi'an Jiaotong University^{1,2,3,4,5})</i>	265

63.	A-81	Condition assessment method for power transformer as a part of condition based maintenance program in PLN P3B Jawa Bali <i>Harry Gumilang¹, Erwin Ansori¹, Rikardo Siregar¹, Imam Subrata², Henny Ika S³, Rahmi Aenu², Endah Yuliasuti³, Achmad Setiawan³</i> (¹ Asset Management Department ² Maintenance Department ³ Maintenance Unit PT PLN (PERSERO) P3B Jawa Bali, South Jakarta, Indonesia)	269
64.	A-82	Abnormality Diagnosis of Transformer Winding by Frequency Response Analysis (FRA) Using Circuit Model <i>Satoru Miyazaki¹, Yoshinobu Mizutani², Tatsuki Okamoto³, Yoshihiro Wada⁴, Chikara Hayashida⁵</i> (Central Research Institute of Electric Power Industry ¹ , Central Research Institute of Electric Power Industry ² , Central Research Institute of Electric Power Industry ³ , Kyuhen Co., Inc. ⁴ , Kyuhen Co., Inc. ⁵)	273
65.	A-101	Sensitivity Verification and Application of UHF Sensors for Partial Discharge Measurement in High Voltage Power Transformer <i>J.R. Jung, K.R. Hwang, Y.E. Kim, E.T. Lyu, and H. J. Yang⁴</i> (Power & Industrial, System R&D Center, Hyosung Coporation, Republic of Korea)	277
66.	A-129	Usability of Vibration Measurement for Power Transformer Diagnosis and Monitoring <i>M. Bettle and S. Tenbohlen</i> (University of Stuttgart, Institute of Power Transmission and High Voltage Technology, Stuttgart, Germany)	281
67.	A-137	Partial discharge behavior of mineral oil and oil-board insulation systems at HVDC <i>Jürgen Fabian¹, Michael Muhr², Stefan Jaufer³, Wolfgang Exner⁵</i> (Graz University of Technology ¹ , Graz University of Technology ² , WEIDMANN Electrical Technology ³ , WEIDMANN Electrical Technology ⁵)	285
68.	A-292	Time-based partial discharge localization in power transformers by combining acoustic and different electrical methods <i>S. M. Hoek¹, A. Kraetge¹, O. Kessler², U. Broniecki³</i> (¹ OMICRON electronics GmbH, Klaus, Austria ² OMICRON Energy Solutions GmbH Berlin, Germany ³ Berlin University of Technology, Berlin, Germany)	289
69.	A-100	On-line and On-site PD Monitoring and Diagnosis of Power Transformer <i>Chun-She Xu¹, Zhen-Quan Sun, Guan-Jun Zhang</i> (Xi'an Jiaotong University ¹ , Shaanxi Regional Electric Power Group Co., Ltd, Xi'an Jiaotong University)	293
70.	IL-9/D-26 (Invited)	Influence of Environmental and Operational Conditions on Breakdown Voltage of Oil in Switchgear <i>Dhiradj Djairam¹, M. Yu, L.Chmura¹, R.P.Y., Mehairjan¹, Q.Zhuang¹, P.H.F. Morshuis¹, J.J. Smit¹, Dirk Boender²</i> (¹ High Voltage Technology & Asset Management, Delft University of Technology, Delft, the Netherlands ² Asset Management, Stedin B.V., Rotterdam, the Netherlands)	297
71.	G-5	Discrimination Technique of Streamer and Leader Type of Partial Discharge in SF ₆ Gas Using UHF Method <i>Masahiro Hanai¹, Keisuke Suzuki², Ryunosuke Mizuno³, Hiroki Kojima⁴, Naoki Hayakawa⁵, Hitoshi Okubo⁶</i> (Nagoya University ^{1,2,3,4,5,6})	301
72.	A-146	Emission and Propagation Mechanisms of PD Pulses for UHF and Traditional Electrical Measurements <i>S. M. Hoek¹, A. Kraetge¹, M. Koch², O. Kessler², M. Heindl³</i> (¹ OMICRON electronics GmbH, Klaus, Austria ² OMICRON Energy Solutions GmbH Berlin, Germany ³ Berlin University of Technology, Berlin, Germany)	305

73. A-281 Effect of Excitation Current Waveform on PD Induced Electromagnetic Wave Propagation and Attenuation in Straight 154 kV GIS Model Tank with Epoxy Spacers 309
Kiichi Nishigouchi, Masahiro Kozako, Masayuki Hikita, Toshihiro Hoshino, Shiro Maruyama, Takashi Nakajima, Umar Khayam (Kyushu Institute of Technology, TOSHIBA Corporation, ITB)
74. A-298 Knowledge rules development for diagnostics outcomes in GIS 313
Muhammad Al-Suhaily¹, Sander Meijer², Johan J. Smit³, Peter Sibbald⁴ (Delft University of Technology, the Netherlands¹, Delft University of Technology, the Netherlands², Delft University of Technology, the Netherlands³, TenneT TSO B.V., the Netherlands⁴)
75. A-30 Estimating the remaining service life of switchgear insulators Application of the Mahalanobis-Taguchi (MT) method to diagnosis of degradation and estimation of the remaining service life of insulators 317
Hiroshi Okazawa¹, Shinsuke Miki² (1Power Distribution Systems Center (Mitsubishi Electric Corporation (MELCO), Marugame City, Kagawa, Japan 2 Advanced Technology R&D Center, Mitsubishi Electric Corporation (MELCO), Amagasaki City, Hyogo, Japan)
76. A-193 Characteristics of External Loop Sensor Located Near Bushing On Partial Discharge Measurement 320
Sriyono^{1,2,3}, Yong Joo Kim^{2,4}, Umar Khayam¹, Suwarno¹, Masayuki Hikita² (¹School of Electrical Engineering and Informatics, Institute Technology Bandung, Indonesia ²Department of Electrical Engineering, Kyushu Institute of Technology, Japan ³PT PLN (Persero), Indonesia ⁴Korea Electrotechnology Research Institute)*
77. IL-4 Hydrophobicity Transfer Property of Silicone Rubber Material 324
Zhicheng GUAN, Kang Niu, Gongmao Peng, Fuzeng Zhang, Liming WANG, Bernhard Lutz (Laboratory of Electrical Engineering and Energy, Graduate School at Shenzhen, Tsinghua UniversityShenzhen 518055, PR China)
78. D-33 Space charge accumulation properties in XLPE with Carbon nano-filler 328
Takayuki Arakane¹, Tatsuya Motchizuki², Nozomi Adachi³, Hiroaki Miyake⁴, Yasuhiro Tanaka⁵, Yoon Jin Kim⁶, Jin Ho Nam⁷, S.Tung Ha⁸, Gun Joo Lee⁹ (Tokyo City University^{1,2,3,4,5}, LS Cable & Systems Co.^{6,7,8,9})
79. D-39 3D Shape Reconstruction System for Dielectric Material Specimens Surface Measurement 332
Jianli Shang¹, Changwan Lee², Seung Hwang-bo³, June-Ho Lee⁴, Jongkwon Kim⁵ (Honam University^{1,2,3}, Hoseo University⁴, Junsung E&R,Inc⁵)
80. A-267 Understanding Copper Corrosion due to Sulphur in oil of Large Transformers by different approaches 336
Akshatha A¹, Anjana K¹, Ravi Kumar A¹, Shyam¹, Kumar Ch¹, and J. Sundara Rajan¹, Keshava Murthy², Viswanath G² and Ravindra D². (¹R&D Management Division, Central Power Research Institute, Bangalore, India ²Dielectric Materials Division, Central Power Research Institute, Bangalore, India)
81. D-40 Space Charge and Conduction Current Measurement Using Improved Pulse Generator 340
Minwoo Gwak¹, Jianli Shang², Seung Hwangbo³, June-Ho Lee⁴ (Honam University^{1,2,3}, Hoseo University⁴)

82. A-307 Thermal aging of Paper and Pressboard in mineral and ester oils under air and nitrogen atmospheres 343
M-L. Coulibaly¹, C. Perrier², A. Beroual³, M. Marugan⁴ (ALSTOM Grid¹, ALSTOM Grid², Ecole Centrale de Lyon, AMPERE Lab³, ALSTOM Grid⁴)
83. D-42 High-permittivity and low-dielectric-loss polymer composites based on TiO₂-nanorod functionalized carbon nanotubes 347
Chao Wu, Xingyi Huang, Libing Lv, Gan Chen, Jinhong Yu, Liyuan, Xie, and Pingkai Jiang (Shanghai Key Lab of Electrical Insulation and Thermal Aging, Department of Polymer Science and Engineering, Shanghai Jiao, Tong University, Shanghai 200240, People's Republic of China)*
84. D-47 New Carbon Material Derived from Mixture with Lubricating Oil and Sulfuric Acid and its Electric Property for EDLC 350
Sougoro Sugawara¹, Zulkarnain A. Noorden², Ryohei Okaoto³, Satoshi Matsumoto⁴ (Shibaura Institute of Technology^{1,2,3,4})
85. A-39 SEM and EDX analysis of The Needle – Plane and Rod - Plane Electrodes for The Partial Discharge Inception Voltage Measurement and The Arcing Test of The Mineral Oil 353
N. Pattanadach¹, F. Pratomosiwi², M. Muhr¹, M. Baur² (Institute of High Voltage Engineering and System, Management, Inffeldgasse 18, A - 8010 Graz, 2Baur Prüf- und Messtechnik GmbH, Raiffeisenstr. 8, A - 6832 Sulz, Austria)
86. E-1 An Approach to Aging Assessment of Power Transformer Based on Multi-parameters 357
Yuan Li¹, Ming-jie Tang², Jun-bo Deng³, Guan-jun Zhang⁴, Shu-hong Wang⁵ (Power Equipment, Xi'an Jiaotong University¹, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University², State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University³, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University⁴, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University⁵)
87. A-207 Accounting of Physicochemical Characteristics Interference in Multiple-Aspect Assessment of Oil Condition 361
Davidenko I.V., Kolushev D.N., Shyrokov A.V. (Ural Federal University, KEG branch of PC "Grid Company")
88. A-103 Development of Dissolved Gas Analysis(DGA) Expert System Using New Diagnostic Algorithm For Oil-immersed Transformers 365
Y.M.KIM, S.J.LEE, H.D.SEO, J.R.JUNG and H.J.Yang (Power & Industrial System R&D Center, HYOSUNG COPORATION, Republic of KOREA)*
89. A-217 New Designed Wideband Amplifier and Waveguide for Partial Discharge Location in Cast-Resin Dry-Type Transformer 370
Jia-Bin Wang¹, Ching-Chau Su², Cheng-Chi Tai³, Jiann-Fuh Chen⁴, Shih-Shong Yen⁵ (Department of Electrical Engineering, National Cheng Kung University^{1,3,4,5}, Department of Electrical Engineering, Nan Jeon Institute of Technology²)
90. A-283 Improving accuracy of DGA interpretation of oil-filled power transformers needed for effective condition monitoring 374
Abubakar A. Suleiman^{1,2}, Ali S. Alghamdi^{1,3}, Nor Asiah Mohamad¹ and Nouruddeen Bashir¹, Mohd Aizam^{1,4} (¹National Agency for Science and Engineering, Infrastructure (NASENI), Abuja, Nigeria ²Institute of High Voltage & High Current (IVAT), Faculty of Electrical Engineering (FKE), Universiti Teknologi Malaysia (UTM), Johor, Malaysia, ³Technical & Vocational Training Corporation, Jeddah, Saudi Arabia, ⁴TNB Research Sdn Bhd, Bangi Kajang, Selangor, Malaysia)

91.	A-53	Characteristics of PD Induced Electromagnetic Wave Propagating through T-Branch of 154 kV GIS in the Presence of Epoxy Spacer <i>Umar Khayam, Toshihiro Hoshino, Takashi Nakajima, Shiro Maruyama, Kiichi Nishigouchi, Masahiro Kozako, Masayuki Hikita (School of Electrical Engineering and Informatics, TOSHIBA Corporation, Department of Electrical and Electronic Engineering)</i>	379
92.	A-164	The Influence of Free Moving Particles on Breakdown Voltages of GIS under Different Electrical Stresses <i>A.P.Purnomoadi¹, M.A.G.Al-Suhaily^{2*}, S.Meijer², J.J.Smit², S.Burow, S.Tenbohlen¹ (¹PT. PLN (Persero) P3B Jawa Bali ²Department of Electrical Power Engineering, High Voltage Technology and Management Group, TU Delft, the Netherlands, ²Institute of Power Transmission and High Voltage Technology, University of Stuttgart, Germany)</i>	383
93.	A-191	Influence of Spacer Aperture Size on PD-Induced Electromagnetic Wave Measured with UHF External Sensor in 66 kV GIS Model <i>Widya Anggoro Putro^{1,3}, Sriyono^{1,3}, K. Nishigouchi², Umar Khayam^{1,2}, Suwarno¹, Masahiro Kozako², Masayuki Hikita², Koji Urano⁴, Chen Min⁴ (¹School of Electrical Engineering and Informatics, Bandung Institute of Technology, Indonesia ²Department of Electrical Engineering, Kyushu Institute of Technology, Japan ³PT PLN (Persero), Indonesia ⁴SE Technology, Hongkong)</i>	387
94.	A-174	Partial Discharge (PD) Detection on medium voltage Switchgears Using Non-Invasive Sensing Methods <i>S. Kornhuber¹, K. Jani, M. Boltze¹, G. Valtin (¹Doble-Lemke GmbH, Kesselsdorf, Germany ²Doble-Lemke GmbH, Kesselsdorf, Germany)</i>	392
95.	A-206	Development of GIS condition monitoring and diagnosis system based on IEC61850 <i>Deok-Cheol Kim¹, Dae-Kwon Kang², Duck-Ki Seo, Yong-Moo Chang (Power IT Research Institute, Hanyang University)</i>	396
96.	A295	Designing PD couplers using the FDTD method <i>Takashi Ito¹, Toru Fukasawa² (Mitsubishi Electric Corporation¹, Mitsubishi Electric Corporation²)</i>	N/A
97.	IL-2/D-4 (Invited)	Investigations on creeping discharges propagating over pressboard immersed in mineral and vegetable oils submitted to lightning impulse voltages <i>Viet-Hung Dang¹, A. Beroual², M-L. Coulibaly³, C. Perrier⁴ (Ecole Centrale de Lyon - Ampere Lab1,2, ALSTOM Grid / TICC3,4, ALSTOM Grid / ARC4)</i>	404
98.	D-52	Space Charge Formation and Physicochemical Properties of Aged XLPE Cable Insulation <i>Shengtao Li¹, Weiwei Li², Jianying Li³, Xia Wang⁴, Huan Li⁵, Yu Jing⁶ (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University^{1,2,3,4,5,6})</i>	408
99.	D-83	Effect of Long-Term Aging Test Under DC Voltage on Roebel Bars <i>Mario Bélec¹, Calogero Guddemi², Charles Millet³ (Institut de Recherche d'Hydro-Québec, IREQ^{1,2}, Appareillage de Production, Hydro-Québec³)</i>	412
100.	D-84	Degradation of Insulating Polymer Materials Exposed to Partial Discharge under NOx Environment <i>Yoshiyasu Ehara¹, Daisuke Kubota² (Dept. of Electrical and Electronic Engineering, Tokyo City University¹)</i>	417

101.	D-70	Simulation of Electro-Thermal Aging Based on the Generic Life-Expression <i>Hisham A. Alghamdi¹, G. Chen², A. S. Vaughan³ (The Tony Davies High Voltage Laboratory, University of Southampton^{1,2,3})</i>	421
102.	D-50	Time Lag in CM-II Electrode System Attributed to Dielectric Surface Conditioning <i>Zainuddin Nawawi¹, Hussein Ahmad², Rudi Kurnianto³, N. Hozumi⁴, M. Nagao⁵ (Dept. of Electrical Engineering, Sriwijaya University¹, Faculty of Engineering, Universiti Teknologi Malaysia², Dept. of Electrical Engineering, Tanjungpura University³, Dept. of Electr. & Electron. Engg., Toyohashi University of Tech.^{4,5})</i>	425
103.	A-167	Diagnosing winding and core condition of power transformer by vibration signal analysis <i>Buyung Sofiarto Munir¹, Johan J. Smit², I G. M. Rama Rinaldi³ (¹PT PLN (Persero), Jakarta, Indonesia ²Delft University of Technology, Delft, The Netherlands ³PT PLN (Persero), Jakarta, Indonesia)</i>	429
104.	A-165	Study on the Dissolved Gas Online Monitor Based on the Photoacoustic Spectroscopy <i>Zhu Qi¹, Yin Yi², Wang Qiaohua³, Wang Zhihao⁴, Li Zhe⁵ (Shanghai Jiao Tong University^{1,2,3,4,5})</i>	433
105.	A-228	Low-cost frequency response analyzer for transformer diagnosis <i>Ratanon Sripheuek, Supakit Chotigo (King Mongkut's University of Technology Thonburi)</i>	437
106.	A-232	Investigating the Partial Discharge Electromagnetic Wave Propagation in Power Transformers Considering Active Part Characteristics <i>H. R. Mirzaei¹, A. Akbari¹, M. Zanjan¹, E. Gockenbach², H. Borsi² (¹Department of Electrical Engineering, K. N. Toosi University of Technology, Tehran, Iran, ²Institute of Electric Power Systems, Schering-Institute, University of Hannover, Germany)</i>	442
107.	A-55	Characterization of Transformer FRA Signature under Various Winding Faults <i>Naser Hashemnia, A. Abu-Siada, Mohammad A.S. Masoum, and Syed M. Islam (Curtin University, Australia¹)</i>	446
108.	A-197	The application of FRA-SCR in the diagnosis of transformer coil deformation <i>Liang Xiaochen¹, Ji Shengchang¹ and Wang Wei² (¹State key laboratory of electrical insulation and power equipment, School of Electrical Engineering, Xi'an Jiaotong University, Xi'an 710000, China ²Shenzhen Power Supply Bureau, Shenzhen 518000, China)</i>	450
109.	A-200	Developing Norm for SF6 Quality of Tropical GIS <i>Annastasya Bastian¹, Dian Septi Rahmani², Ari Muchtar³ (PT. PLN (Persero) P3B Jawa Bali Indonesia^{1,2,3})</i>	454
110.	A-78	Effect of Electric Field on Contaminated Metallic Particle in Three Phase Dielectric Coated Common Enclosure Gas Insulated Busduct Using Charge Simulation Method <i>Narapareddy Rama Rao¹, J. Amarnath² (¹Department of Electrical and Electronics Engineering, Nigama Engineering College, Karim Nagar, AP, INDIA ²Department of Electrical and Electronics Engineering, JNTUH College of Engineering, Hyderabad, AP, INDIA)</i>	458

111.	A-110	Application of MV GIS Partial Discharge Measurement and Location <i>Min-Yen Chiu¹, Keng-Wei Liang¹, Chang-Hsing Lee¹, Chen-Li Fan², J. Cheng², Yu-Chih, Lin³ (Power Diagnostic Service Co., Limited¹)</i>	462
112.	A-264	Noise discrimination from PD signal in pre-breakdown discharge detection test <i>Takashi Kuraishi, Toshihiro Takahashi, Takashi Kurihara, Tatsuki Okamoto (High-voltage & Insulation Sector, Electric Power Engineering Research Laboratory, Central Research Institute of Electric Power Industry, 2-6-1 Nagasaka, Yokosuka, Kanagawa 240-0196 JAPAN)</i>	466
113.	A-144	Influences of different absorbents on the detection of SF6 gas decomposition products <i>Wang Yuanyuan¹, Ren Jie¹, Liang Xiaochen¹, Ji Shengchang¹, Li Li², Wang Yu² (State Key Laboratory of Electrical Insulation and Power Equipment, Electric Power Test Research Institute)</i>	470
114.	K-2	Minimizing the Potential of SF6 Gas Emission <i>S. Naswi¹, R. Siregar², A. Pharmatrisanti³ (PT PLN (Persero) P3B Jawa Bali^{1,2,3})</i>	476
115	IL-5/G-47 (Invited)	Surface Trapping Parameters of Solid Dielectrics: Novel Measurement Method and Insulation Condition Characterization <i>Guan-Jun Zhang*, Wen-Wei Shen, Hai-Bao Mu, Jun-Bo Deng (State Key Lab of Electrical Insulation and Power Equipment, School of Electrical Engineering, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, China)</i>	480
116.	F-4	On-load tap changer diagnosis with dynamic resistance measurements <i>Rogier Jongen¹, Paul P. Seitz², Thomas Strehl³, Johan Smit⁴, Rory Leich⁵, Edward Gulski⁶ (Seitz Instruments AG^{1,2}, Onsite hv technology AG³, Delft University of Technology⁴, Liandon N.V.⁵, Poznan University of Technology⁶)</i>	485
117.	G-3	Characteristics of partial discharge by AC and DC <i>Jeongtae Kim¹, Dongwook Kim¹, Kijin Nam¹, Won Choi², Bangwook Lee², Jayoon Koo² (¹Dept. of Electrical Eng., Daejin University, Gyeonggi-Do, Korea ²Dept. of Electrical Eng., Hanyang University, Gyeonggi-Do, Korea)</i>	489
118.	G-8	Monitoring of SF6 gas admixtures in gas-insulated electrical equipment <i>Th. A. Paul¹, A. Kramer² (Corporate Research, ABB Switzerland)</i>	493
119.	G-9	Investigating Partial Discharge UHF Electromagnetic Waves Propagation in Transformers Using FDTD Technique and 3D Simulation <i>M. Zanjani¹, A. Akbari¹, H. R. , N. Shirdel¹, E. Gockenbach², H. Borsi² (¹Department of electrical and computer engineering, K. N. Toosi University of Technology, Tehran, Iran ²Institute of Electric Power Systems, Schering-Institute, University of Hannover, German)</i>	497
120.	G-10	Adapting frequency domain spectroscopy as an on-line monitoring tool for the insulation of power transformers <i>Michael Jaya, Yannick Rink and Thomas Leibfried (Institute of Electric Power, Systems and High Voltage Technology, Karlsruhe Institute of Technology, Karlsruhe, Germany)</i>	501
121.	J-15	Integrated Assessment Model of GIS Operating Under Tropical Conditions <i>A. Pharmatrisanti¹, J.J. Smit² (¹Asset Management Department, PT. PLN (Persero) P3B Jawa Bali, Depok, Indonesia ²Electrical Sustainable Energy, Faculty of EEMCS, TU Delft, Delft, the Netherlands)</i>	505

122. I-4 Developing the physical layer of future power grids required for automatic asset management and renewable energy integration 509
D. Djairam¹, R. Grizonic², Q. Zhuang³, J. J. Smit⁴ (High Voltage Technology & Management, Delft University of Technology^{1,2,3,4})
123. J-1 Failure Statistics and Inventory Management for High Voltage Circuit Breaker using Statistical Distribution Techniques 513
T. Suwanasri¹, S. Wattanawongpitak², T. Homkeanchan³, C. Suwanasri⁴ (King Mongkut's University of Technology North Bangkok^{1,2,3,4})
124. J-6 Statistical Approach to Establish Failure Behaviour on Incomplete Asset Lifetime Data 517
Ravish P.Y. Mehairjan¹, Dhiradj Djairam², Arjan M. van Voorden³, Qikai Zhuang⁴, Johan J. Smit⁵ (High Voltage Technology & Asset Management, Delft University of Technology^{1,2,4,5}, Asset Management Stedin B. V.³)
125. J-9 Transmission Power Transformer Assessment Using Furan Measurement with the aid of Thermal Model 521
Dongyin Feng¹, Zhongdong Wang², Paul Jarman³ (School of Electrical and Electronic Engineering, The University of Manchester^{1,2}, National Grid³)
126. J-10 Optimum Maintenance Plan of Electric Power Apparatus in Consideration of Maintenance History by Intelligent Grid Management System (IGMS) 525
Kosei Sinoda¹, Masahiro Hanai², KaioWakaiki¹, Hiroki, Kojima², Naoki Hayakawa², and Hitoshi Okubo¹ (¹Dept. of Electric and Electrical Engineering, ²EcoTopia Science Institute, Nagoya University, Nagoya, Japan)
127. A-201 The Condition-Based Maintenance Concept for 500 kV Circuit Breaker in PLN P3B Jawa Bali – Indonesia 529
Y. Wibisana, R. Setyo Wibowo, I. Arifianto (PT. PLN (Persero) P3B Jawa Bali-Jakarta)
128. IL-8/A-114 (Invited) Advanced Condition Monitoring Of Insulation Systems: A Building Block For Smarter Grids 533
*L. Fornasar¹, A. Cavallini², G. C. Montanari³ (*TechImp HQ Spa, University of Bologna)*
129. A-294 De-noising approaches for partial discharge measurements – A comparison of methods and their practical application 538
A. Kraetge¹, S. Hoek¹, R. Hummel¹, M. Krüger¹, O. Kessler², S. Hong³ (¹Product Management and Engineering Services, OMICRON, Klaus, Austria ²Product Manager, OMICRON, Berlin, Germany, ³Application Engineer, OMICRON, Seong Nam City, South Korea)
130. A-48 On-line Partial Discharge Monitoring System for Distribution Networks. 542
Patrick Mulroy, Aritz Hurtado, David Badetz (Ormazabal Corporate Technology, Parque Empresarial Boroa, Parcela 24, Amorebieta-Etxano (Vizcaya), Spain)
131. A-46 Pattern recognition rate comparison for Partial Discharges at Cryogenic temperature 546
H. S. Lee, I. J. Seo, W. Choi, Y. J. Lee, Y. M. Choi, B. W. Lee, J. Y. Koo (Hanyang University¹)

132. A-177 Research on the Fiber-optic On-line Monitoring System for Leakage Current of ± 800 kV UHV DC Insulator N/A
Liang Wang¹, Hong Wei¹, Yunpeng Liu¹, Wenyi Guo² (¹Hebei Provincial Key, Laboratory of Power Transmission, Equipment Security Defense, North China Electric Power University, Baoding, China ²Electric Power Research Institute National Engineering, Laboratory, China Southern Power Grid Co. Ltd, Guangzhou, China)
133. A-226 Development of Transformer Monitoring System for Condition-based Maintenance in PT. PLN Java-Bali Transmission and Load Dispatch Center 554
B. Pharmasetiawan¹, Hakim Ad Dairi¹, Yudi S. Gondokaryono¹, Anita Pharmatrisanti², Edy Subagja², Bambang Cahyono² (¹School of Electrical Engineering and Informatics, Bandung Institute of Technology (ITB), Bandung, Indonesia ²Asset Management Department, PT. PLN (PERSERO) P3B Jawa Bali, Depok, Indonesia)
134. G-30 PD Behavior of Basic Test Arrangements under Different Measurement and Evaluation Conditions 557
Stefan Kornhuber¹, Matthias Boltze², Rainer Haller³, Petr Mraz⁴, Josef Pihera⁵ (Doble-Lemke GmbH^{1,2}, University of West Bohemia in Pilsen, Faculty of Electrical Engineering^{3,4,5})
135. L-4 Optimum Power Flow Control Based on Power Apparatus Diagnosis by Intelligent Grid Management System (IGMS) 561
Masahiro Hana¹, Kosei Shinoda², Kaio Wakaiki³, Hiroki Kojima⁴, Naoki Hayakawa⁵, Hitoshi Okubo⁶ (Nagoya University^{1,2,3,4,5,6})
136. K-9 Fix Series Capacitor for Increasing Power Transfer on Transmission 150 kV at Sumatera Interconnection System 5
Muhammad Nurdin¹, Nanang Hariyanto², Sudarmono Sasmono³, Rizky Rahmani⁴, Armaini⁵, Ricky Faiza⁶ (School of Electrical Engineering and Informatics, Bandung Institute of Technology, Bandung, Indonesia^{1,2,3,4}, Centre of Research and Development/Puslitbang PT PLN (Persero), Jakarta, Indonesia⁵, PT PLN (Persero) P3BS, Padang, Indonesia⁶)
137. A-52 Interpretation of Monitoring Data of Own Electromagnetic Radiation HV Transformers 569
Nikolay V. Kinsht¹, Natalia N. Petrunko² (Electrophisic and Electropower Lab., Institute of Automation & Control Processes of Far-Eastern Branch of RAS 5 Radio St., Vladivostok 690041, Russia^{1,2})
138. A-149 Smart Grids: Romanian Experience in On-Line Monitoring and Condition Assessment of High Voltage Substations 573
Constantin Moldoveanu¹, Virgil Brezoianu², Aurelian Vasile³, Victor Ursianu⁴, Irene Ionita⁵, Florin Goni⁶, Constantin Radu⁷, Stelian Gal⁸, Vasile Metiu⁹, Ioan Hategan¹⁰, Vlad Rosca¹¹, Valentin Zaharescu¹², Gheorghe Moraru¹³ (S.C. NOVA INDUSTRIAL S.A., Bucharest, Romania^{1,2,3,4,5,6,7}, CNTEE TRANSELECTRICA SA, Romania^{8,9,10,11,12}, Smart SA, Romania¹³)
139. K-17 Alternative Spatial Approach on Spatial Demand Forecasting for Transmission Expansion Planning 577
Sudarmono Sasmono¹, Ngapuli Irmea Sinisuka², Mukmin W Atmopawiro³ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Bandung, Indonesia^{1,2,3})
140. A-62 A new On-line Monitoring Technology of Transmission Line Conductor Icing 581
Xinbo Huang¹, Xu Wei² (College of Electronic Information, Xi'an Polytechnic University, Xi'an, China¹, College of Mechanical and Electrical Engineering, Xi'an Polytechnic University, Xi'an, China²)

141.	C-3	Investigation Experience Due To High Number of CVTs Failure (Part: 1) <i>Rikardo Siregar¹, Achmad Setiawan² (Penyaluran dan Pusat Pengatur Beban Jawa Bali, PT. PLN (Persero), Jakarta, Indonesia^{1,2})</i>	586
142.	A-2	Importance of Bushing DGA in Condition Assessment of Power Transformers <i>Bhaskar D Malpure¹, Sushil E Chaudhari² (Crompton Greaves Ltd, Mumbai^{1,2})</i>	589
143.	A-16	Study on Transformer Oil Dissolved Gas Online Monitoring and Fault Diagnosis Method <i>Huimin He¹, Xiaotian Xu² (North China Electric Power Research Institute Beijing, China^{1,2})</i>	593
144.	A-40	The Influence of The Test Methods on The Partial Discharge Inception Voltage Value of The Mineral Oil Using The Needle - Plane Electrode Configuration <i>N. Pattanadach¹, F. Pratomosiwi², M. Muhr³, M. Baur⁴ (Institute of High Voltage Engineering and System Management¹, Institute of High Voltage Engineering and System Management², Institute of High Voltage Engineering and System Management³, BAUR prüf-und Messtechnik GmbH⁴)</i>	597
145.	A-42	Influence Factors on FRA Waveforms <i>Takahiro Sano¹, Katsunori Miyagi² (Design Department, Trsansformer Business Division MEIDEN T&D CORPORATION Numazu-shi, Japan¹, Department of Electrical and Electronic Engineering Kanazawa Institute of Technology Nonoichi-shi, Japan²)</i>	601
146.	A-45	Development of a Portable PDC Diagnostic System for Discriminating Transformer Insulation and Winding Faults Using Homoscedastic Probabilistic Neural Network <i>S. Natarajan¹, R. Rajesh², S. Venkatesh³, S. Mohamed Ghouse⁴ (SASTRA University^{1,2,3,4})</i>	605
147.	A-66	The Influence of Windings on UHF Electromagnetic Wave Propagation <i>Shusheng Zheng¹, Chengrong Li², Meng He³ (Beijing Key Laboratory of High Voltage and EMC, North China Electric Power University^{1,2,3}, State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University^{1,2,3})</i>	609
148.	A-130	Apparatus for On-line Monitoring of Transformer Winding Deformation using Leakage Inductance Identification <i>Yao Zhoufei¹, Yin Yi², Wang Zhihao³, Li Zhe⁴, Wang Qiaohua⁵ (Shanghai JiaoTong University¹, Shanghai JiaoTong University², Shanghai JiaoTong University³, Shanghai JiaoTong University⁴, Shanghai JiaoTong University⁵)</i>	613
149.	A-138	Comparison of Online and Lab DGA Methods for Condition Assessment of Mineral and Vegetable Transformer Oils <i>X. Wang¹, X. Yi², S.T. Li³, Z.D. Wang⁴, J.V. Hinshaw⁵, J. Noakhes⁶ (University of Manchester¹, University of Manchester², University of Manchester³, University of Manchester⁴, BPL Global Ltd⁵, TJ/H2b Analytical Services Pty Ltd⁶)</i>	617
150.	A-139	Partial discharge behavior of environmentally friendly and hardly inflammable ester liquids compared to mineral oil for power transformers <i>Jürgen Fabian¹, Bettina Wieser², Michael Muhr³, Robert Schwarz⁴, Georg J. Pukel⁵, Martin Stössl⁶ (Graz University of Technology¹, Graz University of Technology², Graz University of Technology³, Siemens Transformers Austria GmbH & Co KG⁴, Siemens Transformers Austria GmbH & Co KG⁵, Siemens Transformers Austria GmbH & Co KG⁶)</i>	621

151. A-233 Investigating Suitable Positions in Power Transformers for Installing UHF Antennas for Partial Discharge Localization 625
H. R. Mirzaei¹, A. Akbari², M. Zanjan³, K. Miralikhani⁴ (Department of Electrical Engineering K. N. Toosi University of Technology Tehran, Iran^{1,2,3}, HV Test Field, Iran-Transfo Co. Zanjan, Iran⁴)
152. D-69 A Comparison of AC and DC Surface Discharges Characteristics for Silicone Rubber 629
Jeong-Yun Heo¹, Han-Goo Cho², Lee-Yong Soon³ (Korea Electrotechnology Research Institute(KERI)^{1,2}, Technology Institute, Sang Won Co., Ltd.³)
153. A-312 Effects of Current and Voltage Harmonics on Distribution Transformer Losses 633
M. Shareghi¹, B.T. Phung², M.S. Naderi³, T. R. Blackburn⁴, E. Ambikairajah⁵ (School of Electrical Engineering and Telecommunications University of New South Wales Sydney, Australia^{1,2,3,4,5})
154. A-320 Degree of Polymerization Estimation of Insulation Papers in Power Transformers Based on Load and Temperature Histories in Java-Bali Region of Indonesia National Electric Company 637
Hanung N.S.¹, Suwarno², Nanang H.³, Yoshinobu Mizutani⁴, Tsuguhiro Takahashi⁵, Tatsuki Okamoto⁶ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung - PT PLN (Persero)¹, School of Electrical Engineering and Informatics, Institut Teknologi Bandung², School of Electrical Engineering and Informatics, Institut Teknologi Bandung³, CRIEPI⁴, CRIEPI⁵, CRIEPI⁶)
155. A-11 Electric field distribution in 132 kV one piece premolded cable joint structures 643
H. A. Illias¹, Z. H. Lee², A. H. A. Bakar³, H. Mokhlis⁴, G. Chen⁵, P. L. Lewin⁶ (UMPEDAC Electrical Engineering Department Faculty of Engineering, University of Malaya Kuala Lumpur, Malaysia^{1,2,3,4}, The Tony Davies High Voltage Laboratory University of Southampton Southampton, United Kingdom^{5,6})
156. A-60 Insulation Ageing Diagnosis of XLPE Power Cables under Service Conditions 647
Fei Liu¹, Xingyi Huang², Jing Wang³, Pingkai Jiang⁴, (Shanghai Key Lab of Electrical Insulation and Thermal Aging, Department of Polymer Science and Engineering, Shanghai Jiao Tong University^{1,2,3,4})
157. A-75 Application of Modern Testing and Diagnostic Methods for High Voltage Power Cables 651
Edward Gulski¹, Steve Burks², Piotr Cichecki³, Chris Grodzinski⁴ (Onsite hv solutions AG¹, onsite hv solutions Americas Inc², onsite hv solutions Benelux BV³, onsite hv solutions Americas Inc⁴)
158. A-113 Simulation of Partial Discharge Location in Medium-Voltage Power Cables 655
Keng-Wei Liang¹, Chang-Hsing Lee², Min-Yen Chiu³, Chen-Li Fan⁴, Yu-Chih⁵, Lin⁶ (Power Diagnostic Service Co., Limited^{1,2,3}, Taiwan Power Research Institute, Taiwan Power Company⁴, National Synchrotron Radiation Research Center⁶)
159. A-127 On-site testing and diagnosis of long medium voltage cables 659
Rogier Jongen¹, Ben Quak², Edward Gulski³, Piotr Cichecki⁴, Frank de Vries⁵ (Seitz Instruments AG^{1,2}, Poznan University of Technology³, Delft University of Technology⁴, Alliander NV⁵)
160. A-186 Simulation of Partial Discharge Pulse Propagation in 110kV XLPE Cable 663
Hongbo Liu¹, Huamao Zhan², Chengrong Li³, Jingchun Wang⁴ (Beijing Area Major Laboratory of High Voltage and EMC, North China Electric Power University^{1,2,3,4}, State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University^{1,2,3,4})

161. A-241 Analysis and Calculation of Ampacity of 10kV Cables in Pipes under transient conditions 667
Yan-ling Zheng¹, Zhi-liang Xu², Guan-Jun Zhang³ (Xi'an Jiaotong University^{1,2,3}, Baoji University of Arts and Sciences⁴)
162. A-244 The Design of Temperature Monitoring System for Power Cable Joint 671
Chang Wenzhi¹, Han Xiaohui², Ge Zhendong³, Li Chengrong⁴ (North China Electric Power University¹, North China Electric Power University², North China Electric Power University³, North China Electric Power University⁴)
163. B-4 Improvement in Sensitivity of Broadband Impedance Spectroscopy for Locating Degradation in Cable Insulation by Ascending the Measurement Frequency 677
Takayuki Yamada¹, Naoshi Hira², Yoshimichi Ohki³ (Waseda University¹, Waseda University², Waseda University³)
164. B-8 Evaluation of Accelerated Ageing Cables Used in Nuclear Power Plant 681
Sang-hwa Lee¹, Jae-do Lee², Moon-young Kim³, Hong-seok Jang⁴, Choong-heui Jeong⁵ (Korea Institute of Nuclear Safety¹, Korea Institute of Nuclear Safety², Korea Institute of Nuclear Safety³, Korea Institute of Nuclear Safety⁴, Korea Institute of Nuclear Safety⁵)
165. A-182 Study on the propagation characteristics of partial discharge electromagnetic waves in 252kV GIS 685
Tingli Yan¹, Huamao Zhan², Shusheng Zheng³, Bo Liu⁴, Jingchun Wang⁵, Chengrong Li⁶, Lihong Deng⁷ (North China Electric Power University^{1,2,3,4,5,6}, Urban Construction Design & Research Institute⁷)
166. A-183 GIS Partial Discharge Severity Assessment: A Digital Image Approach 690
ZhiyangJin¹, BoQi², ChengrongLi³, Le Yu⁴, ZhaoliangXing⁵, DangguoXu⁶, ShaoyuLiu⁷ (North China Electric Power University^{1,2,3,4,5}, North China Electric Power Research Institute^{6,7})
167. A-187 The Study of Partial Discharge in GIS under Impulse Voltage Based on Time-frequency Analysis 694
Zhong Ren¹, Ming Dong², Ming Ren³, Hai-bin Zhou⁴, Jin Miao⁵ (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an^{1,2,3,4,5})
168. A-190 Sensitivity Verification and Determination of the Best Location of Various External UHF Sensors for PD Measurement in GIS 698
Sriyono¹, Widya Anggoro Putro², Kichi Nishigouchi³, Umar Khayam⁴, Suwarno⁵, Masahiro Kozako⁶, Masayuki Hikita⁷, Koji Urano⁸, Chen Min⁹ (PT PLN(Persero)/Indonesia state electricity company^{1,2}, ITB^{1,2,4,5}, Kyushu Institute of Technology^{3,6,7}, SE Technology^{8,9})
169. A-195 On-line and long-term monitoring and diagnosis system for insulation on switchgear devices by wireless communication technique 702
Cheng-Chien Kuo¹, Hong-Chan Chang² (Saint John's University¹, National Taiwan University of Science and Technology²)
170. A-1 Surveying Compressor C-2501 Vibration Problem By Analysis of Vibration and Its Analytical Report 706
Hamidreza Minaiepour¹, Ehsan Heydari², Hamid Sarabeigi³ (Marun Petrochemical Company¹, Marun Petrochemical Company², Marun Petrochemical Company³)

171.	A-3	An application of Particle swarm optimization to the tracking of faulty lines for the monitoring of Outer-race bearing faults <i>Hubert Razik¹, Mohamed El Kamel Oumaamar² (Université Claude Bernard Lyon¹, Université Mentouri²)</i>	710
172.	A-5	Thermal Signatures for Pattern Recognition Approach Applied to Induction Motor Diagnosis <i>O. Olivier¹, E. Boutleux, G. Clerc³ (Laboratory Ampere – FRANCE¹, Laboratory Ampere – FRANCE², Laboratory Ampere – FRANCE³)</i>	714
173.	A-49	Dynamic Simulation and Experimental Results of Bearing Faults of Squirrel Cage Induction Motor <i>Ariunbolor Purvee¹, Gautam Banerjee² (School of Mining Engineering, Mongolian University Science and Technology¹, Longwall Mining Division Central Institute Mining and Fuel Research²)</i>	718
174.	A-70	A Novel Aircraft Engine Fault Diagnostic and Prognostic System based on SVM <i>ZeFeng WANG¹, Jean-Luc ZARADER², Sylvain ARGENTIERI³ (Institute for Intelligent Systems and Robotics (ISIR); University of Pierre and Marie Curie (PARIS IV)^{1,2,3})</i>	723
175.	A-74	Investigating the causes of body failure of MV electromotor in centrifuge equipment <i>Hamidreza Minaiepour¹, Ehsan Heydari², Hamid Sarabeigi³ (Condition Monitoring Department Marun Petrochemical Company¹, Mechanical Maintenance Department Marun Petrochemical Company², Critical Equipments Maintenance Department Marun Petrochemical Company³)</i>	729
176.	A-163	Classification of Temporary Short Circuit in Three Phase Induction Motor Winding Based on Wavelet Transform <i>Dicky Nova Wardana¹, Dimas Anton Asfani², Ardyono Priyadi³, Mauridhi Hery Purnomo⁴ (Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia¹, Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia², Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia³, Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia⁴)</i>	N/A
177.	A-213	UVLS with Cascade Methode and Sensor to Protect Generator from Over Excitacy <i>Rukmito Ari Ardianto¹ (PT PLN (Persero) - P3B, Sumatera, Padang – West Sumatra – Indonesia¹)</i>	736
178.	B-7	Partial Discharge Analysis for Predictive Maintenance of Generator of Geothermal Power Plant <i>Djoko Darwanto¹, Deny Hamdani², Didik Dwi Hariyanto³, Otto Hari Karyawan⁴ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung^{1,2}, PT. Pertamina³, Chevron Geothermal Indonesia, Ltd⁴)</i>	740
179.	A-33	A Communication Interference Suppression Method for Ultra High-Frequency Partial Discharge Detection <i>Wang Caixiong¹, Zhang liangen², Hua Zhenghao³, Tang Zhiguo⁴, Chang Wenzhi⁵, Li Chengrong⁶ (North China Electric Power University^{1,2,3,4,5,6})</i>	744
180.	A-41	A Feasibility and Method Research on the On-line Monitoring of the Parallel Compensation Capacitors <i>TaoZhao Tao¹, Liu Yunpeng², Lv Fangcheng³ (North China Electric Power University¹, North China Electric Power University², North China Electric Power University³)</i>	748

181. A-68 The Monitoring Sensor Unit Design of The Wire Transmission Line Comprehensive State 752
Xinbo Huang¹, Yawei Zhang² (College of Electronics and Information, Xi'an Polytechnic University, XPU, Xi'an, China^{1,2})
182. A-69 Icing Thickness Prediction Model Using BP Artificial Neural Network 758
Xinbo Huang¹, Jiajie Li² (College of Electronics and Information, Xi'an Polytechnic University, XPU, Xi'an, China^{1,2})
183. A-72 Multiprocessor based architecture for On-line Condition Monitoring of Transformers 761
Suraj Pardeshi¹, Ramakant Mahajan², UmaMahesh Pasumarthi³, Rohit Kumar Arora⁴ (CG Global R&D Center, Kanjur Marg, Mumbat^{1,2,3,4})
184. A-73 Breakdown Characteristics of Liquid Nitrogen for Transmission-Class Superconducting Electric Equipment 766
Woo-Ju Shin¹, Jae-Sang Hwang², Jae-Kyu Seong³, Jong-Geon Lee⁴, Bang-Wook Lee⁵ (Department of ElectronicSystems Engineering, Hanyang University^{1,2,3,4,5})
185. A-85 Effect of humidity and electrode roughness on the AC and impulse breakdown characteristics of dry-air 770
Jae-Kyu Seong¹, Woo-Ju Shin², Jae-Sang Hwang³, Jong-Geon Lee⁴, Bang-Wook Lee⁵, Kyung-Bo Seo⁶, Dong-Hoon Jeong⁷ (Hanyang University^{1,2,3,4,5}, Power & Industrial Systems R&D Center Hyosung Heavy Industry^{6,7})
186. A-87 Design of Induced Power Apparatus for Monitoring System of Dynamic Increasing Capacity of High-voltage Transmission Lines 774
Dai Yuan¹, Chen Kai², Lin Jie-dong³, Cheng Yang-chun⁴, Nie Ming⁵, Wang Wei⁶ (¹Guangdong Power Test & Research Institution, Guangzhou^{1,3,5,6}, State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, Beijing Key Laboratory of High Voltage and EMC, North China Electric Power University^{2,4})
187. A-92 Ethernet Communication Based on the IEC61850-line Monitoring of Electrical Equipment IED 778
Yunpeng Liu¹, Hong Wei², Liang Wang³, Tao Zhao⁴ (North China Electric Power University^{1,2,3,4})
188. A-98 Accelerated multistress aging of polymer nanocomposites and its condition monitoring 782
P. Preetha¹, M. Joy Thomas² (Department of Electrical Engineering Indian Institute of Science^{1,2})
189. A-109 Error Analysis of Location Algorithm for Partial Discharge in Substation 786
Hou Hui-juan¹, Sheng Ge-hao², Jiang Xiu-chen³, Guan Hong⁴, Shao Yu-ying⁵ (Shanghai Jiao Tong University^{1,2,3}, Shanghai Municipal Electric Power Company^{4,5})
190. A-131 Review on Software Development for Time-Domain High Voltage Equipment Condition Monitoring 790
R. A. Zainir¹, N. A. Muhamad² (Universiti Teknologi Malaysia¹, Universiti Teknologi Malaysia²)
191. A-141 Frequency Domain Analysis of Electromagnetic Wave Radiated from Partial Discharge 794
Zhu Chaojie¹, Lu Yuncai², Zhang Ziyang³, Yin Yi⁴ (Department of Electrical Engineering, Shanghai Jiao Tong University^{1,2}, Jiangsu Electric Power Company Research Institute^{3,4})

192.	A-148	Fundamental study of Evaluation Methods of the Deepness of Immersed Water in Pole Mounted Air Switch by Air-coupled Ultrasound Method <i>Tomohiko Nagano¹, Sinya Ohtsuka² (Kyushu Institute of Technology¹, Kyushu Institute of Technology²)</i>	798
193.	A-156	Review and Application of Diagnosis Methods for 22.9kV-y Distribution Systems <i>Oh-myeon Kwon¹, Byoun-hun Jung², Jong-man Joung³, Dong-myung Kim⁴ (Facility Diagnosis Center of Korea Electric Power Cooperation (KEPCO), Korea^{1,2,3,4})</i>	802
194.	A-175	Study on Tension detection method for Overhead Transmission Line Based on Spectrum Analysis <i>Hai-bin Zhou¹, Ming Dong², Ai-ci Qiu³ (State Key Laboratory of Electrical Insulation and Power Equipment, EEC, Xi'an Jiaotong University^{1,2}, Northwest Institute of Nuclear Technology of China³)</i>	805
195.	A-236	The Design of Hilbert Fractal Antenna Array for Ultra-High-Frequency Partial Discharge Detection <i>Peng Wang¹, Jian Li², Tianyan Jiang³, Zhiman He⁴ (College of Electrical Engineering, Chongqing University^{1,2,3,4})</i>	N/A
196.	A-290	On-line Monitoring and prediction for transmission line sag <i>Ren Lijia¹, Li Hong², Liu Yan³ (North Power Supply Company, Shanghai Municipal Electric Power Company^{1,2,3})</i>	813
197.	A-310	Analysis of PD Characteristics depending on Causes of Solid insulated Load Break Switchgear <i>Chan Yong Park¹, Do Hoon Lee², Jong Ung Choi³, Seok Weon Park⁴ (LS Industrial System¹, LS Industrial System², LS Industrial System³, LS Industrial System⁴)</i>	818
198.	B-5	Phase angle calculation for UHF Partial Discharge detection in segment acquisition mode <i>Hu Yue¹, Si Liangqi², Sheng Gehao³, Jiang Xiuchen⁴, Wang Hongbin⁵, Zhu Wenjun⁶ (Laboratory of Control of Power Transmission and Conversion, Ministry of Education Department of Electrical Engineering, Shanghai Jiao Tong University^{1,2,3,4}, Guangdong Electric Power Research Institute^{5,6})</i>	821
199.	B-6	Adaptive Wavelet De-noising Method based on Segmented Processing Technology for PD Location <i>Zhang Tianchen¹, Hu Yue², Qian Yong³, SHENG Gehao⁴, JIANG Xiuchen⁵, MIAO Peiqing⁶, LI Xiuwei⁷ (Key Laboratory of Control of Power Transmission and Conversion, Ministry of Education, Department of Electrical Engineering, Shanghai Jiao Tong University^{1,2,3,4,5}, Shandong Electric Power Research Institute⁴, Shandong Electric Power Research Institute^{6,7})</i>	825
200.	A-102	Studying the Paper-oil Insulation Aging Models of Power Transformer <i>Yuan Wen¹, Gong Senlian², Wang Youyuan³ (State Key Laboratory of Power Transmission Equipment & System Safety and New Technology, Chongqing, China^{1,2,3})</i>	N/A
201.	A-111	Dynamic Out-of-step Simulation and Detection in 150 kV South Sulawesi System <i>H. Wihartady¹, R. Hutahaean², M. Popov³, L. van der Sluis⁴, V. Terzija⁵ (PLN^{1,2}, Delft Technology University^{1,3,4}, The University of Manchester⁵)</i>	833
202.	A-205	Electrical Power Quality Monitoring and Analysis of a Synchrotron Accelerator Facilities <i>Yu-Chih Lin¹, Yung-Feng Chiu², Tzong-Shyan Ueng³, Kung-Cheng Kuo⁴, Jui-Chi Chang⁵ (National Synchrotron Radiation Research Center^{1,2,3,4,5})</i>	838

203.	A-242	Condition Monitoring in the Management of Maintenance in a Large Scale Precision CNC Machining Manufacturing Facility <i>N.Ahmed¹, A.J Day², J.L Victory³, L. Zeall⁴, B. Young⁵ (University of Bradford, School of Engineering, Design, & Technology, Bradford, UK^{1,2}, BAE Systems Ltd Samlesbury Aerodrome, Balderstone^{3,4})</i>	84
204.	A-255	Condition Based Management of Electrical Appliances <i>Pavel Trnka¹, Michal Svoboda², Jakub Soucek³ (University of West Bohemia¹, University of West Bohemia², University of West Bohemia³)</i>	846
205.	I-2	Formalization of the Interval Circuit Analysis <i>Nikolay V. Kinsht¹, Natalia N. Petrunko² (Electrophisic and Electropower Lab., Institute of Automation & Control Processes of Far-Eastern Branch of RAS^{1,2})</i>	850
206.	A-235	New Partial Discharge Location Method in Power Transformer based on Acoustic Wave Propagation Characteristics using Numerical Simulation <i>Masahiro Kozako¹, Hiroki Murayama², Masayuki Hikita³, Hidenobu Koide⁴, Kenji Kashine⁵, Itaru Nakamura⁶ (Department of Electrical Engineering and Electronics, Kyushu Institute of Technology^{1,2,3}, Transformer Division Fuji Electric Corporation⁴, Electrical and Electric Engineering Kagoshima College of Technology^{5,6})</i>	854
207.	J-2	Asset management of wind turbines <i>Chen-li Fan¹, Yang-lin Zeng², Tsai-Ho Cheng³ (Taipower Research Institute, TPC¹, Contron Electric Co.Ltd², Taiwan Power Company³)</i>	858
208.	J-3	Use Case Modelling for Risk Based Maintenance Management System <i>Qikai Zhuang¹, Dhiradj Djairam², Ravish P. Y. Mehairjan³, Johan J. Smit⁴ (High-voltage Technology and Management, EWI, Delft University of Technology^{1,2,3,4})</i>	862
209.	J-7	Improved Risk Analysis Through Failure Mode Classification According to Occurrence Time <i>Ravish P.Y. Mehairjan¹, Qikai Zhuang², Dhiradj Djairam³, Johan J. Smit⁴ (High Voltage Technology & Asset Management, Delft University of Technology^{1,2,3,4})</i>	866
210.	J-8	A Comparative Review of Transformer Reliability on a Individual and Population Scale and an Assessment of Reliability Methodologies <i>B. Patel¹, Z.D. Wang², J.V. Milanovic³, P. Jarman⁴ (School of Electrical & Electronic Engineering, The University of Manchester^{1,2,3}, National Grid⁴)</i>	870
211.	J-18	A Smart On-line Over-voltage Layered Identification System <i>Du lin¹, Chen huan², Liu jun³ (State Key Laboratory of Power Transmission Equipment and System Security and New Technology, Chongqing University^{1,2}, Chongqing Power Company³)</i>	874
212.	A-6	Leakage Current Monitoring for Silane Epoxy Resin Insulator under Tropical Climate Conditions <i>Abdul Syakur¹, Hamzah Berahim², Rochmad³, Tumiran⁴ (Department of Electrical Engineering Gadjah Mada University^{1,2}, Department of Chemical Engineering Gadjah Mada University^{3,4})</i>	878
213	K-1	Designing angle bowl of Turbine for Micro-hydro at Tropical Area <i>Lie Jasa¹, Ardyono Priyadi², Mauridhi Hery Purnomo³ (Udayana University¹, Sepuluh Nopember Institute of Technology^{2,3})</i>	882
214.	K-7	Noise and Vibration Survey of ac Filter Capacitors in Feng Xian HVdc Converter Station <i>Zhu Lingyu¹, Ji Shengchang², Shen Qi³ (Xi'an Jiaotong University^{1,2,3})</i>	886

215.	A-10	Comparative PD characteristics of pressboard/ mineral oil and pressboard/vegetable oil insulating systems <i>Viet-Hung Dang¹, A. Beroual², E. A. Al-Ammar³, M. Qureshi² (Ecole Centrale de Lyon, AMPERE CNRS, 36 avenue Guy de Collongue, 69134 Ecully Cedex, France^{1,2}, Saudi Aramco Chair in Electrical Power, Department of Electrical Engineering, King Saud University, Riyadh, Saudi Arabia^{3,4})</i>	890
216.	A-14	Disequilibrium of Moisture In Oil-Pressboard Insulation Under Transient Temperature Condition <i>Wei Wang¹, Xin Wang², Zhiqing Ma³, Chengrong Li⁴, Shaoyu Liu⁵, Yanwei Wu⁶, Zhen Hao⁷, Jixian Ma⁸, Kaihua Long⁹ (Beijing key laboratory of HV & EMC, State key laboratory of alternate electrical power system with renewable energy sources, North China electric power university^{1,2,3,4}, High voltage research institute, North China electric power research institute^{5,6,7,8,9})</i>	894
217.	A-15	Distribution Of Moisture In Oil Immersed Pressboard Under Transient Temperature Condition <i>Wei Wang¹, Zhiqing Ma², Xin Wang³, Chengrong Li⁴, Jixian Ma⁵, Kaihua Long⁶, Zhen Hao⁷, Shaoyu Liu⁸, Yanwei Wu⁹ (Beijing key laboratory of HV & EMC, State key laboratory of alternate electrical power system with renewable energy sources, North China electric power university^{1,2,3,4}, High voltage research institute, North China electric power research institute^{5,6,7,8,9})</i>	897
218.	A-18	The Criteria of Dissolved Gas Analysis in Natural Ester Fluid <i>Dongjin, Kweon¹, Kyosun, Koo² (Power System Laboratory KEPCO Research Institute^{1,2})</i>	901
219.	A-22	Analysis of Partial Discharge Phenomena of Twisted Pairs for Inverter-Fed Motor under Square Impulse Voltage <i>Huihui Xu¹, Guangning Wu², Yiqiang Zhang³, Yang Luo⁴, Kaijiang Cao⁵ (School of Electrical Engineering, Southwest Jiaotong University, Chengdu^{1,2,3,4,5})</i>	N/A
220.	A-23	A Review of Condition Monitoring of Underground Power Cables <i>Ammar Anwar Khan¹, Nazar Malik², Abdulrehman Al-Arainy³, Saad Alghuwainem⁴ (Saudi Aramco Chair in Electrical Power, Department of Electrical Engineering, College of Engineering, King Saud University^{1,2,3,4})</i>	909
221.	A-25	The Investigation on dispersion of characteristic parameters for assessment of insulating state and economic feasibility in oil-paper insulation diagnosis <i>Wen Cao¹, Wei Shen², Xuetao Shi³, Baosheng He⁴, Kai Wu⁵ (State Key Lab. of Elect. Insulat. and Power Equipment, Xi'an Jiaotong University^{1,3,4,5}, Shaanxi Electric Power Research Institute, Shaanxi Electric Power Corporation²)</i>	913
222.	A-26	Monitoring of 420 kV XLPE Cable System in Underground Tunnel <i>D. Gieselbrecht¹, W. Koltunowicz², A. Obralic³, T. Ritz⁴, P. Christensen⁵, B. Schneider⁶, K. H. Cohnen⁷ (OMICRON Energy Solutions, Berlin, Germany^{1,2,3,4}, nkt cables a/s, Brøndby, Denmark^{5,6}, nkt cables, Cologne, Germany⁷)</i>	917
223.	A-34	Frequency Domain Measurement as Quality And Diagnostic Tool for Power Transformers <i>P.K. Poovamma¹, T.R. Afzal Ahmed², C. Viswanatha³, K. Mallikarjunappa⁴ (Central Power Research Institute^{1,2,3,4})</i>	N/A
224.	A135	Monitoring of Transformer Winding Deformation by CPRA Method <i>V.Rusov¹, S.Zhivodernikov² (Vibrocenter Perm, Russia¹, Vibrocenter Perm, Russia²)</i>	925

225. A-56 Standardization of DGA Interpretation Techniques using Fuzzy Logic Approach 929
S. Hmood¹, A. Abu-Siada², Mohammad A.S. Masoum³, Syed M. Islam⁴ (Electrical and Computer Engineering Department, Curtin University, WA^{1,2,3,4})
226. A-99 Analyze of the corona loss characteristics of the contamination conductor in a small cage N/A
Yunpeng Liu¹, Guoyang Zhou², Lei Zhu³, Yuehan Li⁴ (Department of Electrical Engineering, North China Electric Power University, Baoding, China^{1,2,3,4})
227. A-124 Solubility Study of Different Gases in Mineral and Ester-based Transformer Oils 937
A. Müller¹, M. Jovalekic², S. Tenbohlen³ (Institute of Power Transmission and High Voltage Technology, University of Stuttgart, Stuttgart, Germany^{1,2,3})
228. A-126 Safety Risk Analysis of insulators in Electric transmission Line Based on Fuzzy Fault Tree Method 941
Wang Kai¹, Deng Yu-rong², Zhu Shi-yang³, Wang You-yuan⁴ (Guangxi Guangxi Power Grid Electric Power Research Institute, Nanning 530023, China^{1,2,3}, State Key Laboratory of Power Transmission Equipment & System Security and New Technology, Chongqing 400044, China⁴)
229. A-151 Intelligent Fault Diagnosis for On-line Condition Monitoring in Smart Distribution Networks 946
Murtaza Hashmi¹, Seppo Hänninen², Matti Lehtonen³ (Energy System Knowledge Centre, VTT Technical Research Centre of Finland, Finland^{1,2}, Department of Electrical Engineering, School of Electrical Engineering, Aalto University, Finland³)
230. A-160 Power Transformer Incipient Faults Diagnosis Using Dissolved Gas Analysis and Rough Set 950
Noor Akhmad Setiawan¹, Sarjiya², Zenith Adhiarga³ (Electrical Engineering and Information Technology Department, Universitas Gadjah Mada, Indonesia^{1,2,3})
231. A-192 PD Pattern of Various Defects Measured by UHF External Sensor on 66 kV GIS Model 954
Widya Anggoro Putro¹, Sriyono², K. Nishigouci³, Umar Khayam⁴, Suwarno⁵, Masahiro Kozako⁶, Masayuki Hikita⁷, Koji Urano⁸, Chen Min⁹ (School of Electrical Engineering and Informatics, Bandung Institute of Technology, Indonesia^{1,2,4,5}, Department of Electrical Engineering, Kyushu, Institute of Technology, Japan^{3,6,7}, PT PLN (Persero), Indonesia^{1,2}, SE Technology, Hongkong^{8,9})
232. A-194 Influence of the Structure Dimension of GIS on the Partial Discharge 958
Dengwei Ding¹, Wensheng Gao², Weidong Liu³ (State Key Laboratory of Control and Simulation of Power System and Generation Equipment, Department of Electrical Engineering, Tsinghua University, Beijing, 100084, China^{1,2,3})
233. A-199 Classification of Partial Discharge events in GILBS using Discrete Wavelet Transform and Probabilistic Neural Networks 963
Ming-Shou Su¹, Jiann-Fuh Chen², Chien-Yi Chen³, Cheng-Chi Tai⁴, Yu-Hsun Lin⁵ (Department of Electrical Engineering National Cheng Kung University, Tainan, Taiwan^{1,2,3,4}, National Penghu University of Science and Technology, Penghu, Taiwan⁵)
234. A-211 Estimation of Transmission Line Parameters Single-Core XLPE Cables Considering Semiconducting layer 967
Yan Li¹, Peter A. A. F. Wouters², Paul Wagenaars³, Peter C. J. M. van der Wielen⁴, E. Fred Steennis⁵ (Electrical Energy Systems, Eindhoven University of Technology, Eindhoven, the Netherlands^{1,2}, DNV KEMA Energy & Sustainability Arnhem, the Netherlands^{3,4,5})

235.	A-216	Influence of Partial Discharge on Breakdown of Air-Polymer Composite <i>Eka Putra Waldi (Department Electrical Engineering, Andalas University, Indonesia)</i>	971
236.	A-220	Vibration Characteristics during Mechanism Endurance Test of a High Voltage Circuit Breaker <i>Wenpeng Zhang¹, Yonggang Guan², Weidong Liu³, Cheng Tang⁴, Junhui Wu⁵, Jianying Zhong⁶, Zhiyong Yang⁷ (Department of Electrical Engineering, Tsinghua University, Beijing, China^{1,2,3}, Pinggao-Tsinghua Electric Research Center, Henan Pinggao Electric Co., LTD, Pingdingshan, China^{4,5,6,7})</i>	975
237.	A-227	UHF Sensor Array for Partial Discharge Location in Transformers <i>H.H. Sinaga¹, B.T. Phung², T.R. Blackburn³ (University of New South Wales, School of Electrical Engineering and Telecommunications^{1,2,3})</i>	979
238.	A-240	Recovery Experience of Power Equipment from Tsunami Disaster <i>M. Sasaki¹, K. Ito², Y. Adachi³, N. Fuse⁴, Y. Kabasawa⁵, T. Takahashi⁶, Y. Hori⁷, K. Adachi⁸, T. Okamoto⁹ (Shin-Sendai Thermal Power Plant, Tohoku Electric Power Co., Sendai, Japan^{1,2,3}, Electric Power Engineering Research Laboratory, Central Research Institut of Electric Power Industry, Yokosuka, Japan^{4,5,6,7,8,9})</i>	983
239.	A-261	Electric Material Model Aging for Online Diagnostic Systems <i>Michal Svoboda¹, Pavel Trnka², Jakub Soucek³ (Department of technologies and measurement, University of West Bohemia, Pilsen, Czech Republic^{1,2,3})</i>	987
240.	A-270	PD Monitoring and diagnosis of Power Transformer On-Line and on site <i>Xu Chunshe¹, Zhang Guanjun², Sun Zhenquan³ (School of Electrical Engineering, Xi'an Jiaotong University, Xi'an, China^{1,2}, R&D center of smart distribution grid, SHAANXI REGIONAL ELECTRIC POWER GROUP CO., LTD, Xi'an, China³)</i>	N/A
241.	C-8	Failure Analysis of Cable Accessories Using Finite Element Method Magnetics (FEMM) Software <i>Aziz Suhaimi¹, Huzainie Shafi Abd Halim² (Failure Investigation, TNBR QATS Sdn. Bhd., Malaysia¹, Transmission and Distribution, TNB Research Sdn Bhd., Malaysia²)</i>	995
242.	A-400	<i>Distributed Fault Location Based on Comprehensive Analysis of Fault Current</i> <i>Yadong Liu¹, Gehao Sheng², Xiaojun Shen³, Xiuchen Jiang⁴, Xuri Sun⁵, Shiqiang Wang⁶, Weiwei Yang⁷ (Shanghai Jiao Tong University, Shanghai, China^{1,2,3,4}, Liaocheng Electric Power Company, Liaocheng, Shandong, China^{5,6}, Northeast Power Grid Corporation, Shenyang, Liaoning, China⁷)</i>	999
243.	B-10	Statistical Analysis of Partial Discharge Characteristics for Predictive Maintenance of Generator of Geothermal Power Plant <i>Djoko Darwanto¹, Didik Dwi Hariyanto², Otto Hari Karyawan³, Deny Hamdani⁴ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia^{1,4}, PT. Pertamina, Indonesia², Chevron Geothermal Indonesia, Ltd, Indonesia³)</i>	1003
244.	B-11	The Characteristics Of Soil Which Is Treated By Salt Solution, And Water As The Basic of Grounding Diagnostics. <i>Anggoro B¹, Irman D. B.² (Electrical Power Engineering Research Division, School of Electrical Engineering & Informatics, Bandung Institute of Technology, Indonesia¹, Electrical Power Engineering Research Division, Electrical Engineering Department, National Institute of Technology, Indonesia²)</i>	1007

245.	B-12	The Concept of Grounding Impedance Diagnostics Method <i>Anggoro B. (Electrical Power Engineering Research Division, School of Electrical Engineering & Informatics, Bandung Institute of Technology, Indonesia)</i>	1013
246.	A-209	Identification of joints affected by water ingress in complex hybrid MV cable networks <i>Tobias Neier¹, Alexander Gerstner², Martin Jenny³ (Technical Advisor - Application Engineering, BAUR Prüf- und Messtechnik GmbH, Hong Kong – Asia Pacific², Product Management, BAUR Prüf- und Messtechnik GmbH, Sulz, Austria^{2,3})</i>	1018
247.	C-7	Simulation of Propagation Characteristics in Three-Phase-Type GIS <i>Haifeng Ye¹, Yong Qian², Gehao³, Sheng⁴, Yue Hu⁵, Xiuchen Jiang⁶, Jing Chen⁷, WanJian Bai⁸ (Shanghai Jiao Tong University^{1,2,3,4,5,6}, Heze Electric Power Company^{7,8})</i>	1023
248.	C-9	Induced Voltage Analysis with Adjacent Phases of the Three-limb and Five-limb Transformers <i>Jong-man Joung¹, Chul-bae Park², Han-hong Kim³, Dong-yeol Shin⁴, Dong-myung Kim⁵ (Facility Diagnosis Center of Korea Electric Power Cooperation (KEPCO)^{1,2,3,5}, KEPCO Research Institute⁴)</i>	1029
249.	C-10	Principal Failure Cases on Distribution Switchgear using in the 22.9kV-y Distribution System <i>Tae-Ho Kwon¹, Chong-Eun Cho², Jong-Man Joung³, Dong-Myung Kim⁴ (Facility Diagnosis Center, Korea Electric Power Corporation^{1,2,3,4})</i>	1032
250.	C-11	Electrical Steels and Power Transformer Cores in Deep Saturation <i>Q. Tang¹, Z.D. Wang², P. Jarman³ (School of Electrical and Electronic Engineering, The University of Manchester, Manchester, M13 9PL, UK^{1,2}, National Grid, National Grid House, Warwick Technology Park, Warwick, CV34 6DA, UK³)</i>	1035
251.	C-12	Investigation on Electrical Characteristics of HDPE Mixed with EVA Applied for Recycleable Power Cable Insulation <i>Jung-Hun Kwon¹, Min-Hye Park², Kee-Joe Lim³, Hyung-Kyu Lee⁴ (Department of Electrical Engineering, CBNU, Cheongju, Republic of Korea^{1,2,3}, Department of Electrical Engineering, Chungju National University, Chungju, Republic of Korea⁴)</i>	1039
252.	C-15	Study on Characteristics and Detection of DC Arc Fault in Power Electronics System <i>Liu Yuan¹, Ji Shengchang², Wang Jin³, Yao Xiu⁴, Zhu Yeye⁵ (State key laboratory of electrical insulation and power equipment School of Electrical Engineering, Xi'an Jiaotong University^{1,2,5}, High Voltage and Power Electronics Lab, Ohio State University, Columbus OH43210, USA^{3,4})</i>	1043
253.	C-25	The Effects of Coupling Agents on the electrical and mechanical Properties of Polyimide/ TiO ₂ Hybrid Films <i>Xiaoxu Liu¹, Jinghua Yin², Minghua Chen³ (School of Applied Science, Harbin University of Science and Technology^{1,2}, Center for engineering training and basic experimentation, Heilongjiang Institutes of Science and Technology^{1,3})</i>	N/A
254.	D-6	Distribution of electric field in medium voltage cable joint geometry <i>H. A. Illias¹, Z. H. Lee², A. H. A. Bakar³, H. Mokhlis⁴, A. Mohd Ariffin⁵ (UMPEDAC, Electrical Engineering Department, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia^{1,2,3,4}, College of Engineering, Universiti Tenaga Nasional, Selangor, Malaysia⁵)</i>	1051

255. D-11 Characteristics on Surface flashover of polyethylene nanocomposites film in vacuum 1055
Weiwang Wang¹, Shengtao Li², Fan Tang³, Jianying Li⁴ (State Key Laboratory of Electrical Insulation and Power Equipment, Xian Jiaotong University^{1,2,3,4})
256. D-13 The Study of The Arcing Phenomena of The Mineral Oil Using The Rod - Plane Electrode Configuration 1059
N. Pattanadech¹, F. Pratomosiw², B. Wieser³, M. Muhr⁴, M. Baur⁵, (Institute of High Voltage Engineering and System, Management. Inffeldgasse 18, A - 8010 Graz^{1,2,3,4}, Baur Prüf- und Messtechnik GmbH, Raiffeisenstr. 8, A - 6832 Sulz, Austria⁵)
257. D-19 Role of Insulating Barriers during Electrical Treeing in Composite Dielectrics Using Partial Discharge Signature Analysis Based on Adaptive Probabilistic Neural Network 1063
S. Venkatesh¹, S. Mohamed Ghouse², P.V. Ramamoorthi³, S. Natarajan⁴ (School of EEE, SASTRA University, Thanjavur, India^{1,2,3,4})
258. D-20 Evaluation of Compression Behaviors of Oil-immersed Insulating Pressed-boards for Transformers 1067
Hisashi Morooka¹, Akira Yamagishi², Hideyuki Miyahara³, Hiroyuki Sampel⁴, Masaru Kashiwakura⁵, Yukiyasu Shirasaka⁶ (Dept. of Transmission & Distribution, Hitachi Research Lab., Hitachi, Ltd.¹, High Voltage Switchgear & Transformer Business Division, Hitachi Works, Power Systems Company, Hitachi, Ltd.^{2,3,4,5,6})
259. D-23 Property Modification of SiR-EPDM Blends by Electron Beam Irradiation 1071
Dr. V. Rajini¹, R. Deepalaxmi² (Department of EEE, SSN College of Engineering, Kalavakkam, Chennai, Tamilnadu, India^{1,2})
260. D-31 Preliminary Research on the influence of electrostatic precipitation on the anti-corona discharge of HVDC composite insulators N/A
Ying Liang¹, Yunpeng Liu², Xiaohui Yang³, Wenyi Guo⁴ (Hebei Provincial Key Laboratory of Power Transmission Equipment Security Defense, North China Electric Power University, Baoding, China^{1,2,3}, Electric Power Research Institute National Engineering Laboratory, China Southern Power Grid Co. Ltd, Guangzhou, China⁴)
261. D-32 Study on Corona-resistance Property of HTV Silicone Rubber Material N/A
Xiaohui Yang¹, Ying Liang², Yunpeng Liu³, Wenyi Guo⁴ (Hebei Provincial Key Laboratory of Power Transmission Equipment Security Defense, North China Electric Power University, Baoding, China^{1,2,3}, Electric Power Research Institute National Engineering Laboratory, China Southern Power Grid Co. Ltd, Guangzhou, China⁴)
262. D-35 Temperature effect of space charge distribution in cross-linked polyethylene 1085
Li Lan¹, Jiandong Wu², Yi Yin³, Ulf. H. Nilsson⁴, Hakan Lennartsson⁵, Alex Zhou⁶ (The department of Electrical Engineering, Shanghai Jiao Tong University, Shanghai, China^{1,2,3}, Borealis AB, Stenungsund, Sweden⁴, Borouge HongKong, HongKong, China⁵, Borouge Shanghai, Shanghai, China⁶)
263. D-41 Thermal Conductivity and Dielectric Properties of Epoxy Composites with Hyperbranched Polymer Modified Boron Nitride Nanoplatelets 1089
Xingyi Huang¹, Peng Peng², Wenyi Peng³, Jinhong Yu⁴, Fei Liu⁵, Pingkai Jiang⁶ (Shanghai Jiao Tong University^{1,2,3,4,5,6})

264.	D-43	DC Degradation of ZnO Varistor and Its Restorability by Heat-Treatment <i>Xuetong Zhao¹, Jianying Li², Shengtao Li³ (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University^{1,2,3})</i>	1093
265.	D-45	The Electric Field Distribution in Oil-paper Insulation under Combined AC-DC Voltage <i>Hao Wu¹, ChengRong Li², Bo Qi³, XiaoLin Zhao⁴, JinZhuang.Lv⁵, LinJie Zhao⁶ (Beijing Key Laboratory of High Voltage & EMC, North China Electric Power University^{1,2,3,4}, EHV Power Transmission Company, China Southern Power Grid⁵, Electric Power Research Institute, China Southern Power Grid⁶)</i>	1097
266.	D-53	Development of Measurement System for Secondary Electron Emission Yield of Insulating Materials for Spacecraft Materials <i>Kazuaki Shibuya¹, Kazufumi Nomura², Hiroaki Miyake³, Yasuhiro Tanaka⁴, Masamichi Ohira⁵, Teppei Okumura⁶, Masato Takahashi⁷ (Tokyo City University^{1,2,3,4}, JAXA^{5,6,7})</i>	1102
267.	D-54	Breakdown characteristics of thermally degraded oil-impregnated insulation <i>Lukasz Chmura¹, P.H.F. Morshuis², E. Gulski³, J.J. Smit⁴ (High Voltage Technology and Management, Delft University of Technology^{1,2,3,4})</i>	1106
268.	D-59	The thermal conductivity and electrical strength of epoxy resin with different filler content of micro and nano alumina <i>Wang Qi¹, Li Zhe², Wu Jiandong³, Yin Yi⁴ (The Department of Electrical Engineering, Shanghai Jiao Tong University^{1,2,3,4})</i>	1110
269.	D-64	Investigation on Electroluminescence as Pre-Breakdown Phenomenon within Dielectric Materials used for Cable Insulation <i>A. Mohd Ariffin¹, N. Mat Tajudin², H. A. Illias³ (Dept. of Electrical Power, Universiti Tenaga Nasional^{1,2}, Electrical Engineering Department, UMPEDAC, Faculty of Engineering, University of Malaya³)</i>	1114
270.	D-66	The Development of TSC Measurement System and its Application <i>Cong Li¹, Fangcheng Lv², Hong Wei³, Ying Liang⁴, Yunpeng Liu⁵, Tao Zhao⁶, Wenyi Guo⁷ (North China Electric Power University, Baoding, China^{1,2,3,4,5,6}, China Southern Power Grid Co. Ltd, Guangzhou, China⁷)</i>	N/A
271.	D-68	Mechanism of Brittle Fracture by Acid in Nonceramic Insulator <i>Tae-Hwa Lee¹, Han-Goo Cho² (Nano Fusion Technology Research Center, Korea Electrotechnology Research Institute (KERI), Changwon, KOREA^{1,2})</i>	N/A
272.	D-75	A modified Electrical conductivity model for insulating oil-based nanofluids <i>Jin Miao¹, Ming Dong², Liang-Ping Shen³ (State Key Laboratory of Electrical Insulation for Power Equipment, EEC, Xi'an Jiaotong University^{1,2}, Faculty of Physics and Electronic Technology, Hubei University³)</i>	1126
273.	D-76	Identify Moisture Distribution in Multilayer Oil-immersed Paper by Frequency Domain Spectroscopy <i>Hua-dong Peng¹, Ming Dong², Xue-zhou Wu³, Yuan Liu⁴ (State Key Laboratory of Electrical Insulation and Power Equipment, EEC, Xi'an Jiaotong University^{1,2,3,4}, Chongqing Electric Power Research Institute¹)</i>	1130
274.	D-89	Partial Discharge Inceptions and Patterns in arc Experienced Transformer Oils <i>Suwarno¹, Santosh² (School of Electrical Engineering and Informatics, Institut Teknologi Bandung^{1,2})</i>	1134

275.	D-90	Dielectric Properties of Silicone Oil, Natural Ester, and Mineral Oil under Accelerated Thermal Aging <i>Suwarno¹, T. Widy Nugraha², PC Didit HS³, Suharto⁴ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Bandung, Indonesia^{1,2}, PLN Research and Development Center, PT. PLN Persero, Jakarta, Indonesia^{3,4})</i>	1139
276.	D-91	Improving outdoor Insulator performances installed at coastal area using Silicone Rubber Coating <i>Suwarno¹, Ario Basuki², F. Lendy³, Sumedi⁴ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung^{1,2,3,4})</i>	1143
277.	E-3	Hydrolysis Process in PLN P3BJB Transformers as an Effect of Oil Insulation Oxidation <i>Harry Gumilang¹ (Asset Management, Substation Maintenance System Development, PT PLN (PERSERO) P3B Jawa Bali, Indonesia¹)</i>	1147
278.	E-5	Development of Remaining Life Estimation for MV PILC due to Electrical Stress using Statistical Method <i>Zairul Aida Abu Zarim¹, Tashia Marie Anthony² (HV Cable Diagnostics, TNB Research Sdn. Bhd, Kajang, Malaysia^{1,2})</i>	1151
279.	E-6	Operational Condition Assessment of In-Service Distribution Transformers <i>N. Azis¹, D. Zhou², Z.D. Wang³, D. Jones⁴, B. Wells⁵, G.M. Wallwork⁶ (The University of Manchester, Manchester M13 9PL, United Kingdom^{1,2,3}, Electricity North West, Cheshire WA3 XG, United Kingdom^{4,5,6})</i>	1156
280.	E-8	Degradation Characteristic Analysis of Lithium Polymer Battery in Hybrid Vehicle <i>Kang-Won, Lee¹, Jai-Kyun, Mok² (Korea Railroad Research Institute, Uiwangsi, Korea^{1,2})</i>	N/A
281.	E-10	Application of Time Domain Reflectometry Technique in Detecting Water Tree Degradation within Polymeric-Insulated Cable <i>A. Mohd Ariffin¹, T. M. Kuan², S. Sulaiman³, H. A. Illias⁴ (Dept. of Electrical Power, Universiti Tenaga Nasional^{1,2,3}, Electrical Engineering Department, UMPEDAC, Faculty of Engineering, University of Malaya⁴)</i>	1163
282.	E-19	Current Harmonic Analysis of Electronics Loads on Induction Generator <i>Waluyo¹, Siti Saodah², Jaka Nurahmat³ (Department of Electrical Engineering, National Institute of Technology, Bandung, Indonesia¹, Department of Energy Conversion Engineering, Bandung State Polytechnic, Bandung, Indonesia², Alumnus from Department of Electrical Engineering, National Institute of Technology, Bandung, Indonesia³)</i>	1167
283.	G-1	Fiber-Optic Vibration Sensor for Physical Security System <i>Tatsuya Kumagai¹, Shinobu Sato², Teruyuki Nakamura³ (Hitachi Cable, Ltd., Japan^{1,2,3})</i>	1171
284.	G-6	Microwave-based detection of internal defects in composite insulators for outdoor application <i>B. Lutz¹, L. Cheng², Z. Guan³, L. Wang⁴ (Laboratory of Advanced Technology of Electrical Engineering and Energy, Graduate School at Shenzhen, Tsinghua University^{1,2,3,4})</i>	1175

285. G-12 One Novel Type of UHF Antenna for Locating Partial Discharge and Simulation of UHF Signal Propagation within Transformer 1179
ZHU Chaojie¹, LU Yuncal², FEI Yijun³, YIN Yi⁴ (Department of Electrical Engineering, Shanghai Jiao Tong University, Shanghai, China ^{1,4}, Jiangsu Electric Power Company Research Institute, Nanjing, China^{2,3})
286. G-17 Finite Element Simulation Based Sensitivity Analysis of UHF Sensing Modes for PD Detection 1183
LI Sufe¹, HU Yue², YE Haifeng³, SHENG Gehao⁴, JIANG Xiuchen⁵, BAI Wangjian⁶, CHEN Jing⁷ (Key Laboratory of Control of Power Transmission and Conversion, Ministry of Education, Department of Electrical Engineering, Shanghai Jiao Tong University^{1,2,3,4,5}, Heze Power Supply Company^{6,7})
287. G-18 Optical and Electric Diagnostics of DBD Plasma Jet in Atmospheric Pressure Argon 1187
Zhiyuan Hao¹, Shengchang Ji², Lipeng Zhong³, Wene Ren⁴ (State Key Lab of Electrical Insulation and Power Equipment, School of Electrical Engineering, Xi'an Jiaotong University^{1,2,3}, Insulation Technique Institution, School of Electrical Engineering, Xi'an Jiaotong University⁴)
288. G-21 The Estimation of Insulation on MV Cables Using The VLF $\tan\delta$ Diagnostic Measurement 1191
Sung-min, Kim¹, Beong-suk, Kim², Jang-seob Lim³, Jin Lee⁴, Yeon-ha Jung⁵, Tae-wan Kim⁶, Won-suck Choi⁷, Kun-ho Lee⁸ (The Head Office, KEPCO, SEOUL, KOREA^{1,2}, Electric Power Corporation Research Institute, KEPCO, DAE-JEON, KOREA^{5,7}, Division of MEC Engineering, Mok-Po National Maritime University, MOK-PO, KOREA^{3,6,8}, Dept of Electrical Engineering, Mok-Po National University, MOK-PO, KOREA⁴)
289. G-23 Feasibility Study on a New Visualization Technique of Discharge-emitted Electromagnetic Waves with Time-domain Measurements 1197
Hiroki Shibata¹, Toshitake Umegane², Shinya Ohtsuka³ (Department of Electrical Engineering and Electronics, Kyushu Institute of Technology^{1,2,3})
290. G-25 Development of a Condition Monitoring System Using an Air-pack Type Pressure Sensor for Bedridden Patients in a Supine Position 1201
Harutoyo Hirano¹, Yusuke Komatsu², Abdugheni Kutluk³, Yuichi Kurita⁴, Shigeyuki Kojima⁵, Yumi Ogura⁶, Etsunori Fujita⁷, Ryuji Nakamura⁸, Noboru Saeki⁹, Masashi Kawamoto¹⁰, Masao Yoshizumi¹¹, Toshio Tsuji¹² (Graduate School of Engineering, Hiroshima University^{1,2}, Xinjiang Medical University³, Faculty of Engineering, Hiroshima University⁴, DELTA TOOLING Co., LTD.^{5,6,7}, Institute of Biomedical & Health Sciences, Hiroshima University^{8,9,10,11}, Faculty of Engineering, Hiroshima University¹²)
291. G-39 A New Method for On-Line Monitoring of Bushings and Partial Discharges of Power Transformers 1205
Maik Koch¹, Michael Kruger² (Omicron Energy Solutions, Berlin, Germany¹, Omicron Electronics, Klaus, Austria²)
292. G-40 An all-fiber electric field sensor based on tapered fiber-slab waveguide coupler 1209
Shaofei Dong¹, Chunyang Han², Hui Ding³, Xianli Li⁴, Xiaofeng Qi⁵ (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University^{1,2,3,4,5})
293. H-1 Identification of Optimal Polymeric Blend for Cables using Particle Swarm Optimization Method 1213
R. Deepalaxmi¹, V.Rajini², M.Balaji³ (Department of EEE, SSN College of Engineering, Kalavakkam, Chennai, Tamilnadu, India ^{1,2,3})

294. H-4 Comparison of Some Neural Network Algorithms Used in Prediction of XLPE HV Insulation Properties Under Thermal Aging 1218
L. Boukezzi¹, A.Boubakeur² (Materials Science and Informatics Laboratory, MSIL, Djelfa University, Algeria¹, L.R.E./High voltage laboratory of ENP, ENP of Algiers, Algeria²)
295. H-5 The Influence Estimation of Aging Factor in MV Cable Using Weibull Distribution and Neural Networks 1223
Sung-min, Kim¹, Beong-suk, Kim², Jang-seob Lim³, Jin Lee⁴, Yeon-ha Jung⁵, Tae-wan Kim⁶, Won-suck Choi⁷, Kun-ho Lee⁸ (The Head Office, KEPCO, SEOUL, KOREA^{1,2}, Electric Power Corporation Research Institute, KEPCO, DAE-JEON, KOREA^{5,7}, Division of MEC Engineering, Mok-Po National Maritime University, MOK-PO, KOREA^{3,6,8}, Dept of Electrical Engineering, Mok-Po National University, MOK-PO, KOREA⁴)
296. K-12 Application of Passive Filters to Mitigate Power Quality Problems Caused by Induction Furnaces 1227
Muhammad Rehan Arif¹, Farhan Mahmood², Murtaza Hashmi³, Seppo Hänninen⁴ (Electrical Engineering Department, University of Engineering and Technology, Lahore, Pakistan^{1,2}, Energy Systems Knowledge Centre, VTT Technical Research Centre of Finland, Finland^{3,4})
297. K-18 An Approach of Generator Coherency for Underfrequency Load Shedding and Islanding Mechanism: Study on Sulawesi Selatan-Tenggara-Barat (Sulselrabar) System, Sulawesi, Indonesia 1231
Fathin Saifur Rahman¹, Nanang Hariyanto², Muhammad Nurdin³ (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Bandung, Indonesia^{1,2,3})
298. K-19 The Performance Of Lightning Protection System on 275 Kv Transmission Lines Siguragura-Kuala Tanjung, North Sumatra, Indonesia 1236
Reynaldo Zoro¹, Fri Murdiya² (Power Engineering Research Division, School of Electrical Engineering and Informatics, Institute of Technology Bandung (ITB) Bandung¹, Electrical Engineering, University of Riau, Pekanbaru²)
299. C-5 Electrical Insulation Evaluation of Crosslinked Polyethylene Nanocomposite Blended with ZnO 1242
Yu-Min Kim¹, Young-Kwng Cha², Kee-Joe Lim³, Jin-Ho Nam⁴, Gun-Ju Lee⁵ (Department of Electrical Engineering, CBNU, Cheongju, Republic of Korea^{1,2,3}, R&D Center, LS Cable, Anyang, Republic of Korea^{4,5})
300. A134 Comparison Data of Transformer's Oil Water Content Analysis Obtained by Different Methods 1246
M.Anikeeva¹, R.Arbusov², Y.Bodnya³, S.Zhivodernikov⁴ (Electrogridservice, Novosibirsk, Russia^{1,2,3,4})
301. C-23 Partial Discharge Properties and Dissolved Gas Analysis of Ricinus Oils as Biodegradable Liquid Insulating Materials 1249
Umar Khayam, Suwarno, Abdul Rajab (Institut Teknologi Bandung, Jl. Ganesha 10 Bandung 40132, Indonesia)
302. D-80 Rotating Characteristics Of Electric Field Vector In Three-Phase Power Apparatus 1253
Umar Khayam (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia)