

2012 International Conference on Indium Phosphide and Related Materials

(IPRM 2012)

**Santa Barbara, California, USA
27-30 August 2012**



**IEEE Catalog Number: CFP12IIP-PRT
ISBN: 978-1-4673-1725-2**

TABLE OF CONTENTS

Monday, August 27, 2012

| | | |
|-------------|---|-----|
| PLE | Plenary Session | |
| Plenary I | THz Integrated Circuits..... | 1 |
| Plenary IV | Optical Interconnects for Computer-com..... | 5 |
| Mo1C | Hybrid Integration | |
| Mo1C.1 | Compact InP-based 1 x 2 MMI Splitter on Si Substrate with BCB Wafer Bonding for Membrane Photonic Circuits..... | 8 |
| Mo1C.2 | Reflection-Assisted Unidirectional Hybrid-Silicon Microring Lasers..... | 12 |
| Mo1C.3 | Integrated Hybrid III-V/Si Laser and Transmitter..... | 16 |
| Mo1C.4 | Hybrid InP-Polymer 30 nm Tunable DBR Laser for 10 Gbit/s Direct Modulation in the C-Band | 20 |
| Mo1C.5 | High-Speed Optical Phased Array Using High-Contrast Grating All-Pass Filters..... | 22 |
| Mo1D | Resonant Tunneling Devices | |
| Mo1D.1 | Tunnel Field-Effect Transistor Perspective | N/A |
| Mo1D.2 | 71 mV/dec of Sub-Threshold Slope in Vertical Tunnel Field-Effect Transistors with GaAsSb/InGaAs Heterostructure | 25 |
| Mo1D.3 | A 1.3 pJ/bit Energy-Efficient Ultra-Low Power On-Off Mode Oscillator Using an InP-based Quantum-Effect Tunneling Device | 29 |
| Mo1D.4 | Optimized RTD-HBT VCO Design Based on Large Signal Transient Simulations..... | 32 |
| Mo1D.5 | Sensitive High Frequency Envelope Detectors Based on Triple Barrier Resonant Tunneling Diodes..... | 36 |
| MoP | Joint Poster Session | |
| MoP.44 | Photoluminescence Peak Wavelength Behavior and Luminescent Efficiency of InAs/InGaAsP/InP Quantum Dots Structure..... | 40 |
| MoP.45 | Lattice Matched and Pseudomorphic InGaAs MOSHEMT with fT of 200GHz | 44 |
| MoP.46 | Monte Carlo Simulation of InGaAs/Strained-InAs/InGaAs Channel HEMTs Considering Self-Consistent Analysis of 2-Dimensional Electron Gas..... | 48 |
| MoP.47 | Investigation of GaAs based MOVPE-Grown Al _x Ga _{1-x} As _y P _{1-y} Strain Compensating Layers | 52 |
| MoP.48 | Enhancement-Mode Pseudomorphic High-Electron-Mobility Transistor with a Nanoscale Oxidized GaAs Gate | 54 |

| | | |
|--------|--|----|
| MoP.49 | Source-Drain Scaling of Ion-Implanted InAs/AlSb HEMTs | 57 |
| MoP.50 | Electro-Absorption Modulator Chirp Profile Influence on DEML Modulation Scheme at 10 Gb/s | 61 |
| MoP.51 | Fabrication and DC Characterization of InAs/AlSb Self-Switching Diodes | 65 |
| MoP.52 | Effect of Temperature on Series Resistance Determination of Au/Polyvinyl Alcohol/n-InP Schottky Structures | 69 |
| MoP.53 | Estimation of Effective Mass and Subbands in Multiquantum Wells using Polarized Light Irradiation..... | 73 |
| MoP.54 | Single-Event Transient Sensitivity to Gate Bias in InAlSb/InAs/AlGaSb High Electron Mobility Transistors..... | 77 |

Tuesday, August 28, 2012

| | | |
|--------|--|-----|
| Tu1D | Optical Nanodevices on Si | N/A |
| Tu1D.1 | III-V Nanowires on Si for Optoelectronics and Solar Applications | N/A |
| Tu1D.2 | Selective Area Heteroepitaxy of InP Nanopyramidal Frusta on Si for Nanophotonics | 81 |
| Tu1D.3 | Characteristics of InP Nanoneedles Grown on Silicon by Low-Temperature MOCVD | 85 |
| Tu1D.4 | Silicon-based Long-Wavelength III-V Quantum-Dot Lasers | 88 |

Tu1E High Speed Diode Technologies

| | | |
|--------|---|-----|
| Tu1E.1 | High Efficiency and Broad-Band Operation of Monolithically Integrated W-Band HBV Frequency Tripler | 92 |
| Tu1E.2 | Lattice-Matched p+-GaAsSb/i-InAlAs/n-InGaAs Zero-Bias Backward Diodes for Millimeter-Wave Detectors and Mixers..... | 95 |
| Tu1E.3 | A W-Band InGaAs PIN-MMIC Digital Phase-Shifter Using the Switched Transmission-Line Structure | 99 |
| Tu1E.4 | Development of a 557 GHz GaAs Monolithic Membrane-Diode Mixer | 102 |
| Tu1E.5 | Fundamental Oscillation up to 1.31 THz in Thin-Well Resonant Tunneling Diodes | 106 |
| Tu1E.6 | Design and Fabrication of InGaAs Photodiodes for SWIR Imagers with Low Dark Current..... | 110 |

Tu2D Optical Components

| | | |
|--------|--|-----|
| Tu2D.1 | Integrated Optoelectronic Components for the Transmission and Reception of Polarization- and Phase-Coded Optical Signals | N/A |
| Tu2D.2 | 40 Gbit/s Identical Layer InGaAlAs-MQW Electroabsorption-Modulated DFB-Lasers Operating Between 1298 nm and 1311 nm..... | 113 |
| Tu2D.3 | Reflective Amplified Modulator Operating at 40 Gb/s up to 85°C as Colorless Transceiver for Optical Access Networks..... | 116 |
| Tu2D.4 | InP Photonic Integrated Circuit with an AWG-like Design for Optical Beam Steering | 120 |

| | | |
|-------------|--|-----|
| Tu2D.5 | Design Fabrication and Preliminary Test Results for a New InGaAsP/InP High-Q Ring Resonator for Gyro Applications..... | 124 |
| Tu2E | Heterogeneous Integration | |
| Tu2E.1 | Double-Layer Stepped Si(100) for III-V-on-Silicon Integration..... | 128 |
| Tu2E.2 | Atomic-Plane-Thick Reconstruction Across the Interface During Heteroepitaxial Bonding of InP-Clad Quantum Wells to Si..... | 130 |
| Tu2E.3 | Lattice Engineered Substrates | N/A |
| Tu2E.4 | Electrical Conduction Property at InAs/Si(111) Interface by Selective-Area MOVPE..... | 133 |
| Tu2E.5 | Interface and Surface Dielectric Anisotropies of GaP/Si(100) | 137 |
| Tu3D | Lasers I | |
| Tu3D.1 | Ultralow-Power Nanophotonic Devices Based on Buried-Heterostructure Photonic-Crystal Nanocavities | N/A |
| Tu3D.2 | Metal-Clad Photonic Crystal Membrane Nanolasers | 139 |
| Tu3D.3 | 10-Gbit/s Direct Modulation of Optically Pumped InGaAlAs Multiple-Quantum-Well Photonic-Crystal Nanocavity Laser up to 100°C. | 143 |
| Tu3D.4 | Multi-Stack Quantum Cascade Laser..... | 147 |
| Tu3E | III-V MOS | |
| Tu3E.1 | Design of High-Current L-Valley GaAs/AlAs _{0.56} Sb _{0.44} /InP (111)Ultra-Thin-Body nMOSFETs..... | 151 |
| Tu3E.2 | High Performance Substitutional-Gate MOSFETs Using MBE Source-Drain Regrowth and Scaled Gate Oxides..... | 155 |
| Tu3E.3 | Epitaxy of III-V based Channels on Si and Transistor Integration for 12nm Node CMOS..... | 159 |
| Tu3E.4 | Novel Atomic Layer Deposited Thin Film Beryllium Oxide for InGaAs MOS Devices | 163 |
| Tu3E.5 | Sulfur Cleaning for (100) (111)A and (111)B InGaAs Surfaces with In Content of 0.70 and their Al ₂ O ₃ /InGaAs MOS Interface Properties..... | 167 |
| Tu4A | Late News | |
| Tu4A.1 | High-Power InP-based Waveguide Photodiodes and Photodiode Arrays Heterogeneously Integrated on SOI | 171 |

Wednesday, August 29, 2012

| | | |
|-------------|--|-----|
| We1D | QD Lasers and Technology | |
| We1D.1 | Recent Advances in High-Speed Lasers and Amplifiers Based on 1.5 um QD/QDash Material..... | 173 |

| | | |
|-------------|--|-----|
| We1D.2 | 1550nm InAs/InP Quantum Dash Based Directly Modulated Lasers for Next Generation Passive Optical Network..... | 177 |
| We1D.3 | 20 GHz to 83 GHz Single Section InAs/InP Quantum Dot Mode-Locked Lasers Grown on (001) Misoriented Substrate | 181 |
| We1D.4 | InAs/InP Quantum Dash Based Mode Locked Lasers for 60 GHz Radio over Fiber Applications | 185 |
| We1D.5 | MOVPE Growth of Ga(AsBi)/GaAs Quantum Well Structures..... | N/A |
| We1E | HBTs | |
| We1E.1 | InP HBT with 55-nm-wide Emitter and Relationship Between Emitter Width and Current Density..... | 188 |
| We1E.2 | InP/GaInAs DHBT with TiW Emitter Demonstrating fT/f_{max} ~340/400GHz for 100 Gb/s Circuit Applications | 192 |
| We1E.3 | Lower Limits to Specific Contact Resistivity | 196 |
| We1E.4 | Study of the NiGaInAs Alloy as an Ohmic Contact to the p-type Base of InP/GaInAs HBTs | 200 |
| We1E.5 | Multi-Finger 250nm InP HBTs for 220GHz mm-Wave Power..... | 204 |
| We1E.6 | Analysis of InP/GaAsSb DHBT Failure Mechanisms Under Accelerated Aging Tests | 208 |
| We2D | Photodiodes | |
| We2D.1 | Microwave Photonics | 212 |
| We2D.2 | Lateral Scalability of Inverted p-down InAlAs/InGaAs Avalanche Photodiode | 215 |
| We2D.3 | Phase Characterization of Intermodulation Distortion in High-Linearity Photodiodes..... | 219 |
| We2D.4 | High Speed AlInGaAs Quantum Well Waveguide Photodiode for Wavelengths Around 2 microns | 221 |
| We2D.5 | MOCVD Based Zinc Diffusion Process for Planar InP/InGaAs Avalanche Photodiode Fabrication | 225 |
| We2E | HEMT Technologies | |
| We2E.1 | 450 GHz Amplifier MMIC in 50 nm Metamorphic HEMT Technology | 229 |
| We2E.2 | 100nm-Gate InAlAs/InGaAs HEMTs on Plastic Flexible Substrate with High Cut-Off Frequencies | 233 |
| We2E.3 | High Electron Mobility InAs-Based Heterostructure on Exact (001) Si Using GaSb/GaP Accommodation Layer..... | N/A |
| We2E.4 | Analysis of Performances of InSb HEMTs Using Quantum-Corrected Monte Carlo Simulation | 237 |
| We2E.5 | Optimized InP HEMTs for Low Noise at Cryogenic Temperatures | 241 |

| | | |
|--------|---|-----|
| We2E.6 | Metal-Organic Vapor-Phase Epitaxy Growth of InP-Based HEMT Structures with InGaAs/InAs Composite Channel..... | 245 |
|--------|---|-----|

Thursday, August 30, 2012

Th1D Nanowires and Quantum Dots

| | | |
|--------|--|-----|
| Th1D.1 | Selective-Area Growth InP-based Nanowires and Their Optical Properties | 249 |
| Th1D.2 | Single GaAs Nanowire Photovoltaic Devices under Very High Power Illumination | 253 |
| Th1D.3 | Radial InP/InAsP Quantum Wells with High Arsenic Compositions on Wurtzite-InP Nanowires in the 1.3- μm Region | 257 |
| Th1D.4 | Site-Controlled Growth of InP/InGaP Quantum Dots | 261 |
| Th1D.5 | Catalyst Design for Native Oxide Based Selective Area InP Nanowire Growth | 265 |

Th2C Lasers II

| | | |
|--------|---|-----|
| Th2C.1 | High Speed VCSELS for Optical Interconnects | 269 |
| Th2C.2 | Slotted Tunable Laser with Monolithic Integrated Mode Coupler..... | 273 |
| Th2C.3 | C-band Operation of Lateral-Grating-Assisted Lateral Co-Directional Coupler Tunable Laser with High-Mesa Buried Hetero-Structure..... | 277 |
| Th2C.4 | Multiple Coherent Outputs from Single Growth Monolithically Integrated Injection Locked Tunable Lasers | 281 |
| Th2C.5 | Low-Threshold Operation of LCI-Membrance-DFB Lasers with Be-doped GaInAs Contact Layer..... | 285 |