

2012 Photonics Global Conference

(PGC 2012)

Singapore
13 – 16 December 2012



IEEE Catalog Number: CFP1227F-PRT
ISBN: 978-1-4673-2513-4

TABLE OF CONTENTS

CONFOCAL FLUORESCENCE SPECTRAL IMAGING TECHNIQUE AND ITS APPLICATIONS TO DRUG DEVELOPMENT	1
<i>A. Feofanov</i>	
NEW OPTICAL BIO-SENSOR FROM DNA AND NANO STRUCTURES	5
<i>N. Viet, A. Phan</i>	
OPTICAL FIBER GRATING BASED TECHNOLOGIES AND THEIR APPLICATIONS: FROM NUCLEAR FUSION TO MEDICAL	10
<i>L. Cheng, W. Vliegenhart, T. Habisreuther</i>	
SHAPING THE PROFILE OF PHOTONIC CRYSTAL NANORODS	15
<i>X. Jiang, Q. Gu, J. Lv, Y. Liu, G. Si, H. Duan, Z. Ma, F. Wang, J. Teng</i>	
THE FIBER-OPTIC SENSING FLUORESCENCE DETECTION SYSTEM FOR CHINESE TRADITIONAL MEDICINE INJECTION BASED ON CHARGE-COUPLED DEVICES	19
<i>J. Lv, Q. Gu, X. Jiang, G. Si, Z. Ma, F. Wang</i>	
ANALYSIS AND APPLICATION OF SCALABLE NON-LINEAR EQUALIZATION IN 112GBIT/S DP-64QAM COHERENT TRANSMISSION OVER SINGLE MODE FIBERS	22
<i>R. Asif, M. Islam, M. Zafrullah</i>	
NUMERICAL EVALUATION OF ROBUST AND SPECTRALLY EFFICIENT 112GBIT/S TRANSMISSION EMPLOYING DIGITAL BACKWARD PROPAGATION	26
<i>R. Asif, C. Lin, B. Schmauss</i>	
VANDIUM DIOXIDE ACTIVE PLASMONICS	31
<i>K. Ooi, P. Bai, H. Chu, L. Ang</i>	
A CO DETECTION SYSTEM BASED ON DOUBLE FIBER BRAGG GRATINGS	35
<i>S. Ma, Q. Gu, J. Lv</i>	
DIGITIZED RF-OVER-FIBER FOR EFFICIENT FIBER-WIRELESS SIGNAL TRANSPORT	38
<i>C. Lim, Y. Yang, A. Nirmalathas</i>	
A RESEARCH OF STRESS SURVEY SYSTEM BASED ON FIBER BRAGG GRATING	43
<i>X. Ni, Z. Xu</i>	
A TWO FIBER BRAGG GRATING GAS LEAKAGE DETECTION SENSOR	46
<i>L. Yang, T. Liu, J. Lv, G. Si</i>	
LIGHT THROUGH NANOCRESCENT ARRAYS	49
<i>X. Jiang, Q. Gu, H. Liu, L. Yang, J. Lv, G. Si, H. Duan, Z. Ma, F. Wang, N. Xiang</i>	
CONTROLLING LIGHT THROUGH DOUBLE-RING ARRAYS	53
<i>X. Jiang, Q. Gu, H. Liu, J. Lv, S. Cao, G. Si, H. Duan, N. Xiang, Z. Ma, F. Wang, A. Danner</i>	
CONTROLLING THE PROPERTIES OF MICROSTRUCTURED PLASTIC OPTICAL FIBER BRAGG GRATINGS USING ACOUSTO-OPTIC EXCITATION	57
<i>C. Marques, L. Bilro, L. Khan, R. Oliveira, D. Webb, R. Nogueira</i>	
GE/SI AVALANCHE PHOTODETECTORS WITH HIGH GAIN-BANDWIDTH PRODUCT	61
<i>N. Duan, T. Liow, A. Lim, G. Lo</i>	
OPTICALLY SWITCHABLE ALL-FIBER OPTIC POLARIZER	65
<i>C. Huang, W. Fu, V. Hsiao</i>	
MODELING AND PERFORMANCE ANALYSIS OF SINGLE SUBSTRATE BASED 1×4 DIGITAL OPTICAL SWITCHES	67
<i>G. Singh, V. Janyani, R. Kumar, A. Solanki</i>	
A FLUORESCENCE FIBER TEMPERATURE DETECTION SYSTEM BASED ON THE LIFTING-WAVELET	71
<i>Z. Gu, X. Ni</i>	
LOW-POWER TRANSMITTERS FOR GREEN ACCESS NETWORKS (INVITED)	74
<i>E. Wong, C. Chan, M. Dias, M. Mueller, M. Amann</i>	
GAIN RECOVERY DYNAMICS OF QUANTUM CASCADE LASERS	79
<i>M. Talukder</i>	
DISPERSION-FLATTENED TRANSMISSION BASED ON LIQUID-CRYSTAL-COATED PLASMONIC SUBWAVELENGTH STRUCTURES	83
<i>Y. Liu, E. Leong, J. Teng, G. Si</i>	
FABRICATION OF NANOARMS AND NANOTIPS VIA FOCUSED ION BEAM MILLING	87
<i>X. Jiang, Q. Gu, J. Lv, Y. Liu, G. Si, H. Duan, Z. Ma, F. Wang, J. Teng</i>	

PERFORMANCE ENHANCEMENT OF RADIO-OVER-FIBER SYSTEM BY OPTICAL INJECTION LOCKING OF A DIRECTLY MODULATED SEMICONDUCTOR LASER.....	91
<i>P. Pukhrambam, M. Chuang, S. Lee, G. Keiser, Y. Hung, J. Simatupang</i>	
POLARIZATION SPLITTER USING HORIZONTAL SLOT WAVEGUIDE - SIMULATION & EVALUATION.....	96
<i>H. Zhang, Y. Huang, C. Li, M. Yu, P. Lo, S. Das, M. Hong, J. Thong</i>	
QUANTUM CASCADE LASER WAVELENGTH TUNING DUE TO TEMPERATURE-DEPENDENT INDEX OF REFRACTION.....	99
<i>A. Ahmed, O. Hassan, M. Sohel, F. Hayee, R. Faria, M. Talukder</i>	
STUDY OF DESIGN-DEPENDENT ELECTROLUMINESCENCE LINEWIDTH OF QUANTUM CASCADE LASERS.....	104
<i>R. Faria, O. Hassan, F. Hayee, M. Sohel, A. Ahmed, M. Talukder</i>	
MICROBUBBLE-ENABLED PHOTONIC CRYSTAL FIBER-BASED SENSORS.....	108
<i>J. Lim, D. Hu, P. Shum, Y. Wang, E. Hao</i>	
CLEAVED FIBER-TO-NANO WAVEGUIDE MODE CONVERTER FOR SILICON PHOTONICS DEVICES.....	110
<i>Q. Fang, J. Song, T. Liow, L. Jia, X. Luo, M. Yu, G. Lo</i>	
OPTIMIZATION OF AN OPTICAL ARRAY RECEIVER FOR DEEP-SPACE OPTICAL COMMUNICATION DURING EARTH-MARS CONJUNCTION PHASE.....	113
<i>A. Hashmi, A. Eftikhar, A. Adibi, F. Amoozegar</i>	
ERBIUM-DOPED TRANSPARENT GLASS CERAMIC OPTICAL FIBRES: CHARACTERIZATION USING MASS SPECTROSCOPY AND MOLECULAR DYNAMICS MODELING.....	118
<i>V. Mauroy, W. Blanc, M. Ude, S. Trzesien, B. Dussardier, C. Guillemier, X. Bidault, S. Chaussedent</i>	
RESEARCH ON THE FBG'S HIGH TEMPERATURE SUSTAINABILITY INFLUENCED BY THE DRAWING PROCESS.....	122
<i>S. Zhang, F. Tu, W. Huang, J. Ma, F. Liu, Y. Li, C. Dong</i>	
RESERCH ON PICOSECOND PASSIVELY Q-SWITCHED MICROCHIP LASER.....	125
<i>T. Inoue, T. Koike, K. Tei, S. Yamaguchi</i>	
EXPERIMENTAL DEMONSTRATION OF INTEGRATED HORIZONTAL CU-SI₃N₄-CU PLASMONIC WAVEGUIDE AND PASSIVE COMPONENTS.....	127
<i>S. Zhu, G. Lo, D. Kwong</i>	
COMPRESSION OF PICOSECOND PULSES WITH A CHIRPED VOLUME BRAGG GRATING.....	132
<i>A. Taketomi, K. Tei, S. Yamaguchi, J. Enokidani, S. Sumida</i>	
TE-PASS POLARIZER BASED ON HORIZONTAL NANOPLASMONIC SLOT WAVEGUIDE.....	135
<i>Y. Huang, S. Zhu, H. Zhang, T. Liow, P. Lo</i>	
ANALYSIS OF ULTRACOMPACT SILICON ELECTRO-OPTIC MODULATOR BASED ON CU-INSULATOR-SI HYBRID PLASMONIC DONUT RESONATOR.....	136
<i>S. Zhu, G. Lo, D. Kwong</i>	
THERMAL-TUNABLE MICRORING RESONATOR-BASED WDM OPTICAL RECEIVER FOR ON-CHIP OPTICAL INTERCONNECT.....	141
<i>X. Luo, J. Song, Q. Fang, X. Tu, T. Liow, M. Yu, G. Lo</i>	
PLASMA ACTIVATION ASSISTED LOW-TEMPERATURE DIRECT WAFER BONDING.....	144
<i>H. Chua, X. Luo, W. Toh, J. Song, T. Liow, M. Yu, G. Lo</i>	
ENHANCING DYNAMIC EXTINCTION RATIO OF A FIBER-BASED SEED SOURCE.....	147
<i>Y. Kamba, Y. Wada, K. Tei, J. Enokidani, S. Sumida</i>	
REFRACTOMETER BASED ON TILTED FIBER BRAGG GRATING INCORPORATING WITH WAIST-ENLARGED FUSION BITAPER.....	149
<i>J. Zheng, X. Dong, P. Hu, S. Zhang, S. Jin, P. Shum</i>	
CARBON NANOTUBE AND GRAPHENE FOR PHOTONIC AND OPTOELECTRONIC APPLICATIONS.....	152
<i>S. Yamashita</i>	
THEORETICAL INVESTIGATION ON LOW-LOSS IR-TRANSMITTING HOLLOW-CORE METALLIC FIBER WITH DOUBLE-CLADDING.....	155
<i>M. Zhang, X. Yu, W. Yuan, P. Shum</i>	
INCOHERENT SOLITON FISSION DRIVEN SUPERCONTINUUM GENERATION PUMPED BY PARTIALLY COHERENT LIGHT.....	160
<i>E. Kelleher, M. Erkintalo, J. Travers</i>	
MULTIPLEXING OF LPFG RESONANT WAVELENGTHS FOR ABNORMAL REACTION DETECTION IN LARGE-SCALE PLANTS BY DISTRIBUTED HIGH TEMPERATURE MONITORING.....	163
<i>Y. Katsuyama, S. Kasahara, Y. Tokunaga, O. Koyama</i>	

BUFFER-BASED DYNAMIC PROVISIONING FOR SLIDING BULK TRANSFER REQUESTS IN WDM OPTICAL NETWORKS	167
<i>M. Zhu, W. Zhong, S. Xiao</i>	
NEW EFFECTS AT CAVITY LENGTHENING OF AN ALL-FIBER DISSIPATIVE-SOLITON OSCILLATOR	172
<i>D. Kharenko, E. Podivilov, S. Babin, A. Apolonski</i>	
CHARACTERIZATION OF NEAR FIELD TRANSDUCERS FOR HIGH DENSITY HEAT ASSISTED MAGNETIC RECORDING COMBINED WITH FEPT RECORDING MEDIA	176
<i>S. Hussain, S. Siew, C. Bhatia, H. Yang, A. Danner</i>	
INVESTIGATION OF OPTICAL GAIN IN ALGAAS/GAAS SYMMETRIC DOUBLE SEMI-PARABOLIC QUANTUM WELL LASER	181
<i>A. Keshavarz, N. Zamani, F. Emami</i>	
LINEAR AND NONLINEAR OPTICAL PROPERTIES OF QUANTUM WELL WITH POSITION-DEPENDENT EFFECTIVE MASS	185
<i>G. Honarasa, A. Keshavarz, N. Zamani</i>	
BREAST THERMOGRAPHY AND PSEUDO-COLORING PRESENTATION FOR IMPROVING GRAY INFRARED IMAGES	189
<i>Z. Zahedi, M. Soltani, S. Sadri, A. Moosavi</i>	
GENERATION OF SHORT CONTRAPROPAGATING PULSES OF SECOND HARMONIC ON FREQUENCY DOUBLE-DOMAIN POSITIVE/NEGATIVE INDEX METAMATERIALS	194
<i>A. Popov, S. Myslivets, I. Nefedov</i>	
DESIGN AND ANALYSIS OF DIVERSITY OPTICAL CDMA	196
<i>C. Chang, G. Yang, J. Su, C. Chang, W. Kwong</i>	
PERFORMANCE OF AN INDOOR OPTICAL WIRELESS COMMUNICATION SYSTEM EMPLOYING CONVOLUTIONAL ENCODING	200
<i>Y. Yang, S. Kim, C. Lee</i>	
90-GHZ RADIO-ON-RADIO-OVER-FIBER SYSTEM FOR LINEARLY LOCATED DISTRIBUTED ANTENNA SYSTEMS	203
<i>A. Kanno, P. Dat, T. Kawanishi, N. Yonemoto, N. Shibagaki</i>	
NUMERICAL ANALYSIS OF THE FOUR-WAVELENGTH-MIXING (FWM) IN THE RING-RESONATOR ON SOI	208
<i>L. Jia, J. Song, X. Tu, M. Yu, P. Lo</i>	
HIGH PERFORMANCE Si₃N₄ WAVEGUIDE DEVICES PLATFORM	211
<i>X. Tu, J. Song, X. Luo, T. Liow, M. Yu, G. Lo</i>	
12-GBIT/S DMT TRANSMISSION BASED ON 1-GHZ RSOA WITH MITIGATED RAYLEIGH BACKREFLECTION EMPLOYING 10-MHZ CLIPPING OF OPTICAL SEED CARRIER	214
<i>M. Hong, S. Jung, I. Kartiwa, S. Han</i>	
MITIGATION OF NONLINEARITY BASED ON OPTIMIZED PERCENTAGE OF DISPERSION PRE-COMPENSATION IN COHERENT OPTICAL PDM-OFDM SYSTEMS	218
<i>S. Cao, C. Yu, P. Kam</i>	
QUANTUM CASCADE LASERS OF $\lambda \approx \mu\text{m}$ BASED ON THREE-PHONON-RESONANCE DESIGN	223
<i>B. Meng, Q. Wang</i>	
SPATIAL LIGHT SOURCE DESIGN FOR DEPTH DIRECTION COHERENCE CONTROL	226
<i>D. Wei, H. Matsumoto</i>	
OPTICAL FUNCTION GENERATOR BASED ON CASCADED NONLINEAR MIXING IN A PHOTONIC CRYSTAL	231
<i>H. Chan, Z. Hsieh, L. Peng, A. Kung</i>	
PHOTONIC SERVICES FOR REAL-TIME APPLICATIONS	235
<i>J. Vojtech, V. Smotlacha, P. Skoda, S. Sima, J. Radil, M. Hula</i>	
IMPACT OF LOCAL STORAGES ON PERFORMANCE OF PONS	239
<i>S. Abeywickrama, E. Wong</i>	
PHOTONIC GENERATION OF MICROWAVE PULSES WITH WIDE FREQUENCY MULTIPLICATION TUNING RANGE	244
<i>J. Wong, S. Aditya, H. Lim, P. Shum, H. Lam, K. Lee</i>	
PERFORMANCE OF RECONFIGURABLE FREE-SPACE CARD-TO-CARD OPTICAL INTERCONNECTS UNDER ATMOSPHERIC TURBULENCE	248
<i>K. Wang, A. Nirmalathas, C. Lim, E. Skafidas, K. Alameli</i>	
TAILORED RESONANCE DEPENDENCE ON INPUT OPTICAL POWER IN SILICON MICRORING RESONATORS	253
<i>L. Luo, G. Wiederhecker, K. Preston, M. Lipson</i>	
DISCRETE LIGHT PROPAGATION IN PHOTONIC LIQUID CRYSTAL FIBERS	256
<i>K. Rutkowska, U. Laudyn, P. Jung</i>	

MINIMIZE QUANTUM-DEFECT HEATING IN THULIUM-DOPED SILICA FIBER AMPLIFIERS BY TANDEM-PUMPING	261
<i>J. Ji, S. Yoo, P. Shum, J. Nilsson</i>	
COMPARISON OF FIRST AND SECOND ANNEALING GAN PHOTOCATHODE	264
<i>X. Wang, Z. Ge, G. Hao, P. Gao, B. Chang, X. Wang, F. Shi, H. Guo</i>	
WHISPERING GALLERY RESONATOR BASED ON INDEX PROFILING	268
<i>Y. Zhou, F. Luan, D. Zhu, X. Yu</i>	
INFLUENCE OF ELECTRIC FIELD PENETRATION ON UNIFORMLY DOPING GAAS PHOTOCATHODE PHOTOELECTRIC EMISSION PROPERTIES	271
<i>L. Ren, B. Chang, H. Wang, F. Shi, L. Ren, F. Shi, H. Guo</i>	
INFLUENCE OF CATHODE MODULE TECHNOLOGY ON PHOTOEMISSION OF TRANSMISSION-MODE GAAS PHOTOCATHODE MATERIALS.....	275
<i>J. Zhao, W. Qu, B. Chang, Y. Zhang, H. Guo, F. Shi, H. Cheng</i>	
OPTICALLY TRAPPING COLD ATOMS BY USING A SILICON NANOPILLAR.....	279
<i>D. Nga, C. Anh</i>	
SILICON PHOTOMULTIPLIER WITH LATERAL BULK-SI QUENCHING RESISTORS	282
<i>F. Sun, N. Duan, G. Lo</i>	
A MODEL OF AN OPTICAL BIOSENSOR DETECTING ENVIRONMENT	287
<i>A. Phan, D. Tracy, N. Viet</i>	
TOLERANT WIDEBAND HIGH-EFFICIENCY GRATING COUPLER FOR TM MODE EXCITATION	291
<i>Z. Xiao, F. Luan, T. Liow, J. Zhang, P. Shum</i>	
OPTIMIZED SANDWICHED SURFACE PLASMON RESONANCE ENHANCED BIOSENSOR FOR MULTIPLEX BIOMARKER DETECTION.....	294
<i>T. Gong, U. Dinish, S. Zeng, M. Olivo, K. Yong</i>	
OPTICAL MATERIALS FOR ACTIVE FIBERS MADE BY POWDER-IN-TUBE METHOD.....	298
<i>S. Semjonov</i>	
SIMULTANEOUS MEASUREMENT OF CURVATURE AND TEMPERATURE BASED ON TWO WAIST-ENLARGED FIBER TAPERS AND A FIBER BRAGG GRATING.....	303
<i>Q. Meng, Z. Chen, X. Dong, K. Ni</i>	
SLOW LIGHT BASED WAVEGUIDES WITH NANOPILLAR CAVITIES FOR PHOTONIC SWITCHING APPLICATIONS	308
<i>N. Janrao, V. Janyani, G. Singh</i>	
LIGHT PROPERTY AND OPTICAL BUFFER PERFORMANCE ENHANCEMENT USING PARTICLE SWARM OPTIMIZATION IN OBLIQUE RING-SHAPE-HOLE PHOTONIC CRYSTAL WAVEGUIDE.....	312
<i>S. Mirjalili, K. Abedi, S. Mirjalili</i>	
MICROSCOPIC ANALYSIS ON OPTICAL GAIN OF TERAHERTZ QUANTUM CASCADE LASERS	316
<i>T. Liu, K. Lee, Q. Wang</i>	
A MICROFABRICATED FIBRE OPTIC SENSOR FOR METHANE GAS MEASUREMENT IN UNDERGROUND COAL MINES.....	320
<i>M. Amanzadeh, S. Aminossadati, M. Kizil, E. Sheridan, W. Bowen</i>	
PHOTONIC CRYSTALS IN PROTON-EXCHANGED LINBO₃ WAVEGUIDES FOR PHOTONIC APPLICATIONS	325
<i>D. Jun, J. Wei, V. Kumar, C. Png, A. Bettiol, A. Danner</i>	
DESIGN OF FAST PULSE CODING/DECODING SYSTEM FOR BOTDR.....	329
<i>Z. Fan, X. Zhang, J. Hu, Y. Zhang</i>	
SENSITIVITY ENHANCEMENT IN LONG-RANGE DISTRIBUTED BRILLOUIN FIBER SENSOR USING AN ANTI-STOKES SINGLE-SIDEBAND PROBE AND A BIDIRECTIONAL EDFA.....	335
<i>D. Nguyen, B. Stiller, M. Lee, J. Beugnot, H. Maillotte, T. Sylvestre, A. Mottet, J. Hauden</i>	
QUANTUM CASCADE STRUCTURES FOR EFFICIENT THERMO-PHOTOVOLTAIC ENERGY CONVERSION	339
<i>M. Ahmed, A. Hossain, M. Talukder</i>	
DESIGN AND FABRICATION OF SIDE-CHANNEL PHOTONIC CRYSTAL FIBER.....	344
<i>Y. Cui, G. Humbert, Q. Dinh, F. Luan, N. Vu, T. Tien, J. Auguste, J. Blondy, P. Shum</i>	
METAL-ENHANCED FLUORESCENCE IN LIPOSOMES FOR PHOTOTHERMAL STUDIES	347
<i>E. Lee, X. Yu, Z. Yong, C. Chan</i>	
MAGNETOBIEXCITON IN THREE LAYERS GRAPHENE AND ITS EFFECTS ON GRAPHENE OPTICAL PROPERTIES.....	351
<i>V. Hoa, N. Lan, C. Anh, N. Viet</i>	

PLASMON-ENHANCED WHISPERING GALLERY MODE BIOSENSING	354
<i>F. Vollmer</i>	
MANIPULATING FORCES IN OPTICAL VORTEX USING PLASMONIC BUMPS	357
<i>E. Khoo, I. Ahmed, M. Ang, E. Li</i>	
FABRICATION OF OPTICAL FIBER GRATINGS THROUGH FOCUSED ION BEAM TECHNIQUES FOR SENSING APPLICATIONS	362
<i>J. Huang, A. Alqahtani, J. Viegas, M. Dahlem</i>	
OPTIMIZATION OF THE PHOTONIC CRYSTAL FIBER BY USING GENETIC ALGORITHMS	366
<i>J. Lu, C. Chen</i>	
SILICON AVALANCHE PHOTODIODE ARRAY FABRICATION FOR IMAGING APPLICATION	370
<i>C. Tok, N. Duan, F. Sun, G. Lo</i>	
ETCHED SINGLEMODE POLYMER FIBER BRAGG GRATINGS FOR HIGH SENSITIVITY TENSILE FORCE MEASUREMENTS	373
<i>G. Rajan, Y. Luo, G. Peng, B. Liu</i>	
PERFORMANCE OPTIMIZATION OF WAVEGUIDED GERMANIUM PIN PHOTODETECTOR FOR OPTICAL COMMUNICATION APPLICATIONS	376
<i>A. Lim, T. Liow, N. Duan, K. Chen, R. Tern, G. Lo</i>	
DETECTION OF BLADDER CANCER RELATED DNA BIOMARKERS USING SILICON MICRORING RESONATORS	379
<i>Y. Shin, A. Perera, K. Kim, M. Park</i>	
CHARACTERISTICS OF SUSPENDED-CORE FIBER INTERFEROMETER: MODAL ANALYSIS	382
<i>J. Lim, D. Hu, D. Cui, S. Yoo, P. Shum, W. Loh</i>	
OPTIMIZED BI-METALLIC FILM OVER NANOSPHERE SERS SUBSTRATE FOR SENSITIVE DETECTION OF FOLIC ACID	385
<i>D. Goh, U. Dinish, O. Malini</i>	
THE ROLE OF COLD SONICATED DEVELOPMENT SCENARIOS FOR ACHIEVING ULTRADENSE AND HIGH ASPECT RATIO FOR OPTICAL METAMATERIAL APPLICATIONS	389
<i>L. Tobing, L. Tjahjana, D. Zhang</i>	
TEMPERATURE-INDEPENDENT STRAIN SENSOR BASED ON SIMPLIFIED HOLLOW-CORE PHOTONIC CRYSTAL FIBERS	392
<i>Z. Wu, Y. Liu, Z. Wang, T. Han, P. Shum</i>	
A HIGH SENSITIVITY TEMPERATURE SENSOR BASED ON A SELECTIVELY FILLED PHOTONIC CRYSTAL FIBER SAGNAC INTERFEROMETER	394
<i>T. Han, Y. Liu, Z. Wang, Z. Wu</i>	
FABRICATION AND OPTICAL EVALUATION OF 1D AND 2D PHOTONIC METAMATERIAL CRYSTAL	397
<i>S. Tanabe, Y. Nakagawa, T. Okamoto, M. Haraguchi, T. Isu, G. Shinomiya</i>	
HIGH PERFORMANCE GASB/INAS SUPERLATTICE LONG-WAVE INFRARED FOCAL PLANE ARRAY	401
<i>S. Gunapala, S. Rafol, D. Ting, A. Soibel, J. Liu, A. Khoshakhlagh, S. Keo, J. Mumolo</i>	
DIFFERENTIAL MODE GROUP DELAY MEASUREMENT FOR FEW-MODE FIBER USING PHASE-SENSITIVE INTERMODAL SPECTRAL DOMAIN INTERFEROMETER	405
<i>C. Kim, I. Song, T. Ahn</i>	
SINGLE-MODE NARROW BEAM DIVERGENCE SURFACE-EMITTING CONCENTRIC- CIRCULAR-GRATING TERAHERTZ QUANTUM CASCADE LASERS	408
<i>G. Liang, H. Liang, Y. Zhang, S. Khanna, L. Li, A. Davies, E. Linfield, D. Lim, C. Tan, S. Yu, H. Liu, Q. Wang</i>	
EFFECT OF A WEAK LONGITUDINAL MODULATION IN REFRACTIVE INDEX ON TRANSVERSE LOCALIZATION OF LIGHT IN 1D DISORDERED WAVEGUIDE LATTICES	413
<i>S. Ghosh, R. Varsheny, B. Pal</i>	
PERFORMANCE EVALUATION OF VCSEL ONU USING ENERGY-EFFICIENT JUST-IN-TIME DYNAMIC BANDWIDTH ALLOCATION ALGORITHM	417
<i>M. Pubuduni, I. Dias, E. Wong</i>	
GENERATION OF FEMTOSECOND PULSES USING ACTIVELY MODE-LOCKED FIBER RING LASER	422
<i>D. Nguyen, T. Muramatsu, A. Morimoto</i>	
GRATING-ASSISTED LIGHT COUPLING BETWEEN LONG- RANGE AND SHORT-RANGE SURFACE PLASMON POLARITON MODES	425
<i>Q. Liu, J. Kee, M. Park</i>	

AZO BENZENE POLYMER WAVEGUIDE FOR UV SENSORS	429
<i>I. Song, C. Kim, A. Han, J. Yoo, S. Lee, H. Kim, T. Ahn</i>	
DEVELOPMENT OF MULTIPLEXED SILICON DUAL MICRORING SENSOR FOR THE DETECTION OF BLADDER CANCER MARKERS	432
<i>K. Kim, J. Song, Q. Liu, J. Kee, Y. Shin, M. Park</i>	
SILICON MICRORING RESONATOR SENSORS FOR THE DETECTION OF VOLATILE ORGANIC COMPOUNDS	436
<i>D. Fu, Q. Liu, J. Kee, M. Park</i>	
ALL-FIBER ALL-NORMAL-DISPERSION PASSIVELY MODE-LOCKED YB-DOPED RING LASER BASED ON GRAPHENE OXIDE	439
<i>X. Li, M. Liu, Z. Yan, Q. Wang, X. Li, Y. Wang, X. Yu</i>	
ANALYSIS OF MOTION-INDUCED RADIATION OF CHARGED PARTICLES	443
<i>Y. Liu, R. Ang</i>	
INFLUENCE OF VERTICAL COUPLING ON THE LASING OPERATION OF QUANTUM-DASH LASER	446
<i>M. Khan, T. Ng, B. Ooi</i>	
CONTROLLING LIGHT WITH PLASMON-PLASMON INTERACTION	448
<i>Y. Akimov, H. Chu</i>	
IMPLEMENTATION OF OPTICAL CDMA BASED ON PASSIVE OPTICAL NETWORKS	451
<i>T. Eltaif, H. Bakarman</i>	
EXPERIMENTAL INVESTIGATION OF A MULTI-WAVELENGTH ERBIUM-DOPED PHOTONIC CRYSTAL FIBER LASER	456
<i>W. Zheng, S. Ruan, M. Zhang, Y. Zhang, X. Yang, W. Liu</i>	
PLASMONIC NANOHOLE ARRAY FOR BIOSENSOR APPLICATIONS	460
<i>J. Kee, S. Lim, A. Perera, M. Park, Y. Zhang</i>	
MID-INFRARED BESSEL BEAMS GENERATION BY SUBWAVELENGTH STRUCTURE ON QUANTUM CASCADE LASER	463
<i>J. Tao, B. Meng, B. Hu, G. Liang, Q. Wang</i>	
LASER-BASED MOSQUITO REPELLING MODULE	466
<i>C. Boonsri, S. Sumriddetchkajorn, P. Buranasiri</i>	
HYBRID PHOTONIC CRYSTAL FIBER SELECTIVELY INFILTRATED WITH LIQUID CRYSTAL	470
<i>K. Milenko, T. Wolinski, P. Shum</i>	
GAIN STABILIZATION OF A QUANTUM-DOT SEMICONDUCTOR OPTICAL AMPLIFIER BY INTRODUCING TAPERED WAVEGUIDE STRUCTURE	473
<i>K. Abedi, E. Mohadesrad</i>	
OFDMA-PON FOR FUTURE GENERATION METRO-ACCESS NETWORKS	477
<i>J. Senior, P. Kourtessis, M. Milosavljevic, W. Lim</i>	
MEASURING PHOTODARKENING FROM YTTERBIUM-DOPED FIBER AMPLIFIER AT 1064 NM WAVELENGTH EMISSION	482
<i>N. Li, S. Yoo, J. Xue, X. Yu, P. Shum</i>	
COMPREHENSIVE EXPERIMENTAL STUDY TO DEVELOP NANOPARTICLE BASED OPTICAL FIBER HUMIDITY SENSOR WITH LINEAR RESPONSE OVER LARGE DYNAMIC RANGE	485
<i>R. Aneesh, S. Khijwania</i>	
OPTICAL PROPERTIES OF NANORODS ON SI SUBSTRATE	489
<i>K. Nakagawa, T. Aihara, M. Fukuhara, Y. Ishii, T. Ishiyama, M. Fukuda</i>	
REAL-TIME DETERMINATION OF METAL CONCENTRATIONS IN LIQUID FLOWS USING MICROPLASMA EMISSION SPECTROSCOPY	491
<i>K. Geest, J. Hyvonen, T. Laurila</i>	
OPTICAL SIGNAL TO NOISE RATIO MONITORING USING A NOVAL OPTICAL NOTCH FILTERING SCHEME	496
<i>Y. Yu, J. Yang, C. Yu</i>	
ULTRA-FLATTENED NEAR-ZERO DISPERSION PCF USING SELECTIVE LIQUID INFILTRATION: A NEW STUDY WITH FOUR AIR-HOLE RINGS	500
<i>P. Maji, P. Chaudhuri</i>	
LIGHT INDUCED WAVEGUIDE IN CHIRAL NEMATIC LIQUID CRYSTALS	505
<i>U. Laudyn, F. Sala, K. Rutkowska, M. Sierakowski, M. Karpierz</i>	
GE-CONTENT DEPENDENT EFFICIENCY OF SI/SIGE HETEROJUNCTION SOLAR CELL	510
<i>M. Das, S. Choudhary</i>	

THE SUBSTRATE COOLING EFFECT OF ION BEAM POST TREATMENT ON ZAO FILMS PROPERTIES.....	514
<i>W. Wang, D. Zhang, Q. Wang, C. Tao, Z. Ni, S. Zhuang, T. Mei, D. Zhang</i>	
BOUND-TO-CONTINUUM TRANSITION IN GAAS/ALGAAS QWIP	518
<i>M. Das, M. Billaha</i>	
PHOTONIC CRYSTAL FIBER STRAIN SENSORS FOR LAPAROSCOPIC SURGICAL DEVICES	521
<i>S. Mathews, D. Callaghan, Y. Semenova, G. Rajan, G. Farrell</i>	
UNDERWATER COMMUNICATION SYSTEM FOR DEEP SEA DIVERS USING VISIBLE LIGHT	525
<i>A. Das, A. Ghosh, A. Vibrin, S. Prince</i>	
MINIATURIZED OPTOFLUIDIC LABEL-FREE CYTOMETRY	528
<i>X. Su, Y. Yang, X. Sun, X. Qiao, K. Song, B. Kong</i>	
PHOTONIC CHIRAL STRUCTURES WITH DEFECTS.....	532
<i>J. Syamprasad, J. Xavier, J. Joseph</i>	
STUDY OF PHASE CONJUGATED WAVE IN DASP/B DYE-DOPED POLYMER FILMS.....	534
<i>S. Aithal</i>	
SIMULATION OF OPTICAL TRANSMISSION ENHANCEMENTS FOR THE SILVER NANOPARTICLES EMBEDDED IN THE SILICA LAYER ATOP THE SILICON SUBSTRATE	539
<i>H. Yang, J. Li</i>	
GRIN-LIKE DIELECTRIC SLAB LENS THROUGH EFFECTIVE INDEX ENGINEERING	541
<i>H. Melkonyan, M. Dahlem</i>	
SINGLE MODE REALIZATION OF LOW LOSS LIQUID FILLED BIREFRINGENT PHOTONIC CRYSTAL FIBERS (PCFS)	545
<i>P. Maji, P. Chaudhuri</i>	
AN EXPERIMENTAL STUDY ON THE LUMINESCENCE EFFECTS OF POF-BASED FLEXIBLE TEXTILE USING DIFFERENT METHODS OF WEAVING AND ELECTRONIC PACKAGING FOCUSED ON THE RED LIGHT	549
<i>J. Yang, H. Cho, J. Lee, S. Park</i>	
GASB-BASED INTEGRATED LASERS AND PHOTODETECTORS ON A SILICON-ON-INSULATOR WAVEGUIDE CIRCUIT FOR SENSING APPLICATIONS IN THE SHORTWAVE INFRARED	553
<i>N. Hattasan, A. Gasseng, L. Cerutti, J. Rodriguez, E. Tournie, G. Roelkens</i>	
A NEW TUNABLE PHOTONIC CRYSTAL ELECTRO-OPTIC DEVICE.....	557
<i>K. Abedi, P. Ghasemi</i>	
PHOTOACOUSTIC PHASOSCOPY FOR TISSUE CHARACTERIZATION	561
<i>F. Gao, Y. Zheng, X. Feng, C. Ohl</i>	
GOLD NANOPARTICLES ENHANCED FLUORESCENCE IN ORGANIC LIGHTING EMISSION DIODES.....	564
<i>L. Bo, K. Liu, H. Xiao, C. Wu, C. Lai</i>	
MODELING OF A TYPE-II ANTIMONIDE BASED SUPERLATTICE FOR NOVEL OPTICAL SWITCHING APPLICATIONS	567
<i>M. Rahman, A. Rouf, F. Mohammedy</i>	
MONITORING OPTICAL FIBER SENSOR NETWORKS BY OPTICAL FREQUENCY-DOMAIN REFLECTOMETRY	571
<i>Z. Ding, T. Liu, K. Liu, Y. Du, D. Li</i>	
ASSEMBLY PHOTONIC CRYSTAL ARRAYS ON THE FACET OF OPTICAL FIBERS AND ITS APPLICATIONS.....	574
<i>H. Ni, M. Wang, W. Chen, T. Wang</i>	
PERFORMANCE COMPARISONS BETWEEN LIGHTPATH AND LIGHT-TREE SCHEMES IN DYNAMIC MULTICAST TRAFFIC GROOMING PROCESS	576
<i>X. Yu, G. Xiao, T. Cheng</i>	
A NOVEL MULTIMODE FIBER FOR DISTRIBUTED TEMPERATURE SENSING BASED ON ANTI-STOKES RAMAN SCATTERING.....	581
<i>J. Guo, T. Xia, R. Zhang, X. Li</i>	
A MODIFIED DEMODULATION ALGORITHM FOR FIBER-OPTIC DISTRIBUTED TEMPERATURE SENSING SYSTEM BASED ON RAMAN SCATTERING	584
<i>T. Xia, J. Guo, X. Li, X. Mao</i>	
MODELING AN ELECTRICALLY DRIVEN GRAPHENE-NANORIBBON LASER FOR OPTICAL INTERCONNECTS	587
<i>G. Shan, C. Shek</i>	

DYNAMICS AND MODULATION CHARACTERISTICS OF GRAPHENE NANORIBBON ARRAY LASERS	592
<i>G. Shan, C. Shek, X. Zhao</i>	
DESIGN AND FABRICATION OF LMA LOW-BENDING LOSS LEAKAGE CHANNEL FIBERS	597
<i>M. Pal, M. Paul, D. Ghosh, S. Bhadra, K. Saitoh</i>	
HYBRID PLASMONIC WAVEGUIDES FOR NONLINEAR APPLICATIONS	602
<i>S. Aldawsari, B. West</i>	
A MICROFIBER-BASED HIGHLY BIREFRINGENT DEVICE	606
<i>Y. Chen, J. Kou, F. Xu, Y. Lu</i>	
OPTICAL FREQUENCY COMB GENERATION BY CASCADED SECOND-ORDER NONLINEAR EFFECT IN A QUASI-PHASE MATCHED MICRO-RING RESONATOR	609
<i>Z. Wu, Y. Ming, F. Xu, Y. Lu</i>	
CHALCOGENIDE MICROSTRUCTURED OPTICAL FIBERS	615
<i>J. Troles, L. Brilland</i>	
FOURIER TRANSFORM-BASED K P METHOD: AN APPROACH TO MESHLESS MODELING OF LOW-DIMENSIONAL HETEROSTRUCTURES	617
<i>T. Mei, Q. Zhao, D. Zhang</i>	
EXCITON TYPE 2 IN GRAPHENE BILAYER	622
<i>V. Hoa, T. Thao, N. Thanh, N. Lan, N. Viet</i>	
MULTIPLE OPTICAL TWEEZERS GENERATED FROM PHASE FRESNEL LENS ARRAY	625
<i>Y. Jiang, J. Xu, K. Huang, X. Lu</i>	
LED-CAMERA COMMUNICATION SYSTEM WITH RGB CODING	629
<i>J. Hu, F. Shin, K. Sam, C. Yu</i>	
EXPERIMENTAL AND THEORETICAL STUDY OF EXCITONIC ELECTROABSORPTION IN HIGH-PURITY GAAS AT ROOM TEMPERATURE	633
<i>D. Sapkota, M. Kayastha, M. Takahashi, K. Wakita</i>	
ON-CHIP INTEGRATED INTERROGATOR BASED ON SILICON MICRORING RESONATOR	637
<i>C. Qiu, J. Yang, X. Jiang</i>	
PHOTOCATALYTIC WATER PURIFICATION USING PLANAR MICROREACTOR	639
<i>N. Wang, F. Tan, X. Zhang</i>	
OPTICAL FIBER TIP: NANOTWEEZER, NANOANTENNA AND PLASMONIC HOTSPOT	642
<i>S. Mondal, S. Pal, P. Kapur</i>	
QUANTITATIVE DIAGNOSIS OF CERVICAL PRECANCER USING FLUORESCENCE INTENSITY AND LIFETIME IMAGING FROM THE STROMA	645
<i>G. Jun, F. Yaw, N. Koon, S. Razul, L. Kim</i>	
FABRICATION AND CHARACTERISTIC OF A SIMPLIFIED HOLLOW-CORE MICROSTRUCTURED FIBER	650
<i>H. Wei, X. Zhang, J. Li, Y. Liu, W. Tong, H. Wei, X. Zhang, J. Li</i>	
LIGHT SCATTERING EFFICIENCY OF OIL SMOKE SEEDING DROPLETS IN PIV SYSTEMS	653
<i>R. Zakaria, P. Bryanston-Cross</i>	
DESIGN OF A SILICON-PLASMONIC HYBRID ELECTRO-OPTIC MODULATOR	658
<i>M. Xu, J. Wu, Z. Zhuang, F. Li, T. Wang, L. Zhou, Y. Su</i>	
FABRICATION AND DEVELOPMENT OF FLAT FIBERS	661
<i>K. Dambul, G. Mahdiraji, F. Amirkhan, D. Chow, G. Gan, W. Wong, M. Hassan, S. Ismail, S. Ibrahim, N. Tamchek, F. Adikan</i>	
MULTI-SENSOR REAL-TIME SENSING BASED ON FIBER GRATING ARRAY	664
<i>L. Li, X. Yi, T. Joy</i>	
STRUCTURAL DESIGN OF MICROWAVE PHOTONIC FILTER BASED ON ADAPTIVE GENETIC ALGORITHM WITH DISTURBANCE OPERATION	668
<i>X. Wu, Y. Yin, J. Zhang, Q. Ni</i>	
NESTED SILICON MICRORING RESONATOR WITH MULTIPLE COUPLING REGIMES	673
<i>J. Wu, Z. Zhuang, M. Xu, P. Cao, X. Jiang, L. Zhou, Y. Su</i>	
AN OFDMA-PON ARCHITECTURE SUPPORTING FLEXIBLE ALL-OPTICAL VPN WITH SOURCE-FREE ONUS	675
<i>Z. Zhang, M. Xu, J. Wu, P. Cao, X. Hu, T. Wang, Y. Su</i>	
FABRICATION OF F-ION IMPLANTED QUANTUM WELL INTERMIXED WAVEGUIDE GRATING	678
<i>R. Sonkar, U. Das</i>	
NOVEL WIRELESS MILLIMETER-WAVE TO LIGHTWAVE SIGNAL CONVERTERS BY ELECTRO-OPTIC CRYSTALS SUSPENDED TO NARROW-GAP-EMBEDDED PATCH- ANTENNAS ON LOW-K DIELECTRIC SUBSTRATES	681
<i>Y. Wijayanto, H. Murata, Y. Okamura</i>	

MODELING AND EXPERIMENTAL ANALYSIS OF WIDE-BAND FLAT-GAIN AMPLIFIER UTILIZING HIGH CONCENTRATION OF EDFA	685
<i>B. Hamida, S. Khan, A. Naji, W. Al-Khateeb, H. Ahmad, S. Harun</i>	
OPTICAL TRAPPING WITH LOW NUMERICAL APERTURE OBJECTIVE LENS	690
<i>R. Dasgupta, S. Ahlawat, P. Gupta, J. Xavier, J. Joseph</i>	
FREE CARRIER AND GROUP VELOCITY DISPERSION EFFECTS ON SILICON-BASED OPTICAL PULSE COMPRESSION	694
<i>D. Tan</i>	
NUMERICAL FITTING OF IONIZATION COEFFICIENTS FOR APDS BASED ON TERNARY MATERIALS	697
<i>M. Rabbani, D. Majumder, F. Mohammedy</i>	
A SPECTRAL EFFECTIVE TRANSMISSION BEYOND A BASEBAND OF THE MULTIMODE FIBER	702
<i>M. Kowalczyk</i>	
COST EVALUATION ANALYSIS FOR NEXT GENERATION HOME NETWORK USING OPTICAL FIBER	705
<i>S. Shimazaki, K. Oguchi, D. Hanawa</i>	
OPTICAL TWISTING ALERT SENSOR BASED ON PM-EDF SHORT CAVITY DBR LASER	710
<i>X. Dinh, M. Jiang, P. Shum, Z. Wu</i>	
BOWTIE NANOANTENNAS WITH VOID DEFECTS	713
<i>K. He, J. Chen, Z. Zhang</i>	
ALL-POLYMER ELECTRO-OPTIC SWITCH	716
<i>M. Balasubramanian, R. Singhal</i>	
TRANSVERSELY QUASICRYSTALLOGRAPHIC 3D PHOTONIC CHIRAL LATTICES: POLARIZATION-CONTROLLABLE COMPLEX PHOTONIC BAND GAP STRUCTURES	719
<i>J. Xavier, J. Joseph</i>	
INFRARED PHOTOLUMINESCENCE FROM SI/GE NANOWIRE GROWN SI WAFERS	722
<i>S. Kalem, P. Werner, V. Talalaev</i>	
READOUT INTEGRATED CIRCUIT WITH DUAL MODE DESIGN FOR INFRARED FOCAL PLANE ARRAY PHOTO-DETECTOR	727
<i>T. Sun, Y. Lu, H. Shieh, S. Tang, W. Lin</i>	
INVESTIGATION OF STRUCTURAL, MORPHOLOGICAL AND OPTICAL PROPERTIES OF GAN/ALGAN HETEROSTRUCTURES ON SI	731
<i>I. Saraswati, N. Poepawati, R. Wigajatri, P. Doghece, D. Decoster, S. Ko, Y. Cho, L. Considine, D. Pavlidis</i>	
BIT-ERROR RATE ANALYSIS OF INTEGRATED OPTOELECTRONIC RECEIVER	736
<i>J. Youn, M. Lee, K. Park, W. Choi, H. Rucker</i>	
OPTICALLY-DRIVEN DEPOSITION OF CARBON NANOTUBES ON ERBIUM-DOPED FIBERS FOR SHORT-CAVITY PASSIVELY MODE-LOCKED FIBER LASERS	739
<i>H. Liu, K. Chow</i>	
MICROFIBER STRUCTURES AND ITS SENSOR AND LASER APPLICATIONS	743
<i>S. Harun, H. Ahmad, A. Jasim, A. Sulaiman</i>	
OPTICAL DEPOSITION OF NANO CARBON MATERIALS FOR FIBER-BASED SATURABLE ABSORBERS	746
<i>Y. Yang, H. Liu, K. Chow</i>	
OPTICAL FIBER GRATINGS WRITTEN IN MICROSTRUCTURED OPTICAL FIBERS	749
<i>Y. Wang</i>	
THEORETICAL INVESTIGATION OF NEAR-INFRARED LIGHT PATH IN MULTI-LAYER BRAIN MODELS FOR THREE DOT SYSTEMS	755
<i>X. Zhou, L. Chen, C. Tse, T. Penney, N. Chen</i>	
MODE CONVERTER BETWEEN CHANNEL WAVEGUIDE AND SLOT WAVEGUIDE	760
<i>J. Zhang, H. Zhang, S. Chen, Z. Xiao, F. Luan, G. Lo</i>	
OCCURRENCE OF THE SI PARTICLES AND REDUCING METHOD AS USING THE EXCIMER UV	764
<i>Y. Kim, J. Kim, Y. Jeon</i>	
WHISPERING GALLERY MODE EXCITATION AND COLLECTION USING FUSED-TAPERED FIBER TIPS	768
<i>D. Zhu, Y. Zhou, X. Yu, P. Shum, F. Luan</i>	
NANOSTRUCTURED SILICON PHOTONICS DEVICES FABRICATED BY CMOS-COMPATIBLE PROCESS	772
<i>T. Baba</i>	
CMOS COMPATIBLE CHIPS FOR NONLINEAR OPTICS	777
<i>D. Moss, A. Pasquazi, M. Peccianti, R. Morandotti</i>	

A 240 GB/S SELF-COHERENT CO-OFDM TRANSMISSION APPLYING REAL-TIME RECEPTION OVER 48 KM SSMF	782
<i>X. Xiao, T. Zeng, Q. Yang, Y. Pan, M. Luo, D. Xue, S. Yu</i>	
BRILLOUIN SCATTERING IN PLASTIC OPTICAL FIBERS: FUNDAMENTAL PROPERTIES AND SENSING APPLICATIONS	785
<i>Y. Mizuno, N. Hayashi, K. Nakamura</i>	
HIGH CONTRAST LONG-PERIOD WAVEGUIDE GRATINGS ON SILICON-ON-INSULATOR (SOI) SUBSTRATES.....	790
<i>R. Chuang, G. Wang, M. Hsu</i>	
A NOVEL MINIATURE MAGNETIC FIELD SENSOR BASED ON FARADAY EFFECT USING A HETERODYNING FIBER GRATING LASER.....	793
<i>L. Cheng, J. Han, Z. Guo, L. Jin, B. Guan</i>	
MICROFIBER FABRY-PEROT SENSORS INSCRIBED BY 193NM EXCIMER LASER	797
<i>J. Li, X. Shen, L. Sun, B. Guan</i>	
ENHANCEMENT OF REFRACTIVE INDEX SENSITIVITY FOR RECTANGULAR- MICROFIBER SAGNAC LOOP SENSORS	800
<i>J. Li, L. Sun, S. Gao, Y. Ran, B. Guan</i>	
OPTICAL RESPONSE OF SI/GE SUPERLATTICES WITH EMBEDDED GE DOTS.....	803
<i>S. Kalem, O. Arthursson, P. Werner</i>	
Author Index	