

2013 Spanish Conference on Electron Devices

(CDE 2013)

**Valladolid, Spain
12 – 14 February 2013**



IEEE Catalog Number: CFP13589-PRT
ISBN: 978-1-4673-4666-5

TABLE OF CONTENTS:

SESSION 1: PROCESS TECHNOLOGY FOR DEVICES AND SIMULATION

- **001| Thin Dielectric Films Grown by Atomic Layer Deposition: Properties and Applications.** F. Campabadal, J. M. Rafí, M. B. González, M. Zabala, O. Beldarrain, M. C. Acero and M. Duch. ""3
- **005| Plasma oxidation of metallic gadolinium deposited on silicon by high pressure sputtering as high permittivity dielectric.** M. A. Pampillón, P. C. Feijoo, E. San Andrés and J. L. G. Fierro. ""7
- **009| Nanodevices simulations on CloudStack.** F. Gomez-Folgar, E. Comesaña, R. Valin, A. Garcia-Loureiro and T. F. Pena. "";
- **013| Direct-write patterning of metals and graphene oxide electrodes by arc erosion for organic device manufacturing.** M. Garcia-Velez, A. L. Alvarez, C. Coya, G. Alvarado, X. Díez-Betriú, A. de Andrés and J. Jimenez-Trillo. ""35
- **017| Gadolinium Scandate by High Pressure Sputtering as a High-k Dielectric.** P. C. Feijoo, M. A. Pampillon and E. San Andrés. ""39
- **021| Effects of Ozone Pre-deposition Treatment on GaSb MOS Capacitors.** Z. Tan, L. Zhao, N. Cui, J. Wang and J. Xu. ""43
- **025| Towards high-k integration with III-V channels: interface optimization of high pressure sputtered gadolinium oxide on indium phosphide.** E. San Andrés, M. A. Pampillón, C. Cañadilla, P. C. Feijoo and A. del Prado. ""47
- **029| Etching of AlGaIn/GaN HEMT structures by Cl₂-based ICP.** Z. Gao, M. F. Romero and F. Calle. ""4;

SESSION 2: DEVICE MODELING

- **033| Modeling of radiation effects in MOSFETs.** J. Banqueri, M. A. Carvajal and A. J. Palma. ""55

- **037| Towards frequency performance improvement of emerging devices ""59 without length scaling.** A. Benali, F. L. Traversa, G. Albareda, X. Oriols and M. Aghoutane.
- **041| Wide frequency band scalable modeling of 3D embedded decoupling ""63 capacitors.** H. Jacquinet and D. Denis.
- **045| Monte Carlo analysis of thermal effects in Self-Switching Diodes.** J.-F. ""67 Millithaler, I. Iñiguez de la Torre, T. Gonzalez, J. Mateos, P. Sangare, G. Ducournau and C. Gaquiere.
- **049| OTFT modeling: development and implementation in EDA tools.** A. ""6; Castro-Carranza, M. Cheralathan, B. Iñiguez, J. Pallarès, C. Valla, F. Pouillet, G. Depeyrot, M. Estrada and A. Cerdeira.
- **051| Subthreshold response of a MOSFET to radiation effects.** J. Banqueri, ""73 M.A. Carvajal, S. Martínez-García, A. J. Palma, M. Vilches and A.M. Lallena.
- **055| Effects of Coverage Factor, Inhomogeneous Broadening and Cavity""77 Length on Static and Dynamic Behavior of Self-Assembled Quantum-Dot Laser by Using Circuit-Level Modeling.** M. Razm-Pa and F. Emami.
- **059| Space quantization effects in Double Gate SB-MOSFETs: role of the ""7; active layer thickness.** J. S. García, M. J. Martín and R. Réngel.
- **063| Schottky Barrier MOSFETs working in the linear regime: A Monte ""85 Carlo study of microscopic transport.** C. Couso, R. Réngel and M. J. Martín.
- **067| A simple compact model for the junctionless Variable Barrier ""89 Transistor (VBT).** O. Moldovan, F. Lime, B. Nae and B. Iñiguez.
- **071| Influence of the Contact Effects on the Variation of the Trapped ""93 Charge in the Intrinsic Channel of Organic Thin Film Transistors.** K. M. Awawdeh, J. A. Jiménez Tejada, P. López Varo, J. A. López Villanueva and M. J. Deen.
- **075| An Improved I-V Model of 4H-SiC MESFETs Incorporating Substrate ""97 trapping, Surface Trapping and Thermal Effects.** M. H. Lata Rao and N. V. L. Narasimha Murty.
- **079| Time-domain Monte Carlo simulations of resonant-circuit operation of ""9; GaN Gunn diodes.** S. García, B. G. Vasallo, J. Mateos and T. González.
- **083| Study of RFIDs with SOI technology for UWB.** R. Rodríguez, B. """: 5 González, J. García, M. Marrero-Martín and A. Hernández.

- **087| Static and Dynamic Characteristics of Self-Assembled InAs-GaAs''''''; 9
Quantum Dot Laser Considering Carrier Recombination and Carrier
Escape Time by Using Circuit-Level Modeling. M. Razm-Pa and F. Emami.**
- **091| Macroporous Silicon FET Transistors for Power Applications. D. Vega, ''''; 3
R. Najjar, M. Pina and A. Rodríguez.**
- **095| Study of statistical variability in nanoscale transistors introduced by ''''; 7
LER, RDF and MGG. G. Indalecio, A. García-Loureiro, M. Aldegunde and K.
Kalna.**
- **099| Analysis of Crossover Point and Threshold Voltage for Triple Gate ''''; ;
MOSFET. D. Sharma and S. Vishvakarama.**

SESSION 3: SENSORS, ACTUATORS AND MICRO/NANO SYSTEMS

- **103| Sensors and Micro and Nano Technologies for the Food Sector. I. ''''''325
Gràcia, S. Vallejos, R. Cumeras, M. Salleras, E. Figueras, J. Santander, N.
Sabaté, J. P. Esquivel, C. Calaza, L. Fonseca and C. Cané.**
- **107| Sensors Design and fabrication of sensor structures for the ''''''329
measurement of toxic gases. J. Gonzalez-Chavarri, I. Castro-Hurtado, G. G.
Mandayo and E. Castaño.**
- **111| Ceramic Capacitive Pressure Sensor based on LTCC Technology. J. M. ''''''333
Fernández-Sanjuán, N. Bonet, J. G. Rodríguez, F. M. Ramos, J. J. Sieiro, J. M.
López-Villegas, N. Vidal and A. Cirera.**
- **115| Microfluidics applied to Love-wave devices to detect biological warfare ''''''337
agents in dynamic mode. D. Matatagui, J. Fontecha, M.J. Fernández, J.P.
Santos, M.C. Horrillo, I. Gràcia and C. Cané.**
- **119| Electroosmotic Impulsion Device for Integration in PCB-MEMS. A. ''''''33;
Luque, J. M. Soto, F. Perdignes, C. Aracil and J. M. Quero.**
- **123| SENSOSOL: MultiFOV 4-Quadrant high precision sun sensor for ''''''''345
satellite attitude control. F. J. Delgado, J. M. Quero, J. García, C. L. Tarrida, J.
M. Moreno, A. G. Sáez and P. Ortega.**
- **127| Carbon Nanotube-based SAWsensors. I. Sayago, M. J. Fernández, J. L. ''''''349
Fontecha, M. C. Horrillo, E. Terrado, A. Seral Ascaso and E. Muñoz.**

- **131| Microfluidic Impulsion System Manufactured by PCB-MEMS for Lab on a Chip.** C. Aracil, F. Perdigones, A. Luque and J. M. Quero. ""353
- **135| Quasi-digital conversion for resistive devices: application in GMR-based IC current sensors.** C. Reig, M. D. Cubells, J. Madrenas, A. De Marcellis, S. Cardoso and P. P. Freitas. ""357
- **139| Macroporous Silicon Microreactor for the Preferential Oxidation of CO.** N. J. Divins, E. López, J. Llorca, D. Vega, A. Rodriguez, F. Gonzalez de la Rivera, I. Angurell, M. Seco and O. Rossell. ""35;
- **143| Macroporous Silicon Photonic Crystals for Gas Sensing.** D. Vega, J. Reina and A. Rodriguez. ""365
- **147| Pressurized Microvalve with SMD-Based Activation to Drive Fluid in Low-Cost and Autonomous MEMS.** G. Flores, F. Perdigones and J. M. Quero. ""369
- **151| Effective electrical resistance due to current-induced heat flow in thermoelectric generators.** P. Castrillo and J. M. Salgado. ""373
- **155| New improvements in the Infrared Atmospheric Sensor for the Mars MetNet Mission.** F. Cortés, A. González, A. Llopis, A. J. de Castro, J. Meléndez and F. López. ""377

SESSION 4: EMERGING DEVICES

- **159| Metamaterials, a Chance for High Frequency Electronics?.** J. Represa, A. C. López Cabeceira, I. Barba and A. Grande. ""37;
- **163| DC and AC characterization of PTFT inverters using Poly(9,9-dioctylfluorene-co-bithiophene) (F8T2).** M. F. Avila, M. Estrada, A. Cerdeira and L. Resendiz. ""385
- **167| Terahertz detection using Si-SiGe MODFETs.** Y. M. Meziani, J. E. Velázquez-Pérez, E. García-García, D. Coquillat, N. Dyakonova, W. Knap, I. Grigelionis and K. Fobelets. ""389
- **171| Metal oxide nanowires as building blocks for light detectors, gas sensors and biosensors.** J. L. Pau, C. García Núñez, A. García Marín, E. Ruiz and J. Piqueras. ""393

- **175| A Monte Carlo Study of Electron Transport in Suspended Monolayer Graphene.** R. Rengel, C. Couso and M. J. Martín. ""397
- **179| Thickness dependence of organic photodetector bandwidth.** B. ""39; Arredondo, B. Romero, C. de Dios, R. Vergaz, R. Criado and J. M. Sánchez Pena.
- **183| Effect of electric field and temperature variability on spin dephasing in SiGe nanowires.** B. Bishnoi, S. Sabiq Chishti, A. Verma, A. Salimath and B. Ghosh. ""3: 5
- **187| Ballistic Deflection Transistor: Geometry Dependence and Boolean Operations.** I. Iñiguez de la Torre, J. Mateos, T. González, V. Kaushal and M. Margala. ""3: 9
- **191| Monte Carlo Simulation of Temperature and Confinement Dependent Spin Transport in Germanium Nanowire.** A. Salimath, S. Sabiq Chishti, A. Verma, B. Bishnoi and B. Ghosh. ""3; 3
- **195| Effect of Doping Profile on Tunneling Field Effect Transistor Performance.** V. Vijayvargiya and S. Vishvakarma. ""3; 7
- **199| Terahertz Time Domain Spectroscopy for chemical identification.** E. ""3; ; García-García, Y. M. Meziani, J. E. Velázquez-Pérez, E. Diez and J. Calvo-Gallego.
- **203| Nanohole particle filling by electrospray.** A. Coll, S. Bermejo and L. ""425 Castañer.
- **207| Peak Emission Wavelength Tuning for Light Emitting Diodes and Lasers for InGaN-deltaIn_yGa_{1-y}N Quantum Well by varying the Composition of the Delta well.** S. Biswas, I. Mahbub, Md. Shofiqul Islam and S. Biswas. ""429
- **211| Conduction band-Valence band Coupling Effects on the Band Structure of In_{0.28}Ga_{0.72}N/GaN Quantum Well.** S. Biswas, I. Mahbub and Md. Shofiqul Islam. ""433
- **215| Room Temperature THz Detection and Emission with Semiconductor Nanodevices.** J. Mateos, J. F. Millithaler, I. Iñiguez de la Torre, A. Iñiguez de la Torre, B. G. Vasallo, S. Pérez, T. González, Y. Alimi, L. Zhang, A. Rezazadeh, A. M. Song, P. Sangare, G. Ducournau, C. Gaquière, A. Westlund and J. Grahn. ""437
- **219| Modelling the thermal conductivity of semiconductor NWs; A step forward to the increase of the thermoelectric figure of merit.** J. Anaya, J. Jimenez and T. Rodríguez. ""43; ""43

- **223| Enhancement of the radiation properties of a linear array of planar antennas with a chiral metamaterial cover.** O. Fernández, A. Gómez, J. Gutiérrez, A. Tazón, A. Vegas and J. P. Pascual. ""445

SESSION 5: CHARACTERIZATION AND RELIABILITY

- **227| Failure Analysis of MIM and MIS Structures Using Spatial Statistics.** ""449
E. Miranda.
- **233| Thin film YSZ solid state electrolyte characterization performed by electrochemical impedance spectroscopy.** L. Rojo, G. G. Mandayo and E. Castaño. ""455
- **237| Improving Yield on RF-CMOS ICs.** A. Herrera and Y. Jato. ""459
- **241| Modeling of time-dependent variability caused by Bias Temperature Instability.** J. Martin-Martinez, M. Moras, N. Ayala, V. Velayudhan, R. Rodriguez, M. Nafria and X. Aymerich. ""463
- **245| Er-doped Si-based electroluminescent capacitors: Role of different host matrices on the electrical and luminescence properties.** Y. Berencén, J. M. Ramírez and B. Garrido. ""467
- **249| Accelerated life tests of lead free solder alloys in presence of distilled water.** E. Nogueira, A. Fernandez, A. Florez, R. Alvarez Santos and E. Mino. ""46;
- **253| Laser Induced Single Events in SRAMs.** C. Palomar, I. López-Calle, F. J. Franco, J. A. Agapito and J. G. Izquierdo. ""475
- **257| Modeling of the Post-Breakdown IG-VG-VD Characteristics of La2O3-Based MOS Transistors.** E. Miranda, J. Suñé, T. Kawanago, K. Kakushima and H. Iwai. ""479
- **261| CMOS VCO Design Optimization Using Reliable 3D Electromagnetic Inductor Models.** L. Diego, Y. Jato, C. Pérez and A. Herrera. ""483
- **265| First run S-DMB MMIC Low Noise Amplifier.** Y. Jato, C. Pérez, A. Herrera and L. Diego. ""487
- **269| Nanoscale morphology of graphene on different substrates.** M. Lanza, Y. Wang, H. Duan, T. Gao, Z. Liu, Y. Zhang, M. Porti, M. Nafria, A. Bayerl, X. Aymerich, H. Liang and G. Jing. ""48;

- **273| Intermixing in InAsP/InP Quantum Wells Induced by Dry Etching ""495 Processes.** V. Hortelano, A. Torres, M. Sanz, J. Jiménez, O. Martínez and J. P. Landesman.
- **277| Defect Assessment and Leakage Control in Atomic Layer Deposited ""499 Al₂O₃ and HfO₂ Dielectrics.** M. B. Gonzalez, J. M. Rafí, O. Beldarrain, M. Zabala and F. Campabadal.
- **281| Nanoscale and device level analysis of the resistive switching ""4: 3 phenomenon in ultra-thin high-k gate dielectrics.** A. Crespo-Yepes, J. Martin-Martinez, V. Iglesias, R. Rodriguez, M. Porti, M. Nafria, X. Aymerich and M. Lanza.
- **285| Electrical study of ScO-based MIS structures using Al and Ti as gate ""4: 7 electrodes.** H. García, H. Castán, S. Dueñas, L. Bailón, P. C. Feijoo, M. A. Pampillón and E. San Andrés.
- **289| Investigation of seasonal fluctuation of electrical parameters of ""4: ; amorphous silicon modules in ambient conditions.** P. Otero, C. Alberte, J. A. Rodríguez, M. Vetter and J. Andreu.

SESSION 6: SOLAR ENERGY

- **293| Wide Band Gap Power Semiconductor Devices.** J. Millán and P. ""4; 5 Godignon.
- **297| The intermediate band approach in the third solar cell generation ""4; 9 context.** G. González-Díaz, I. Mártel, A. del Prado, D. Pastor, J. Olea, E. García-Hemme, R. García-Hernansanz and P. Wahnón.
- **301| The role of defects in solar cells: Control and detection.** S. Dueñas, E. ""523 Pérez, H. Castán, H. García and L. Bailón.
- **305| Trends in crystalline silicon growth for low cost and efficient ""527 photovoltaic cells.** V. Parra, T. Carballo, D. Cancillo, B. Moralejo, O. Martínez, J. Jiménez, J. Bullón, J. M. Míguez and R. Ordás.
- **309| Degradation signatures of high power laser diodes.** J. Jiménez, J. Anaya, ""52; V. Hortelano, J. Souto and A. Martín-Martín.

- **313| Deep level defects on mono-like and polycrystalline silicon solar cells.** """"535
E. Pérez, H. García, H. Castán, , L. S. Dueñas Bailón, B. Moralejo, O. Martínez,
J. Jiménez and V. Parra.
- **317| Calculation of Cell Temperature in a HCPV Module using Voc.** E. F. """"539
Fernández, A. J. García Loureiro, P. Rodrigo, F. Almonacid, J. I. Fernández, P.
J. Pérez Higuera and G. Almonacid.
- **321| Influence of cathode in organic solar cells performance.** G. del Pozo, B. """"543
Romero and B. Arredondo.
- **325| Low cost spray-coating boron diffusion on n-type silicon.** E. Navarrete """"547
Astorga, E. Ochoa Martínez and J. R. Ramos Barrado.
- **329| Boron diffused emitters passivated with Al₂O₃ films.** G. Masmitja, P. """"54;
Ortega, G. López, E. Calle, M. Garcia, I. Martin, A. Orpella, C. Voz and R.
Alcubilla.
- **333| An IBC solar cell for the UPC CubeSat-1 mission.** P. Ortega, R. Jove- """"555
Casulleras, A. Pedret, R. González, G. López, I. Martín, M. Domínguez, R.
Alcubilla and A. Camps.
- **337| Hydrogenated amorphous silicon deposited by high pressure sputtering """"559
for HIT solar cells.** R. Garcia-Hernansanz, E. Garcia-Hemme, J. Olea, D.
Pastor, A. del Prado, I. Martil, G. Gonzalez-Diaz and F. J. Ferrer.
- **341| High efficient thin film CdTe solar cells.** R. Yang, Z. Bai, D. Wang and """"563
D. Wang.
- **345| Progress in Silicon Heterojunction Solar Cell fabrication with rear """"567
laser-fired contacts.** A. Morales-Vilches, C. Voz, M. Colina, G. López, I.
Martín, A. Orpella, J. Puigdollers, M. García and R. Alcubilla.
- **349| Photocurrent measurements for solar cells characterization.** E. Pérez, """"56;
M. Maestro, H. García, H. Castán, S. Dueñas and L. Bailón.
- **353| Low-Cost system for full-wafer photoluminescence characterization of """"575
photovoltaic silicon.** B. Moralejo, A. Tejero, O. Martínez, M. A. González, J.
Jiménez and V. Parra.
- **357| Influence of Hydrogen on the optical absorption response of GaAs(Ti) """"579
films deposited by R.F. sputtering.** A. Boronat, S. Silvestre and L Castañer.
- **361| Trapping activity on multicrystalline Si wafers studied by combining """"583
fast PL imaging and high resolved electrical techniques.** O. Martínez, B.

Moralejo, V. Hortelano, A. Tejero, M. A. González, J. Jiménez, J. Mass and V. Parra.

- **365| Modification of the properties of CdTe films grown by close space vapour sublimation for solar cell applications.** ""587 J. L. Plaza, S. Rubio, E. Diéguez, O. Martínez and V. Hortelano.
- **369| Development of a very fast spectral response measurement system for silicon thin film modules.** ""58; J. A. Rodríguez, M. Vetter, M. Fortes, C. Alberte and P. Otero.
- **373| Simulation of a-Si:H Dual Junction Solar Cells.** A. Garcia-Rivera, E. ""595 Comesaña, A. J. Garcia-Loureiro, R. Valin, J. A. Rodríguez and M. Vetter.
- **377| Electrical properties of silicon supersaturated with titanium or vanadium for intermediate band material.** ""599 E. Garcia-Hemme, R. Garcia-Hernansanz, J. Olea, D. Pastor, P. Wahnnon, A. del Prado, I. Martil and G. Gonzalez-Diaz.