

2012 IEEE International Conference on Electron Devices and Solid State Circuit

(EDSSC 2012)

**Bangkok, Thailand
3-5 December 2012**



IEEE Catalog Number: CFP12754-PRT
ISBN: 978-1-4673-5694-7

Table of Contents

Message from the General Program Co-Chair

Message from Technical Program Co-Chair

List of Committees

List of Reviewing Committees

Keynote Speaker

[323] Keynote 1 “Critical design considerations for GaN-based microwave power varactors” ”3
Paul Yu, *University of California San Diego, USA*

Keynote 3: “The first mesa type blue light VICSEL and Droop solutions” 5
C. Y. Chang, *National ChiaoTung University, Taiwan*

[324] Keynote 5 “Polarization Image Sensors: Learning from Biology to Make the Invisible Visible” ”8
Jan Van der Spiegel, *University of Pennsylvania, USA*

Oral 1: Bioelectronics *December 3 Monday (11:10 - 12:10)*

[135] Ultra-thin silicon strip detectors for hadrontherapy beam monitoring ”;
M. Bouterfa and D. Flandre, *Université catholique de Louvain, Belgium*

[84] Circuit implementation of spike time dependent plasticity (STDP) for artificial synapse 11
H. T. Wu, Z. T. Xu, S. G. Hu, Q. Yu and Y. Liu , *University of Electronic Science and Technology of China, China*

[251] QCM-based DNA biosensor for salmonella typhimurium detection ”35
U. Waiwijit, K. Jaruwongrungee, J. Promjai, T. Lomas, A. Tuantranont, *NECTEC , Thailand;*
N. Chokesajjawatee, *BIOTEC, Thailand;* P. Sritongkham, *Mahidol University ,Thailand*

[237] Single plate electrowetting on dielectric biochip ”38
C. Chandee, K. Ugsornrat, P. Uyawapee, *King Mongkut’s University of Technology North Bangkok, Thailand;* T. Pogfai,
T. Matusos, D. Pokarattakul and A. Tuantranont, *National Electronics and Computer Technology Center, Thailand*

Oral 2: Communication Circuits *December 3 Monday (11:10 - 12:10)*

[40] Performance modeling and evaluation for 10G-EPON systems 20
Tony Tsang, *Hong Kong Polytechnic University, Hong Kong*

[148] A novel wireless data acquisition system for Euro-balise ”46
X. Liu, Y. Han, M. Wang, S. Zhang, C. Bao, *Zhejiang University, China*

[286] A novel low power concatenated channel codec for WBANs ”48
W. Liu, H. Wang, N. Wu, *Chinese Academy of Sciences, China*

Oral 3: Device Reliability *December 3, Monday (13:30 - 15:15)*

[106] Recent study on on-state breakdown modeling of pHEMTs "4;

H. Yin, C. Wei, Y. Zhu, A. Klimashov, D. Bartle, *Skyworks Solutions, USA*

[261] Multilevel set/reset switching characteristics in Al/CeO_x/Pt RRAM devices "53

L.F. Liu, Y. Hou, D. Yu, B. Chen, B. Gao, Y. Tian, D. D. Han, Y. Wang, J.F. Kang, X. Zhang, *Peking University, China*

[280] Accurate modeling method to evaluate reliability of nanoscale circuits "56

N. S. S. Singh, N. H. Hamid, V. S. Asirvadam, *Universiti Teknologi Petronas, Malaysia*

[170] Modeling hot-carrier-induced reliability of poly-silicon thin film transistors "5:

L. L. Wang, S. Zhang, *Peking University, China*; J. B. Kuo, *National Taiwan University, Taiwan*

[189] Process-induced charge trapping and junction breakdown instability in deep trench isolation for high voltage smart power IC process "62

H.-D. Kim, J.-W. Park, C.-J. Ko, B.-K. Jun, N. Moon, K.W. Kwon, C. Lee, K. Sung, N.-J. Kim, K.-D. Yoo, Y.-J. Lee, *Dongbu Hitek, Korea*

[247] Hardware validated TCAD simulation of polysilicon resistor including trap physics and self-heating "66

R. B. R. Adari, *Indian Institute of Technology, Bombay, India*; S. Suresh, R. D. Prabhu, *Semiconductor Research and Development Centre, India*

Oral 4: Digital Circuits *December 3, Monday (13:30 - 15:15)*

[151] A 0.5 V, 420 MSps, 7-bit flash ADC using all-digital time-domain delay interpolation "6:

J. Lin, I. Mano, M. Miyahara, and A. Matsuzawa, *Tokyo Institute of Technology, Japan*

[110] Quantum dot cellular automata magnitude comparators "72

B. Ghosh, S. Gupta, S. Kumari, *IIT Kanpur, India*

[205] Design of a fully-digital class-D audio power amplifier based on open-loop configuration "74

L. Lin, X. Wu, J. Zhao, M. Zhao, *Zhejiang University, China*

[250] Optimized MAC unit design "77

Deepak S, Binsu J Kailath, *Indian Institute of Information Technology Design and Manufacturing, India*

[109] Multi scaling coefficients technique for noisy signal based gain error background calibration 59

N. Ning, Z. Sui, J. Li, S. Wu, H. Chen, *University of Electronic Science and Technology of China, China*

Oral 5: MEMS *December 3, Monday (15:30 - 18:00)*

[269] Micromachined piezoelectric devices for acoustic applications (invited) "83

T.-L. Ren, Y. Shu, Y. Yang, C.-J. Zhou, Y.-F. Wang, H. Tian, C.-H. Zhang, H. Sun, X. Liu, *Tsinghua University, China*

[221] A high-voltage interface circuit for MEMS vibratory gyroscope "87

R. Fang, W. Lu, T. Tao, G. Wang, Z. Chen, Y. Zhang, D. Yu, *Peking University, China*

[231] Linear analysis of closed loop capacitive accelerometer due to distance mismatch between plates "89

J. Huang, M. Zhao, T. Zhang, L. Hong, F. Wu, Y. Zhang, W. Lu, Z. Chen, Y. Hao, *Peking University, China*

[240] Research on nonlinearity of closed-loop capacitive accelerometer resulting from time-division force feedback"93

M. Zhao, J. Huang, T. Zhang, L. Hong, Y. Zhang, W. Lu, Z. Chen, *Peking University, China*

[262] **An s-z domain transformation method for the readout circuit design of closed-loop micromechanical capacitive accelerometer** "97
T. Zhang, H. Li, J. Huang, M. Zhao, L. Hong, Y. Zhang, W. Lu, Z. Chen, *Peking University, China*

[294] **Flexible nanomembranes: From sensors to motors** "9:
Y. Mei, *Fudan University, China*

[94] **Development of low stress TaN thin film for MEMS/Sensor electrode application** "3
X. Kang, Q. Zuo, C. Yuan, S. Chen, Y. Zhao, *Shanghai IC R&D Center, China*

Oral 6: Power Electronics *December 3, Monday (15:30 - 17:45)*

[153] **Modeling of mutual inductance for planar inductors used in inductive link applications** "6
S. Raju, R. Wu, M. Chan and C. P. Yue, *Hong Kong University of Science & Technology, Hong Kong*

[52] **Quasi-SM controller for SIDO buck converter with self-adaptive free-wheeling current level** 86
Q. Liu, X. Wu, M. Chen, X. Shen, P. Pan, *Zhejiang University, China*

[157] **Design of robust digital controller for interleaved PFC boost converter with DC-DC converter load** "1:
Y. Fukaiishi, K. Higuchi, *The University of Electro-Communications, Japan*; H. Furuya, Y. Satake, *Sanshin Electric, Japan*

[226] **An enhanced area-efficient on-chip compensation technique for power converters** "2
P. Sun, M. Zhao, X. Wu, *Zhejiang University, China*

[214] **A dimming technique for light emitting diode** "5
C. W. Lin, B. S. Hsieh, Y. X. Tsai, *Taipei University of Science & Technology, Taiwan*

[201] **An LED driver with active EMI mitigation scheme** "8
S. M. Wu, K. H. Chang, *Yuan Ze University, Taiwan*

[266] **Design of an analog maximum power point tracking control IC based on perturb-and-observe algorithm** "322
D. Zhang, G. Hang, X. Hu, Y. Yang, *Zhejiang University City College, China*

Special Session: Advances in Nanoelectronics *December 4, Tuesday (10:10 - 12:10)*

Aging induced dynamic variability in highly-scaled MOSFETs (invited) "P1C
Ru Huang, *Peking University, China*

[317] **Nanoelectronics and diversification in the 3D technologies era (invited)** "326
Simon Deleonibus, *CEA-LETI, France*

[319] **Growth of epitaxial quality SnS thin films on graphene (invited)** "32:
Charles Surya, *Hong Kong Polytechnic University, Hong Kong*

[320] **Numerical study on dual material gate nanowire tunnel field-effect transistor (invited)** "333
Jin He, *Peking University Shenzhen SOC Key Laboratory, China*

Oral 7: Analog Circuits *December 4, Tuesday (10:10 - 12:10)*

[185] **A power and area efficient 65 nm CMOS delay line ADC for on-chip voltage sensing** "338
S. A. Shen, S. Xie and W. T. Ng, *University of Toronto, Canada*

[127] **Continuous-time common-mode feedback detection circuits with enhanced detection accuracy** "342
Y. Liu, C. Zhan, T. S. Yim and W.-H. Ki, *Hong Kong University of Science and Technology, Hong Kong*

[56] **Current-mode universal biquad with three inputs and one output using two current conveyors "346**
J.-W. Horng, T.-Y. Chiu and B.-J. Wei, *Chung Yuan Christian University, Taiwan*

[213] **Linear current integrator with parasitic components compensation "348**
C.W. Lin, S. F. Lin, Y. W. Chen, *Taipei University of Science and Technology, Taiwan*

[268] **Current-mode 4 quadrant divider employing only single active element "34;**
P. Woratrajariya, K. Mano, W. Jaikla, *King Mongkut's Institute of Technology, Thailand* ;
S. Maneewan, *Buriram Rajabhat University, Thailand*

[156] **A re-configurable 4th order switched capacitor SDADC for adjusting power and performance"355**
K. Wan, W.Wong, G. Chan, K. C.Wan, B. Yau, A. Wu, D. K. Wong, *Hong Kong Applied Science and Technology Research, China*; A. Baschiroto, *University of Milano Bicocca, Italy*

[139] **Low-voltage low-power current-mode amplitude shift keying (ASK) demodulator '359**
H. Mitwong, V. Kasemsuwan, *King Mongkut's Institute, Thailand*

[155] **An ultra-low power CMOS subthreshold voltage reference "363**
Y. Luo, J. Zhang, Q. Wang, Y. Zeng, J. Hu, H.-Z. Tan, *Sun Yat-sen University, China*

Oral 8: Nanoelectronics *December 4, Tuesday (13:30 - 15:15)*

[175] **Resistive Switching Behavior of ZrO₂ thin film fabricated on PES flexible substrate (invited) "366**
C.-C. Lin, *National Dong Hwa University, Taiwan*

[99] **On threshold voltage modeling and variability in junctionless nanowires FETs "368**
A. Koukab, *Swiss Federal Institute of Technology, Switzerland*

[154] **Reduction of ambipolarity in carbon nanotube field-effect transistor by non-uniform source/ drain doping and increased extension length"36:**
Z. Ahmed, M. Chan, *Hong Kong University of Science and Technology, Hong Kong*

[58] **A study on channel potential for lightly-doped gate-all-around 6H-SiC nanowire FETs 150**
R. Han, M. Zhang, *Northwestern Polytechnical University, China*

[147] **Effect of thickness and annealing on crystallization of MgO in magnetic tunnel junction structure "374**
Y.-L. Lou, Y.-M. Zhang, H. Guo, Y.-M. Zhang, Y.-C. Li, *Xidian University, China*; D.-Q. Xu, *Xi'an University of Science and Technology, China*

[283] **Electrochemical sensor for ascorbic acid based on graphene/CuPc/PANI nanocomposites "377**
S. Pakapongpan, T. Lomas, A. Tuantranont, *National Electronics and Computer Technology Center, Thailand*; J. P. Mensing, *Mahidol University, Thailand*

[121] **Analytical modeling of potential profile and threshold voltage for rectangular gate-all-around III-V nanowire MOSFETs with ATLAS verification "37:**
M. S. Hossain, S. U. Z.Khan, M. O. Hossen, F. U. Rahman, R. Zaman and Q. D. M. Khosru, *Bangladesh University, Bangladesh*

Oral 9: ESD and Power Devices *December 4, Tuesday (13:30 - 15:15)*

[47] **28V ESD clamp in CMOS 40nm process "383**
G. Chowdary, S. Somajayula, *Aura Semiconductors, India*; F. Neri, *Samsung Electronics, South Korea*; G. Notermans, *ST-Ericsson, Switzerland*

[101] **A novel dual-channel SOI LIGBT with improved reliability "385**
S. Zhang, Y. Han, K. Ding, B. Zhang, W. Zhang, H. Wu, *Zhejiang University, China*

[150] Lateral IGBT in thin SOI process for high voltage ESD application "387

J. Wu, S. Dong, Y. Han, J. Zeng, F. Ma, J. Zheng, *Zhejiang University, China*

[158] Investigation of waffle structure SCR for electro-static discharge (ESD) protection "38:

Q. Cui, S. Dong, Y. Han, *Zhejiang University, China*; Q. Cui, *University of Central Florida, Orlando, USA*

[276] Theoretical calculation and efficient simulations of power semiconductor AlGa_N/Ga_N HEMTs "394

H. Huang, Y. C. Liang, G. S. Samudra, *National University of Singapore, Singapore*

[66] A current reference based on bandgap technology with wide input voltage range by using 0.18 μ m BCD process "398

K. Liu, Y. Shen, Y. Ye, L. He, *Zhejiang University, China*

[114] Self-adaptive window control technique for hysteretic buck converter with constant frequency "39:

W. Lu, X. Wu, M. Zhao, M. Chen, *Zhejiang University, China*

Oral 10: CMOS Devices and Technology *December 4, Tuesday (15:30 - 17:15)*

[316] A Quasi-2D Threshold Voltage Model for Short-channel Junctionless (JL) Double-gate MOSFETs

(invited) "3: 2

T.K. Chiang, *National University of Kaohsiung, Taiwan*

[163] Green's function based 2-D MOSFET modeling for random dopant fluctuation "3: 6

Y. H. Shin, J. H. Kang, I. Yun, *Yonsei University, Korea*

[168] HfON/LaON as charge-trapping layer for nonvolatile memory applications "3: 9

X. D. Huang, P. T. Lai, *The University of Hong Kong, China*

[176] A comparative study on analog/RF performance of Pt-germanide and Pt-silicide Schottky barrier pMOSFETs "3; 2

G. C. Patil, S. Qureshi, *Indian Institute of Technology Kanpur, India*

[178] Simulation study on FinFET with tri-material gate "3; 4

C. Li, Y. Zhuang and L. Zhang, *Xidian University, China*

Oral 11: Photonics and Optical Applications *December 4, Tuesday (15:30 - 17:15)*

[227] Enhanced UV-visible rejection ratio in an MSM UV photodetector fabricated on n-face GaN by thermal annealing effects "3; 7

C.-J. Lee, Y.-J. Kwon, H.-G. Cha, and S.-H. Hahm, *Kyungpook National University, Korea*

[194] Optical datalink between display monitor and web camera "3; 9

P. Thanusutiyabhorn, W. S. Mohammed, *Bangkok University, Thailand*; P. Saengudomlert, *Asian Institute of Technology, Thailand*

[124] An intra-cavity bottom emitting 1325 nm VCSEL using GaInAs/GaInP MQWs and AlGaInAs/InP DBRs for epitaxial fabrication "422

S. I. Islam, *American International University-Bangladesh, Bangladesh*; Md. M. H. Polash, S. Islam, *Bangladesh University, Bangladesh*

[223] Rapid microwave growth of ZnO nanowires for low cost photovoltaics cells using reclaimed silicon substrates "426

Y. Liu, G. J. Blayney, O. J. Guy, *Swansea University, UK*

[199] System demonstration for visible light communication using adaptive threshold detection for low data rate applications "429

M. Saadi, T. Sittivangkul, Y. Zhao, L. Wuttisittikulkij, *Chulalongkorn University, Thailand*;
P. Sangwongngam, *National Electronics and Computer Technology Center, Thailand*

[264] **A study of photonic crystals bending waveguide laser tip for dental treatments "432**
E. Khongsombut, R. Silapunt, and O. Watcharakitchakorn, *King Mongkut's University, Thailand*

Oral 12: Memory Technology *December 5, Wednesday (8:30 - 10:15)*

Transport in nanocarbon interconnects (invited) 'PIC
Cary Yang, *Santa Clara University, USA*

[34] **Performance of a MOHOS-type memory using np-HfO₂ and variable tunneling oxide thickness 213**
J. Molina, W. Calleja, P. Rosales, C. Zuniga, F. J. Hidalgo, A. Torres, *National Institute of Astrophysics, Optics and Electronics (INAOE), Mexico*

[292] **Sol-gel barium titanate-based RRAM by inserting graphene oxide interlayer "437**
Y.-C. Chang, C.-Y. Wei, Y.-H. Wang, *National Cheng Kung University, Taiwan*

[70] **Stack-transistor based differential 8T SRAM cell for embedded memory applications "439**
W. Cheng, B. Zhou, H. Zheng, and Y. Chung, *Kyungpook National University, Republic of Korea*

[169] **Effects of type and density of interface trap in tunneling oxide for flash memory devices "43;**
J. Y. Lim, P. Moon, I. Yun, *Yonsei University, Korea*

Oral 13: RF & Microwave I *December 5, Wednesday (8:30 - 10:15)*

[102] **A high-stability clock generator for 13.56MHz passive RFID tags "444**
Z. T. Xu, K. Q. Qian, Q. Yu, Y. Liu, *University of Electronic Science and Technology of China, China*

[113] **Design of multi-octave band GaN-HEMT power amplifier "446**
G. Eren, O. A. Sen, B. Bolukbas, G. Kurt, O. Arican, O. Cengiz, S. T.K. Unal, Y. Durmus and
E. Ozbay, *Nanotechnology Research Center, Bilkent University, Turkey*

[134] **Pi-peaking shunt-feedback transimpedance amplifier with bandwidth enhancement"449**
P. Sinsoontornpong, A. Worapishet, *Mahanakorn University, Thailand*

[248] **A low-voltage low-phase-noise C-band 0.18-um CMOS VCO with L-type matching network"453**
T.-P. Wang, Y.-F. Lu, *National Taipei University of Technology, Taiwan*

[258] **Efficient models for non-quasi-static effects and correlated noise in SiGe HBTs "456**
N. Augustine, K. Kumar, A. Chakravorty, *India Institute of Technology Madras, India;*
A. Bhattacharyya, T. Zimmer, *Universite de Bordeaux, France*

[293] **A CMOS doubly balanced monolithic ring mixer with an advanced IF extraction "45:**
Y.-C. Lee, C.-M. Lin, Y.-H. Chang, S.-H. Hung, C.-C. Su, Y.-T. Wang, and Y.-H. Wang, *National Cheng-Kung University, Taiwan*

Oral 14: Organic Devices and Sensors *December 5, Wednesday (10:30 - 12:00)*

[108] **Development of integrated optical characterization bench for sensing microfluidic channel "462**
C. Viphavakit, J. Dutta, *Asian Institute of Technology (AIT), Thailand;* S. Boonruang, *NECTEC National Science and Technology Development Agency, Thailand;* N. Atthi, *National Science and Technology Development Agency, Thailand;*
W. S. Mohammed, *Bangkok University, Thailand*

[285] **Electrical properties of CuPc-based OTFTs with atomic layer deposited HfAlO gate dielectric "464**
W.M. Tang, U. Aboudi, J. Provine, Roger T. Howe, and H.-S. Philip Wong, *Stanford University, USA*

[252] **Characterization of graphene electrode on nickel thin film for electrochemical sensing "467**
D. Phokharatkul, A. Wisitsoraat, C. Karuwan, T. Lomas, A. Tuantranont, *National Electronics and Computer Technology Center, Thailand*

[255] **Dual-band responsivity of AlGaIn/GaN MSM UV photodiode "46:**
Y.-J. Kwon, C.-J. Lee, D.-k. Kim and S.-H. Hahm, *Kyungpook National University, Korea*

Oral 15: RF & Microwave II *December 5, Wednesday (10:30 - 12:00)*

[145] **Relationship between the IIP3 of the doubly-terminated ladder Gm-C filter and the transconductors "472**
T. Choogorn, J. Mahattanakul, *Mahanakorn University, Thailand*

[291] **Characterization of microstrips for THz waves "474**
C. Themistos, C. Markides, *Frederick University, Cyprus*; B.M.A. Rahman, K.T.V. Grattan, *City University London, UK*

[263] **Simulation of low voltage RF MEMS switch for reconfigurable antennas "478**
S. M. Rana, N. Afzulpurkar, S. Tayyaba, C. Punyasai, *Asian Institute of Technology, Thailand*;
M. W. Ashraf, *GC University Lahore, Pakistan*

[284] **Characteristics of a meander line tag antenna with T-loop structure for the passive UHF RFID applications "482**
T. Pumpoung, P. Wongsiritor, C. Phongcharoenpanich and S. Kosulvit, *King Mongkut's Institute of Technology Ladkrabang, Thailand*

[197] **A L-band planar antenna with linear polarization for mobile device application "486**
T.-P. Wang and Y.-M. Yan, *National Taipei University of Technology, Taiwan*

[288] **A low-voltage low-power complex active-RC filter employing single-stage opamp "489**
C. Upathamkuekool, A. J.-amornkun and J. Mahattanakul, *Mahanakorn University of Technology, Thailand*

Oral 16: Sensors *December 5, Wednesday (13:30 - 15:15)*

[160] **High linearity current mode image sensor "493**
X. Wu, M. Zhang, J. Van der Spiegel, *University of Pennsylvania, USA*

[274] **Stub mounted loaded line phase shifter using novel RF MEMS switch "497**
B. V. Anand, E. S. Shajahan and M. S. Bhat, *N. I. T. K, Surathkal*

[91] **Inkjet printed graphene/metal phthalocyanine hybrid-material for gas sensing applications 279**
J. P. Mensing, T. Kerdcharoen, *Mahidol University, Thailand*; A. Wisitsoraat, A. Tuantranont, *National Electronics and Computer Technology Center, Thailand*

[273] **Characteristics of MEMS scanners with different driving bias "4: 3**
P. Tantipiriyakij, P. Sankatumvong, S. Rattanavarin, U. Jarujareet, N. Khemthongcharoen,
W. Piyawattanametha, *National Electronics and Computer Center, Thailand*; P. Sarapukdee,
A. Ruangphacha, *Chulalongkorn University, Thailand*; W. Jung, *Illinois University, USA*

Oral 17: Circuit Theory and Applications *December 5, Wednesday (13:30 - 15:15)*

A simple approach to assessing whole-body arterial stiffness in young individuals at risk of atherosclerosis (invited) "P1C
H. T. Wu, *National Dong Hwa University, Taiwan*

[212] **Trade-off in CMOS cross-coupled differential oscillator design "4: 5**
N. H.-ngam, J. Mahattanakul, *Mahanakorn University of Technology, Thailand*

[209] **A low power flexible analog baseband for low-IF zigbee receiver "4: 7**
J.-J. Chen, W.-Y. Liu, W.-F. Lou, H.-Y. Wang, N.-J. Wu, *Chinese Academy of Sciences, China*

[202] **The sensitivity analysis of the effect of single-event-upset on low-swing signaling driver "4: :**
N. M. Mahyuddin, *Universiti Sains Malaysia, Malaysia*; G. Russell, *Newcastle University, United Kingdom*

[228] **A 1.8V wide-band LNA design in 0.18- μ m triple-well CMOS** "4; 4
H. Hwang, C.-H. Jeong, C. Kwon, H. Kim, Y. Jeong, B. Lee, and S.-W. Kim, *Korea University, Korea*

[184] **A high-precision ultra-low-power hysteresis voltage detector for energy harvesting system** "4; 6
W. Gu, X. Wu, M. Zhao, Q. Liu, *Zhejiang University, China*

Oral 18: Thin Film Transistors *December 5, Wednesday (15:30 - 16:45)*

[271] **Comparative study of a-IGZO TFTs deposited by RF and DC sputtering** "4; 8
W. Deng, X. He, X. Xiao and S. Zhang, *Peking University, China*

[77] **Grain boundary-related kink effects of poly-Si TFTs** 298
T.C. Liu, *Peking University, China*; J. B. Kuo, *National Taiwan University, Taiwan*

[225] **Low-temperature fabrication of fully transparent IGZO thin film transistors on glass substrate** "522
Y. Tian, D. Han, J. Cai, Y. Geng, W. Wang, L. Wang, S. Zhang, Y. Wang, *Peking University, China*

Oral 19: Compound Devices *December 5, Wednesday (15:30 - 16:45)*

[245] **Characteristics of ferromagnetic Schottky diodes on heavily n-Doped GaN semiconductor** "525
R. Adari, D. Banerjee, S. Ganguly, R. W. Aldaheri, M. A. Hussain, and D. Saha, *Indian Institute of Technology Bombay, India*

[208] **Ballistic performance limit and gate leakage modeling of rectangular gate-all-around InGaAs nanowire transistors with ALD Al_2O_3 as gate dielectric** "529
Md. O. Hossen, Md. S. Hossain, S. U. Z. Khan, F. U. Rahman, R. Zaman and Q. D. M. Khosru, *Bangladesh University of Engineering and Technology, Bangladesh*

[98] **Influence of interface trap states and quantum mechanical effects on the drain current of $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}$ MOSFETs** "532
M. A. B. Shafi, S. Sutradhar, K. Debnath and A. Haque, *East West University, Bangladesh*

[254] **Novel non-linear interpolation for SiGe band structure parameters** 534"
S. Sant, S. Lodha, U. Ganguly, and S. Ganguly, *IIT Bombay, India*

Poster Session *December 4, Tuesday (17:15 - 18:15)*

[119] **Influence of under-bump metallurgy and solder alloys on the crack in the wafer level chip scale packaging** "538
J. H. Lü, M. Xu, H. Zhang, H. L. Lu and D.W. Zhang, *Fudan University, China*

[239] **Reliability study of zinc oxide thin-film transistor with high-K gate dielectric** "53;
D. Han, Y. Geng, J. Cai, W. Wang, L. Wang, Y. Tian, Y. Wang and L. Liu, *Peking University, China*; S. Zhang, *Peking University, China*

[126] **Analytical modelling of current in higher width graphene nanoribbon field effect transistor** "543
T. Muntasir, S. D. Gupta, Md. S. Islam, *Bangladesh University, Bangladesh*

[246] **Design of driving transistor in a-Si:H TFT gate driver circuit** "547
C. Zheng, C. Liao, J. Li and S. Zhang, *Peking University, China*

[191] **Energy capacity of voltage dependent capacitor for the calculation of MOSFET's switching losses** "549
Y. Kulvitit, *Chulalongkorn University, Thailand*

[196] **Feedback compensator design for a two-switch forward converter** "553
V. Wuti, T. Kerdpol, and C. Bunlaksananusorn, *King Mongkut's Institute of Technology Ladkrabang, Thailand*

- [300] **Communication circuit for series connected solar panels "557**
P. Sirinamaratana, E. Leelarasmee, *Chulalongkorn University, Thailand*
- [162] **Simple quadrature sinusoidal oscillator with orthogonal control using single active element "559**
T. Pourak, P. Suwanjan, W. Jaikla, *King Mongkut's Institute of Technology Ladkrabang Bangkok, Thailand* ; S. Maneewan, *Buriram Rajabhat University, Thailand*
- [86] **A VCO based continuous time delta sigma ADC with 10MHz BW 55dB SNR and 42dB SNDR 341**
X. L. Zhang, J. Z. Chen, Z. T. Xu, Q. Yu, Y. Liu, *University of Electronic Science and Technology of China, China*
- [130] **1.2 V folded down-conversion wideband mixer in 65-nm CMOS "565**
N. M. Amin, Z. G. Wang, B. Kuan, Z. Li, *Southeast University, China*
- [232] **A 14-bit column-level ADC for IRFPA "569**
Y. Zhang, W. Lu, Y. Chang, H. Chu, G. Wang, Y. Zhang, Z. Chen, *Peking University, China*
- [281] **Contacts charge transport and additional noise properties of semiconductor CdTe sensors "572**
O. Sik, L. Grmela, J. Sikula, *Brno University of Technology, Czech*
- [277] **A MISO current-mode biquad filter using a minimum number of active and passive components "576**
A. Koomchaya, P. Suwanjan, W. Jaikla, *King Mongkut's Institute of Technology, Thailand* ;
S. Maneewan, *Buriram Rajabhat University, Thailand*
- [174] **A low-power low-noise VCO with nearly constant k_{vco} for UHF RFID transceivers "57:**
S. Liu, X. Wang, X. Chen, X. Fan, H. Zhang, *Chinese Academy of Sciences, China*
- [182] **A hardware design of MS/MMS-based LDPC decoder "582**
I. Tanyanon, S. Choomchuay, *King Mongkut's Institute of Technology, Thailand*
- [259] **The correlated noise reducing model using a Kkalman filter for speech vector quantization "586**
J. Rassameyoungtong, J. Srinonchat, *Rajamangala University, Thailand*
- [88] **Ripple carry adder using five input majority gates "58:**
B. Bishnoi, M. Giridhar, B. Ghosh, M. Nagaraju, *Indian Institute of Technology Kanpur, India*
- [145] **Design and improve the performance of OTA low pass filter with fractional-order step "594**
T. Suksang, V. Pirajnanchai, C. Suppitaksakul, W. Loedhammacakra, *Rajamangala University, Thailand*
- [236] **Low power readout circuit for 384×288 uncooled IRFPA with novel readout stage "598**
X. Meng, Y. Zhang, S. Liu, M. Chen, W. Lu, Z. Chen, *Peking University, China*
- [224] **A low noise, fast set-up low-dropout regulator in 65nm technology "59;**
Y. Xiao, W. Lu, M. Chen, Y. Zhang, Z. Chen, *Peking University, China*
- [200] **UHF-band planar antenna with circular polarization for RFID application "5: 4**
T.-P. Wang, S.-Y. Wang, *National Taipei University of Technology, Taiwan*
- [311] **Poincaré plot indexes of pulse rate variability capture dynamic adaptations after reactive hyperemia in type 2 diabetic patients "5: 7**
P.-C. Hsu, H.-J. Wang, H.-T. Wu, *National Dong Hwa University, Taiwan*
- [179] **Start-up module for low voltage energy harvesting systems "5: ;**
M. Chen, M. Zhao, Q. Liu, X. Wu, *Zhejiang University, China*

[183] Circuit model for selBox MOSFET "5; 4

M. R. Narayanan, Dr. H. A. -Nashash, *American University of Sharjah, UAE*; Dr. D. Pal, *Arunachal Pradesh, India*; Dr. M. Chandra, *B IT, India*

[144] Effect of surface treatment of substrate on field emission characteristics of carbon nanotubes "5; 8

K. Lee, Y. D. Lee, B. H. Kang, K.-Y. Dong, B.-K. Ju, *Korea University, Korea*; W.-S. Kim, *Hyosung Corporation, Korea*

[198] The effect of Au nanoparticle on metal organic semiconductor field effect transistor on plastic substrate by transfer method "5; ;

H.-J. Ha, S. W. Jeong, T. Y. Oh, S. Chang, Y. S. Kim, K. Lee, K. Choi and B.-K. Ju, *Korea University, Korea*

[235] A 20Gbps on-chip transceiver with equalization technique for global signal transmission "625

W. Mo, K. Chen, Y. Liu, Q. Wang, *Xidian University, China*

[314] Development of Phasor Measurement Unit Conformed to IEEE C37.118 Standard for 50 Hz Power System "629

P. Tavilsup, W. Pora, *Chulalongkorn University, Thailand*

[315] Development of an Automatic Meter Reading System Base on ZigBee Pro Smart Energy Profile IEEE 802.15.4 Standard "633

C. Prapasawad, K. Pornprasitpol, W. Pora, *Chulalongkorn University, Thailand*