

2013 9th Conference on Ph.D. Research in Microelectronics and Electronics

(PRIME 2013)

**Villach, Austria
24 – 27 June 2013**



**IEEE Catalog Number: CFP13622-POD
ISBN: 978-1-4673-4579-8**

Table of Contents

Welcome	xiii
Committees	xv
Company Fair	xix
Side Events	xxi
Plenary Papers	
Infineon Technologies: from Product to System and the Human Resources Excellence as Key Competitive Advantage	
<i>S. Herlitschka</i> Infineon Technologies Austria	1
Analog Design Trends in Communication Systems	
<i>J. Hauptmann, D. Giotta, U. Gaier</i> Lantiq	3
Challenges of ASIC Development for Sensor Nodes in Automotive and Consumer Applications	
<i>D. Droste</i> Robert Bosch	7
Innovative RFDAC Concepts for Digital Multi-Mode Transmitter in Cellular Applications	
<i>M. Fulde, F. Kuttner, E. Thaller, D. Ponton, V. Kampus, S. Gruenberger, H. Habibovic, A. Santner, C. Duller, C. Krassnitzer, G. Babin, G. Knoblinger</i> Intel	9
FPGA-Based Silicon Innovation Exploiting “More than Moore” Technology	
<i>P. Quinn</i> Xilinx Ireland	11
Organic Electronics: Material Aspects, Devices and Microelectronic Applications	
<i>B. Stadlober</i> Joanneum Research	13
Smart Power: From Problem Statement to System Solution	
<i>D. Draxelmayr, K. Norling, C. Lindholm</i> Infineon Technologies Austria	19
Conquering Variability in Mixed-signal ICs	
<i>C. Wegener, M. von Staudt</i> Dialog Semiconductor	23

Regular Papers

M1A – Analog Techniques 1

Monday 24/06/2013, 09:40–10:40, Gottfried von Einem Saal

M1A1 – CMOS 8-Channel Frequency Division Multiplexer for 9.4T Magnetic Resonance Imaging

M. Jouda, O. Gruschke, J. Korvink

University of Freiburg

25

M1A2 – Comparison of High-voltage Linear Transmitter Topologies for Ultrasound CMUT Applications

S. Khandelwal, T. Ytterdal

Norwegian University of Science and Technology

29

M1A3 – Bluetooth Transceiver Modeling Using SystemC-AMS

F. Li¹, R. Butaud², E. Dekneuvel¹, G. Jacquemod¹

¹University of Nice, ²RivieraWaves

33

M2A – Oversampled ADCs

Monday 24/06/2013, 11:30–12:30, Gottfried von Einem Saal

M2A1 – A Very-Low OSR 90-nm 1-MS/s Incremental $\Sigma\Delta$ ADC

D. Cavallo¹, M. De Matteis¹, M. Ronchi², G. Leggeri³, A. Baschirotto¹

¹University of Milano-Bicocca, ²STMicroelectronics, ³Pegasus Micro Design

37

M2A2 – Variable-Step 12-bit ADC Based on Counter Ramp Recycling Architecture Suitable for CMOS Imagers with Column-Parallel Readout

T. Hassan, M. Strobel, H. Richter, J. Burghartz

Institute for Microelectronics Stuttgart

41

M2A3 – An Automatic Calibration Circuit for 12-Bit Single-Ramp A-to-D Converter in LHC Environments

T. Vergine¹, M. De Matteis², L. Rota², A. Marchioro³, A. Baschirotto²

¹University of Pavia, ²University of Milano-Bicocca, ³CERN

45

M3A – Sigma-Delta Modulators

Monday 24/06/2013, 14:30–15:30, Gottfried von Einem Saal

M3A1 – A New Decoding Solution for the Asynchronous Sigma-Delta Modulator

W. Chen, C. Papavassiliou

Imperial College

49

M3A2 – A Low-Power, Continuous-Time Sigma-Delta Modulator for MEMS Microphones

C. De Berti¹, P. Malcovati¹, L. Crespi², A. Baschirotto³

¹University of Pavia, ²Conexant Systems, ³University of Milano-Bicocca

53

M3A3 – System-Level Power Optimization for a $\Sigma\Delta$ D/A Converter for Hearing-Aid Application

P. Pracny, I. Jørgensen, E. Bruun

Technical University of Denmark

57

M4A – Amplifiers

Monday 24/06/2013, 15:50–17:10, Gottfried von Einem Saal

M4A1 – CMOS Current Amplifier for AFM Impedance Sensing on Chip with ZeptoFarad Resolution

D. Bianchi, M. Carminati, G. Ferrari, M. Sampietro

Polytechnic of Milano

61

M4A2 – A Wide Input Range Instrumentation Amplifier for Impedance Spectroscopy Applications	
<i>F. Del Cesta¹, A. Longhitano¹, P. Bruschi¹, R. Simmarano²</i>	
¹ University of Pisa, ² Sensichips	65
M4A3 – A 36-μW Rail-to-Rail-Input Chopper Stabilized Amplifier Using Correlated Double Sampling	
<i>A. Pipino¹, M. De Blasi^{2, 1}, M. De Matteis², A. Fornasari³, A. Baschirotto²</i>	
¹ University of Salento, ² University of Milano-Bicocca, ³ Texas Instruments	69
M4A4 – Integrated Class-D Audio Amplifier Virtual Test for Output EMI Filter Performance	
<i>R. Mrad^{1, 2}, F. Morel¹, G. Pillonnet¹, C. Vollaire¹, A. Nagari²</i>	
¹ University of Lyon, ² ST-Ericsson	73
M1B – Mixers and Oscillators	
<i>Monday 24/06/2013, 09:40–10:40, Room Draublick</i>	
M1B1 – Design of Mixers for a 130-GHz Transceiver in 28-nm CMOS	
<i>D. Parveg, M. Varonen, M. Kärkkäinen, K. Halonen</i>	
Aalto University	77
M1B2 – A 12-dBm IIP3 Reconfigurable Mixer for High/Low Band IR-UWB Receivers	
<i>M. Pasca¹, V. Chironi¹, S. D'Amico¹, M. De Matteis², A. Baschirotto²</i>	
¹ University of Salento, ² University of Milano-Bicocca	81
M1B3 – Phase Noise Comparative Analysis of LC Oscillators in 28-nm CMOS through Impulse Sensitivity Function	
<i>I. Chlis, D. Pepe, D. Zito</i>	
Tyndall National Institute	85
M2B – RF Techniques 1	
<i>Monday 24/06/2013, 11:30–12:30, Room Draublick</i>	
M2B1 – Investigation of Two-Point Modulation to Increase the GFSK Data Rate of PLL-Based Wireless Transceivers of Wireless Sensor Nodes	
<i>H. Unterassinger¹, M. Flatscher², T. Gschier², W. Pribyl¹</i>	
¹ TU Graz, ² Infineon Technologies Austria	89
M2B2 – Transient Analysis Applying S-Parameters as Operators	
<i>H. Nuszkowski, R. Wolf, F. Ellinger, G. Fettweis</i>	
TU Dresden	93
M2B3 – Design of a W-Band 2-Bit Differential CMOS Phase Shifter	
<i>A. Vahdati, M. Varonen, M. Kärkkäinen, K. Halonen</i>	
Aalto University	97
M3B – Signal Processing 1	
<i>Monday 24/06/2013, 14:30–15:30, Room Draublick</i>	
M3B1 – Impact of PA Class on Reconstruction Filters Sizing for a WCDMA Base Station LINC Transmitter	
<i>N. Prou^{1, 1}, F. Rivière¹, C. Berland²</i>	
¹ Crismat/LaMIPS, ² University of Paris-Est	101
M3B2 – Scalable Hybrid CORDIC-LUT Architectures for CG-FFT Processors	
<i>A. Congiu¹, A. Picciau¹, M. Barbaro¹, E. Bodano²</i>	
¹ University of Cagliari, ² Infineon Technologies	105

M3B3 – Off-line BIST in Watt Hour Meters	
<i>R. Ribnikar¹, D. Strle²</i>	
¹ Iskraemeco, ² University of Ljubljana	109
M4B – MEMS	
<i>Monday 24/06/2013, 15:50–17:10, Gottfried von Einem Saal</i>	
M4B1 – A MEMS BPSK Demodulator	
<i>J. Scerri, I. Grech, E. Gatt, O. Casha</i>	
University of Malta	113
M4B2 – A MEMS-Based Oscillator with Synchronous Amplitude Control	
<i>J. Gronicz¹, N. Chekurov², L. Aaltonen³, K. Halonen¹</i>	
¹ Aalto University, ² KTH Royal Institute of Technology, ³ Murata Electronics	117
M4B3 – Fully Electrical Test Procedure for Inertial MEMS Characterization at Wafer-Level	
<i>A. Sisto¹, O. Schwarzelbach², L. Fanucci¹</i>	
¹ University of Pisa, ² Fraunhofer Institute for Silicon Technology	121
M4B4 – Capacitive Out of Plane Large Stroke MEMS Structure	
<i>C. Glacer¹, A. Dehe², D. Tumpold³, R. Laur¹</i>	
¹ University of Bremen, ² Infineon Technologies, ³ TU Vienna	125
M1C – FPGA	
<i>Monday 24/06/2013, 09:40–10:40, Room Drau 3</i>	
M1C1 – Graph Coverage: an FPGA-Targeted Implementation	
<i>A. Cinti, A. Rizzi</i>	
University of Roma "La Sapienza"	129
M1C2 – Design-Space Exploration of an eFPGA Soft-Core Based on Multi-Stages Switching Networks	
<i>M. Cuppini¹, E. Franchi Scarselli¹, C. Mucci²</i>	
¹ University of Bologna, ² STMicroelectronics	133
M1C3 – Direct Digital Frequency Synthesizers Implemented on High-End FPGA Devices	
<i>M. Genovese, E. Napoli</i>	
University of Napoli "Federico II"	137
M2C – Digital Techniques 1	
<i>Monday 24/06/2013, 11:30–12:30, Room Drau 3</i>	
M2C1 – A Modified Truncation Scheme for Recursive Multipliers	
<i>K. Sashank, S. Ahmed, A. Singh, M. Srinivas</i>	
Birla Institute of Technology and Science Pilani	
M2C2 – Random Interleaved Pipeline Countermeasure against Power Analysis Attacks	
<i>R. Menicocci¹, A. Trifiletti², F. Trotta²</i>	
¹ Fondazione Ugo Bordoni, ² University of Roma "La Sapienza"	145
M2C3 – Fast Constant Time Memory Allocator for Inter Task Communication in Ultra Low Energy Embedded Systems	
<i>G. Rebel¹, F. Estevez¹, I. Schulz², P. Glösekötter¹</i>	
¹ University of Applied Sciences Munster, ² TU Dortmund	149

M3C – Digital Circuits*Monday 24/06/2013, 14:30–15:30, Room Drau 3***M3C1 – Novel Field Programmable Embryonic Cell for Adder and Multiplier***G. Malhotra, J. Becker, M. Ortmanns*

University of Ulm

153

M3C2 – Design and Applications of Magnetic Tunnel Junction Based Logic Circuits*H. Mahmoudi, T. Windbacher, V. Sverdlov, S. Selberherr*

TU Vienna

157

M3C3 – Optimal Deployment of Shadowed Registers in Systems with Serial Clock Distribution*M. Trifković, D. Raič, D. Strle*

University of Ljubljana

161

M4C – CAD*Monday 24/06/2013, 15:50–17:10, Room Drau 3***M4C1 – Monte Carlo Based Post-Silicon Verification Considering Automotive Application Variances***M. Harrant¹, T. Nirmaier¹, J. Kirscher¹, C. Grimm², G. Pelz¹*¹Infineon Technologies, ²TU Kaiserslautern

165

M4C2 – tLIFTING: an Open-Source Multi-Level Fault Simulator for Ionizing Effects*F. Lu, G. Di Natale, M. Flottes, B. Rouzeyre*

LIRMM

169

M4C3 – CIRSIUM: A Circuit Simulator in MATLAB with Object Oriented Design*A. Mahmutoglu, A. Demir*

Koc University

173

M4C4 – Circuit Simulation Using State Space Equations*K. Lam, M. Zwolinski*

University of Southampton

177

T1A – Analog Techniques 2*Tuesday 25/06/2013, 09:40–10:40, Gottfried von Einem Saal***T1A1 – Analog Performance of PD-SOI MOSFETs at High Temperatures Using Reverse Body Bias***A. Schmidt, H. Kappert, R. Kokozinski*

Fraunhofer Institute for Microelectronic Circuits and Systems

181

T1A2 – Technique for Reducing On-Resistance of High-Voltage Drivers Based on Stacked Standard CMOS*S. Pashmineh¹, H. Xu², D. Killat¹*¹TU Cottbus, ²University of Ulm

185

T1A3 – Diode Detector with Voltage Gain*R. Wolf, F. Ellinger*

TU Dresden

189

T2A – ADCs and DACs*Tuesday 25/06/2013, 11:30–12:30, Gottfried von Einem Saal***T2A1 – An Analog 1:16 Demultiplexer for Time-Interleaved A/D-Converters with a Sampling Rate of up to 64 GS/s***F. Lang, J. Gerigk, D. Ferenci, M. Grözing, M. Berroth*

University of Stuttgart

193

T2A2 – A Continuous-Time Switched-Capacitor DAC with Offset and Flicker Noise Cancellation	
<i>A. Longhitano¹, F. Del Cesta¹, P. Bruschi¹, R. Simmarano²</i>	
¹ University of Pisa, ² Sensichips	197
T2A3 – A 10-Bit 100-MS/s Low-Power Pipeline ADC for High Energy Physics Experiments	
<i>A. Donno¹, S. D'Amico¹, M. De Matteis², A. Baschirotto²</i>	
¹ University of Salento, ² University of Milano-Bicocca	201
T3A – Wireless Sensor Nodes	
<i>Tuesday 25/06/2013, 14:00–15:20, Room Draublick</i>	
T3A1 – An Improved Ultra-Low-Power Wireless Sensor-Station Supplied by a Photovoltaic Energy Harvester	
<i>A. Lazzarini Barnabei, E. Dallago, P. Malcovati, A. Liberale</i>	
University of Pavia	205
T3A2 – Wireless Energy and Data Transfer for Neural Recording and Stimulation Applications	
<i>G. Yilmaz, C. Dehollain</i>	
EPFL	209
T3A3 – Design of a Passive UHF RFID Tag for Capacitive Sensor Applications	
<i>K. Kapucu, J. Merino Panadés, C. Dehollain</i>	
EPFL	213
T3A4 – Full-Duplex Communication and Remote Powering Implementation of an Electronic Knee Implant	
<i>O. Atasoy, C. Dehollain</i>	
EPFL	217
T1B – Transmitters and Receivers	
<i>Tuesday 25/06/2013, 09:40–10:40, Room Draublick</i>	
T1B1 – Efficiency Enhancement of Burst Mode Transmitters by RF Energy Recovery	
<i>D. Seebacher¹, W. Bösch¹, P. Singerl², C. Schuberth²</i>	
¹ TU Graz, ² Infineon Technologies Austria	221
T1B2 – A 23-mW 4.5/8-GHz IR-UWB Transmitter in 65-nm TSMC CMOS Technology	
<i>A. Donno¹, S. D'Amico¹, M. De Matteis², A. Baschirotto²</i>	
¹ University of Salento, ² University of Milano-Bicocca	225
T1B3 – System Design for an Experimental Cognitive Transceiver	
<i>A. Ashok, I. Subbiah, S. Heinen</i>	
RWTH Aachen University	229
T2B – Digital Systems	
<i>Tuesday 25/06/2013, 11:30–12:30, Room Draublick</i>	
T2B1 – High Speed Interface for Digital Centric Transmitters	
<i>B. Mohr¹, J. Mueller¹, Y. Zhang¹, R. Leys², S. Schenk², U. Bruening², S. Heinen¹</i>	
¹ RWTH Aachen University, ² University of Heidelberg	233
T2B2 – Design of a Reconfigurable Multi-Core Architecture for Streaming Applications with a Case Study on Performance Evaluation of FIR-Filters	
<i>L. Ghazanfari, R. Airolidi, J. Nurmi, T. Ahonen</i>	
Tampere University of Technology	237

T3B – Modeling*Tuesday 25/06/2013, 14:00–15:20, Room Draublick***T3B1 – On the Calculation of Hall factors for the Characterization of Electronic Devices***V. Uhnevionak¹, A. Burenkov¹, P. Pichler^{2, 1}*¹Fraunhofer Institute for Integrated Systems and Device Technology, ²University of Erlangen-Nuremberg

241

T3B2 – Analysis and Modeling of Minority Carrier Injection in Deep-Trench Based BCD Technologies*M. Kollmitzer¹, M. Olbrich², E. Barke²*¹Infineon Technologies Austria, ²Leibniz University of Hannover

245

T3B3 – S-Parameter Models for Transient Simulation in Verilog-A*T. Maier¹, D. Droste¹, M. Siegel²*¹Robert Bosch, ²TU Karlsruhe

249

T3B4 – Extended Model for Platinum Diffusion in Silicon*E. Badr¹, P. Pichler^{2, 1}, G. Schmidt³*¹Fraunhofer Institute for Integrated Systems and Device Technology, ²University of Erlangen-Nuremberg, ³Infineon Technologies Austria

253

W1A – High-Frequency Analog Circuits*Wednesday 26/06/2013, 09:40–10:40, Gottfried von Einem Saal***W1A1 – A SiGe Wideband VCO and Divider MMIC with Low Gain Variation for Multi-band Systems at 2.4 and 5.8 GHz***N. Joram, R. Wolf, F. Ellinger*

TU Dresden

257

W1A2 – A CMOS 28-nm 880-MHz Fourth-Order Low-Pass Active-RC Filter for 60-GHz Transceivers*A. Pezzotta¹, M. De Matteis¹, A. Baschirotto¹, S. D'Amico²*¹University of Milano-Bicocca, ²University of Salento

261

W1A3 – An Inductorless 34 GBit/s Half-Rate 4:1 Multiplexer in 0.25-μm SiGe Technology*M. Khafaji¹, C. Carta¹, E. Sobotta¹, D. Micusik², F. Ellinger¹*¹TU Dresden, ²IHP Microelectronics

265

W2A – Power Management*Wednesday 26/06/2013, 11:30–12:30, Gottfried von Einem Saal***W2A1 – A Nano-Power Power Management IC for Piezoelectric Energy Harvesting Applications***M. Dini, M. Filippi, M. Tartagni, A. Romani*

University of Bologna

269

W2A2 – Portable Battery Charging Circuits for Enhanced Magnetic Resonance Wireless Power Transfer (WPT) System*H. Choi, E. Ahn, S. Park, J. Choi*

Kyungpook National University

273

W2A3 – Monolithic Power Management Front-End with High-Voltage Dense Energy Storage for Wireless Powering*H. Meyvaert, A. Crouwels, S. Indevuyst, M. Steyaert*

KU Leuven

277

W3A – Power Electronics*Wednesday 26/06/2013, 14:30–15:30, Gottfried von Einem Saal***W3A1 – Application of Bayesian Networks to Predict SMART Power Semiconductor Lifetime***K. Plankensteiner^{1, 2}, O. Bluder¹, J. Pilz²*¹KAI Kompetenzzentrum Automobil- und Industrie-Elektronik, ²Alpen-Adria University of Klagenfurt 281**W3A2 – Optimal Design of Experiments for Semiconductor Lifetime Data***A. Zernig^{1, 2}, O. Bluder¹, G. Spöck²*¹KAI Kompetenzzentrum Automobil- und Industrie-Elektronik, ²Alpen-Adria University of Klagenfurt 285**W3A3 – A Metric Driven Verification and Validation Approach for Smart Power Devices***O. Melnychenko¹, H. Kreuter²*¹TU Vienna, ²Infineon Technologies Austria 289**W4A – Advanced Devices***Wednesday 26/06/2013, 15:50–16:50, Gottfried von Einem Saal***W4A1 – Modeling of an Electrostatically Actuated Micro-Electro-Mechanical (MEMS) Speaker System***D. Tumpold¹, M. Kaltenbacher¹, C. Glacer², A. Dehé², M. Nawaz²*¹TU Vienna, ²Infineon Technologies 293**W4A2 – A Promising Technology of Schottky Diode Based on 4H-SiC for High Temperature Application***R. Pascu, F. Craciunoiu, M. Kusko*

National Institute for Research and Development in Microtechnologies 297

W4A3 – Comparative Analysis of Methods for Computing Pole Angle Offsets in Magnetic Pole Wheels Using ABS Sensor*M. Adnan¹, D. Hammerschmidt²*¹Alpen-Adria University of Klagenfurt, ²Infineon Technologies Austria 301**W1B – RF Techniques 2***Wednesday 26/06/2013, 09:40–10:40, Room Draublick***W1B1 – A Wideband Planar Microstrip to Coplanar Stripline Transition (Balun) at 35 GHz***J. Leufker, A. Strobel, C. Carta, F. Ellinger*

TU Dresden 305

W1B2 – Cascode Class E Power Amplifier in 180/350-nm CMOS for EER System*I. Rumyancev¹, A. Korotkov¹, J. Hauer²*¹Saint Petersburg State Polytechnical University, ²Fraunhofer Institute for Integrated Circuits 309**W1B3 – A SiGe LTE Power Amplifier with Capacitive Tuning for Size-Reduction of Biasing Inductor***J. Zhao, R. Wolf, F. Ellinger*

TU Dresden 313

W2B – Sensors*Wednesday 26/06/2013, 11:30–12:30, Room Draublick***W2B1 – An Ultra-Thin CMOS in-Plane Stress Sensor***Y. Mahsereci, N. Wacker, H. Richter, J. Burghartz*

Institute for Microelectronics Stuttgart 317

W2B2 – A Low-Power Sensor Interface Circuit for Remotely Powered Implants*X. Liu, C. Dehollain*

EPFL 321

W2B3 – Low-Noise Low-Offset Current-Mode Hall Sensors	
<i>H. Heidari, U. Gatti, E. Bonizzoni, F. Maloberti</i>	
University of Pavia	325
W3B – Signal Processing 2	
<i>Wednesday 26/06/2013, 14:30–15:30, Room Draublick</i>	
W3B1 – Dynamic Programming Based Grouping Method for RO-PUFs	
<i>G. Kömürcü¹, G. Dundar², A. Pusane²</i>	
¹ National Research Institute of Electronics and Cryptology TÜBİTAK, ² Bogazici University	329
W3B2 – Power-Aware Architectural Exploration of the CORDIC Algorithm	
<i>J. Manica, R. Passerone, L. Rizzon</i>	
University of Trento	333
W3B3 – Zoom FFT for Precise Spectrum Calculation in FMCW Radar Using FPGA	
<i>B. Al-Qudsi, N. Joram, A. Strobel, F. Ellinger</i>	
TU Dresden	337
W4B – Digital Techniques 2	
<i>Wednesday 26/06/2013, 15:50–16:50, Room Draublick</i>	
W4B1 – A JTAG Based 3D DfT Architecture Using Automatic Die Detection	
<i>Y. Fkih^{1, 2}, P. Vivet², B. Rouzeyre¹, M. Flottes¹, G. Di Natale¹</i>	
¹ LIRMM, ² CEA	341
W4B2 – Simulated Power Analysis Attacks on a DDPL Crypto-Core without Routing Constraints	
<i>S. Bongiovanni, G. Scotti, A. Trifiletti</i>	
University of Roma "La Sapienza"	345
W4B3 – An Improved Instruction-Level Energy Model for RISC Microprocessors	
<i>W. Wang, M. Zwolinski</i>	
University of Southampton	349

Author Index