

2013 International Conference on Applied Electronics

(AE 2013)

**Pilsen, Czech Republic
10 – 12 September 2013**



**IEEE Catalog Number: CFP1369A-POD
ISBN: 978-1-4799-0743-4**

Table of Contents

Invited Lecture

| | | |
|--|--|-----------|
| Farkas P. Ruzicky E. | Modified Conditionally Double Error Correcting Weighted Sum Codes | 1 |
| Aiello O. | Design of a Temperature-Compensated CMOS Relaxation Oscillator | 5 |
| Aiello O. Fiori F. | Current Sensing Circuit for DC-DC Converters Based on the Miller Effect | 9 |
| Alfranseder M. Mucha M. Schmidhuber S. Sailer A. Niemetz M. Mottok J. | A Modified Synchronization Model for Dead-Lock Free Concurrent Execution of Strongly Interacting Task Sets in Embedded Systems | 13 |
| Al-Makhles D. Patel N. Swain A. | Bit-Stream Control System: Stability and Experimental Application | 19 |
| Anisimova E. Bednar J. Pata P. | Efficiency of Wavelet Coefficients Thresholding Techniques Used for Multimedia and Astronomical Image Denoising | 25 |
| Barbu V. Ionescu L. Mazare A. Serban G. | Evolvable Hardware Used in Heliostatic Field Tracker System Control | 29 |
| Birouk B. Bouzerdoum M. Madi D. | MOS Structures Quality under Annealing Influence | 33 |
| Blahnik V. Peroutka Z. Talla J. | Vector Control for Single-Phase Multilevel Traction Converter | 37 |
| Blahnik V. Peroutka Z. Talla J. | H-Bridge Power Inverter Control Provide Active Compensation of Dead-Time Effect | 41 |
| Borsky M. Pollak P. | Optimized State-Tying for Triphone-Based HMMs under Training Data Deficiency | 45 |
| Brandstetter P. Krna P. | Sensorless Control of Switched Reluctance Motor Using Sliding Mode Observer | 49 |
| Burian P. | Reduction of Fitness Calculations in Cartesian Genetic Programming | 53 |
| Cuteanu E. | PAPR Reduction of OFDM Signals Using Adaptive Companding Scheme | 59 |
| Draxler K. Styblikova R. | Precise Measurement of High DC Currents up to 1 kA | 63 |

| | | |
|---|---|------------|
| Dvorak J. Havlik J. | Pulse Transition Time in Hemodynamic Measurement | 67 |
| Fort J. Pittermann M. | The Comparison of Control Algorithms for the Boost Converter for Indirect Frequency Converter with Voltage Sourced Inverter | 71 |
| Frivaldsky M. Dobrucky B. Koscelnik J. Prazenica M. Havrila R. | Multiresonant Tank Converter with LC2L2C2 Elements | B#5 |
| Grajciarova L. Mares J. Dvorak P. Prochazka A. Altmanova D. Konopasek P. Tesar V. | Software for Diagnosis of the GPA Disease Using CT Image Analysis | 81 |
| Gyepes G. Stopjakova V. Arbet D. Nagy G. Majer L. | A Robust Multipurpose PLL with Lock Detector Designed in 0.35 um CMOS Technology | 85 |
| Hammerbauer J. Stork M. | State Space Study of the SEPIC Converter | 89 |
| Hargas L. Koniar D. Hrianka M. Joskova M. Durdik P. Banovcin P. | Contactless Parameters Measurement of Moving Objects by Virtual Instrumentation | 93 |
| Hock O. Koscelnik J. Kascak S. Havrila R. | Control of the Two-Stage Two-Phase Matrix Converter Using Field Programmable Circuit | 97 |
| Hofman J. Fedra Z. Balada R. Baran O. | Optimization of Location Elements of Radar Systems in a Real Environment | 101 |
| Hrusak J. Stork M. Mayer D. | On Synthesis and Electronic Realization of Non-Degenerate Dissipative Structures | 105 |
| Chlebis P. Hromjak M. Tvrdon M. Odlevak L. | Comparison of Current Controllers for 3-Phase UPS Based on Multiloop Control Strategy | 109 |

| | | |
|--|---|------------|
| Chlebis P. Odlevak L. Hromjak M. Oplustil J. | Dynamic Voltage Restoration in 3-Phase 4-Wire System | 113 |
| Janik D. Kosan T. Glasberger T. Peroutka Z. | Comparison of Control Solutions for Control of Four-Level Converter with Flying Capacitors | 117 |
| Janik D. Talla J. Komrska T. Peroutka Z. | Optimalization of SOGI PLL for Single-Phase Converter Control Systems | 121 |
| Jilek J. Stork M. | Estimation of Hemodynamics from Arm Blood Pressure Cuff Waveforms | 125 |
| Kavalir T. | The Suggestion and the Practical Realisation of the RF Power Amplifier for the Nonstandard Frequency Band | 129 |
| Khan U. French M. Chong H. | Real Time Controller Implementation for an Atomic Force Microscope Using a Digital Signal Processor | 133 |
| Kopal J. | Totem Trigger System | 139 |
| Krohova J. Smondrk M. Cerny M. Chwalkova I. Zadrapova M. | Interactive Rehabilitation System for Balance Exercises on the Spherical Cap | 145 |
| Krstic D. Nikolic P. Stamenovic G. Stevanovic A. | Bit Error Rate for Complex SSC/MRC Combiner in Gamma Fading Channel | 149 |
| Kubik Z. Skala J. | Simulation of CAN Bus Physical Layer Using SPICE | 153 |
| Kus V. Josefova T. | The Use of Theory of Frequency Modulation for the Calculation of Current Harmonics of the Voltage-Source Active Rectifier | 157 |
| Kutilek P. Smrcka P. Hybl J. | Model of Myoelectric Arm with Obstacle Detection System Using Fuzzy Logic | 161 |
| Kutilek P. Smrcka P. Svoboda Z. | Evaluation of Muscle Length Asymmetry Using OpenSim SW and Bilateral Cyclograms | 165 |
| Kuutti J. Sepponen R. Saarikko P. | Escalator Power Consumption Compared to Pedestrian Counting Data | 169 |

| | | |
|---|---|------------|
| Linhart R. Vertat I. | Safety Radio Beacon for the PilsenCUBE Satellite | 173 |
| Lozek M. Nedvedova B. Havlik J. | Mechanical Model of Cardiovascular System: Determination of Cardiac Output by Thermodilution Method | 177 |
| Mizera P. Pollak P. | Accuracy of HMM-Based Phonetic Segmentation Using Monophone or Triphone Acoustic Model | 181 |
| Muzikova V. Glasberger T. Smidl V. Peroutka Z. | Reduced-Order Kalman Filter Based Sensorless Control of Permanent Magnet Synchronous Motor | 185 |
| Nadia A. Belgacem H. Aymen F. | A Low Power Low Noise CMOS Amplifier for Bluetooth Applications | 189 |
| Nahlik J. Hospodka J. Sovka P. Psenicka B. | Switched Capacitor Circuit Implementation of Two-Channel Filter Bank | 193 |
| Novak M. Kosek M. | Simple Measurement and Modelling of Amplitude Magnetising Curve | 197 |
| Pancik J. | The DSP Based Acoustic UART | B#5 |
| Peter L. Cerny M. | Hardware for Precise in Vivo Pulse Transmit Time CNIBP Tests | 205 |
| Pfeifer P. Pliva Z. Scholzel M. Koal T. Vierhaus H. | On Performance Estimation of a Scalable VLIW Soft-Core on Altera and Xilinx FPGA Platforms | 209 |
| Plhak O. | Research of DC/DC LLC Soft Switched Converter for Trolley Application | 213 |
| Pospisil T. | Validation of Centralized Diagnostics Concept | 217 |
| Poucha J. | Single LED Failure Detection Using I-V Characteristic Slope in Railway Signals | 221 |
| Pribil J. Pribilova A. | Internet Application for Collective Realization of Speech Evaluation by Listening Tests | 225 |
| Prochazka R. Hlavacek J. Draxler K. Kvasnicka V. | Verification of Partial Discharge Calibrators | 229 |
| Rath G. Muller F. Kukla C. Zihua L. | Wavelet Analysis for Structure-Borne Sound Generating Sensor in Injection Molding | 233 |

| | | |
|--|--|------------|
| Ruman K. Pietrikova A. Vehec I. Galajda P. | Comparison of Different Materials for Manufacturing of Antialiasing LP Filter | 237 |
| Safarova V. Militky J. Marsalkova M. | Usability of a Modified Shielded Box Method for Testing Shielding Effectiveness of Textile Samples | B#5 |
| Sailer A. Schmidhuber S. Deubzer M. Alfranseder M. Mucha M. Mottok J. | Optimizing the Task Allocation Step for Multi-Core Processors within AUTOSAR | 247 |
| Salom R. Pajer O. Kaspar P. | Routing Protocol Stack for Dynamic Wireless Networks | 253 |
| Sedlak J. Spulak D. Cmejla R. Bacakova R. Chrastkova M. Kracmar B. | Segmentation of Surface EMG Signals | 257 |
| Schramm M. Grzemba A. | On the Implementation of a Lightweight Generic FPGA ECC Crypto-Core over GF(p) | 261 |
| Schramm M. Grzemba A. | On the Implementation of an Efficient Multiplier Logic for FPGA-Based Cryptographic Applications | 265 |
| Spanik P. Drgona P. Frivaldsky M. Kuchta J. | Elimination of Current Sensing in Digital Control System for Resonant Converter | B#5 |
| Stopjakova V. Nagy G. Arbet D. Majer L. Gyepes G. | Low-Power Readout IC with High Dynamic Range for MCM-Based Noise Dosimeter | 275 |
| Stork M. Hrusak J. Mayer D. | Non-Degenerate Dissipative Structures Transformation and Simulation | 279 |
| Stork M. Vancura V. | Electronic Evaluating System for Pacemaker Pulses Optimization | 283 |
| Streit L. Drabek P. | Simulation Model of Tram with Energy Storage System | 287 |

| | | |
|--|--|------------|
| Strobl M. Kucera M. Foeldi A. Waas T. Balbierer N. Hilbert C. | Towards Automotive Virtualization | 291 |
| Tatschner S. Plaga S. Wuschek M. | Investigation in Intercepting the Physical Layer of GSM: Enabling Advanced Impact-Assessments in Terms of Security and Reliability | 297 |
| Taygur M. Baş S. Yumrukaya E. Miran E. Gunel S. | Low-Cost FPGA Based Antenna Pattern Measurement System | 301 |
| Teodorescu H. | A Set of Nonlinear Adaptive Filters | 305 |
| Vaculik P. | The Properties of SiC in Comparison with Si Semiconductor Devices | 309 |
| Vareka L. Bruha P. Moucek R. | Single Channel Eye-Blinking Artifacts Detection | 313 |
| Vojtko M. Krajcovic T. | Prototype of Modular Operating System for Embedded Applications | 317 |
| Wilkie B. Holota R. | The Comparative Recognition of Monochrome and Color Images Using Networks of N-Tuple and Min/Max Nodes Utilizing 'Grouped Nodes' | 321 |
| Zdansky J. Rastocny K. | Influence of Safety PLC Parameters to Response Time of Safety Functions | 327 |