

2013 IEEE Photonics Conference

(IPC 2013)

Bellevue, Washington, USA
8 – 12 September 2013



IEEE Catalog Number: CFP13LEO-POD
ISBN: 978-1-4577-1505-1

TABLE OF CONTENTS

September 9, 2013

MA Biophotonics (BIO)

Optical Imaging and Cytometry

MA1.2	Lensfree Holographic Imaging Discovers Chiral Ribbon Trajectories of Sperms	1
MA1.3	Lensfree Holographic Cytometry Using Plasmonic Nanoparticles	3
MA1.4	A Miniaturized Particle Detection System for HIV Monitoring	5
MA1.5	Multimode Spectroscopy in Dielectric-Grating-Coupled Surface Plasmon Sensors	8

Advances in OCT

MA2.2	In Vivo OCT Imaging Based on La-Codoped Bismuth-Based Erbium-Doped Fiber	10
MA2.3	Almost Instantaneous Monte Carlo calculation of Optical Coherence Tomography Signal Using Graphic Processing Unit	12

MB Displays & Lighting (DISL)

TFTs For AMOLEDs

MB1.1	Present Status and Open Issues of Amorphous Oxide Semiconductor TFT technology	14
MB1.2	Recent Progress on the Vacuum Deposition of OLEDs with Feature Sizes = 20um Using a Contact Shadow Mask Patterned In-situ by Laser Ablation	16
MB1.3	Dielectric Tuning Strategies for Flexible Display Backplane Transistors	18

LED Lighting

MB2.1	Quality LED Lighting and Displays using Nanocrystals	19
MB2.2	Freeform Optics for LED Lighting	
MB2.3	Red, Green, and Blue Colloidal Quantum Dot-based Optically Pumped Distributed Feedback Lasers	22

Novel Displays

MB3.1	A multi-directional backlight for a wide-angle, glasses-free 3D display	24
MB3.3	Angle-insensitive reflective color filters using lossy materials	26
MB3.4	Guided-Mode Resonant Color Filter Array for Reflective Displays	28

MC Optical Interconnects (OI)

Applications

MC1.2	Simply Fabricated All Polymer Electro-Optic Modulator	30
-------	---	----

MC1.3	Microring-based Wavelength-Selective Reflection/Rejection Filter with Independently Determined Bandwidth and Reflectance	32
-------	--	----

Devices and Architectures

MC2.1	New device concepts for low-energy high-density interconnects	34
MC2.2	Vertical Optical Power Delivery and Inter-chip Interconnect Concept Based on Surface-normal MQW Modulators	36
MC2.3	Rapid Melt Grown Germanium Gate PhotoMOSFET on a Silicon Waveguide	38

Integration and Devices

MC3.2	Design of electroabsorption modulator based on Ge/SiGe multiple quantum wells, integrated on SOI waveguides	40
MC3.3	High-Speed Stacked Tunneling PiN Electro-Optical Modulators	42
MC3.4	New Model for Mode Partition Noise and Relative Intensity Noise in VCSEL-based Optical Links	44
MC3.5	Wavelength-Routed Optical Networks-on-Chip Built with Comb Switches	46
MC3.6	An Optical Diode Based on Nonlinear Second-Order Silicon Microring Resonator	48

MD High Power/Intensity Sources (HPIS)

Filamentation and Novel Lasers

MD1.1	Observing filamentation dynamics with strong field processes	50
MD1.2	Wavelength Tuning of Highly Stable High-Order Harmonics Generated from Carbon Plasma	51
MD1.3	Optical amplification of VUV femtosecond pulses at 126 nm in OFI Ar2* amplifier	53
MD1.4	Advantages of zero-phonon line pumping in 100kHz Yb:YAG thin-disk regenerative amplifier	55
MD1.5	High power narrow linewidth fiber Raman lasers	

Strongfield Ultrafast Interactions

MD2.1	Spatial-temporal Imaging in the Strong-field Limit	59
MD2.2	Generation of coherent continua in soft X rays using a carrier-envelope phase-controlled few-cycle infrared light source	60
MD2.3	Multimillijoule Sub-Optical-Cycle Parametric Waveform Synthesis for Attosecond Science	61
MD2.4	Generation of few-mJ, two-cycle laser pulses with carrier-envelope phase stabilization	63
MD2.5	Development of a high-average-power, thin-disk ring oscillator	65

Ultra-Intense and High-Power Lasers

MD3.1	High temporal contrast ultra-intense and ultra-short laser facility and its applications	
MD3.2	Transverse Amplified Spontaneous Emission (TASE) as a main limiting factor for	

	the gain aperture enlargement	
MD3.3	High Power Pulse Generation in Fiber CPA System via Active Feedback Spectral Compensation	
MD3.4	Recent progress in the development of a Petawatt beamline in SG-II upgrade project	72
MD3.5	Status of the SG-?-UP Laser Facility	73

ME Semiconductor Lasers (SL)

Quantum Dot Lasers I

ME1.1	InGaN/GaN Quantum Dot Lasers	75
ME1.2	Tunable Millimeter-wave and THz Signal Generation with a 1310nm Quantum Dot Distributed-Feedback Laser	77
ME1.3	Mode-locked Quantum-Dot Hybrid Soliton Pulse Source	79
ME1.4	Microscopic versus alpha-factor descriptions of dynamics in quantum-dot lasers	81
ME1.5	Investigation of Linewidth Enhancement Factor in Injection-Locked Quantum Dot Lasers with Four-Wave Mixing Analysis	83

Semiconductor Lasers Tutorial

ME2	Green Nanophotonics for Future Datacom and Ethernet Networks	85
-----	--	----

Hybrid III-V on Silicon Lasers

ME3.1	Heterogeneous Integration as a Manufacturing Platform for Photonic Integrated Circuits	87
ME3.2	Extremely uniform lasing wavelengths of InP microdisk lasers heterogeneously integrated on SOI	89
ME3.3	Design of a High Contrast Grating GaSb-based VCSEL integrated on Silicon-On-Insulator	91
ME3.4	An Evanescent Hybrid Silicon Laser Neuron	93
ME3.5	High Performance Superluminescent Diode with InAs Quantum-Dashes and Chirped AlGaInAs Barriers Active Region	95
ME3.6	Characteristics and applications of InGaN micro-light emitting diodes on Si substrates	97

MF Photonic Integration and Packing (PIP)

Mid IR and Fluidic Integration

MF1.1	High-brightness quantum cascade laser spectrometers based on master-oscillator-power-amplifier arrays	99
MF1.2	Silicon-on-insulator mid-infrared planar concave grating based (de)multiplexer	100
MF1.3	Mode Transformers for Substrate Removed Waveguides	102
MF1.4	Germanium-on-silicon mid-infrared waveguides and Mach-Zehnder interferometers	104

MF1.5	Multimode interference transition region for loss reduction in Arrayed Waveguide Grating integrated photonic spectrographs	
-------	--	--

MF Photonic Materials and Metamaterials (PMM)

Novel Integration Technologies - PIP/PMM Joint Session

MF2.3	Quantum Integrated Photonics on GaAs	108
MF2.4	Control of quantum-dot emission in photonic metamaterials	109

Integrating and Packing Technologies

MF3.1	A generic approach to InP-based Photonics	+
MF3.2	An Active-Passive Monolithic Integration Platform with Low Loss Passive Section	111
MF3.3	Asymmetric Phase-Tunable Mach-Zehnder Interferometer Based on Silica-on-Silicon Planar Lightwave Circuit	
MF3.4	Multichannel Optical Coupling to a Silicon Photonics Chip Using a Single-Step Bonding Process	115

MF Optical Communications (OC)

OFDM

MG1.2	Fiber nonlinearity Mitigation in CO-OFDM Systems using Dual Compensators	
MG1.3	Assessment of Performance Improvement of DD-OFDM Systems Achieved by Symbol Precoding	119
MG1.4	OFDM symbol synchronization based on virtual subcarriers	121
MG1.5	Improvement of RF-Pilot Phase Noise Compensation for Coherent Optical OFDM Systems via CPE Equalizer	

MG Optical Communications (OC)

DSP For Transmission

MG2.1	Digital Coherent Optical Access Networks	125
MG2.2	Impact of ADC Parameters on Nonlinear Compensation Performance in 200 Gb/s Polarization-Multiplexed QAM Transmission	127
MG2.3	Training-Aided Frequency Offset Estimation in 16-QAM Nyquist Transmission Systems	129
MG2.4	BICM Coded Modulation and 4D Modulation for Long-Haul Optical Transmission System	131

FEC

MG3.1	Advances in Error Correction Coding for High-Speed Optical Transmission	133
MG3.2	LDPC-Coded TCM-QPSK Optical Transmission Scheme Outperforming LDPC-Coded BPSK	135
MG3.3	Phase-Mask Covered Optical Steganography Based on Amplified Spontaneous Emission Noise	137

MG3.4	Comparison of analytical models for the nonlinear noise in dispersive coherent optical communications systems	139
-------	---	-----

MH Nanophotonics (NANO)

MH Non-linear and Ultrafast Optics (NLUO)

Laser Cooling

MH1.1	Laser Cooling in Solids: Demonstration of 115K All-Solid-State Cryocooler	141
MH1.2	Laser Cooling Based on Nitride Structures	143

Excitonics

MH2.1	Optically-active hybrid nanostructures: Injection of hot plasmonic electrons, exciton-plasmon interaction, chirality and related applications	145
MH2.2	Nanophotonics of Quantum Dot-Protein Composites	146
MH2.3	Exciton dynamics in near-surface InGaN quantum wells coupled to colloidal nanocrystals	147
MH2.4	Energy transfer in epitaxial Er O ₃ thin films grown on Si(111) substrates	149

Nanophotonics For Light Emission

MH3.2	Highly flexible, full-color, top-emitting quantum dot light-emitting diode tapes	151
MH3.3	Multi-colour emission from GaAs core-AlGaAs shell photonic nanowires	153
MH3.4	ZnO p-n Homojunction Random Laser Based on Nitrogen Doped p-type Nanowires	155
MH3.5	Design of Compact IIIV/Si Distributed Feedback Lasers	157

September 10, 2013

TuA Biophotonics (BIO)

Optical Biosensors

TuA2.2	Photonic Crystal Biodetection Using a Portable Smartphone System	159
TuA2.3	Organic distributed feedback laser biosensor	161
TuA2.4	Absorption spectroscopy of glucose based on a silicon photonics evanescent sensor.	163
TuA2.5	Photonic Crystal Biosensor with In-Situ Synthesized DNA Probes for Enhanced Sensitivity	165

Cell and Tissue Imaging

TuA3.1	Multi-parameter quantitative live cell imaging with digital holographic microscopy	167
TuA3.2	Observation of Photoreceptor with Retinitis Pigmentosa by Differential Interference Contrast Microscopy	169

TuB Displays & Lighting (DISL)

III-V Lighting

TuB1.1	GaN Based Light-Emitting Diode on Silicon (LEDoS) Micro-Displays for BLU-Free Full-Color Projector Application	171
TuB1.2	The potential of III-nitride laser diodes as a future solid-state lighting source	173
TuB1.3	InGaN Micro-LED-Pillar as the Building Block for High Brightness Emitters	174

Novel Display Technologies

TuB2.1	Flexible glass substrates for display and lighting applications	176
TuB2.2	Nanocrystal LEDs with enhanced external quantum efficiency enabled by the use of phosphorescent molecules	178
TuB2.3	Transition from a color filter to a polarizer of a metallic nano-slit array	180
TuB2.4	Feedback Architecture for Uniform Brightness in TFT AMOLED Displays	182

TuC Microwave Photonics (MWP)

Components for Microwave Photonics

TuC1.1	Slab-Coupled Optical Waveguide (SCOW) Devices and Photonic Integrated Circuits (PICs)	184
TuC1.2	High Power and High Linearity Photodiodes for RF Photonics	186
TuC1.3	High-Power and High-Linearity Photodiode-Array Module based on a 1×4 MMI Splitter	189
TuC1.4	Mitigation of Photodiode Even-Order Distortion Using Photonic Predistortion Linearization Techniques	

Analog Optical Modulation

TuC2.1	Noise Sources in Microwave Photonic Links	193
TuC2.2	Compound Semiconductor Electro-optic Modulators for Microwave Photonics Applications	195
TuC2.3	Digital-signal-processing-assisted optical coherent detection of uplink radio-over-fiber signal and its phase noise cancellation effect	197
TuC2.4	Simple Digital Linearization for Phase-modulation Photonic Downconversion	199

Wideband Analog Optical Links

TuC3.1	High-Performance Free-Space Photonic Links for Frequency/Time Transfer	201
TuC3.2	Hybrid Millimeter-Wave/Free-Space Optical System for High Data Rate Communications	203
TuC3.3	Real-time WiFi and Gigabit Data Transmission in Multiband 60-GHz Radio-over-fiber System for Band-Mapped Broadband Wireless Services	205
TuC3.4	Broadband Radio-over-Fiber Link Based on High-Speed Optical Modulator for Multi-Band Millimeter-Wave Radio	207
TuC3.5	Optical demodulation of THz signals	209

TuD Optical Micro/Nano Resonators & Devices

Microresonators and Devices

TuD1.1	Exploring Crystalline Whispering Gallery Mode Resonators and Their Applications	211
TuD1.2	An Active Add-Drop Filter Using an Ytterbium and Erbium co-doped Silica Microsphere	213
TuD1.3	Ultrasound Sensing Using a Fiber Coupled Silica Microtoroid Resonator Encapsulated in a Polymer	215
TuD1.4	Precision transfer printing of ultra-thin AlInGaN micron-size light-emitting diodes	217
TuD1.5	Role of Thermal Stress in Athermal Waveguide Design Using TiO ₂ Waveguides on a Silicon Substrate	219

Ring Resonators I

TuD2.1	Redesigning active and passive microring resonators	221
TuD2.2	A Monolithic Microring Transmitter in 90 nm SOI CMOS Technology	223
TuD2.3	A Kac CROW Delay Line	225
TuD2.4	Fabrication Method for Encapsulation of Low-Index, Narrowband Guided-Mode Resonance Filters	227

High-Q Microresonators

TuD3.1	New Directions for High Q Microcavities	229
TuD3.2	Increasing the Spectral Bandwidth of Optical Frequency Comb Generation in a Microring Resonator using a Slotted Waveguide	230
TuD3.3	Frequency Comb-induced Nonlinear Coupling Effect in Microresonators	232

TuE Semiconductor Lasers (SL)

Quantum Dot Lasers II

TuE1.1	InP-based 1.5 μ m Quantum Dot Lasers: Static and Dynamic Properties	231
TuE1.2	Jitter Reduction by Optical Feedback of Passively Mode-locked Quantum-Dot Lasers	234
TuE1.3	Intensity stability and wavelength separation in dual-wavelength QD lasers	236
TuE1.4	Low Temperature Threshold Current Density Effect by P-Doping in InP/AlGaInP Quantum Dot Laser Diodes	238
TuE1.5	CdSe/ZnS colloidal quantum dots for solution-processed DFB lasers	240

Vertical-Cavity Surface Emitting Lasers

TuE2.1	Low power consumption 1310 nm VCSELs for 4x10 Gbps CWDM links	242
TuE2.2	Transverse Mode Control of VCSELs Using Angular Dependent High-contrast Grating Mirror	244
TuE2.3	High Speed Polarization Modulation of Oxide Confined Asymmetric VCSELs in Multimode Regime	246
TuE2.4	Thermal Modeling of Transferred VCSELs	248
TuE2.5	Beam Steering Mechanism in Phased Vertical Cavity Laser Arrays	250

Integrated Laser Sources

TuE3.1	High Temperature Operation of Lambda-scale Embedded Active-region Photonic-crystal Lasers	252
TuE3.2	2.2 pJ/bit Operation of Hybrid Integrated Light Source on A Silicon Optical Interposer for Optical Interconnection	254
TuE3.3	On-Chip Laser Source for 100Gb/s Space-Division Multiplexing Transmitter in InP	
TuE3.4	Small signal modal gain measurement of ridge waveguide semiconductor optical amplifiers operating at 2μm suitable for active-passive integration	258
TuE3.5	Wavelength-Tunable Four -Channel DFB Laser Array Monolithically Integrated with MMI and SOA	

TuF Optical Fiber Technology (OFT)

Non-Linearity in Optical Fiber

TuF1.1	Can Fibers Replace OPOs?	262
TuF1.2	Material modified microstructured fibers for nonlinear and sensor applications	263
TuF1.3	Optical Deposition of MoS2 on an Optical Fiber Facet, Its Reflectometry and Nonlinear Response	265
TuF1.4	Broadband Low Chromatic Dispersion and Supercontinuum Generation in a Conventional Step Fiber and an OAM-Supporting Vortex Fiber using a Submicron Slot	267
TuF2.1	Multicore EDFA for Space Division Multiplexing	269
TuF2.2	Phosphosilicate Raman Gain Fibers with Varying Core Concentration for Enhanced SBS Suppression	271
TuF2.3	Dual-Band 810/1480 nm Tm ³⁺ :ZBLAN Fiber Laser	273
TuF2.4	All-fiber broadband mid-IR source through wavelength translation: Design and simulation	275

Long Haul Transmission Fiber

TuF3.1	Next Generation Optical Transmission Fibers	277
TuF3.2	Bending effects in multicore optical fibers	279
TuF3.3	Dispersion Tolerance Enhancement using Full Optical Duobinary Detection in Optimized 20-70 Gb/s NRZ Transmission.	281
TuF3.4	Optical Tunable Demultiplexing of a QPSK Data Channel into two BPSK sub-Channels using Phase-Sensitive Optical Amplifier	283

TuG Optical Communications (OC)

Signal Processing and OFDM

TuG1.1	Warped Dispersive Transform and its Application to Analog Bandwidth Compression	285
TuG1.2	Proposal of A Hybrid OFDM-PPM Technique for Free Space Optical Communications Systems	287
TuG1.3	Modified Asymmetrically-Clipped Optical Orthogonal Frequency-Division	289

	Multiplexing System Performance	
TuG1.4	Time Domain Reshuffling of Asymmetrically Clipped Optical OFDM Signals	
TuG1.5	Pedestal-free Optical Pulse Generation utilizing a Modified Time Lens without Optical Filtering	293
TuG1.6	Self-referenced non-interferometric complete optical signal characterization from intensity-only measurements	295

Spatial Division Multiplexed Transport

TuG2.1	Long-haul transmission technologies with multi-core fiber	297
TuG2.2	The MODE-GAP Project	299
TuG2.3	A Multi-Ring Multi-OAM-Mode Fiber for High-Density Space-Division Multiplexing (7 Rings X 22 OAM Modes)	301
TUG2.4	19-core Fan-in/Fan-out Waveguide Device for Dense Uncoupled Multi-core Fiber	303

Devices For Transmission Systems

TuG3.1	100Gbit/s Compact Receiver Module with the Built-in Optical De-multiplexer	305
TuG3.2	100Gbit/s Compact Transmitter Module Integrated with Optical Multiplexer	307
TuG3.3	A 16-Channel Monolithic Silicon Nanophotonic Receiver	309
TuG3.4	Simultaneous Polarization Demultiplexing and Demodulation of PolMux-DPSK Signals in a Silicon Chip	311
TuG3.5	Performance Evaluation of Direct-Detection OFDM Optical Receivers with RF Down-Conversion	313

TuH Nanophotonics (NANO)

Nanoplasmonics

TuH1.1	Flat Optics based on Metasurfaces: Molding Wavefronts with Optical Antenna Arrays	315
TuH1.2	Nanoplasmonic three-dimensional surfaces with strong surface-normal electric field enhancement	316
TuH1.3	Study and measurement of plasmonic properties of gold double nanotube structure arrayed on a polymer substrate	318
TuH1.4	A CMOS-Compatible Polarization Splitting Antenna	320
TuH1.5	Unidirectional Excitation of Surface Plasmon Using a Dielectric Loaded Aperture	322
TuH1.6	Simulation and experimental studies on plasmonic properties associated with gold nanofin array on a polymer film	324

Light Emission in Resonant Nanostructuring

TuH2.1	Obtaining Bright Visible Light Emission from "Bulk" Silicon by Nanocavity Plasmons	326
TuH2.2	Design of an Electrically-Injected Hybrid Silicon Laser with Resonant Mirrors	327
TuH2.3	Active nanophotonics technology	329

TuH2.4	Efficient Coupling of Optical-Antenna Based nanoLED to a Photonic Waveguide	331
--------	---	-----

Optical Nanoresonators

TuH3.2	Topology Optimized Mode Conversion In a Photonic Crystal Waveguide	333
TuH3.3	Optical filters enabled by the Rayleigh anomaly: Theory and experiment	335
TuH3.4	Photonic Integrated Interferometer Based on Silicon-on-Insulator Nano-Scale MMI Couplers	337
TuH3.5	Optically-Controlled Extinction Ratio and Q-factor Tunable Silicon Microring Resonators Based on Optical Forces	339

September 11, 2013

WA Photodetectors, Sensors, Systems and Imaging (PSSI)

Plasmonics For Enhanced Detection

WA1.1	Plasmonics and Nanoantennas for Infrared Detectors	341
WA1.2	Plasmonically Enhanced ZnO Thin-Film-Photo-Transistor with Dynamic Responsivity Control	343
WA1.3	Gain and noise characteristics of 3D Nanopillar Optical Antenna Avalanche Detectors	
WA1.4	A Plasmonic Kick to Silicon-Germanium Multi-Quantum-Well Photodetectors	
WA1.5	Hot-carrier photodetector beyond spectral limit	348
WA2.1	Photonic microwave generation with high-power photodiodes	350
WA2.2	High-Power Flip-Chip Balanced Photodetector with >40 GHz Bandwidth	352
WA2.3	Ultra-Fast (325 GHz) Near-Ballistic Uni-Traveling-Carrier Photodiodes with High Sub-THz Output Power under a 50 Ohm Load	354
WA2.4	High-Speed, High-Efficiency, and Large-Area p-i-n Photodiode for Operations from 850 to 1550 nm Optical Wavelengths	356

Novel Avalanche Photodiodes

WA3.1	Recent Advances in InAs Avalanche Photodiodes	358
WA3.2	Full-band Monte Carlo simulation of single photon avalanche diodes	360
WA3.3	Method for Performance Analysis and Optimization of APD Optical Receivers Operating Under Dynamic Reverse Bias	362
WA3.4	Negative feedback and multiple gain mechanisms for sensitivity improvement in 1550nm optical detection	364

Photon Counting Nanowire Technologies

WA4.1	Superconducting Nanowire Avalanche Photodetectors	366
WA4.2	Infrared photon counting with superconducting nanowire single-photon detectors	368
WA4.3	Low-noise NbTiN superconducting nanowire single-photon detectors integrated with Si ₃ N ₄ waveguides	370

WB Non-linear and Ultrafast Optics (NLUO)

Nonlinear Imaging and Techniques

WB1.1	CARS Holography	372
WB1.2	Self-Pumped Phase Conjugate Mirror Using the Divergent Spherical Wave	374
WB1.3	Nonlinear dynamics of Bragg-domain acousto-optic hybrid feedback for first-order scattering of profiled optical beams	376

Nanolasers and Nonlinear Effects

WB2.2	Silicon-Organic Hybrid Slot Waveguide Based Three-Input Multicasted 160-Gbit/s Optical Hexadecimal Addition/Subtraction using Multi-FWM and m-ary PSK	378
WB2.3	Mid-infrared to telecom-band stable supercontinuum generation in hydrogenated amorphous silicon waveguides	380
WB2.4	Saturable Absorption in Vertically Inserted and Overlaid Monolayer-Graphene in Optical Waveguide for All-Optical Switching	382
WB3.1	Plasmonic Enhancement of Third Order Nonlinear Optical Effects: Figures of Merit	384
WB3.2	Observation of stable, polarization-locked, vector bound states of solitons from a carbon-nanotube mode-locked fiber laser	386
WB3.3	Moving Gap Solitons in Coupled Bragg Gratings with Dispersive Reflectivity	388
WB3.4	Families of moving Bragg grating solitons in cubic-quintic nonlinear media with dispersive reflectivity	390
WB3.5	Computational Methods for Determining the Stability of Pulses in Passively Modelocked Laser Systems	392

THz Isolators and Supercontinuum Generation

WB4.1	Broadband nonreciprocal THz isolators	
WB4.2	Shot-to-shot spectrally-resolved characterization of continuous-wave-triggered supercontinuum near 1 μm	396
WB4.3	Effect of the CW-seed's linewidth on the seeded generation of supercontinuum	398
WB4.4	Efficient calculation of the mid-infrared supercontinuum spectrum in As ₂ S ₃ photonic crystal fibers	400

WC Microwave Photonics (MWP)

Nonlinear Phenomena and Noise in Microwave Photonics

WC1.1	Parametric Optical Processes for Microwave Photonics	402
WC1.2	Comparing Nonlinear Fiber and a Silicon Nanophotonic Waveguide for Implementing a Microwave Photonic Filter	404
WC1.3	Optical Subtraction using Nonlinear Mixing	406
WC1.4	Low noise microwave generation with Er: fiber laser optical frequency dividers	408
WC1.5	Photonic Phase Noise Characterization of W-band Oscillators	410

Applied Microwave Photonics

WC2.1	Spurious-free Microwave Photonic Filter Employing Optical Frequency Comb with Quadratic Phase	412
WC2.2	Electro-Optic Beam Forming Device Using a Two-Dimensional Array of Patch-Antennas Embedded with Orthogonal-Gaps for Millimeter-Wave Signals	414
WC2.3	Beam Reconfigurable Microstrip Antenna using Photo-induced Parasitic Elements	
WC2.4	Characterisation of InAs:GaAs Quantum Dot-Based Photoconductive THz Antennas	418
WC2.5	Time-Reversal of μ s-long Radiofrequency Signals with Approximate Temporal Imaging	

MWP Tutorial - Photonic Microwave-to-Digital Conversion, Clark

WC4.1	Photonic Microwave-to-Digital Conversion	422
-------	--	-----

WD Optical Micro/Nano Resonators & Devices

Ring Resonators II

WD1.1	CMOS Compatible Micro-Ring Resonator Lasers	424
WD1.2	100 GHz Passive Mode-locked Laser based on Nonlinear Silicon Microring Resonator	426
WD1.3	Accurate post-fabrication trimming of ultra-compact resonators on silicon	428
WD1.4	High-Q resonators on double-layer SOI platform	430
WD1.5	A Thermally Reconfigurable Reflection Canceller for Adaptive On-Chip Optical Isolation on SOI	432

Microresonators and Gratings

WD2.1	Grating Assisted Mode Coupling in Microring Resonators	434
WD2.2	2.5 THz Bandwidth On-Chip Photonic Fractional Hilbert Transformer based on a Phase-Shifted Waveguide Bragg Grating	436
WD2.3	Tunable Grating Fabry-Perot-Based Wavelength Add/Drop Multiplexer in Silicon Photonics	438
WD2.4	Wavelength and Bandwidth Tunable SOI Switch Using Integrated Gratings	440
WD2.5	Multi-Period Bragg Gratings in Silicon Waveguides	442

New Effects in Microresonators

WD3.2	Transfer Printed Nanomembrane High-Q Filters Based on Displaced Double-Layer Fano Resonance Photonic Crystal Slabs	444
WD3.3	Surface-Scattering-Induced Mode Splitting in a Rolled-Up Semiconductor Microtube	446
WD3.4	Single-mode lasing of Lambda-scale Embedded Active-region Photonic-crystal (LEAP) laser with in-line coupled waveguide	448
WD3.5	High Q silicon photonic crystal cavities for functional cladding materials	450

Sensing and Optomechanics of Optical Microresonators

WD4.1	Sensing and Optomechanics using Whispering Gallery Mode Microbubble Resonators	452
WD4.2	Thermo-Optomechanical Oscillations in High-Q ZBLAN Microspheres	454
WD4.3	DYg[[b`cZCdhc!A YWUb]WV`Hi bUV`Y`G]]Vb`8E DG?`8Ya cXi`Uhc f	456
WD4.4	Hybrid Plasmonic Toroid Resonator with Utral-small Mode Volume and High Purcell Factor	
WD4.5	Polarization Dependent Loss of Graphene-on-Silicon Waveguides	460

WE Semiconductor Lasers (SL)

Plasmonic Nanolasers & Quantum Cascade Lasers

WE1.3	Antenna-coupled THz quantum cascade lasers for high-power emission	462
WE1.4	Ultra-Short Pulses from Quantum Cascade Structures with Distributed Gain and Absorption	464

High-Power Lasers & Laser Arrays

WE2.1	Advances in High Power Semiconductor Lasers	466
WE2.2	VCSEL design for high power, densely packed arrays	468
WE2.3	Ultra-low repetition rate mode-locked semiconductor disk laser	470

WE Photonic Materials and Metamaterials (PMM)

Quantum Dots and Wires

WE3.1	Quantum dot materials for ultrafast optoelectronics	472
WE3.2	InAs/GaAs quantum-dot lasers and detectors on silicon substrates for silicon photonics	474
WE3.3	High performance GaAs/AlGaAs radial heterostructure nanowires grown by MOCVD	476
WE3.4	Optical Nano-Hairs for Micro-Optical Applications	478

Metmaterials and Plasmonics

WE4.2	New Designer Dielectric Metamaterial with Isotropic Photonic Band Gap	480
WE4.3	Collective Spontaneous Emission and Strong Coupling in Semiconductor Hyperbolic Metamaterials	483
WE4.4	Synthesis of monodispersed Ag nanoparticles and their optical characterization	485
WE4.5	Optical Topological Transitions in metamaterials - QED and related effects	487

WF Optical Fiber Technology (OFT)

Fiber-Based Sensing Technology

WF2.1	Probing Terahertz Frequency Selective Surfaces with Subwavelength Optical Fibers	489
WF2.2	Resonant THz sensor for paper quality monitoring using THz fiber Bragg gratings	491

WF2.3	Helium Plasma Induced Molecular-philicity in a Hollow Optical Fiber	493
WF2.4	Micro-Displacement Sensors Based on Plastic Photonic Bandgap Bragg fibers	495

Novel Waveguide

WF3.1	Plasmonic Two Wire Terahertz Fibers with Highly Porous Dielectric Support	497
WF3.2	Dynamics in photonic crystal fiber ring cavities	499
WF3.3	Polygonal core optical fiber fabrication and its dispersion characteristics	501
WF3.4	Asymmetric-Clad Large Mode Area Leakage Channel Fibers with Low Bending and Higher Differential Losses	

WF Special Symposium on the internet of things

SL Tutorial - VCSELs for Green High Performance Computers and Computer Interconnects, Bimberg

WF4.2	Architectures for future sensor networks	505
-------	--	-----

WG Optical Networks & Systems (ONS)

Networking

WG1.1	100-Gbit/s Hybrid Optoelectronic Packet Switching Technologies for Data-centric Future Networks	507
WG1.2	Performance Tradeoffs of 120 Gb/s DP-QPSK in ROADM Systems Employing Broadcast-and-Select Versus Route-and-Select Architectures	509
WG1.3	Experimental and Simulation Analysis of the W-band SC-FDMA Hybrid Optical-Wireless Transmission	
WG1.4	Recent Advance of Digital Signal Processing for Optical Communications	513

Sub-Systems

WG2.1	Optical transceiver ICs based on 3D die-stacking of opto-electronic devices	515
WG2.2	Optimization of Transceiver Signal Clipping in Polarization Multiplexing QPSK (PM-QPSK) Systems with Nyquist Signals	517
WG2.3	FWM-Based SAC Label Recognition for Optical Packet Switched Networks	519
WG2.4	Scalability of Optical Passive Waveguide Circuits for Recognition of 8-bit BPSK Labels	521
WG2.5	Intensity Noise Mitigation in SAC OCDMA Systems Using a Divided Spectrum Balanced Detection Scheme	523

Networking II

WG3.1	Ultra-Broadband, Highly Efficient Coherent Wavelength Conversion in Quantum Dot SOA	525
WG3.2	Optimizing Power Efficiency in Radio-over-Fiber Systems	527
WG3.3	1 Tb/s WDM-OFDM-PON Power Budget Extension Techniques	529
WG3.4	The Practical Limit to Impairment-Aware Scheduling in All-Optical Routers	531
WG3.5	Low-Penalty Ultrahigh-Speed Transmission of 640-Gbaud/s (3.84-Tbit/s) 64-QAM	533

WG Optical Communications (OC)**Optical Networking Technologies**

WG4.2	Impact of electrical power distribution optimization of coexisting OFDM-based signals in converged dispersion-compensated LR-PON	535
WG4.3	Full-Duplex In-band OOK-Downlink/OFDM-Uplink Transmitted over 40km of SSMF in RSOA-based Radio-over-Fiber system	537
WG4.4	A Novel Receiver for Spectrally Efficient Direct Detection Optical OFDM	539
WG4.5	Performance of Precoding Multi-user MIMO Indoor Visible Light Communications	

WH Nanophotonics (NANO)**Carbon Nanophotonics**

WH1.1	The Interaction of light and Graphene: Basics, Devices, and Applications	543
WH1.2	Hybrid Plasmonic Waveguide Incorporating Double Graphene Sheets	544
WH1.3	Gain assisted surface plasmon polaritons propagation in a Graphene based Schottky junction	
WH1.4	Carbon nanotube modified optical fiber surface plasmon resonance sensor	548
WH1.5	Low-Loss Wedge Hybrid Plasmonic Terahertz Waveguide with Ultra-Small Subwavelength Mode Area	550

Nanophotonic Sensors and Imaging

WH2.1	Giga-pixel nanoimaging using computational on-chip microscopy	552
WH2.2	POLARITONIC METAMATERIAL FOR SUPER-RESOLUTION TRAPPING AND SENSING	554
WH2.3	Surface plasmon resonance in metal super-period nanoslit grating and spectrometer sensor	556
WH2.4	Arrays of Suspended Plasmonic Nanodiscs	558
WH2.5	Circular Plasmonic Interferometers for Ultrasensitive Low-Background Optical Sensing	560
WH2.6	Material selection for pure and stable structural color of Morpho-inspired reflectors	562

Plasmonic Absorbers and Devices

WH3.2	Broadband light absorber based on one-dimensional gratings in semiconductor films	564
WH3.3	Plasmonic Signal Amplification by Monolithically Integrated Metal-Oxide-Semiconductor Field-Effect Transistors	566
WH3.4	Waveguiding in Asymmetric Hybrid Plasmonic Structures	568
WH3.5	Electrically controlled resistive switching assisted active ultra-broadband optical tunability in the infrared	570

Nanophotonic Light Harvesting

WH4.1	GaAs/InAs Quantum Dot High Efficiency Solar Cell	572
WH4.2	Semiconductor-less Photovoltaic Device	574
WH4.3	Low Aspect Ratio Nanophotonic Filled Cavities with Q-Matching for Scalable Thermophotovoltaic Power Conversion	576
WH4.4	Broadband Back Grating Design for Thin Film Solar Cells.	578
WH4.5	Fabrication of Nano-imprinted Resonant Structures for Thin-Film Solar Cell Applications	580

September 12, 2013

ThA Photodetectors, Sensors, Systems and Imaging (PSSI)

CMOS Based Detectors and Imaging

ThA1.1	Efficient Detection of 1310 nm Light Using Silicon Nanoscaled p/n Junctions), &	
ThA1.2	Design, Modeling and Fabrication of a CMOS Compatible p-n Junction Avalanche Photodiode	584
ThA1.3	Impact of Layout on the Performance of Photodiodes in 0.18 μ m CMOS SOI	586
ThA1.4	High-Speed Low-Noise PNP PIN Phototransistor Integrated in a 0.35 μ m CMOS Process	588
ThA1.5	Time-of-Flight Range Finding Sensor Using a PNP Bipolar Phototransistor in a 0.35 μ m CMOS Process With High Immunity Against Background Light	590
ThA1.6	A New CMOS Readout Circuit Approach for Multispectral Imaging	592

Microscopy and IR Imaging Technologies

ThA2.1	Label-free Medical Imaging with High-Speed Stimulated Raman Spectral Microscopy	594
ThA2.2	Enhanced Space-Bandwidth Product In Lensfree on-Chip Microscopy	596
ThA2.3	Mid-wave infrared interband cascade photodetectors and focal plane arrays based on InAs/GaSb superlattices	598
ThA2.4	Modulation Transfer Function of Infrared Focal Plane Arrays	600
ThA2.5	Nanoscale resolution Image Plane Holographic Microscopy	602
ThA2.6	Time resolved extreme ultraviolet Fourier transform holography	604

Novel Optical Sensors

ThA3.1	Ultra-Thin Multi-Axial Shear Stress Sensor Based on a Segmented Photodiode	606
ThA3.2	Electro-optic Voltage Sensor based on BGO for Air-Insulated High Voltage Substations	608
ThA3.3	Functionalized Distributed Feedback Lasers for Hydrogen Sensing Applications	610
ThA3.4	Observing hydrogen induced deformations in palladium thin-films	612

ThA3.5	Fabrication and experimental characterization of cascaded SOI micro-rings for high-throughput label-free molecular sensing	614
ThA3.6	Sensitivity analysis of thin waveguide SOI ring resonators for sensing applications	616

ThB Non-linear and Ultrafast Optics (NLUO)

Propagation and Effects of Few-Cycle and Ultrafast Laser Pulses

ThB1.1	Few-Cycle Fiber Lasers Based on Self-Similar Pulse Propagation	618
ThB1.2	Relative Timing Jitter of Passively Synchronized Er-doped and Yb-doped Mode-Locked Fiber Lasers	619
ThB1.3	All-fiber generation of few-cycle pulses at 1950 nm by triple-stage compression of a Thulium-doped laser system	621
ThB1.4	Spectral compression of an all-normal dispersion fiber laser	623
ThB1.5	Polarization shaper-assisted dual-quadrature spectral shearing interferometry	625

ThD Optical Micro/Nano Resonators & Devices

Plasmonic Devices

ThD1.1	Surface Plasmon Nanocavities Composed of Metallic Wall and 1-D Photonic Crystal	627
ThD1.2	Optical Properties of a Silver Nanodisk for Application to Optical Frequency Selective Surfaces	629
ThD1.3	Plasmonic Transparent Electrodes for Molecular Organic Photovoltaics with Enhanced Absorption	631
ThD1.4	Properties of Silver Nanoridge Surface Plasmon Waveguide Modes	633
ThD1.5	Defect-free fabrication of periodic structures using extreme ultraviolet Talbot lithography	635

ThE Photonic Materials and Metamaterials (PMM)

Hybrid Material Platforms

ThE1.1	InP Membrane On Silicon integration technology	637
ThE1.2	Engineering the optical constants of sputtered amorphous silicon films by crystallization with rapid thermal annealing	639
ThE1.3	Analytical Model for Ge/GeSn Hetero- Phototransistors on Si Substrate at 1.55 μm	
ThE1.4	Fabrication of Electrically-pumped Resonance-cavity Membrane-reflector Surface-emitters on Silicon	643
ThE1.5	Tailoring of YIG film properties via compositional tuning by multi-beam pulsed laser deposition	645
ThE1.6	The Role of Processing Towards Application of Organic EO Material Modulators	647

ThE Photonic Integration and Packing (PIP)

Transceiver Integration Technologies

ThE2.1	A Scaled CMOS Platform for Photonics	649
ThE2.2	Large-scale InP Photonic Integrated Circuit Packaged with Ball Grid Array for 2D Optical Beam Steering	651
ThE2.3	Coherent Receiver PIC for 112Gb/s DP-QPSK Using Multi-Guide Vertical Integration in InP	
ThE2.4	Simultaneous Formation of Spot-Size Converters and Photodiode Waveguides to 90deg Hybrid for Compact Coherent Receiver by Selective Regrowth	655
ThE2.5	40Gb/s 2R optical processing using monolithic integration of SOA and EAM	657

ThF Special Symposia on Optical Data Storage

Holographic Data Storage

ThF1.1	Multi-terabyte holographic data storage demonstrator	659
ThF1.2	Rational design of photopolymer materials for holographic data storage	661
ThF1.3	Binary-to-Ternary Sparsity Encoding for Holographic Data Storage	663
ThF1.4	Influence of Readout Beam Aberration in Microholographic Recording	665
ThF2.1	Integration of Heat Assisted Magnetic Recording Technology into Enterprise Hard Disk Drives	667
ThF2.2	Next generation photonic storage: ultra-high capacity, ultra-high security and ultra-long lifetime	669

ThG Optical Communications (OC)

All-Optical Signal Processing In Optical Communications

ThG1.1	Low-Noise Optical Frequency Multicasting Using Multi-Mode Phase-Sensitive Interaction	671
ThG1.2	Bandwidth-tunable optical filters based on photonic Hilbert transformation	673
ThG1.3	Efficient Packing for Phase Regenerative Channels	675
ThG1.4	Experimental Demonstration of Wavelength Conversions of Optical 36QAM and 64QAM through FWM in HNLF	677
ThG1.5	A Comparison of Nonlinear Media for Parametric All-Optical Signal Processing	679

ThH Nanophotonics (NANO)

Nanophotonic Devices and Resonators

ThH1.1	Performance improvements in Silicon-nitride integrated photonic switches by annealing	
ThH1.2	Omnidirectional resonance in microcavity for high resolution filter	683
ThH1.3	Dielectric Resonator Nanoantenna for Optical Frequencies	685
ThH1.4	Nonisosceles Bowtie Nanoantennas with Central Symmetry	
ThH1.5	Synthesis of Photonic Crystal Waveguide Based Bandpass Filter	

Post Deadline Papers

PD.1	Reconfigurable Orbital-Angular-Momentum Manipulation and Switching of Polarization-.....* - % Multiplexed 100-Gbit/s QPSK Data Channels
PD.2	First Demonstration of a Hybrid Integrated Light Source on a Si Platform Using a Quantum.....* - ' Dot Laser under Wide Temperature Range
PD.3	Modulation Bandwidth Enhancement of Quasi-single-mode Transverse Coupled Cavity VCSEL.....* -)
PD.4	Graphene Excitable Laser for Photonic Spike Processing.....* - +
PD.5	Four Wave Mixing Based Wavelength Conversion and Multicasting of 16-QAM Signals in a.....* - - Silicon Nanowire
PD.6	480 km Transmission of MDM 576-Gb/s 8QAM using a Few-Mode Re-circulating.....*+ \$% Loop