

# **2013 IEEE Compound Semiconductor Integrated Circuit Symposium**

**(CSICS 2013)**

**Monterey, California, USA  
13-16 October 2013**



**IEEE Catalog Number: CFP13GAA-POD  
ISBN: 978-1-4799-0582-9**

# TABLE OF CONTENTS

<b>AlGaIn/GaN HEMT Large Signal Nonlinear Compact Model Accounting for Thermal Effects and Trapping Dispersion</b> .....	1
<i>Yueying Liu, Elias Reese</i>	
<b>A GaAs MMIC Single-Chip RF-MEMS Switched Tunable LNA</b> .....	5
<i>Robert Malmqvist, Carl Samuelsson, Shakila Reyaz, Andreas Gustafsson, Seonho Seok, Michel Fryziel, Paul-Alain Rolland, Brice Grandchamp, Rens Baggen</i>	
<b>Advanced RF IV Waveform Engineering Tool for Use in Device Technology Optimization: RF Pulsed Fully Active Harmonic Load Pull with Synchronized 3eV Laser</b> .....	9
<i>M. A. Casbon, P. J. Tasker, Wei-Chou Wang, Che-Kai Lin, Wen-Kai Wang, W. Wohlmuth</i>	
<b>A 107 GHz 55 dB-Ohm InP Broadband Transimpedance Amplifier IC for High-Speed Optical Communication Links</b> .....	13
<i>Eli Bloch, Hyun-chul Park, Zach Griffith, Miguel Urteaga, Dan Ritter, Mark J. W. Rodwell</i>	
<b>An LC VCO for High Power Millimeter-Wave Signal Generation</b> .....	17
<i>Schau Lai, Dan Kuylenstierna, Rumen Kozuharov, Bertil Hansson, Herbert Zirath</i>	
<b>A 2x44Gb/s 110-GHz Wireless Transmitter with Direct Amplitude and Phase Modulation in 45-nm SOI CMOS</b> .....	21
<i>Andreea Balteanu, Stefan Shopov, Sorin P. Voinigescu</i>	
<b>Analog Linearization Techniques Suitable for RF Power Amplifiers Used in Integrated Transmitters</b> .....	25
<i>R. Neil Braithwaite</i>	
<b>Comprehensive Analysis of the Degradation Mechanism of AlGaIn/GaN HEMTs by Electrical, Optical, and Structural Analysis Method</b> .....	29
<i>Chang Zeng, YuanSheng Wang, Xiao Hong, XueYang Liao, Yiqiang Chen, Bin Zhou, Ping Lai, Yun Huang, YunHui En</i>	
<b>A Novel Even &amp; Odd-Mode Symmetric Circuit Decomposition Method</b> .....	33
<i>Michael Roberg, Charles Campbell</i>	
<b>A Novel Technique for GaN HEMT Trap States Characterisation</b> .....	37
<i>Peter Wright, Mattias Thorsell</i>	
<b>Multiband and Wide Dynamic Range Digital Polar Transmitter Using Current-Mode Class-D CMOS Power Amplifier</b> .....	41
<i>Toshifumi Nakatani, Donald F. Kimball, Peter M. Asbeck</i>	
<b>Low Distortion CATV Power Amplifier Using GaAs HJFET and GaN FET Cascode Distortion Cancellation Technique</b> .....	45
<i>Isao Takenaka, Kohji Ishikura, Shinnosuke Takahashi, Kazunori Asano, Hidemasa Takahashi, Yasuhiro Murase, Yuji Ando, Takekatsu Ueki, Kazuhiro Nakai, Yuu Yamaguchi, Yuji Kakuta</i>	
<b>230-240 GHz, 30 dB Gain Amplifier in InP-HEMT for Multi-10 Gb/s Data Communication Systems</b> .....	49
<i>Yoichi Kawano, Hiroshi Matsumura, Shoichi Shiba, Masaru Sato, Toshihide Suzuki, Yasuhiro Nakasha, Tsuyoshi Takahashi, Kozo Makiyama, Naoki Hara</i>	
<b>Efficient Powering of RF PAs Using DC-DC Power Supplies</b> .....	53
<i>Ayman A. Fayed</i>	
<b>GaN C-Band HPA for Phased-Array Applications</b> .....	57
<i>M. Van Wanum, A. P. De Hek, F. E. van Vliet</i>	
<b>A 227.5GHz InP HBT SSPA MMIC with 101mW Pout at 14.0dB Compressed Gain and 4.04% PAE</b> .....	61
<i>Zach Griffith, Miguel Urteaga, Petra Rowell and Richard Pierson</i>	
<b>A Geometry Scalable Approach to InP HBT Compact Modeling for mm-Wave Applications</b> .....	65
<i>T. Nardmann, P. Sakalas, Frank Chen, T. Rosenbaum, M. Schroter</i>	
<b>High Efficiency PA Design Strategy at X-Band</b> .....	69
<i>Merv Haynes, Paul J. Tasker, Steve C. Cripps</i>	
<b>Transistor Laser for Electronic-Photonic Integrated Circuits</b> .....	73
<i>Milton Feng, Nick Holonyak Jr.</i>	
<b>Linearity Improvement of GaN HEMT for RF Power Amplifiers</b> .....	77
<i>Kazutaka Inoue, Hiroshi Yamamoto, Ken Nakata, Fumio Yamada, Takashi Yamamoto, Seigo Sano</i>	
<b>Pure Play GaN Foundry 0.25µm HEMT Technology for RF Applications</b> .....	81
<i>Ming-Hung Weng, Che-Kai Lin, Jhih-Han Du, Wei-Chou Wang, Wen-Kai Wang, Walter Wohlmuth</i>	
<b>GaN Transistors - The Best Emerging Technology for Power Conversion from DC through RF</b> .....	85
<i>Alex Lidow</i>	
<b>A 1.4 GHz MMIC Active Cold Noise Source</b> .....	89
<i>Robert Scheeler, Zoya Popovic</i>	

<b>A DC-100 GHz Bandwidth and 20.5 dB Gain Limiting Amplifier in 0.25<math>\mu</math>m InP DHBT Technology</b> .....	93
<i>Saeid Daneshgar, Zach Griffith, Mark J. W. Rodwell</i>	
<b>A Low Power Quad 25.78-Gbit/s 2.5 V Laser Diode Driver Using Shunt-Driving in 0.18 <math>\mu</math>m SiGe-BiCMOS</b> .....	97
<i>Akihiro Moto, Tomoko Ikagawa, Shunsuke Sato, Yasuo Yamasaki, Yutaka Onishi, Keiji Tanaka</i>	
<b>Miniaturized Optical DP-QPSK Modulator Module with 3.2-W Power Dissipation Using InP-Based Modulator and Driver ICs</b> .....	101
<i>Naoya Kono, Hideki Yagi, Naoki Itabashi, Hajime Shoji</i>	
<b>A Low-Spurious E-Band GaAs MMIC Frequency Converter for Over-Gbps Wireless Communication</b> .....	105
<i>Yasuhiro Morita, Shuya Kishimoto, Masaharu Ito, Keiichi Motoi, Kazuaki Kunihiro</i>	
<b>Benchmarking of Large-Area GaN-on-Si HFET Power Devices for Highly-Efficient, Fast-Switching Converter Applications</b> .....	109
<i>R. Reiner, P. Waltereit, F. Benkhelifa, S. Müller, M. Wespel, R. Quay, M. Schlechtweg, M. Mikulla, O. Ambacher</i>	
<b>Metamorphic HEMT Technology for Microwave, Millimeter-Wave, and Submillimeter-Wave Applications</b> .....	113
<i>James J. Komiak, Phillip M. Smith, K. H. George Duh, Dong Xu, P. C. Chao</i>	
<b>A 16-24 GHz CMOS SOI LNA with 2.2 dB Mean Noise Figure</b> .....	117
<i>Tumay Kanar, Gabriel M. Rebeiz</i>	
<b>A 200-245 GHz Balanced Frequency Doubler with Peak Output Power of +2 dBm</b> .....	121
<i>Hsin-Chang Lin, Gabriel M. Rebeiz</i>	
<b>A SiGe BiCMOS W-Band LNA with 5.1 dB NF at 90 GHz</b> .....	125
<i>Yang Yang, Seymus Cacina, Gabriel M. Rebeiz</i>	
<b>Numerical Device Model for Reliable AlGaIn/GaN HEMT Structure Design Based on Shear Stress</b> .....	129
<i>Mayumi Hirose, Keiichi Matsushita, Kazutaka Takagi, Kunio Tsuda</i>	
<b>A 3-Vppd 730-mW Linear Driver IC Using InP HBTs for Advanced Optical Modulations</b> .....	133
<i>Munehiko Nagatani, Yves Bouvier, Hideyuki Nosaka, Koichi Murata</i>	
<b>GaAs E Band Radio Chip-Set</b> .....	137
<i>Jabra Tarazi, Melissa C. Rodriguez, Anna Dadello, MacCrae G. McCulloch, Anthony P. Fattorini, Steve Hwang, Ryan Clement, Anthony E. Parker, James T. Harvey, Simon J. Mahon</i>	
<b>Frequency Dispersion of Drain Conductance in AlGaIn/GaN HEMT Evaluated Using Sinusoidal Wave Signal Input</b> .....	141
<i>Akio Wakejima, Takashi Yamada, Tomotaka Narita, Akihiro Ando, Takashi Egawa</i>	
<b>Semiconductor Material and Device Characterization via Scanning Microwave Microscopy</b> .....	145
<i>Hassan Tambakuchi, Ferry Kienberger, Matt Richter, Michael Dieudonne, Manuel Kasper, Georg Gramse</i>	
<b>Nanocrystalline Diamond for Near Junction Heat Spreading in GaN Power HEMTs</b> .....	149
<i>T. J. Anderson, K. D. Hobart, M. J. Tadjer, A. D. Koehler, T. I. Feygelson, J. K. Hite, B. B. Pate, F. J. Kub, C. R. Eddy Jr.</i>	
<b>Base Resistance Scaling for Transistors of Various Geometries</b> .....	153
<i>Yingying Yang, P. J. Zampardi</i>	
<b>A DFT Loopback Scheme for ADC ENOB Testing Using an All-Digital ATE</b> .....	157
<i>Sadok Aouini, Christopher Kurowski, Naim Ben-Hamida, Jean-François Bousquet, Douglas McPherson, Darren Wadden</i>	
<b>30% PAE W-Band InP Power Amplifiers Using Sub-Quarter-Wavelength Baluns for Series-Connected Power-Combining</b> .....	161
<i>Hyun-chul Park, Saeid Daneshgar, Johann C. Rode, Zach Griffith, Miguel Urteaga, Byung-sung Kim, Mark Rodwell</i>	
<b>A Monolithic Integrated mHEMT Chipset for High-Resolution Submillimeter-Wave Radar Applications</b> .....	165
<i>A. Tessmann, A. Leuther, H. Massler, U. Lewark, S. Wagner, R. Weber, M. Kuri, M. Zink, M. Riessle, H.-P. Stulz, M. Schlechtweg, O. Ambacher, R. Sommer, A. Wahlen, S. Stanko</i>	
<b>A 180mW InP HBT Power Amplifier MMIC at 214 GHz</b> .....	169
<i>Thomas B. Reed, Zach Griffith, Petra Rowell, Mark Field, Mark Rodwell</i>	
<b>More Than Moore: GaN HEMTs and Si CMOS Get It Together</b> .....	173
<i>T. E. Kazior, J. R. LaRoche, W. E. Hoke</i>	
<b>Improved GaN-on-SiC Transistor Thermal Resistance by Systematic Nucleation Layer Growth Optimization</b> .....	177
<i>J. Pomeroy, N. Rorsman, Jr-Tai Chen, U. Forsberg, E. Janzén, M. Kuball</i>	
<b>Achieving the Best Thermal Performance for GaN-on-Diamond</b> .....	181
<i>J. Pomeroy, M. Bernardoni, A. Sarua, A. Manoi, D. C. Dumka, D. M. Fanning, M. Kuball</i>	
<b>A 32-nm CMOS Frequency Locked Loop for 20-GHz Synthesis with <math>\pm</math> 7.6 ppm Resolution</b> .....	185
<i>Jean-François Bousquet, Sadok Aouini, Naim Ben-Hamida, John Wolczanski</i>	

<b>An Efficiency and Size Optimized 2GHz 25W Cascaded Doherty RF Power Amplifiers Using GaN HEMTs</b> .....	189
<i>Yoji Muraio, Kazuya Ohgami, Tomoya Kaneko</i>	
<b>A Total Bandwidth Expanded Dual-Band GaN Doherty PA toward the LTE-A Carrier Aggregation Application</b> .....	193
<i>Makoto Hayakawa, Kazumi Shiikuma, Tomoya Kaneko</i>	
<b>Double Recessed GaAs pHEMTs for 20-50 V Power Switching</b> .....	197
<i>Vipindas Pala, Mona Hella, T. Paul Chow</i>	
<b>A 7.3 THz Cut-Off Frequency, In-line, Chalcogenide Phase-Change RF Switch Using an Independent Resistive Heater for Thermal Actuation</b> .....	201
<i>Nabil El-Hinnawy, Pavel Borodulin, Brian P. Wagner, Matthew R. King, John S. Mason Jr., Evan B. Jones, Victor Veliadis, Robert S. Howell, Robert M. Young, Michael J. Lee</i>	
<b>Cooling Limits for GaN HEMT Technology</b> .....	205
<i>Yoonjin Won, Jungwan Cho, Damena Agonafer, Mehdi Asheghi, Kenneth E. Goodson</i>	
<b>A Q-Band/W-Band Dual-Band Power Amplifier in 0.12 <math>\mu\text{m}</math> SiGe BiCMOS Process</b> .....	210
<i>Po-Yi Wu, James F. Buckwalter</i>	
<b>A 60MHz Bandwidth High Efficiency X-Band Envelope Tracking Power Amplifier</b> .....	214
<i>Paul T. Theilmann, Jonmei J. Yan, Cuong Vu, Jeong-Sun Moon, Harris P. Moyer, Donald F. Kimball</i>	
<b>A 108-GHz Retimer Based on 1.8V QUASI-ECL MOS-HBT SiGe BiCMOS Logic</b> .....	218
<i>Yingying Fu, Sorin P. Voinescu</i>	
<b>Ka-Band High Power GaN SPDT Switch MMIC</b> .....	222
<i>Xiaosu Zheng, John C. Tremblay, Steven E. Huettner, Kelly P. Lp, Thomas Papale, Krista L. Lange</i>	
<b>A CMOS SOI Stacked Shunt Switch with Sub-500ps Time Constant and 19-Vpp Breakdown</b> .....	226
<i>Cooper S. Levy, Peter M. Asbeck, James F. Buckwalter</i>	
<b>Advanced Packaging and Thermal Management for High Power Density GaN Devices</b> .....	230
<i>Yuan Zhao, Tadej Semenik, Avijit Bhunia</i>	
<b>Heteroepitaxial Growth and Power Devices Using AlGaIn/GaN HEMT on 200 mm Si (111) Substrate</b> .....	234
<i>Takashi Egawa</i>	
<b>Thermal Modeling of High Power GaN-on-Diamond HEMTs Fabricated by Low-Temperature Device Transfer Process</b> .....	238
<i>Kenneth K. Chu, Thomas Yurovchak, Pane Chane Chao, Carlton T. Creamer</i>	
<b>Advances in High-Speed DACs, ADCs, and DSP for Software Defined Optical Modems</b> .....	242
<i>Charles Laperle, Naim Ben-Hamida, Maurice O'Sullivan</i>	
<b>Best Practices for System Level ESD Testing of Semiconductor Components</b> .....	246
<i>Kathleen Muhonen</i>	
<b>A X-Band 28 dBm Fully Integrated Power Amplifier with 23 dB Gain</b> .....	250
<i>Jiankang Li, Yong-Zhong Xiong, Yihu Li, Wen Wu</i>	
<b>A 2-5GHz 100W CW MMIC Limiter Using a Novel Input Topology</b> .....	254
<i>Joseph Bouchez, Tuong Nguyen, Valiallah Zomorrodian, Eli Reese, Dana Sturzebecher</i>	
<b>Frequency Agile Monolithic GaN Doherty Power Amplifier</b> .....	258
<i>A. M. Mahmoud Mohamed, S. Boumaiza, I. Zine-El-Abidine, R. Mansour</i>	
<b>Tunnel Transistors for Low Power Logic</b> .....	262
<i>S. Datta, R. Bijesh, H. Liu, D. Mohata, V. Narayanan</i>	
<b>Selective Growth of Diamond in Thermal Vias for GaN HEMTs</b> .....	266
<i>Benjamin Poust, Vincent Gambin, Rajinder Sandhu, Ioulia Smorchkova, Gregory Lewis, Raffi Elmadjian, Danny Li, Craig Geiger, Benjamin Heying, Mike Wojtowicz, Aaron Oki, Bradford B. Pate, Tatyana Feygelson, Karl Hobart</i>	
<b>Electrical and Thermal Performance of AlGaIn/GaN HEMTs on Diamond Substrate for RF Applications</b> .....	270
<i>D. C. Dunka, T. M. Chou, J. L. Jimenez, D. M. Fanning, D. Francis, F. Faily, F. Ejeckam, M. Bernardoni, J. W. Pomeroy, M. Kuball</i>	