

2013 18th Microoptics Conference

(MOC 2013)

Tokyo, Japan
27-30 October 2013



IEEE Catalog Number: CFP1382P-POD
ISBN: 978-1-4799-1316-9

TABLE OF CONTENTS

Microoptical Systems For Consumer's Hands	1
<i>A. Brauer</i>	
Silicon Photonic Advanced Modulation Format Transceivers	3
<i>C. Doerr</i>	
Exa-Bit Optical Communication Exploring By 3M Scheme	5
<i>M. Nakazawa</i>	
Tb/s Optical Communications Using Orbital Angular Momentum	7
<i>A. Willner</i>	
Single-Stripe Tunable Laser With Chirped Sampled Gratings Fabricated By Nanoimprint Lithography	9
<i>H. Yoshinaga, M. Yanagisawa, T. Kaneko, K. Akiyama, M. Tajima, D. Shoji, T. Fujii, H. Shoji</i>	
Direct Optical Coupling To A SMF Array With A Multi-Channel Lens-Integrated Surface-Emitting DFB Laser For A Low-Cost Optical Module	11
<i>K. Adachi, A. Takei, T. Suzuki, S. Tanaka</i>	
Bit-Error-Rate Performance Of 10-Gb/s Silicon Mach-Zehnder Modulator Module In 100-km Optical Fiber Transmission	13
<i>H. Ishihara, K. Oda, T. Ori, K. Goi, K. Ogawa, T. Liow, X. Tu, G. Lo, D. Kwong</i>	
Low Driving Power Push-Pull Modulator For Multi-Wavelength Modulation And 4x4 Switch Using Silicon Microring Resonator Loaded Mach-Zehnder Interferometers By Thermo-Optic Effect	15
<i>R. Gautam, S. Ishihara, H. Kaneshige, T. Arakawa, Y. Kokubun</i>	
Silica Planar Lightwave Circuit Collimator With UV-Cured Resin As Integrated Multilayered Lenses	17
<i>N. Idris, K. Sorimoto, H. Tsuda, H. Uetsuka</i>	
VCSEL -Its Conception, Development, and Future-	19
<i>K. Iga</i>	
High-Speed And Low-Voltage Operation Of Compact Bragg Reflector Waveguide Modulator	21
<i>X. Gu, S. Shimizu, T. Shimada, A. Matsutani, F. Koyama</i>	
Wavelength Tuning And Controlled Temperature Dependence Of MEMS VCSELs With Thermally And Electrostatically Actuated Micromachined Mirror	23
<i>M. Nakahama, H. Sano, S. Inoue, T. Sakaguchi, A. Matsutani, F. Koyama</i>	
Modulation Response Enhancement Of Transverse-Coupled Cavity VCSELs For Radio Over Fiber Applications	25
<i>H. Dalir, F. Koyama</i>	
Three-Dimensional Integrated Optical Interconnect With Laser And Photodetector On SOI Substrate	27
<i>P. Shen, C. Chen, S. Li, C. Chang, S. Lin, C. Chang, H. Lan, M. Wu</i>	
1 x 2 Vertically Optical Splitter With 10-Gbps Transmission Rate For Chip-Level Optical Interconnects	29
<i>C. Chen, P. Shen, T. Zhu, T. Huan, C. Chang, H. Hsiao, H. Lan, Y. Lee, Y. Lin, M. Wu</i>	
Micro-Optics For Intelligent Displays	31
<i>H. Shieh</i>	
Wide Luminance Angular Distribution And Low Color Shift Liquid Crystal Displays With Surface Diffusing System	33
<i>N. Munemura, D. Sekine, A. Tagaya, Y. Koike</i>	
A Highly Polarized Laser Backlight For Liquid Crystal Displays	35
<i>K. Sakuma, T. Kurashima, T. Arai, A. Tagaya, Y. Koike</i>	
Design And Fabrication Of Semi-Transparent Screen Using Micro Patterns And Metal Coating For Head-Up Display	37
<i>J. Lee, H. Hong, Y. Kim</i>	
Photo-Luminescence Of Rare Earth Complexes In The Molecular Films	39
<i>M. Hasegawa</i>	
Laser Application On Plant Factory	41
<i>H. Murase</i>	
Highly Efficient OLED Lighting For Eco-Solution	43
<i>Y. Matsuhisa, K. Yamae, H. Tsuji, V. Kittichungchit, N. Ide, T. Komoda</i>	
Development Of Laser Backlight LCD TV	45
<i>N. Nakano, E. Niikura, R. Murase, A. Nagase, H. Sakamoto, T. Sasagawa, K. Minami, M. Hanai, K. Shimizu</i>	
Development Of Efficient Solar-Pumped Laser For Renewable Energy Creation	47
<i>T. Ogawa, S. Wada, M. Higuchi</i>	

Novel 3D Die-Stacked Opto-Electronic Transceiver ICs That Allow For Waferscale Fabrication	49
<i>P. Duan, O. Raz, H. Dorren</i>	
Colorless Optical Add/Drop Using Small Matrix Switch And Cyclic AWG	51
<i>T. Watanabe, S. Sohma, S. Kamei</i>	
Wavelength Selective Switch With High Angular Dispersion Element Based On Bragg Reflector Waveguide	53
<i>X. Gu, K. Seno, H. Tanobe, F. Koyama</i>	
Compact 5 x 5 Wavelength-Selective Cross Connect Using Integrated 2-D MEMS Mirror Arrays	55
<i>K. Sorimoto, H. Uetsuka, M. Tachikura, H. Kawashima, M. Mori, T. Hasama, H. Ishikawa, N. Idris, H. Tsuda</i>	
High-Speed, Hybrid Integrated, 1x2 Wavelength Selective Switch Using PLZT Optical Switches And Silica Planar Lightwave Circuits	57
<i>H. Asakura, K. Nashimoto, D. Kudzuma, H. Kawashima, H. Tsuda</i>	
Design And Fabrication Of Low Loss 1x8 Silica-Based Phased Array Switch With Low Power Consumption	59
<i>S. Katayose, Y. Hashizume, A. Mori, M. Itoh</i>	
Low-Loss Silicon Partial-RIB Waveguide Polarization Rotator	61
<i>K. Goi, A. Oka, H. Kusaka, K. Ogawa, T. Liow, X. Tu, G. Lo, D. Kwong</i>	
Novel Ballpoint Pen Interconnection For High Speed Graded Index Plastic Optical Fiber Network	63
<i>K. Makino, S. Mine, A. Mitsui, T. Torikai, H. Takizuka, H. Suzuki, Y. Koike</i>	
Supercontinuum Generation In All Solid Photonic Crystal Fiber With Flat All-Normal Dispersion	65
<i>R. Buczynski, B. Siwicki, M. Klimczak, D. Pysz, T. Martynkien, P. Skibinski, C. Radzewicz, R. Stepien</i>	
Turnkey, High Power Dissipative Soliton All Fiber Laser Using A Hybrid Modelocking Mechanism	67
<i>B. Xu, A. Martinez, S. Set, C. Goh, S. Yamashita</i>	
All Optical Flip-Flop And Inverter Using Adjacent Lasing Wavelengths Emitting From Semiconductor Microring Laser	69
<i>T. Miyamoto, S. Umehara, H. Kobayashi, R. Taniguchi, R. Katouf, T. Arakawa, Y. Kokubun</i>	
Timing Detector Using Cross Gain Modulation In Semiconductor Optical Amplifier For Adaptive All-Optical Signal Processing	71
<i>D. Hisano, A. Maruta, K. Kitayama</i>	
Electro-Optic Polarization Conversion Type Modulator For Short-Wavelength Light Using Periodically Poled MgO:LiNbO₃	73
<i>T. Inoue, T. Suhara</i>	
Recent Developments In Gradient Index Optics	75
<i>D. Moore</i>	
Proposal Of Optical Mode Switch Configuration For Four Modes	77
<i>R. Takakura, A. Fujino, T. Tanaka, K. Hamamoto</i>	
Design Of Polymer Waveguide Couplers For Mode-Division-Multiplexing Applications	79
<i>J. Dong, K. Chiang</i>	
Characterization And Analysis Of The Roughness Induced Double-Dip Spectrum Of SOI Micro-Ring Resonator	81
<i>C. Chen, C. Tsai, C. Tseng, C. Wang, H. Lin, Y. Chen</i>	
On Realizing Bipolar Optical Access Codecs With Walsh-Coded Liquid Crystal Modulators	83
<i>C. Yen, J. Huang, P. Chih</i>	
Noise Tolerance In QPSK Label Recognition With Optical Passive Waveguide Circuits	85
<i>Y. Makimoto, N. Goto, S. Yanagiya</i>	
Polymeric Wavelength Division Multiplexing Coupler With Fiber Guide And Filter Trench Fabricated By One-Step Replication Process For Bi-Directional Communication	87
<i>O. Sugihara, T. Kaino</i>	
Design, Fabrication, And Characterization Of Hybrid Structure	89
<i>T. Saastamoinen, J. Vayrynen, A. Partanen, H. Tuovinen, J. Mutanen, K. Monkkonen, M. Kuittinen</i>	
Optical Mode Converter Using Multi-Mode Interference Structure	91
<i>Y. Chaen, R. Tanaka, K. Hamamoto</i>	
Spatial Mode Multiplexer/Demultiplexer Based On Tapered Hollow Waveguide With Lateral Optical Confinement Structure	93
<i>H. Yamakawa, M. Sadamitsu, T. Sakaguchi, F. Koyama</i>	
Polymer Wavelength-Selective Filter Using High-Mesa Structure Directly-Coupled Double Micro-Ring Resonators	95
<i>Y. Takei, A. Matsumoto, A. Matsushita, K. Akahane, Y. Matsushima, K. Utaka</i>	
Integrated Silicon Grating Waveguides With Ferroelectric Liquid Crystal Cladding For Optical Tunable Wavelength Filters	97
<i>A. Kato, K. Nakatsuhara, Y. Hayama</i>	

Mach-Zehnder Filter Using Multiple Si Waveguide Structure Sections With Polarization Independence Or Splitter Function Attained By Custom-Made Interference Conditions	99
<i>K. Okayama, Y. Onawa, D. Shimura, S. Miyamura, H. Takahashi, H. Yaegashi, H. Sasaki</i>	
Tolerance To Phase And Amplitude Deviations In Optical Waveguide Circuit For Recognition Of 16QAM Codes	101
<i>K. Inoshita, N. Goto, S. Yanagiya</i>	
Single-Mode Optical Waveguide Of Polysilane Irradiated By Ultra-Violet Light	103
<i>S. Kawai, S. Oishi, L. ChuanXin</i>	
High Extinction-Ratio Characteristics Over 60 dB Mach-Zehnder Modulator With Asymmetric Power Splitting Y-Branched On X-Cut Ti:LiNbO₃	105
<i>Y. Yamaguchi, S. Nakahima, A. Kanno, T. Kawanishi, M. Izutsu, H. Nakajima</i>	
Effectiveness Of Double Phase Conjugate Mirror For Optical Inter-Satellite Communication With Large Shift Tolerance	107
<i>K. Nishimaki, A. Okamoto, A. Tomita, Y. Takayama, M. Bunsen</i>	
First Demonstration Of High Intrinsic Modulation Bandwidth (26.4 GHz) In Active Multimode Interferometer Laser Diode By Using Split Pumping Configuration	109
<i>M. Uddin, T. Kizu, Y. Hinokuma, K. Tanabe, A. Tajima, K. Kato, K. Hamamoto</i>	
Fundamental Characteristics Of 1550nm-Band 20-Layer-Stacked QD-SOA Grown on InP(311)B Substrate For All-Optical Logic Gate Device	111
<i>A. Matsumoto, Y. Takei, A. Matsushita, K. Akahane, Y. Matsushima, K. Utaka</i>	
Acceleration Of Wavelength Switching For Tunable Distributed Amplification (TDA-) DFB Lasers	113
<i>H. Onji, S. Takeuchi, N. Nunoya, M. Shimokozono, H. Ishii, K. Kato</i>	
Wavelength Stabilization Of Tunable Lasers Based On Thermal-Drift Canceler	115
<i>S. Takeuchi, H. Onji, N. Nunoya, M. Shimokozono, H. Ishii, K. Kato</i>	
All-Optical Gain Control Scheme For A Remotely Pumped Multicore Erbium-Doped Fiber Amplifier	117
<i>K. Kitamura, H. Tanaka, K. Tayama, H. Masuda</i>	
Noise Reducing Effect Of Negative Feedback Optical Amplifier Using An Optical Triode	119
<i>M. Azmi, Y. Fujikawa, S. Azizan, H. Tanimoto, Y. Maeda</i>	
Propagation Characteristics In Free-Space Laser Communications With Error Correction	121
<i>M. Sakamoto, K. Ogawa</i>	
10-Gbit/s QPSK x Single-Channel Fourier-Encoded Synchronous OCDM Transmission Over 50-km SMF	123
<i>Y. Okamura, O. Ijima, S. Shimizu, N. Wada, M. Hanawa</i>	
HCG Reflectivity Characteristics For A Small-Sized Beam Spot	125
<i>A. Kikuchi, D. Nakagawa, T. Miyamoto</i>	
Electro-Optic Polymer Waveguides Fabrication Using Thermal Imprint Lithography Technology	127
<i>F. Tan, T. Hirata, O. Sugihara, T. Kaino</i>	
Beam Propagation In All-Glass Nanostructured Gradient Index Microlenses	129
<i>R. Buczynski, A. Waddie, J. Nowosielski, A. Filimkowski, I. Kujawa, D. Pysz, R. Stepien, M. Taghizadeh</i>	
Conversion Of Two Polarizations Into Different Order Single Polarization Modes Using Slanted Sidewall Silicon Wire Waveguide And Its Application To Polarization Independent Wavelength Filtering	131
<i>H. Okayama, H. Yaegashi, H. Sasaki, H. Nishi, K. Yamada</i>	
Aberration Multiplexing In Microholographic Recording	133
<i>R. Katayama</i>	
Angle-Multiplexing Recording Of Multi-Context For Optically Reconfigurable Gate Array In Holographic Memory Using Liquid Crystal Composites	135
<i>A. Ogiwara, H. Maekawa, M. Watanabe, R. Moriwaki</i>	
Performance Evaluation Of Holographic Data Storage System With Phase-Shift Embedded SQAM Datapages	137
<i>S. Umetsu, M. Bunsen, M. Takabayashi, A. Okamoto</i>	
Statistical Properties Of The Electromagnetic Field At Blackbody Cavity Opening And In Its Far Zone	139
<i>A. Friberg, T. Setälä, J. Tervo, J. Turunen</i>	
Probing Substrate Influence On Graphene By Fitting Raman Signals With Voigt Profile	141
<i>Y. Liu, C. Huang, B. Lin, H. Lin, C. Huang, F. Shih, W. Wang, C. Liu, H. Chui</i>	
Structural Dependence Of The Switching Characteristics Of 2 x 2 InAlGaAs/InAlAs Mach-Zehnder-Type Optical Switch	143
<i>S. Kawasaki, H. Koketsu, N. Koyama, A. Takei, T. Taniguchi</i>	
Coherent Random Laser Fluid Of Nematic Liquid Crystal Emulsions	145
<i>K. Kajikawa, Y. Nagai, R. Fujimura</i>	

Capability Of Intensity-Correlation Spectral-Domain Optical Coherence Tomography	147
<i>T. Shirai, A. Friberg</i>	
Construction Of Metal-Enhanced Evanescent-Wave Microcavity And Air-Gap Control	149
<i>T. Wakamatsu</i>	
Refractive Index Sensing With High Temperature Nano-Coated Electric Arc-Induced Long-Period Gratings Working At Dispersion Turning Point	151
<i>M. Smietana, A. Debowska, P. Mikulic, W. Bock</i>	
Hot Embossing Technology For Development Of Glass Microoptics With Broadband Transmission In Visible And Mid Infrared Ranges	153
<i>R. Buczynski, R. Kasztelanic, I. Kujawa, A. Waddie, M. Taghizadeh, R. Stepien</i>	
Nano-Imprint Method For Metal-Assisted Guided Mode Resonance Biosensor	155
<i>S. Lin, S. Zheng, J. Chang</i>	
Enhancement Of Luminescence With Resonance Waveguide Gratings	157
<i>A. Partanen, I. Koshevoy, T. Saastamoinen, J. Mutanen, H. Lajunen, M. Kuittinen</i>	
Sensing Distance Elongation In BOTDR Scheme Using Optical Frequency Comb	159
<i>H. Sawaguchi, K. Kashiwagi, Y. Tanaka, T. Kurokawa</i>	
Evaluation Of Brillouin Scattering Properties In Plastic Optical Fibers For Wide-Range Temperature Sensing	161
<i>K. Minakawa, N. Hayashi, Y. Shinohara, M. Tahara, H. Hosoda, Y. Mizuno, K. Nakamura</i>	
First Demonstration Of Liquid Concentration Measurement By Using Silica High-Mesa Waveguide	163
<i>H. Hokazono, J. Chen, M. Tsujino, K. Hamamoto</i>	
Brillouin Scattering In Erbium-Doped Optical Fibers: Fundamental Properties And Pumping Effect	165
<i>M. Ding, N. Hayashi, Y. Mizuno, K. Nakamura</i>	
Optical Fiber In-Line Mach-Zehnder Interferometer Based On Dual Internal Mirrors Formed By A Hollow Sphere Pair	167
<i>T. Hu, D. Wang</i>	
Image Resolution Improvement In Digital Holographic Microscope With Image Restoration And PSF Upscaling	169
<i>D. Kim, N. Park, H. Yang, K. Park, Y. Park</i>	
Hybrid Digital Holography That Combines Simultaneous And Temporal Phase-Shifting Interferometric Techniques	171
<i>Y. Fukagawa, M. Bunsen</i>	
Optical Inspection And Thickness Measurement Of Nanostructures With Optical Coherence Tomography Based On Single Channel Acquisition	173
<i>W. Yin, F. Chang, H. Lee, M. Tsai</i>	
Differential Processing Using An Optical Pulse Synthesizer And Its Application To Chirp Measurement	174
<i>S. Seki, W. Qiao, K. Kashiwagi, H. Tsuda, H. Takenouchi, T. Kurokawa</i>	
Optical Waveguide Resonator For One-Port Refractive Index Sensing	176
<i>N. Fujiwara, H. Okayama, H. Irikawa, T. Ooka, M. Tsutsui, H. Nakajima</i>	
A Wavelength Insensitive, Non-Contact And Highly Efficient Fiber Optic Connector Using Up-Tapered Multimode Optical Fibers	178
<i>T. Yoshihiro, Y. Ono, T. Kasamatsu</i>	
Proposal Of Multiple Slot Silica High-Mesa Waveguide For Infrared Absorption	180
<i>J. Chen, H. Hokazono, M. Tsujino, D. Nakashima, K. Hamamoto</i>	
Fabrication Of Long-Period Fiber-Gratings By Low-Pressure Mercury Lamp-Effect Of Grating Length	182
<i>T. Mizunami, T. Fujiyoshi</i>	
Polymer Waveguide-Type Kretschmann-Structure Surface Plasmon Sensor At 1550nm Wavelength Range	184
<i>N. Hidaka, Y. Kuroda, Y. Matsushima, K. Uta</i>	
Optical Amplifier Assisted Cavity Ring Down Spectroscopy (CRDS) Method For Compact Infrared Sensing	186
<i>M. Tsubino, H. Hokazono, J. Chen, K. Hamamoto</i>	
Proposal And Design Of Hybrid Light Guide Plate For Large-Area LED Display To Improve Illuminance And Color Uniformity	188
<i>M. Shin, H. Moon, J. Lee, Y. Kim</i>	
Solution Processed Organic Light-Emitting Diodes And Photodiodes Utilizing Poly (AlkylFluorene) Derivatives	190
<i>Y. Ohmori, T. Yamamoto, H. Ohmori, H. Kajii</i>	
Temperature Stabilization Of High-Power LED Chips Using Low-Cost Passive Heat Sinks	192
<i>E. Balvis, R. Bendana, H. Michinel, P. Cordoba</i>	

Nonpolar GAN Two Dimensional Photonic Crystal H2 High Quality Factor Nanocavities	194
<i>T. Lu, T. Wu, S. Lo, C. Tsao, H. Huang, C. Chang, S. Wang</i>	
Optical Characteristics Of UV-LED With Subwavelength Grating.....	196
<i>Y. Takashima, R. Haraguchi, Y. Naoi</i>	
Design Of Efficient Surface Plasmon Polariton Modulator Using Graphene.....	198
<i>J. Ho, S. Iwamoto, Y. Arakawa</i>	
Effect Of Light Incidence Angle On Optical Absorption Characteristics Of Bulk Heterojunction Organic Solar Cells.....	200
<i>K. Lee, S. Park, D. Kim, Y. Kim</i>	
Micro-Alvarez Lenses For A Variable Dynamic Range Shack-Hartmann Wavefront Sensor	202
<i>E. Acosta, J. Sasian</i>	
Coherence Changes In Partially Coherent Beams Transmitted By Metal Gratings.....	204
<i>H. Lajunen, T. Saastamoinen</i>	
Multiple Excitation Of Localized Surface Plasmon Using Metallic Nano-Particle Array Based Sharp Ridge Nanoaperture	206
<i>W. Lee, S. Kang, T. Kim, G. Lim, G. Choi, K. Park, Y. Park, N. Park</i>	
Fabrication Of MgO:LiNbO₃ Thin Film Ridge Waveguide By Surface-Activated Bonding And Ion Slicing	208
<i>K. Tanaka, T. Suhara</i>	
Thermal Control Of Diffraction Wavelength In Holographic Polymer Dispersed Liquid Crystal By Using Different Grating Structure	210
<i>A. Ogiwara, H. Shichi, H. Kakiuchida, K. Yoshimura</i>	
Noninvasive Observation Of Vascular Leakage Induced By Focused Ultrasound With Optical Coherence Tomography	212
<i>F. Chang, K. Lin, Y. Lin, H. Liu, M. Tsai</i>	
Dielectric Function Dependence On Temperature For Noble Metal.....	214
<i>Y. Chen, M. Lee, C. Wang</i>	
Characterization Of Fractional Photothermolysis And Visualization Of Microthermal Zone With Optical Coherence Tomography	216
<i>H. Lee, F. Chang, W. Yin, C. Yang, S. Shen, M. Tsai</i>	
OCT-Based Measurement Of Rayleigh-Wave Velocity In Soft Materials.....	217
<i>Y. Kato, Y. Wada, Y. Mizuno, K. Nakamura</i>	
Polymer Microoptics For VCEL Beam Control.....	219
<i>V. Bardinal, T. Camps, S. Abada, B. Reig, J. Doucet, E. Daran</i>	
10-Gbit/s On-Chip Optical Interconnect Module Using Silicon-Based 45 Micro-Reflectors Terminated Polymer Waveguides	221
<i>M. Zeng, C. Chen, P. Shen, K. Liang, C. Chang, H. Hsiao, H. Lan, Y. Lee, Y. Lin, M. Wu</i>	
Asymmetrical Slit Si Waveguide TE-TM Mode Converter	223
<i>A. Fujie, Y. Shoji, T. Mizumoto</i>	
A Wavelength-Selective Switch Based On Microring Resonators And Mach-Zehnder Interferometer Switches	225
<i>K. Miura, Y. Shoji, T. Mizumoto</i>	
A Proposal Of Novel Optical Interface To Transmit 8K-UHDTV For Consumer Applications	227
<i>H. Takizuka, T. Torikai, A. Mitsui, H. Suzuki, Y. Watanabe, T. Toma, Y. Koike</i>	
SOI-Based Vertically-Splitting Optical Waveguides For Optical Interconnects.....	229
<i>C. Chiu, P. Shen, C. Li, C. Chen, M. Wu</i>	
Spectroscopy As A "Green" Technique For Food Quality And Safety Applications	231
<i>A. Mignani, L. Ciaccheri, A. Mencaglia, H. Ottevaere, H. Thienpont</i>	
Infrared Thermometry For Detecting Flaws In Large-Core Polymer Optical Fibers.....	233
<i>N. Hayashi, Y. Mizuno, K. Nakamura</i>	
Speckle Noise Reduction By Focal Plane Wave-Front Sensing In High Contrast Imaging Optics.....	235
<i>K. Sato, J. Nishikawa, M. Ohya, M. Horie, Y. Tanaka, S. Kumagai, T. Kurokawa, N. Murakami</i>	
Rigorous Surface-Plasmon Polaritons At A Lossy Interface.....	237
<i>A. Norrman, T. Setala, A. Friberg</i>	
Terahertz Transmission Through One-Nanometer Slits.....	239
<i>D. Kim</i>	
Array Masters For UV-Replication Used In Imaging Applications	241
<i>F. Wippermann, J. Reimann, A. Bruckner, A. Brauer</i>	
Recording Light Fields With Microoptical Systems	243
<i>A. Oberdorster, A. Bruckner, H. Lensch</i>	
Optical Focus With High Aperture Lens Based On High Contrast Gratings.....	245
<i>A. Klemm, D. Stellinga, E. Martins, L. Lewis, G. Huyet, L. O'Faolain, T. Krauss</i>	

Wafer-Level Technologies For Computational Cameras	247
<i>M. Rossi</i>	
Flip-Chip InGaN Light-Emitting Diodes With An Integrated Microlens Array	249
<i>K. Li, H. Choi</i>	
Fabrication Of A Sealed Wire Grid Polarizer By Use Of Room-Temperature-Bonding	251
<i>K. Asano, S. Yokoyama, A. Kemmochi, K. Kikuchi, T. Yatagai</i>	
Simulation Of Arrays Of Metal Nanowires Using A Monochromatic Recursive Convolution Finite-Difference Time-Domain Method	253
<i>S. Banerjee</i>	
Facile Preparations Of Au Nanostructures For SERS	255
<i>S. Huh, H. Shin, J. Hong</i>	
Liquid Crystal Microlens Operated With Fluorescent Dyes	257
<i>M. Kinoshita, A. Shishido</i>	
Preparation Of Highly Luminescent CdSe Quantum Dots By Reverse Micelles	259
<i>K. Liu, A. Lee, S. Park</i>	
Author Index	