

2013 IEEE 1st International Conference on Condition Assessment Techniques in Electrical Systems

(CATCON 2013)

**Kolkata, India
6-8 December 2013**



**IEEE Catalog Number: CFP1320V-POD
ISBN: 978-1-4799-0082-4**

| Sl. No. | Paper No. | Paper Title | Author | Page No. |
|---------|-----------|--|--|----------|
| 1 | 8 | Application of Arduino based platform for Wearable Health Monitoring system | <i>Akshay Sugathan, Gaurav Gautam Roy, G.J Kirthyvijay and Jeffrey Thomson</i> | 1 to 5 |
| 2 | 13 | Operational Reliability Enhancement with PMUs in Indian Power Network | <i>R. K. Pandey, P. Pentayya, A. Gartia, Rajkumar A. and Chandan Kumar</i> | 6 to 10 |
| 3 | 17 | Simulation of Bewley's Lattice Diagram Using MATLAB | <i>Brajagopal Datta and Saibal Chatterjee</i> | 11 to 16 |
| 4 | 22 | A Detailed Analysis of Optimized Load Frequency Controller for Static and Dynamic Load Variation in an AC Microgrid | <i>K Mahesh Dash, Subham Sahoo and Sukumar Mishra</i> | 17 to 22 |
| 5 | 23 | Dry Ice Cleaning to Improve Dielectric Features of High Voltage Windings in Turbine Generators | <i>P.G.S. Kumar</i> | 23 to 28 |
| 6 | 26 | Detection of Electrical Discharges in DC Accelerator Using Photomultiplier Tubes | <i>Srutarshi Banerjee, A. K. Deb, Rehim N. Rajan and N. K. Kishore</i> | 29 to 34 |
| 7 | 27 | Modeling Techniques for Lightning Overvoltage Analysis using the example of Gas Insulated Transmission Lines (GIL) | <i>F. Goll, R. Witzmann, C. Neumann and D. Imamovic</i> | 35 to 41 |
| 8 | 28 | Experience with transformer interaction with low amplitude high oscillatory switching transients in a power utility network | <i>Poulomi Mitra, Sreejeet Ghosh, Abhinandan De and Avijit Chakrabarti</i> | 42 to 47 |
| 9 | 29 | Detection Of Simultaneous Unbalanced Under Voltage And Broken Rotor Fault In Induction Motor | <i>Sridhar S. and K. Uma Rao</i> | 48 to 53 |
| 10 | 31 | Characterization of Short Circuit Faults and Incipient Insulation Degradation between Stator Winding Turns of Induction Motor | <i>Santanu Das, P.Purkait and S. Chakravorti</i> | 54 to 59 |
| 11 | 32 | Enhancing Physical Resolution of Constructed Ladder Network for an Interleaved Winding | <i>Saurav Pramanik and L. Satish</i> | 60 to 65 |
| 12 | 34 | Computation Of Temperature Distribution In The Rotor Of An Induction Motor During Star-Delta Starting In Two Dimensional Rectangular Coordinates | <i>Nirmal Kr. Bhattacharya, Ashok Kr. Naskar and Debasis Sarkar</i> | 66 to 71 |
| 13 | 36 | A Comparative Study of Impact of Reactive Power on Ageing of Synchronous Machine in Power System Operation | <i>Narendra Mohan Jha and Tirthadip Ghosh</i> | 72 to 76 |
| 14 | 37 | A Study on the Influence of High Electric Field Intensity Treatment on Crop Life | <i>Gowrishankar S. and Gowri Sree V.</i> | 77 to 81 |
| 15 | 39 | An Optimised Design of Controller for UPFC to Improve the Transient Stability Performance in Power System | <i>K Mahesh Dash, Subham Sahoo and Sukumar Mishra</i> | 82 to 87 |

| Sl. No. | Paper No. | Paper Title | Author | Page No. |
|---------|-----------|---|--|------------|
| 16 | 40 | Breakdown behavior of sub - millimeter air gaps under alternating voltage | <i>Sreedevi B.R. and T.C. Balachandra</i> | 88 to 93 |
| 17 | 41 | Thermal Analysis of Underground Power Cables using Two Dimensional Finite Element Method | <i>Ashok Kr. Naskar, Nirmal Kr. Bhattacharya, Sourav Saha and S.N.Kundu</i> | 94 to 99 |
| 18 | 42 | Partially and Fully Insulated conductor systems for low and medium voltage over head distribution lines | <i>H.K. Agarwal, K. Mukherjee and P. Barua</i> | 100 to 104 |
| 19 | 43 | Comparative Critical Analysis of SAF using Soft Computing and Conventional Control Techniques for High Frequency (400 Hz) Aircraft System | <i>Saifullah Khalid and Bharti Dwivedi</i> | 105 to 110 |
| 20 | 44 | Identification and Classification of Fault using S-Transform in an Unbalanced Network | <i>N. Roy and K. Bhattacharya</i> | 111 to 115 |
| 21 | 46 | Analysis Of PMSG Under Stator turn to turn Fault Using Winding Function Theory | <i>Sovit Kumar Pradhan and Rakesh Kumar Srivastava</i> | 116 to 121 |
| 22 | 47 | The Effect Of Change In DC Link Series Resistance On The AC/AC Converter Operation | <i>Piotr Lipnicki, Daniel Lewandowski, Michał Orkisz and Adrian Tresch</i> | 122 to 127 |
| 23 | 48 | Performance of High Voltage Protection cards used in Digital Telephone Exchanges | <i>Subba Reddy B., Alok R. Verma, Sanjeevan Palit and Anwesha Panda</i> | 128 to 133 |
| 24 | 50 | Effective Field Optimization of High Voltage Electrode Surface by Biogeography Based Algorithm | <i>Purushottam Padghan and Abhijit Mukherjee</i> | 134 to 138 |
| 25 | 52 | Characteristics of Stator Inductances with Interturn Fault in PMBLDC Motor Using Winding Function Approach | <i>Sovit Kumar Pradhan and Rakesh Kumar Srivastava</i> | 139 to 144 |
| 26 | 53 | Condition Assessment of Oil-Paper Insulation in Large Power Equipments using Transfer Function Zero of Debye Model | <i>A. Baral and S. Chakravorti</i> | 145 to 149 |
| 27 | 57 | Frequency Domain Spectroscopy of Oil-paper Insulation under Sinusoidal and Square Wave Excitations | <i>A.K. Pradhan, B.Chatterjee and S. Chakravorti</i> | 150 to 153 |
| 28 | 61 | Computational Intelligence Algorithm based Condition Monitoring System for Power Transformer | <i>Makarand Sudhakar Ballal, Deepali Makarand Ballal, Hiralal Muralidhar Suryawanshi and Bhupesh Nemichand Choudhari</i> | 154 to 159 |
| 29 | 64 | Failure Mode Analysis of Oil-free Pulse Capacitors | <i>Ravindra Kumar Sharma, Manohar A Gurav and Satish G. Chavan</i> | 160 to 162 |
| 30 | 65 | Condition Assessment of Transformer by Parks Vector and Symmetrical Components to detect Inter Turn Fault | <i>P.A. Venikar, M.S. Ballal, B.S. Umre and H.M. Suryawanshi</i> | 163 to 168 |

| Sl. No. | Paper No. | Paper Title | Author | Page No. |
|----------------|------------------|--|--|-----------------|
| 31 | 66 | Virtual Instrument based Fault Classification in Power Transformers using Artificial Neural Network | <i>Santosh Kumar Nanda and S. Gopalakrishna</i> | 169 to 173 |
| 32 | 68 | Understanding the Correlation between Dielectric Response Measurement Results and Equivalent Circuit Pole Locations of a Transformer Oil paper Insulation System | <i>S. K. Ojha, P.Purkait, D. Mukherjee and S. Chakravorti</i> | 174 to 179 |
| 33 | 69 | Analysis of Variations in Measured Recovery Voltage Peaks due to Presence of Moisture in Insulation of Power Transformers | <i>S. B. Mallik, P.Purkait, Nimesh Mohandas and S.V. Kulkarni</i> | 180 to 185 |
| 34 | 71 | Development of 1-ph Hybrid Active Power Filter with an Efficient FPGA Platform for Power Conditioning | <i>Santanu Kumar Dash and Gayadhar Panda</i> | 186 to 190 |
| 35 | 74 | Investigations on PD Characteristics of Vegetable Oils for High Voltage Applications | <i>S. Banumathi, S. Chandrasekar and Gian Carlo Montanari</i> | 191 to 195 |
| 36 | 75 | Location of Faults in Transformer Winding using SFRA | <i>Usha K, Jineeth Joseph and Usa S.</i> | 196 to 201 |
| 37 | 77 | Mechanical Fault Diagnosis of Induction Motor using Hilbert Pattern | <i>Pratyay Konar and Paramita Chattopadhyay</i> | 202 to 206 |
| 38 | 78 | Mathematical Analysis of Unbalanced Magnetic Pull and Detection of Mixed Air gap Eccentricity in Induction Motor by Vibration Analysis using MEMS Accelerometer | <i>Maruthi G.S. and Vishwanath. Hegde</i> | 207 to 212 |
| 39 | 79 | Power Loss Estimation in a 420kV Gas Insulated Busbar (GIB) by Theoretical and Simulation Techniques – A Comparison | <i>Sridhar C., Venkatesh S. and Santosh Kumar A.</i> | 213 to 217 |
| 40 | 80 | A Smart Operational Monitoring Approach for High Voltage Electrical Assets | <i>L. Fornasari, A. Cavallini and G. C. Montanari</i> | 218 to 222 |
| 41 | 81 | Diagnosis on Mechanical and Electrical Properties of Cable Insulation PVC with Nanofiller | <i>Pugazhendhi Sugumaran C.</i> | 223 to 226 |
| 42 | 82 | Frequency Dependent Propagation Characteristics of Partial Discharge Acoustic Emission Signal | <i>Prasanta Kundu, N K Kishore and A K Sinha</i> | 227 to 230 |
| 43 | 83 | Diagnostics of Transformer Insulation Based on Dielectric Response Measurements | <i>Raj B. Jadav, Tapan K. Saha and Chandima Ekanayake</i> | 231 to 236 |
| 44 | 84 | Wavelet and SFAM Based Classification of Induction Motor Stator Winding Short Circuit Faults and Incipient Insulation Failures | <i>S. Sarkar, S. Das and P.Purkait</i> | 237 to 242 |
| 45 | 85 | Wavelet Transform Based Error Detection in Signal Acquired from Artillery Unit | <i>B. B. Pradhan, S. Ari, G. K. Sahoo, D K Jena, S. K. Patra, and R. Appavuraj</i> | 243 to 248 |
| 46 | 87 | Analysis of Partial Discharge Signals in 420 kV Gas Insulated Substation | <i>Prabakaran T, Usa S. and Santosh Kumar A.</i> | 249 to 254 |

| Sl. No. | Paper No. | Paper Title | Author | Page No. |
|---------|-----------|--|---|------------|
| 47 | 91 | Partial Discharge Source classification by Support Vector Machine | <i>R. Sarathi, I.P. Merin Sheema and R. Abirami</i> | 255 to 258 |
| 48 | 92 | Low Cost RF Sensor for Partial Discharge Detection of High Voltage Apparatus | <i>B. Sarkar, C. Koley, N.K. Roy and P. Kumbhakar</i> | 259 to 264 |
| 49 | 93 | Current shared by cables connected to down conductors and tower during a lightning strike | <i>Govind R. Kunkolienker and Udaya Kumar</i> | 265 to 269 |
| 50 | 95 | Projection based approach for Super-Resolution ECG | <i>Jiss J Nallikuzhy, L. N Sharma and S. Dandapat</i> | 270 to 274 |
| 51 | 96 | Classification of Sleep Apnea using Cross Wavelet Transform | <i>Bijoy Laxmi Koley and Debangshu Dey</i> | 275 to 280 |
| 52 | 97 | Volt-Time Characteristics of OIP under Non-Standard Impulses | <i>G. Krithika and S. Usa</i> | 281 to 285 |
| 53 | 98 | Vibration Signal Analysis of Induction Motors used in Process Control Operation | <i>S. Mitra and C. Koley</i> | 286 to 291 |
| 54 | 100 | Remote Condition Monitoring of High Voltage Insulators Employing GSM Network | <i>Riddhi Ghosh, Biswendu Chatterjee, Debangshu Dey and Sivaji Chakravorti</i> | 292 to 296 |
| 55 | 101 | Detection of Abnormal Findings in Human RBC in Diagnosing G-6-P-D deficiency Haemolytic Anaemia Using Image Processing | <i>Pranati Rakshit and Kriti Bhowmik</i> | 297 to 302 |
| 56 | 102 | Prediction of Transformer Winding Displacement from Frequency Response Characteristics | <i>M. Arul Sathya, Ajith John Thomas and S Usa</i> | 303 to 307 |
| 57 | 103 | An Efficient Method of Face Recognition by Fusing Original and Diagonal Images | <i>Aniruddha Dey, Shiladitya Chowdhury, Jamuna Kanta Sing, Dipak Kumar Basu and Mita Nasipuri</i> | 308 to 313 |
| 58 | 104 | Cross Hilbert-Huang Transform based Feature Extraction Method for Multiple PQ disturbance classification | <i>Sovan Dalai, Debangshu Dey, Biswendu Chatterjee, Sivaji Chakravorti and Kesab Bhattacharya</i> | 314 to 317 |
| 59 | 105 | Localization of Deformations in Transformer Windings Using Terminal Capacitance Measurements | <i>P M Joshi, Ketan Badgujar and S V Kulkarni</i> | 318 to 324 |
| 60 | 106 | On the detection of missing magnetic wedges using impedance analysis | <i>Maciej Orman, James Ottewill, Agnieszka Tkaczyk, Cajetan Pinto and Vijay Anand</i> | 325 to 330 |
| 61 | 107 | Life Estimation of Transformer Insulation Under Repeated Impulses | <i>S P Balaji and S Usa</i> | 331 to 334 |

| Sl. No. | Paper No. | Paper Title | Author | Page No. |
|---------|-----------|---|--|------------|
| 62 | 108 | Dual Zone Industrial Induction Heater using MOSFET based High Frequency Hybrid Resonant Converter | <i>Pradip Kumar Sadhu, Ananyo Bhattacharya and Nitai Pal</i> | 335 to 340 |
| 63 | 109 | Modelling of Fuzzy Logic Controller for Variable-Step MPPT in Photovoltaic System | <i>C.P. Roy, D. Vijaybhaskar and T. Maity</i> | 341 to 346 |
| 64 | 111 | Acoustic emission signal analysis of On-Load Tap Changer (OLTC) | <i>T. Bhavani Shanker, H. N. Nagamani and Gururaj S. Puneekar</i> | 347 to 352 |
| 65 | 114 | Electrocardiogram (ECG) Signal Classification using S-transform, Genetic Algorithm and Neural Network | <i>Manab Kumar Das, Dipak Kumar Ghosh and Samit Ari</i> | 353 to 357 |
| 66 | 116 | Prediction of Flashover of Silicone Rubber Insulator under Different Contaminated Surface Conditions | <i>Krishna Patel and B.R. Parekh</i> | 358 to 361 |
| 67 | 117 | Design and Implementation of an Electrical Resistance Tomography (E.R.T.) System for Condition Assessment of Industrial Equipment | <i>Prarthana Bhattacharyya, Aritra Mitra and Priyam Purkait</i> | 362 to 367 |
| 68 | 118 | A New Combined Crypto-Watermarking Technique using RSA Algorithm and Discrete Cosine Transform to Retrieve Embedded EPR from Noisy Bio-Medical Images | <i>Koushik Pal, Subhajit Koley, Goutam Ghosh and Mahua Bhattacharya</i> | 368 to 373 |
| 69 | 119 | Differentiation of Faults from Power Swings and Detection of High Impedance Faults by Distance Relays | <i>Abilash Thakallapelli, Rachit Mehra and H.A. Mangalvedekar</i> | 374 to 378 |
| 70 | 121 | Some Investigations on Temperature Dependent Breakdown of Electric Cables under no Load | <i>Alampratap Singh Tiwana and C C Reddy</i> | 379 to 382 |
| 71 | 122 | On-line Partial Discharge Monitoring using MATLAB interface with DSO | <i>Partha Ray, A.K. Maitra and Arjit Basuray</i> | 383 to 385 |
| 72 | 123 | Genetic Algorithm in Location Identification of AEPD Source: Some Aspects | <i>Gururaj S. Puneekar, Deepthi Anthony, Bhavani Shanker T., H N Nagamani and N K Kishore</i> | 386 to 390 |
| 73 | 124 | Condition monitoring of Chemicals and Biochemicals using Side Polished Single Mode Fiber | <i>Tarun Kumar Gangopadhyay, Jijo V Ittiah, Naveen Kumar Mishra, Mrinmay Pal and Mukul C. Paul</i> | 391 to 394 |
| 74 | 125 | Space Charge Diagnostics in Aged Polymeric Insulation | <i>Supriyo Das, J C Pandey and Nandini Gupta</i> | 395 to 398 |
| 75 | 126 | Detecting Turn Insulation Failures in Motor Coils Using Ground Current Signals | <i>Ayman H. El-Hag, Ahmed Gaouda, Shesha Jayaram and Saeed Ul-Haq</i> | 399 to 402 |