

# **2014 First International Conference on Automation, Control, Energy and Systems**

**(ACES 2014)**

**Hooghly, West Bengal, India  
1-2 February 2014**



**IEEE Catalog Number: CFP1454W-POD  
ISBN: 978-1-4799-3895-7**

| Paper ID   | Title   | Author Name  | Page No |
|------------|---|--|---------|
| PID3042123 | Design of an Ultra-wideband Wilkinson Power Divider   | B. Mishra, A. Rahman, S. Shaw, M. Mohd., S. Mondal and P. P. Sarkar        | 1       |
| PID3043917 | Chemical Reaction Optimization Applied in Economic Dispatch Problems  | Kuntal Bhattacharjee, Aniruddha Bhattacharya, Sunita Halder nee Dey        | 5       |
| PID3041953 | <i>Fractal Image Compression By Using Loss-Less Encoding On The Parameters Of Affine Transforms</i>           | Utpal Nandi, Jyotsna Kumar Mandal  | 11      |
| PID3045227 | High Frequency Link Soft Switched Pulse Shifted Modulated Front End 3 Level Diode Clamped Inverter Using APSO | Madichetty Sreedhar, Abhijit Dasgupta                                      | 17      |
| PID3068597 | An Approach for Printed Document Labeling   | Chandranath Adak   | 23      |
| PID3041613 | Small Monopole Antenna with Corner Modified Patch for UWB Applications  | Suprio Kundu, Manisha Kundu, Kaushiik Mandal                               | 27      |
| PID3047169 | Planning and implementation strategy of Demand Side Management in India                                       | V S K V Harish, Arun Kumar   | 30      |
| PID3041623 | An Experimental Evaluation of Optimal Control Design for Coupled Tank system                                  | Soumya Ranjan Mahapatro, Bidyadhar Subudhi, Subhojit Ghosh                 | 36      |
| PID3065579 | Different Control Techniques of Dynamic Voltage Restorer for Power Quality Problems                           | Abrarkhan I. Pathan, Prof.S S. Vanamane, Dr. R.H. Chile                    | 41      |
| PID3064783 | Design and Development of Precision Agriculture System Using Wireless Sensor Network                          | S. R. Nandurkar, V. R. Thool, R. C. Thool                                  | 47      |
| PID3050489 | Asynchronous Operation of Synchronous Generators under Field Failure  | Avijit Maity, Kesab Bhattacharya, Amar Nath Sanyal                         | 53      |
| PID3068013 | Supervision of Control Valve Characteristics Using PLC and Creation of HMI by SCADA                           | Sayantan Dutta, Anusree Sarkar, Kaushik Samanta, Rishabh Das, Apurba Ghosh | 59      |
| PID3068109 | Embedded System for Home Automation Using SMS   | Sougata Das, Nilava Debadhuti, Rishabh Das, Sayantan Dutta, Apurba Ghosh   | 64      |
| PID3067779 | Short-Term Hydrothermal Scheduling Using Particle   | Koustav Dasgupta, Sumit Banerjee   | 70      |

|            |   |   |     |
|------------|---|---|-----|
|            | Swarm Optimization with Constriction Factor and Inertia Weight Approach   |   |     |
| PID3101483 | MODIFIED ATO ALGORITHM BASED HIGH ACCURACY RDC USING PULSE EXCITATION   | Chandra Mohan Reddy<br>Sivappagari, Nagabhushan<br>Raju Konduru     | 76  |
| PID3041611 | Cost Effective PRNG using ELCA: A BIST Application  | Arnab Mitra, Anirban Kundu, Chandra Das                             | 81  |
| PID3047697 | A Comparative Study of Breast Cancer Detection based on SVM and MLP BPN Classifier  | Soumadip Ghosh, Sujoy Mondal, Bhaskar Ghosh                         | 87  |
| PID3051995 | Utility of PSO for power loss minimization in a Power System Network  | Roshan Kumar, Ujjwal Agarwal, Anil Kumar Sahu, and Rajat Anand      | 91  |
| PID3064691 | Effect of Different Controllers and Capacitive Energy Storage on Two Area Interconnected Power System Model Using MATLAB SIMULINK                       | Prasun Sanki, Soumyadeep Ray, Rakesh Rajan Shukla, Debapriya Das    | 97  |
| PID3050367 | AGC in Two-area Deregulated Power System Using Reinforced Learning Neural Network Controller  | A. K. Pal, P. Bera, K. Chakraborty                                  | 103 |
| PID3042889 | Analysis of Three Phase Cascaded H-Bridge Multilevel Inverter For Symmetrical & Asymmetrical Configuration  | Dr. Sachin S. Bharatkar, Mr. Raju R. Bhojar, Mr. Sarang A. Khadtare | 109 |
| PID3044261 | Missile Attitude Control via a Hybrid LQG-LTR-LQI Control Scheme with Optimum Weight Selection  | Saptarshi Das, Kaushik Halder                                       | 115 |
| PID3102051 | Analysis of Unbalanced Distribution System Voltage Dependant Load Models with Load Growth   | V. Ganesh, K. Vasu  | 121 |
| PID3051505 | Gabor Filter Based Hand-Drawn Underline Removal in Printed Documents  | Supriya Das, Purnendu Banerjee                                      | 126 |
| PID3043839 | Application of Wireless Sensor Network in Remote Monitoring<br><i>Water-level sensing and temperature sensing, and their application in agriculture</i> | Yudhajeet Dasgupta, Guru Darshan PM                                 | 130 |

|            |   |  |     |
|------------|---|--|-----|
| PID3041927 | Side Channel Attacks and Their Mitigation Techniques  | Ajoy Kumar khan, Hridoy Jyoti Mahanta                            | 133 |
| PID3042105 | A Heuristic Algorithm for Via Minimization in VLSI Channel Routing  | Bhaskar Das, Ashim Kumar Mahato, Ajoy Kumar Khan                 | 137 |
| PID3042125 | Performance Evaluation of Single Phase Self Excited Wind Generator using Three Phase Machine                        | A.Chatterjee, K.Roy, D.Chatterjee                                | 142 |
| PID3067801 | Impact of Shunt Capacitor on Voltage Stability Analysis of Distribution Networks under Critical Loading Conditions  | Tapan Kumar Chattopadhyay, Sumit Banerjee, Chandan Kumar Chanda  | 147 |
| PID3042173 | Fractal Image Compression using Fast Context Independent HV partitioning Scheme and MRBH, MRBHM coding              | Utpal Nandi, Jyotsna Kumar Mandal                                | 152 |
| PID3041985 | A Case Study of Low-Noise Amplifier Design for 2.65GHz Wireless System using MOSFET BSIM4 Series and CNTFET         | Sayak Bhowal   | 157 |
| PID3050789 | Analysis of In-Band Crosstalk-Crosstalk Beat Noise and Obtaining Bit Error Rate in a WDM Receiver                   | P. P. Mukherjee, Santu Sarkar, Nikhil R. Das                     | 163 |
| PID3041679 | Power Flow Analysis in the presence of Power Injection Model of IPFC  | Ch.V.Suresh, S. Sivanagaraju, Ravindrababu.Meda, K.Srikumar      | 167 |
| PID3060181 | Random Forests Based Sub-Vocal Electromyogram Signal Acquisition and Classification for Rehabilitative Applications | Biswajeet Champaty, Bibhu K. Biswal, Kunal Pal, D. N. Tibarewala | 173 |
| PID3042707 | Modified Technique of Insertion Methods for Data Hiding Using DNA Sequences   | Subhajit Manna, Sudipta Roy, Pabitra Roy, Samir K. Bandyopadhyay | 179 |
| PID3063441 | Morphologically Contour Extraction of Decisive Objects from Image   | Anirban Mitra, Somasis Roy, Sanjit Kumar Setua                   | 184 |
| PID3067885 | A MULTISTAGE CONCEPT FOR DISTRIBUTION SYSTEM PLANNING   | Sweta Subudhi, Priya Agarwal, T.Ghose                            | 189 |
| PID3041621 | Optimal sizing of PV array  | V.Raviprasad, Dr.  | 195 |

|            |  |   |     |
|------------|--|---|-----|
|            | for critical load with parallel redundant architecture using GA.   | Ravindra Kumar Singh  |     |
| PID3051849 | Linear Induction Motor based People Mover for circular Routes: a Case Study  | Ayan Das, Dr. Som Nath Mahendra   | 202 |
| PID3068213 | THERAPEUTIC USES OF PULSED ELECTROMAGNETIC FIELD AND DESIGN OF A T.E.N.S. PAIN RELIEF UNIT [PART I]                              | Jayjeet Sarkar  | 208 |
| PID3068493 | A novel approach to realize Built-in-self-test(BIST) enabled UART using VHDL   | Tapas Tewary, Atanu Sen   | 215 |
| PID3044919 | Application of Voltterra-Series Algorithm for Power System Harmonic Estimation   | Santosh Kumar Singh, Arup Kumar Goswami, Nidul Sinha                          | 221 |
| PID3064813 | A Comparative Study Between Luenberger Full Order Observer and Full Order Observer Designed by Generalized Matrix Inverse Method | Riju Samanta, Gourhari Das  | 227 |
| PID3044923 | Survey of RFID Applications in Railway Industry  | Bidhan Malakar, B.K. Roy  | 232 |
| PID3067817 | On the use of Classifiers for Text-independent Speaker Identification  | Naresh P. Jawarkar, Raghunath S. Holambe, Tapan Kumar Basu                    | 238 |
| PID3049883 | Wireless transmission of alarm signals from baby incubators to neonatal nursing station  | Saikat Sahoo, Biswajeet Champaty, Kunal Pal, Sirsendu S Ray, D. N. Tibarewala | 244 |
| PID3041887 | Performance Analysis of Some FACTS Devices Using Newton Raphson Load Flow Algorithm  | Biswajeet Kr Medhi, Satyajit Bhuyan   | 249 |
| PID3061993 | The State of Art of Autonomous Underwater Vehicles in Current and Future Decades   | Basant Kumar Sahu, Bidyadhar Subudhi  | 255 |
| PID3050479 | Techno-Economic Feasibility Analysis of a Grid Connected Solar Photovoltaic Power System for a Residential Load                  | Bidisha Roy, Dr. Ashoke Kumar Basu, Dr. Subrata Paul                          | 261 |
| PID3061435 | Semi-supervised fuzzy K-NN for cancer classification from microarray gene  | Dr. Anindya Halder, Subhashis Misra   | 266 |

|            |  |  |     |
|------------|--|--|-----|
|            | expression data  |  |     |
| PID3068607 | A Bilingual Machine Translation System:English & Bengali                                       | Chandranath Adak   | 271 |
| PID3041779 | Small Signal Stability Optimization Technique of Real Time OPF Model for Modern Power Networks | Sandip Chanda, Abhinandan De                                       | 275 |
| PID3041781 | Social Welfare Maximisation with a State Space based Model and Methodology                     | Sandip Chanda, Abhinandan De                                       | 281 |
| PID3065917 | OSCILLATING WATER COLUMN WAVE ENERGY SYSTEM – A PROSPECTIVE                                    | Rameez Badhurshah, Abdus Samad, T Karthikeyan                      | 287 |
| PID3042803 | Measurement of Harmonics at HT End Users in Power Distribution System                          | Raju R Bhoyar, Sachin S Bharatkar, Sarang A Khadtare               | 291 |
| PID3041681 | A New Audio Steganography Scheme based on Location Selection with Enhanced Security            | Pratik Pathak, Arup Kr. Chattopadhyay, Amitava Nag                 | 295 |
| PID3042749 | Classification of defects in rice kernels by using image processing techniques                 | Jayanta K. Chandra, Aritra Barman, Arnab Ghosh                     | 299 |
| PID3068383 | Wavelet based Multilevel Un-sharp Masking using OpenCL   | Jai Prakash Bhagat, Kumar Ashish, Sibsambhu Kar, Suresh Kumar Gara | 304 |
| PID3068331 | AN IMPROVED TECHNIQUE OF MEASUREMENT OF HIGH A.C. VOLTAGE                                      | Sirshendu Saha, Satish Chandra Bera                                | 309 |
| PID3068215 | AN IMPROVED TECHNIQUE OF MEASUREMENT OF LIQUID LEVEL IN A STORAGE TANK                         | Hiranmoy Mandal, Satish Chandra Bera                               | 318 |
| PID3051461 | Study of A New Model of Normal ECG Wave  | A.Dutta, S. C. Bera  | 325 |
| PID3044309 | New generation illumination engineering- An overview of recent trends in science & technology  | Asim Kar, Anuradha Kar   | 329 |