

# **1st International Beam Instrumentation Conference**

**(IBIC 2012)**

**Tsukuba, Japan  
1 - 4 October 2012**

**ISBN: 978-1-63266-476-1**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

***License***

This work is licensed under a Creative Commons Attribution 3.0 Unported license:  
<http://creativecommons.org/licenses/by/3.0/>

**You are free to:**

Share - Copy and redistribute the material in any medium or format.  
Adapt – Remix, transform, and build upon the material for any purpose, even commercially.  
The licensor cannot revoke these freedoms as long as you follow the license terms.

**Under the following terms:**

Attribution – You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

Printed by Curran Associates, Inc. (2014)

Published by:

JACoW - Joint Accelerator Conferences Website  
c/o Christine Petit-Jean-Genaz  
CERN BE  
CH - 1211 Geneva 23

Phone: 41 22 767 32 75  
[christine.petit-jean-genaz@cern.ch](mailto:christine.petit-jean-genaz@cern.ch)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

## Contents

<b>Preface</b>	<b>i</b>
Contents . . . . .	iii
Committees . . . . .	vii
<b>Papers</b>	<b>1</b>
MOIA02 – Progress of Beam Instrumentation in J-PARC Linac . . . . .	1
MOCB01 – Beam Instrumentation for the SuperKEKB Rings . . . . .	6
MOCB02 – A Generic BPM Electronics Platform for European XFEL, SwissFEL and SLS . . . . .	11
MOCB03 – Modeling and Performance Evaluation of DCCTs in SSRF . . . . .	16
MOCB04 – Vertical Emittance Measurements using a Vertical Undulator . . . . .	20
MOCC01 – UV/X-ray Diffraction Radiation for Non-intercepting Micron-scale Beam Size Measurement . . . . .	24
MOCC03 – The First Electron Bunch Measurement by means of DAST Organic EO Crystals . . . . .	29
MOCC04 – Improvement of Screen Monitor with Suppression of Coherent-OTR Effect for SACLA . . . . .	34
MOIC02 – Electron Beam Diagnostic System for the Japanese XFEL, SACLA . . . . .	38
MOPA01 – Design Study of the Striplines for the Extraction Kicker of the CLIC Damping Rings . . . . .	47
MOPA02 – 270 degree Electron Beam Bending System using Two Sector Magnets for Therapy Application . . . . .	50
MOPA04 – An Electron Beam Profile Monitor for the Race-track Microtron . . . . .	54
MOPA06 – VIMOS, New Capabilities for an Optical Safety System . . . . .	57
MOPA07 – Development of a Phase Probe for the NIRS Small Cyclotron HM-18 . . . . .	60
MOPA08 – Various Usages of Wall Current Monitors for Commissioning of RF Systems in J-PARC Synchrotrons . . . . .	63
MOPA09 – Comparison of Three Different Concepts of High Dynamic Range and Dependability Optimised Current Measurement Digitisers for Beam Loss Systems . . . . .	66
MOPA10 – Diamond Detectors for LHC . . . . .	71
MOPA12 – Characterization of a Wide Dynamic-range, Radiation-tolerant Charge-digitizer ASIC for Monitoring of Beam Losses . . . . .	74
MOPA13 – Real-time Calculation of Scale Factors of X-ray Beam Position Monitors during User Operation . . . . .	79
MOPA15 – New Electronics Design for the European XFEL Re-entrant Cavity Monitor . . . . .	83
MOPA16 – Design and Characterization of a Prototype Stripline Beam Position Monitor for the CLIC Drive Beam . . . . .	87
MOPA17 – Modular Logarithmic Amplifier Beam Position Monitor Readout System at the University of Hawaii . . . . .	90
MOPA18 – A Prototype Cavity Beam Position Monitor for the CLIC Main Beam . . . . .	95
MOPA20 – Development of 3D EO-Sampling System for the Ultimate Temporal Resolution . . . . .	98
MOPA21 – Improvement of the SIAM Photon Source Storage Ring BPM System . . . . .	101
MOPA24 – Photon Beam Position Monitor at SIAM Photon Source . . . . .	104
MOPA26 – Performance and Upgrade of BPMs at the J-PARC MR . . . . .	107
MOPA28 – Turn-by-turn BPM System using Coaxial Switches and ARM Microcontroller at UVSOR . . . . .	112
MOPA30 – Application of EMMA BPMs to the ALICE Energy Recovery Linac . . . . .	117
MOPA31 – Design and Fabrication of the Stripline BPM at ESS-Bilbao . . . . .	122
MOPA33 – Image Profile Diagnostics Solution for the Taiwan Photon Source . . . . .	125
MOPA34 – Improvement of Hardware and Software Setup for the Acquisition and Processing of SIAM Photon Source BPM Signal . . . . .	130
MOPA35 – Design Status of the European X-FEL Transverse Intra Bunch Train Feedback . . . . .	133
MOPA36 – Development of Bunch Current and Oscillation Recorder for SuperKEKB Accelerator . . . . .	138
MOPA37 – Reliable Beam-Intensity Control Technique at the HIMAC Synchrotron . . . . .	143
MOPA38 – Development of the System for Longitudinal Coupled Bunch Modes Measurement at Indus-2 . . . . .	146
MOPA39 – Introduction of Photon BPMs in SOLEIL Global Orbit Feedback Systems . . . . .	150
MOPA42 – Measurements of Martin-Puplett Interferometer Limitations using Blackbody Source . . . . .	153
MOPA43 – RF Front end for High Bandwidth Bunch Arrival Time Monitors in Free-Electron Lasers at DESY . . . . .	157
MOPA45 – Study of Beam Length Measurement based on TM010 Mode . . . . .	162
MOPA46 – Realization and Measurements of Cone-shaped Pickups for Bunch Arrival-time Monitors for FLASH and XFEL . . . . .	165
MOPA47 – Planar Transmission Line BPM for Horizontal Aperture Chicane for XFEL . . . . .	168

MOPA48 – Measurement of Temporal Resolution and Detection Efficiency of X-ray Streak Camera by Single Photon Images . . . . .	171
MOPA49 – EO-sampling-based Temporal Overlap Control System for an HH Seeded FEL . . . . .	176
MOPB50 – Design and Operation of the High Intensity Luminosity Monitors of the LHC . . . . .	179
MOPB51 – Beam Monitors of NIRS Fast Scanning System for Particle Therapy . . . . .	182
MOPB52 – Status and Activities of the SPring-8 Diagnostics Beamlines . . . . .	186
MOPB53 – Hartmann Screen and Wavefront Sensor System for Extracting Mirror at SSRF . . . . .	191
MOPB54 – Development of the New Type MLIC with PMMA Plates and Graphite Electrodes . . . . .	194
MOPB55 – Electron Cloud Measurements using Shielded Pickups at CesrTA . . . . .	198
MOPB56 – Electron Cloud Measurements using a Time Resolved Retarding Field Analyzer at CesrTA . . . . .	201
MOPB57 – Overview of Beam Instrumentation and Tuning at RIKEN RI Beam Factory . . . . .	204
MOPB58 – Beam Quality Ensuring Instruments at the Gunma University Heavy-ion Medical Center . . . . .	209
MOPB60 – Beam Diagnostics for AREAL RF Photogun Linac . . . . .	212
MOPB63 – Emittance Measurement using X-ray Beam Profile Monitor at KEK-ATF . . . . .	215
MOPB65 – Measurement of Sub-picosecond Bunch Length with the Interferometry from Double Diffraction Radiation Target . . . . .	218
MOPB67 – Development of Offner Relay Optical System for OTR Monitor at 3-50 Beam Transport Line of J-PARC . . . . .	222
MOPB68 – Development of Profile Monitor System for High Intense Spallation Neutron Source . . . . .	227
MOPB70 – The Synchrotron Radiation Diagnostic Line at SSRF . . . . .	232
MOPB72 – First Measurements with Coded Aperture X-ray Monitor at the ATF2 Extraction Line . . . . .	237
MOPB73 – Beam Size and Intensity Diagnostics for a SRF Photoelectron Injector . . . . .	241
MOPB75 – Real-time Beam Profile Measurement System using Fluorescent Screens . . . . .	246
MOPB76 – Evaluation of a Fluorescent Screen with a CCD System for Quality Assurance in Heavy-Ion Beam Scanning Irradiation System . . . . .	249
MOPB77 – Adjustable Optics for a Non-destructive Beam Profile Monitor based on Scintillation of Residual Gas . . . . .	253
MOPB78 – Beam Spot Measurement using a Phosphor Screen for Carbon-Ion Therapy at NIRS . . . . .	256
MOPB79 – Design of a High-precision Fast Wire Scanner for the SPS at CERN . . . . .	259
MOPB80 – High Dynamic Range Beam Imaging with Two Simultaneously Sampling CCDs . . . . .	263
MOPB81 – Residual Gas Ionization Profile Monitors in J-PARC Slow-extraction Beam Line . . . . .	267
MOPB82 – Bunch-Compressor Transverse Profile Monitors of the SwissFEL Injector Test Facility . . . . .	271
MOPB83 – Turn-by-turn Observation of the Injected Beam Profile at the Australian Synchrotron Storage Ring . . . . .	276
MOPB85 – Latest Results from the 4.8GHz LHC Schottky Systems . . . . .	279
MOPB86 – Betatron Tune Measurement and Automatic Correction Systems at NewSUBARU Storage Ring . . . . .	283
MOPB87 – Development and First Tests of a High Sensitivity Charge Monitor for SwissFEL . . . . .	287
MOPB88 – Beam Size Monitor for TPS . . . . .	291
TUCA01 – Beam Instrumentation Global NETwork [BIGNet]: A Common Web Portal for Beam Instrumentalists . . . . .	294
TUTA02 – BPM Electrode and High Power Feedthrough - Special Topics in Wideband Feedthrough . . . . .	297
TUCC01 – Electron Storage Ring as a Single Shot Linac Beam Monitor . . . . .	302
TUCC03 – Design and Expected Performance of the New SLS Beam Size Monitor . . . . .	307
TUCC04 – Measurement of Nanometer Electron Beam Sizes with Laser Interference using IPBSM . . . . .	310
TUIC02 – Direct Observation of the Dust-trapping Phenomenon . . . . .	315
TUPA01 – Diagnostics Update of the Taiwan Photon Source . . . . .	324
TUPA02 – Modernized of the Booster Synchrotron Diagnostics in the Taiwan Light Source . . . . .	329
TUPA05 – The Calibration Factor Determined and Analysis for HLS Bunch Current Measurement System . . . . .	334
TUPA06 – Pulsed Electron Beam Current and Flux Monitor for the Race-track Microtron . . . . .	337
TUPA07 – BPM Selection for Beam Current Monitoring in SSRF . . . . .	341
TUPA08 – Application of Single Crystal Diamonds (scCVD) as Beam Conditions Monitors at LHC . . . . .	344
TUPA09 – System Architecture for Measuring and Monitoring Beam Losses in the Injector Complex at CERN . . . . .	347
TUPA10 – Optical-Fiber Beam Loss Monitor for the KEK Photon Factory . . . . .	351
TUPA11 – SSRF BPM System Optimization and Upgrade . . . . .	355
TUPA12 – A DBPM Calibration Method Implemented on FPGA . . . . .	358

TUPA15 – Beam Position Monitor for Energy Recovery Linac . . . . .	361
TUPA16 – HOM Choice Study with Test Electronics for use as Beam Position Diagnostics in 3.9 GHz Accelerating Cavities in FLASH . . . . .	364
TUPA17 – TPS BPM Electronics Performance Measurement and Statistics . . . . .	369
TUPA18 – Development of the Beam Position Monitors for the SPIRAL2 Linac . . . . .	374
TUPA19 – First Tests of a Low Charge MTCA-based Electronics for Button and Strip-line BPM at FLASH . . . . .	378
TUPA22 – Design of RF Front End for Cavity Beam Position Monitor based on ICs . . . . .	383
TUPA23 – Performance of a Downconverter Test-electronics with MTCA-based Digitizers for Beam Position Monitoring in 3.9 GHz Accelerating Cavities . . . . .	386
TUPA24 – Design of Cavity BPM Pickups for SwissFEL . . . . .	390
TUPA25 – Signal Transmission Characteristics in Stripline-Type Beam Position Monitor . . . . .	394
TUPA26 – Development of New BPM Electronics for the Swiss Light Source . . . . .	399
TUPA27 – Beam Test Results of Undulator Cavity BPM Electronics for the European XFEL . . . . .	404
TUPA29 – Implementation of an FPGA Based System Survey and Diagnostic Reader with the Aim to Increase the System Dependability . . . . .	409
TUPA30 – Development of a Beam Loss Measurement System with Gigabit Ethernet Readout at CERN . . . . .	414
TUPA31 – A Real-Time FPGA Based Algorithm for the Combination of Beam Loss Acquisition Methods used for Measurement Dynamic Range Expansion . . . . .	419
TUPA32 – Signal Equalizer for SPS Ecloud/TMCI Instability Feedback Control System . . . . .	424
TUPA33 – Fast Orbit Feedback Calculation Implementation for TPS . . . . .	428
TUPA34 – Inverse Response Matrix Computation for the Storage Ring Slow Orbit Feedback Control: Synthesized Topological Inversion Computation . . . . .	431
TUPA35 – Digital Longitudinal Bunch-by-bunch Feedback System for the HLS II . . . . .	434
TUPA37 – FPGA Based Fast Orbit Feedback System for the Australian Synchrotron . . . . .	437
TUPA41 – Ultra-short Electron Bunch and X-ray Temporal Diagnostics with an X-band Transverse Deflecting Cavity . . . . .	441
TUPA42 – Diagnostics Beamline Optimisation and Image Processing for Sub-ps Streak Camera Bunch Length Measurement . . . . .	445
TUPA43 – First Operation of the Electro-optical Sampling Diagnostics of the FERMI@Elettra FEL . . . . .	449
TUPA44 – Status of the LCLS Experiment Timing System . . . . .	453
TUPA46 – Streak Camera Measurements at ALBA: Bunch Length and Energy Matching . . . . .	458
TUPA47 – Middle-infrared Prism Spectrometer for Single-shot Bunch Length Diagnostics at the LCLS . . . . .	463
TUPB48 – Beam Instrumentation for the COSY Electron Cooler . . . . .	468
TUPB49 – Electron Cloud Density Measurements using Resonant TE Waves at CesrTA . . . . .	471
TUPB51 – Gatling Gun Test Stand Instrumentation . . . . .	474
TUPB53 – Abort Diagnostics and Analysis during KEKB Operation . . . . .	477
TUPB57 – Extreme Light Infrastructure (ELI Beamlines) - Research and Technology with new Ultra-short Pulse Intense Laser driven Sources of Energetic Photons and Charged Particles . . . . .	482
TUPB60 – Beam Diagnostics of Central Japan Synchrotron Radiation Research Facility Accelerator Complex . . . . .	486
TUPB61 – The First Experience with the LHC Beam Gas Ionisation Monitor . . . . .	489
TUPB63 – Development of Turn-by-turn Beam Diagnostic System using Undulator Radiation . . . . .	492
TUPB64 – Methods to Reduce the System Error for High Power MSSW Emittance Meter . . . . .	496
TUPB65 – Transverse-acceptance Measurement System for the JAEA AVF Cyclotron . . . . .	499
TUPB69 – Numerical Analysis on the Gain-reduction Characteristics of Multi-wire Proportional Chambers . . . . .	502
TUPB70 – The ATF2 Multi-OTR System: Studies and Design Improvements . . . . .	505
TUPB72 – Injected Beam Profile Measurement during Top-up Operation . . . . .	508
TUPB73 – Development of a Beam Profile Monitor using Nitrogen-Molecular Jet for Intense Beams . . . . .	511
TUPB74 – Diamond Mirrors for the SuperKEKB Synchrotron Radiation Monitor . . . . .	515
TUPB76 – Intra Undulator Screen Diagnostics for the FERMI@Elettra FEL . . . . .	519
TUPB77 – Measurement of the Frequency Spectrum on the Beam Profile Controlled by RF Kicker . . . . .	524
TUPB78 – Flying Wire Beam Profile Monitors at the J-PARC MR . . . . .	527
TUPB79 – Use of GaFchroic Films to Measure the Transverse Intensity Distribution of a Large-area Ion Beam . . . . .	531
TUPB81 – Design of the Beam Profile Monitors for the SXFEL Facility . . . . .	534
TUPB84 – Storage Ring Tune Measurements using High-speed Metal-semiconductor-metal Photodetector . . . . .	537

---

TUPB85 – Spectrum of Multi-bunch Position Model and Parameter Acquisition Algorithm . . . . .	540
WEIB01 – Overview of ESS Beam Diagnostics . . . . .	543
WEIB02 – Review of Reliability Concepts Applied to Beam Loss Monitoring Systems . . . . .	550
WECC01 – IFMIF-LIPAc Diagnostics and its Challenges . . . . .	557
WECC03 – Intensity Imbalance Optical Interferometer Beam Size Monitor . . . . .	566
WECC04 – Analysis of the Electro-optical Front End for the New 40 GHz Bunch Arrival Time Monitor System	571
WEIC02 – Recent Progress in SR Interferometer . . . . .	576
WECD01 – Operation of a Single Pass, Bunch-by-bunch x-ray Beam Size Monitor for the CESR Test Accelerator Research Program . . . . .	585
THTA01 – Beam Position Monitors for Circular Accelerators . . . . .	590
THCB01 – Electron-Lens Test Stand Instrumentation Progress . . . . .	602
THCB02 – Twisting Wire Scanner . . . . .	607
MOIA012 – Accelerator Projects at KEK . . . . .	611
TUIB01 – Bigger, Brighter and more Powerful . . . . .	612
TUIB02 – Femtosecond Resolution Bunch Profile Diagnostics . . . . .	613
WECA01 – Theoretical and Experimental Investigation on Resolution of Optical Transition Radiation Trans- verse Beam Profile Monitor . . . . .	614
WETA02 – Learning from Beams - Beam Instrumentation, Signal Processing, and (mis) Applications of Linear Time Invariant System Formalisms . . . . .	615
WEID02 – BIW 2012 Highlights & History . . . . .	616
<b>Appendices</b>	<b>617</b>
List of Authors . . . . .	617
Institutes List . . . . .	625