

2014 IEEE 13th International Workshop on Advanced Motion Control

(AMC 2014)

**Yokohama, Japan
14-16 March 2014**



**IEEE Catalog Number: CFP14403-POD
ISBN: 978-1-4799-5763-7**

TABLE OF CONTENTS

System Identification In A Real World	1
<i>J. Schoukens, A. Marconato, R. Pintelon, Y. Rolain, M. Schoukens, K. Tiels, L. Vanbeylen, G. Vandersteen, A. Mulders</i>	
Haptics For Industries	11
<i>K. Ohnishi, T. Nozaki, T. Mizoguchi</i>	
Dynamic Modeling Of Floating Systems: Application To Eel-Like Robot And Rowing System	21
<i>W. Khalil, F. Rongere</i>	
On The Robustness Of Disturbance Observer	31
<i>E. Sariyildiz, K. Ohnishi</i>	
Minimum Tracking & Focusing Trajectory Control Based On Two-Dimensional Equivalent PTC For Optical Disk	37
<i>T. Ohashi, N. Sakimura, K. Ohishi, T. Miyazaki</i>	
Robust Sensorless Pressure Control Of Electric Injection Molding Machine Using Friction-Free Force Observer	43
<i>K. Iwazaki, K. Ohishi, Y. Yokokura, K. Kageyama, M. Takatsu, S. Urushihara</i>	
Integrated Servo-Mechanical Design Of Robust Mechatronics Based On Low-Order Moments And Support	49
<i>Y. Tan, C. Pang, T. Ng, T. Lee</i>	
Simultaneous Estimation Of Sample Surface Topography ANd Elasticity Utilizing Contact-Mode AFM	55
<i>S. Watanabe, H. Fujimoto</i>	
Force-Sensorless Bilateral Control Using Piezoelectric Cantilever With Nonlinearity Compensation	61
<i>Y. Matsumi, K. Yu, K. Ohnishi</i>	
Integrated Design Method Of Force And Current Control Systems	67
<i>Y. Yokokura, K. Ohishi</i>	
An Analysis On Bilateral Control System With Quantization By Multi-Level Delta-Sigma Modulation	73
<i>Y. Kawamura, S. Katsura</i>	
Multi-Sensor Fusion Observer Based Multilateral Control Of Haptic Devices Without Force Sensor	79
<i>C. Mitsantisuk, K. Ohishi</i>	
Bilateral Control For Different-Sized Master And Slave Devices Using Position And Force Scaling	85
<i>K. Mizuki, S. Matsubara, K. Tanaka, J. Ishikawa</i>	
Experimental Evaluation Of Motion Reproduction System With Selected Information	92
<i>S. Kyo, T. Nozaki, T. Mizoguchi, K. Ohnishi</i>	
Filter Design Of Multilateral Control Under Time Delay For Tele-Teaching By Hand	98
<i>H. Morimitsu, S. Katsura</i>	
Stabilization Of Systems With Time-Varying Delay Based On Complete Quadratic Lyapunov-Krasovskii Functional	104
<i>D. Minagawa, Y. Uchimura</i>	
Model Following Output Feedback Controller Synthesis For Discrete-Valued Input Systems	110
<i>K. Sawada, S. Shin</i>	
Optimal Quantization Feedback Control With Variable Discrete Quantizer	116
<i>T. Shiratori, T. Zanma, K. Liu</i>	
Model-Error Feedback For Time-Delay Systems With Communication Disturbance Observer	122
<i>N. Uematsu, Y. Uchimura</i>	
Per Hop Data Encryption Protocol For Transmission Of Motion Control Data Over Public Networks	128
<i>R. Tennekoon, J. Wijekoon, E. Harahap, H. Nishi, E. Saito, S. Katsura</i>	
A Reference Governor For Reducing Path Tracking Error Of Mobile Platform	134
<i>K. Kawabata, J. Xue, L. Ma, N. Zheng</i>	
FPGA Based Control Of A Walking Piezo Motor	138
<i>T. Uzunovic, E. Golubovic, A. Sabanovic</i>	
A New Foot Structure With Springs And Flat Soles For Biped Robot Walking	144
<i>S. Mamiya, S. Sano, N. Uchiyama</i>	
Visual Feedback Control Method Of A Wheeled Mobile Robot Using A Pan Camera Preferentially	149
<i>T. Ebata, M. Ito, M. Shibata</i>	
Finite-State Control Of A Robotic Transtibial Prosthesis With Motor-Driven Nonlinear Damping Behaviors For Level Ground Walking	155
<i>Q. Wang, K. Yuan, J. Zhu, L. Wang</i>	

Robust Control Of An Ultracapacitor-Based Hybrid Energy Storage System For Electric Vehicles	161
<i>R. Dhaouadi, Y. Hori, H. Xiaoliang</i>	
Step Climbing Control Of Wheeled Robot Based On Slip Ratio Taking Account Of Work Load Shift By Anti-Drive Force Of Suspensions And Acceleration	167
<i>M. Higashino, H. Fujimoto, Y. Takase, H. Nakamura</i>	
Range Extension Control System For Electric Vehicles Based On Optimal-Deceleration Trajectory And Front-Rear Driving-Braking Force Distribution Considering Maximization Of Energy Regeneration	173
<i>S. Harada, H. Fujimoto</i>	
Development Of A Ceiling-Robots System And Its Motion Control	179
<i>S. Takahiro, T. Suzuki, M. Torikawa, S. Suzuki</i>	
An Application Of State Feedback Control To Actual Vehicle Vibration Suppression	185
<i>H. Tokoro, M. Kawafuku, M. Iwasaki</i>	
Suggestive Evidence For A Forward Model Of The Arm In The Monkey Motor Cortex	191
<i>E. Miyashita, Y. Sakaguchi</i>	
A Motion Phase-Based Hybrid Assistive Controller For Lower Limb Exoskeletons	197
<i>E. Baek, S. Song, S. Mohammed, D. Jeon, K. Kong</i>	
Quantitative Analysis Of Tennis Experts' Eye Movement Tkill	203
<i>S. Shimizu, T. Kadogawa, S. Kikuchi, T. Hashizume</i>	
Estimation Method Of Arm Stiffness For Evaluation Of Physicality In Arm Self-Rehabilitation	208
<i>C. Morito, T. Shimono</i>	
Visual Control Of Musculoskeletal Arm Using Multiple Reference Frame Including Simple Coordinate Transformation	214
<i>K. Hashimoto, S. Komada, D. Yashiro, J. Hirai</i>	
Study On Control Method Using Automatic Differentiation With Application To Monowheel Robot	219
<i>B. Dinh, Y. Fujimoto</i>	
Stabilization Control Of A 2-Mass Resonant System Based On Energy Control Theory	225
<i>Y. Abe, S. Katsura</i>	
EKF Localization With Variable Covariance For LRS And Odometry: Experimental Verification	231
<i>Y. Hiromachi, K. Nonaka, K. Sekiguchi</i>	
Experimental Verification Of Effectiveness On Driving Force Assist Control Based On Repetitive Control For Electrically-Assisted Bicycles	237
<i>R. Hatano, D. Namikawa, R. Minagawa, M. Iwase</i>	
Motion Education System Using Impedance Control Based On Spatial Information	242
<i>H. Nagashima, S. Katsura</i>	
Spatially Scaled Motion-Reproduction Control Using Modified Motion Data	248
<i>K. Miura, S. Katsura</i>	
Compliant Velocity Based Force Coordinate Transformation Control For Gait Rehabilitation	254
<i>M. Sasayama, T. Murakami</i>	
Electro-Hydraulic Force Transmission For Rehabilitation Exoskeleton Robot	260
<i>F. bechet, K. Ohnishi</i>	
Vision-Based Human-Following Control Using Optical Flow Field For Power Assisted Wheelchair	266
<i>T. Motokucho, N. Oda</i>	
Non-Linear Adaptive Impedance Controller For Rehabilitation Purposes	272
<i>R. Oboe, D. Pilaastro</i>	
Validation Of SLAM Without Odometry In Outdoor Environment	278
<i>Y. Nakamura, Y. Fujimoto</i>	
A Structure Of Bilateral Control System With Time Delay Considering Improvement Stability	284
<i>S. Hyodo, K. Ohnishi</i>	
Bilateral Control For 4-DOF Manipulator With A Tendon-Drive Spherical Joint Mechanism	290
<i>K. Shimamoto, D. Suzuki, K. Ohnishi</i>	
Bilateral Control Using Compression Type Mechanical Gravity Canceller	296
<i>S. Iwata, K. Tanida, K. Shimamoto, K. Ohnishi, Y. Yamada</i>	
Band Eliminate Filter Design For Bilateral Control System Under Time Delay	302
<i>R. Kozuki, Y. Ohno, D. Suzuki, K. Ohnishi</i>	
Analysis Of Operational Force Under Non-Ideal Condition For Bilateral Control	308
<i>K. Tanida, K. Ohnishi</i>	
Stability And Transparency Of Adaptive Controller Based Four-Channel Bilateral Control System With Communication Delay	314
<i>T. Hieno, D. Yashiro, S. Komada, J. Hirai</i>	
A Prediction Method Considering Object Motion For Humanoid Robot With Visual Sensor	320
<i>K. Baba, A. Kawamura, N. Motoi, Y. Asano</i>	

A Study Of Leg-Extender Exoskeleton	326
<i>H. minakata, S. Tateno</i>	
A Control Method Of Low Speed Wheeled Locomotion For A Wheel-Legged Mobile Robot.....	332
<i>K. Nagano, Y. Fujimoto</i>	
Experimental Study On Climbinb Up And Down The Step For A Biped Robot	338
<i>Y. Takahashi, M. Shibata</i>	
Vision-Based Control Evaluation With Estimating Foot Sole Floating Angle For Biped Walking Robot.....	344
<i>N. Oda, K. Kushida, M. Yamazaki</i>	
Gaze Detection Based Driver Modelization In An Electric Vehicle Using Virtual Force Field And Steer By Wire System.....	350
<i>B. Rouzier, T. Murakami</i>	
Development Of The Experiment Platform For Electric Vehicles By Using Motor Test Bench With The Same Environment As The Actual Vehicle	356
<i>M. Takeda, Y. Hosoyamada, N. Motoi, A. Kawamura</i>	
Four Wheel Optimal Autonomous Steering For Improving Safety In Emergency Collision Avoidance Manoeuvres.....	362
<i>M. Galvani, F. Biral, B. Nguyen, H. Fujimoto</i>	
Proposal Of A Range Extension Control System With Arbitrary Steering For In-Wheel Motor Electric Vehicle With Four Wheel Steering.....	368
<i>T. Yone, H. Fujimoto</i>	
Curvature-Continuous Sharp Corner Smoothing Scheme For Cartesian Motion Systems	374
<i>B. Sencer, E. Shamoto</i>	
Triangular Geometry Based Optimal Motion Planning Using RRT* - Motion Planner	380
<i>A. Qureshi, S. Mumtaz, K. Iqbal, Y. Ayaz, M. Muhammad, O. Hasan, W. Kim, M. Ra</i>	
SLAM Problem Via H_{∞} Filter With Compensation For Intermittent Observation.....	386
<i>Y. Okawa, T. Namerikawa</i>	
Time-Optimal Tube Following For Robotic Manipulators	392
<i>F. Debrouwere, W. Looock, G. Pipeleers, J. Swevers</i>	
A Router-Based Management System For Prediction Of Network Congestion	398
<i>E. Harahap, J. Wijekoon, R. Tennekoon, F. Yamaguchi, S. Ishida, H. Nishi</i>	
Analysis Of Force Transmission Ability By Variation Of Thrust Wire Posture.....	404
<i>K. Ogawa, R. Kozuki, K. Ohnishi</i>	
Remarks On Robot Controller Application Of Clifford Multi-Layer Neural Networks.....	410
<i>Y. Cui, K. Takahashi, M. Hashimoto</i>	
Impedance Correction In Time Delayed Teleoperation System	416
<i>T. Mizoguchi, T. Nozaki, K. Ohnishi</i>	
An Analysis On Force Data During Biopsy Insertion.....	422
<i>D. Suzuki, Y. Matsumi, K. Ohnishi</i>	
Development Of A Water Ski Simulator For Indoor Training With Proprioceptive And Visual Feedback.....	428
<i>R. Oboe, R. Antonello, F. Biral</i>	
The HCI Method For Upper Limb Disabilities Based On EMG And Gyros.....	434
<i>Z. Tengyu, L. Lifeng, Y. Heping</i>	
An Assist Control Of Step Climbing Motion In Two-Wheel Electric Powered Wheelchair With Controlled Casters.....	440
<i>K. Hirata, T. Murakami</i>	
Power Assistance Of An Omnidirectional Hybrid Walker And Wheelchair With Admittance Model And Iterative Learning Control	446
<i>T. Suzuki, C. Zhu, T. Sakai, Y. Okada, Y. Yoshikawa, M. Yoshioka, Y. Yan, H. Yu, F. Duan</i>	
Motion Reproduction System Considering Control Bandwidth In Force Transmission.....	452
<i>T. Miyagi, S. Katsura</i>	
Design Of A Novel Robotic Over-Ground Walking Device For Gait Rehabilitation	458
<i>K. Mun, C. Zhu, H. Yu, M. Cruz</i>	
A Combination Of Particle Swarm Optimization And Model Predictive Control On Graphics Hardware For Real-Time Trajectory Planning Of The Under-Actuated Nonlinear Acrobot	464
<i>K. Heerden, Y. Fujimoto, A. Kawamura</i>	
Motion Control Of Tendon-Driven Rotary Actuator Using Twist Drive System.....	470
<i>S. Ouzumi, K. Yu, N. Yoshimura, K. Ohnishi</i>	
Verification Of Compliance Control For A Soft Robot	476
<i>N. Yoshimura, K. Ogawa, K. Ohnishi</i>	

Modeling Of Propeller Electric Airplane And Thrust Control Using Advantage Of Electric Motor	482
<i>K. Takahashi, H. Fujimoto, Y. Hori, H. Kobayashi, A. Nishizawa</i>	
Compensation Of Out-Of-Order Delivery Using Kalman Filter For Teleoperation System	488
<i>Y. Ohno, S. Ouzumi, K. Ohnishi</i>	
Dual Rate Kalman Filter Considering Delayed Measurement And Its Application In Visual Servo	494
<i>B. Nguyen, W. Ohnishi, Y. Wang, H. Fujimoto, Y. Hori, K. Ito, M. Odai, H. Ogawa, E. Takano, T. Inoue, M. Koyama</i>	
Combined Luenberger State And Disturbance Observer For Semi-Dual Loop Control Of Two-Mass Actuator System	500
<i>M. Ruderman, M. Iwasaki</i>	
Altitude Control Using Limited Pole Placement On Coaxial-Helicopter	506
<i>Y. Sugawara, A. Shimada</i>	
High-Speed Position Control Of SPMSM Using Rapid Current Profiling Technique Based On Angular Impulse	512
<i>Y. Seki, K. Ohishi, Y. Yokokura, M. Matsuhashi, T. Mashimo</i>	
Adaptive Robust Control Of Wheeled Mobile Robot With Uncertainties	518
<i>D. Li, J. Ye</i>	
Feedforward Tracking Control For Lower-Limb Robot With Antagonistic Driven Mechanism	524
<i>T. Komatsu, A. Okuyama, T. Nakamura</i>	
Sport Motion Picture Analysis As Time Series Data	530
<i>T. Maeda, M. Fujii, I. Hayashi</i>	
Proposed Blink Artifacts Rejection Method Mixing With Electroencephalographic Recordings Using Single-Channel Electroencephalographic Recordings And Non-Negative Matrix Factorization	536
<i>S. Kanoga, Y. Mitsukura</i>	
Motion Canceling Bilateral Control With Image-Space Observer In Free-Motion	542
<i>K. Okiyama, T. Murakami</i>	
Generation Method Of Marine Tag For Robot Of Oceanographic Observation	548
<i>Y. Nota, S. Takahashi, K. Kawabata, S. Kaneko, F. Takemura, T. Suzuki</i>	
Development Of Wide Angle Fovea Telescope	552
<i>S. Shimizu, T. Hashizume, Y. Tanzawa</i>	
An Approach To High Operational Control Of A Slave Mobile Robot By Master Touch Manipulation	557
<i>H. Nagayama, T. Murakami</i>	
Adaptive Reaction Torque/Force Observer Design I	563
<i>E. Sariyildiz, K. Ohnishi</i>	
Rate Control Based On Queuing State Observer For Visual-Haptic Communication	569
<i>S. Yamamoto, D. Yashiro, K. Yubai, S. Komada</i>	
Global Sliding Mode Control Of MEMS Gyroscope Based On Neural Network	575
<i>Y. Chu, J. Fei</i>	
Estimation Method For Sway Angle Of Payload With Reaction Force Observer	581
<i>S. Ohtomo, T. Murakami</i>	
Robust Double Feedforward Tracking Control System Using Error Based Disturbance Observer For Optical Disk Systems	586
<i>N. Sakimura, T. Ohashi, K. Ohishi, T. Miyazaki</i>	
Control Of Pre-Sliding Friction Using Nonlinear State Observer	592
<i>M. Ruderman, M. Iwasaki</i>	
A Comparison Study Between A Resonant Filter And An Adaptive Feed-Forward Cancellation For Implementation Of A Control System	598
<i>S. Yabui, I. Kajiwara</i>	
Proposal Of Fast And High-Precision Control For Ball-Screw-Driven Stage By Explicitly Considering Elastic Deformation	604
<i>H. Zhu, H. Fujimoto</i>	
Position Convergence And Sway Suppress Method Of Overhead Crane By Emulating Natural Damping	610
<i>T. Kurabayashi, T. Murakami</i>	
A Turning Control Of Electric Wheeled Walker Device By PSD Camera Information	616
<i>D. Saito, T. Murakami</i>	
Design Of Cervical Spine Mechanical Emulator For Rotation-Traction Manipulation Drills	621
<i>Y. Huang, L. Yao, M. Feng, L. Zhu, J. Li</i>	
Reproducibility And Operationability Of Motion-Copying System For Education	627
<i>H. Onoyama, S. Katsura</i>	
One-Handed Propulsion Control Of Power-Assisted Wheelchair With Advanced Turning Mode	633
<i>K. Kim, K. Payne, S. Oh, Y. Hori</i>	

2-Norm, Infinity-Norm Continuous Switching Resolution In Biarticularly Actualted Robot Arms	639
<i>T. Baratcart, V. Salvucci, T. Koseki</i>	
Consideration Of Tension Limits In Joint Space For 3 Pairs Of 6 Tendon Arms With Nonlinear Spings.....	645
<i>M. Oishi, S. Komada, D. Yashiro, J. Hirai</i>	
Feedback Gain Indicates The Preferred Direction In Optimal Feedback Control Theory.....	651
<i>Y. Ueyama</i>	
Haptic Data Compression For Rehabilitation Databases	657
<i>T. Kaneko, S. Ito, S. Sakaino, T. Tsuji</i>	
Proposal Of Current Integral Zero Power Control With Force Feedforward For Helical Motor	663
<i>M. Koyama, Y. Fujimoto</i>	
Experimental Comparison Of Design Methods For Equivalent Mass Matrix In Motion Control System Based On Workspace Observer.....	669
<i>N. Togashi, N. Motoi, T. Shimono, N. Oda</i>	
Link-Coupled Vibration Suppression Control Considering Product Of Inertia For Industrial Robots.....	675
<i>T. Yoshioka, N. Shimada, K. Ohishi, T. Miyazaki, Y. Yokokura</i>	
Proposal Of Updating Final-State Control And Its Application To A Connection Control Problem	681
<i>T. Yoshiura, S. Hara</i>	
Modeling And Compensation For Hysteresis Properties In Piezoelectric Actuators.....	687
<i>K. Seki, M. Ruderman, M. Iwasaki</i>	
Macro-Micro Bilateral Control System Without Position Limitation.....	693
<i>Y. Mizutani, S. Katsura</i>	
Frequency Separation Actuation Resonance Cancellation For Vibration Suppression Control Of Two-Inertia System Using Double Motors	699
<i>K. Inukai, H. Fujimoto, T. Takahashi</i>	
Extraction And Realization Of Human Actions.....	705
<i>T. Nozaki, K. Tamida, T. Mizoguchi, T. Nakano, Y. Saito, K. Ohnishi</i>	
Modeling And Experimentation Of Drilling Vibration For Implant Cutting Force Presenting System.....	711
<i>K. Yu, S. Iwata, K. Ohnishi, S. Usuda, T. Nakagawa, H. Kawana</i>	
Position/Force Decoupled Bilateral Communication Without Force Controller In Slave Side By Using Multirate Control	717
<i>S. Sakaino, T. Tsuji</i>	
An Integration Method Between Vision-Based Disturbance Observer And Bilateral Haptic System For Robust Tracking Of Target Object.....	723
<i>M. Jamaluddin, T. Shimono, N. Motoi</i>	
Reproduction Of 2-DOF Motion Adapting To Environmental Angle Change.....	729
<i>N. Tsunashima, H. Morimitsu, S. Katsura</i>	
Performance Enhancement Of Bilateral Control Under Time Delay Using Nonlinear Filter	735
<i>H. Morimitsu, S. Katsura, K. Ohnishi</i>	
Self-Triggered Optimal Control Of Linear Systems Using Convex Quadratic Programming	741
<i>K. Kobayashi, K. Hiraishi</i>	
State Estimation In Quantized Feedback Control System	746
<i>T. Ohtsuka, T. Zanma, K. Liu</i>	
Compensation Of Networked Control Systems With Time-Delay	752
<i>T. Mori, Y. Kawamura, T. Zanma, K. Liu</i>	
Link Scheduling For Distributed Control Over Synchronous TDMA Network	758
<i>D. Yashiro</i>	
Mechanical Power Factor As Performance Index Of Bilateral Teleoperation Systems	764
<i>K. Natori</i>	
Realization Of Simultaneity In Bilateral Teleoperation System Under Time Delay.....	770
<i>S. Nishimura, S. Katsura</i>	
Author Index	