

7th South African Conference on Computational and Applied Mechanics

(SACAM 2010)

**Pretoria, South Africa
10-13 January 2010**

Editors:

**S. Kok
D. Wilke
H. Inglis**

ISBN: 978-1-63439-714-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2010) by South African Association for Theoretical and Applied Mechanics (SAAM)
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact
South African Association for Theoretical and Applied Mechanics (SAAM)
at the address below.

South African Association for Theoretical and Applied Mechanics (SAAM)
c/o Dr. Jaap Hoffman
Private Bag X1
Matieland, 7602
South Africa

Phone: 27 21 808 3554
Fax: 27 86 615 5206

hoffmaj@sun.ac.za

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|--|-----|
| OPTIMAL DESIGN OF MULTIBODY SYSTEMS WITH APPLICATION TO BIOMECHANICS, VEHICLES AND AEROSPACE STRUCTURES | 1 |
| <i>Jorge Ambrosio</i> | |
| NUMERICAL MODELLING OF SHOCK WAVE INTERACTIONS WITH A POROUS BODY | 35 |
| <i>Craig Law, Beric Skews</i> | |
| SOME DEVELOPMENTS IN TRANSIENT GAS DYNAMICS | 41 |
| <i>Beric Skews, Harald Kleine</i> | |
| GUDERLEY REFLECTION DUE TO TRANSVERSE WAVES IN A CONVENTIONAL SHOCK TUBE | 48 |
| <i>André Rodrigues Cachucho, Beric Skews</i> | |
| STOPPING PROCESSES OF NON-AXISYMMETRIC VORTEX LOOPS | 57 |
| <i>Randall T. Paton, Beric Skews</i> | |
| SHELL FINITE ELEMENTS, WITH APPLICATIONS IN BIOMECHANICS | 63 |
| <i>S. Bartle, A. McBride, B. Reddy</i> | |
| STABLE AND HIGH ORDER ACCURATE HEAT TRANSFER | 75 |
| <i>Jens Lindstrom, Jan Nordstrom</i> | |
| THE MODELLING OF FIBRE-REINFORCED COMPOSITES USING A MULTI-SCALE METHODOLOGY | 86 |
| <i>Helen Morrissey, B. Reddy, A. McBride, Hellmut Bowles</i> | |
| BIOMECHANICS OF THE HUMAN TONGUE | 97 |
| <i>Yaseen Kajeje, Jean-Paul Pelteret, B. Reddy</i> | |
| FINITE ELEMENT SOLUTION OF FULLY DEVELOPED NON-ISOTHERMAL LAMINAR FLOW IN ANNULI | 109 |
| <i>C.G. du Toit</i> | |
| GLOBAL GALERKIN FINITE ELEMENT SOLUTION OF THE FOURTH-ORDER EULER-BERNOULLI BEAM EQUATION | 118 |
| <i>C.G. du Toit</i> | |
| A STABLE AND CONSERVATIVE METHOD OF LOCALLY ADAPTING THE DESIGN ORDER OF FINITE DIFFERENCE SCHEMES | 128 |
| <i>Sofia Eriksson, Qaisar Abbas, Jan Nordstrom</i> | |
| MODELLING OF FLUID-SOLID INTERACTION USING TWO STAND-ALONE CODES | 137 |
| <i>J.-H. Grobler, Rosalie de Villiers, Antony Cooper</i> | |
| EFFICIENCY OF SHOCK CAPTURING SCHEMES FOR BURGERS' EQUATION WITH BOUNDARY UNCERTAINTY | 147 |
| <i>Per Pettersson, Qaisar Abbas, Gianluca Iaccarino, Jan Nordstrom</i> | |
| UNSTEADY THREE-DIMENSIONAL COMPRESSIBLE VORTEX FLOWS: FLOW OVER PARABOLIC EDGES | 155 |
| <i>James O. Reeves, Beric Skews</i> | |
| CHARACTERISATION OF DYNAMIC PROPERTIES FOR A HYDRAULIC ENGINE MOUNT | 165 |
| <i>C. Nel, A. Steyn</i> | |
| FATIGUE LIFE OF 7075-T6 ALUMINIUM ALLOY UNDER FRETTING CONDITION | 174 |
| <i>Muthu Jacob, Ratnam Paskaramoorthy</i> | |
| MODELLING THE SUPERFICIAL VELOCITY DISTRIBUTION INSIDE AN ANNULAR PACKED BED | 185 |
| <i>H. Reyneke, C.G. du Toit</i> | |
| FLUID FLOW DISTRIBUTION ABOVE AN ANNULAR BED OF RANDOMLY PACKED SPHERES | 195 |
| <i>H. Reyneke, C.G. du Toit</i> | |
| VELOCITY FLOW FIELD AND WATER LEVEL MEASUREMENTS IN SHOALING AND BREAKING WATER WAVES | 205 |
| <i>R. Mukaro, K. Govender, I. Gledhill, N.L. Kokwe</i> | |
| DISTRIBUTION OF HEAT FLOW DURING HIGH SPEED MACHINING OF A SELECTED TITANIUM ALLOY | 218 |
| <i>A. Strangfeld, R. Laubscher</i> | |
| COMPARISON OF CLASSICAL AND MODERN THEORIES OF LONGITUDINAL WAVE PROPAGATION IN ELASTIC RODS | 231 |
| <i>M. Shatalov, I. Fedotov, H. Tenkam, J. Marais</i> | |

| | |
|---|-----|
| ON DYNAMICS AND CONTROL OF VIBRATORY GYROSCOPES: HEMISPHERICAL RESONATOR GYROSCOPE | 239 |
| <i>M. Shatalov</i> | |
| CHARACTERIZATION AND PROPERTIES OF BREAKWATER STRUCTURES MODELLED BY A PHYSICS ENGINE | 254 |
| <i>Jan Greben, I. Gledhill, Antony Cooper, Rosalie de Villiers</i> | |
| THE APPLICATION OF COMPUTATIONAL FLUID DYNAMICS IN BOOSTER RELEASE | 266 |
| <i>I. Gledhill, C. Mahlase, J.-H. Grobler, P. Kistan-Naidoo, S. du Toit</i> | |
| A FORMULATION FOR THE IMPROVED ANALYSIS OF THIN FUNCTIONALLY GRADED PLATES | 273 |
| <i>Robert Reid, Arne Schwarck, Ratnam Paskaramoorthy</i> | |
| IMPACT OF GRAIN GROWTH ON THE STATISTICS OF THE CUMULATIVE FEATURES ON GRAINS IN NANOMATERIALS | 283 |
| <i>T. Tengen</i> | |
| THE EVALUATION OF THE SOUTH AFRICAN SURROGATE LEG FOR LANDMINE PROTECTION INJURY MEASUREMENTS | 292 |
| <i>Thanyani Pandelani, David Reinecke, Frans Beetge</i> | |
| EXPERIMENTAL DEVELOPMENT OF AN ULTRASONIC LINEAR MOTOR | 303 |
| <i>G. M'Boungui, P. Loveday, C. Long</i> | |
| ACCURACY OF SEMI-ANALYTICAL FINITE ELEMENTS FOR MODELLING WAVE PROPAGATION IN RAILS | 310 |
| <i>Eshwar Andhavarapu, P. Loveday, Craig Long, P. Heyns</i> | |
| A NUMERICAL INVESTIGATION INTO THE EFFECT OF WELD-INDUCED RESIDUAL STRESSES ON BUILT-UP 3CR12 COLUMNS | 323 |
| <i>J. Klopper, R. Laubscher</i> | |
| A MEMS BASED VALVELESS MICROPUMP FOR BIOMEDICAL APPLICATIONS | 334 |
| <i>Schalk van der Merwe, Albert Groenwold, P. Loveday, G. Thiart</i> | |
| SIMULATING THE RUBBLE MOUND UNDERLYING ARMOUR UNITS PROTECTING A BREAKWATER | 344 |
| <i>Antony Cooper, Rosalie de Villiers, Jan Greben, Frans van den Bergh, I. Gledhill</i> | |
| ENERGY STABILITY OF THE MUSCL SCHEME | 353 |
| <i>Qaisar Abbas, Edwin van der Weide, Jan Nordstrom</i> | |
| NUMERICAL MODELLING OF A THIN DEFORMABLE MIRROR FOR LASER BEAM CONTROL | 361 |
| <i>Craig Long, P. Loveday, Andrew Forbes, K. Land</i> | |
| SMOOTHED PARTICLE HYDRODYNAMICS FOR NONLINEAR SOLID MECHANICS | 372 |
| <i>Ernesto Ismail, B. Reddy</i> | |
| EVALUATION OF OPERATOR WHOLE BODY VIBRATION AND SHOCK EXPOSURE ON EXCAVATORS USED IN AN OPEN CAST MINE BASED ON ISO 2631-1 AND 2631-5 | 382 |
| <i>S. Aye, P. Heyns</i> | |
| A VORTEX LATTICE AERODYNAMIC MODEL FOR ACTIVE CAMBER CONTROLLED WINGS | 389 |
| <i>Tristan Martindale, Craig Law, Jimoh Pedro</i> | |
| AN ENHANCED MATRIX-FREE EDGE-BASED FINITE VOLUME APPROACH TO MODEL STRUCTURES | 399 |
| <i>R. Suliman, O. Oxtoby, A. Malan, S. Kok</i> | |
| EXPERIMENTAL OBSERVATION OF CAPILLARY INSTABILITIES OF TWO PHASE FLOW IN A MICROFLUIDIC T-JUNCTION | 407 |
| <i>M. Mbanjwa, K. Land, L. Jewell, E. Moss, I. Gledhill</i> | |
| THE EFFECT OF REYNOLDS NUMBER IN HIGH ORDER ACCURATE CALCULATIONS WITH SHOCK DIFFRACTION | 416 |
| <i>Craig Law, Qaisar Abbas, Jan Nordstrom, Beric Skews</i> | |
| EXPERIMENTAL INVESTIGATION INTO THE UNSTEADY EFFECTS ON NON-AXISYMMETRIC TURBINE ENDWALL CONTOURING | 424 |
| <i>D. Dunn, G. Snedden, T. von Backstrom</i> | |
| ENDWALL PROFILE DESIGN FOR THE DURHAM CASCADE USING GENETIC ALGORITHMS | 435 |
| <i>Richard MacPherson, G. Ingram</i> | |
| THE EXTRACTION OF THE TEMPERATURE GRADIENT FROM MEASURED TEMPERATURE PROFILES WITH UNCERTAINTY PROPAGATION, AS APPLIED TO THE HIGH TEMPERATURE TEST UNIT | 450 |
| <i>H. van Antwerpen, P. Rousseau, C.G. du Toit</i> | |

| | |
|--|------------|
| REDUCED ORDER MODELLING TECHNIQUES FOR MESH MOVEMENT STRATEGIES AS APPLIED TO FLUID STRUCTURE INTERACTIONS | 460 |
| <i>Alfred Bogaers, S. Kok, Arnaud Malan</i> | |
| CFD SIMULATION OF PULVERISED COAL FIRED BOILER COMBUSTION..... | 471 |
| <i>Julian Cloete, Marius Kleingeld, Martin van Staden</i> | |
| DETERMINATION OF THE ACCURACY OF NON-DESTRUCTIVE RESIDUAL STRESS MEASUREMENT TECHNIQUES | 482 |
| <i>Tendai Chipanga, Jasson Gryzagoridis, Graeme Oliver</i> | |
| SOME NOVEL APPROACHES TO VERY LARGE SCALE SEQUENTIAL APPROXIMATE OPTIMIZATION | 492 |
| <i>Marlize Cronje, Marthinus Ras, Salomon van Huyssteen, Albert Groenwold</i> | |
| MODELLING PROPERTY CHANGES IN GRAPHITE IRRADIATED AT CHANGING IRRADIATION TEMPERATURE..... | 500 |
| <i>S. Kok</i> | |
| AN INVESTIGATION OF ALGORITHMS FOR RATE-INDEPENDENT SINGLE CRYSTAL PLASTICITY | 508 |
| <i>N. Richardson, A. McBride, B. Reddy</i> | |
| THE NOVEL USE OF CARBON FIBRE IN DESIGNING AN AUTOMOTIVE CAR RIM | 518 |
| <i>Ahmed Sali, Gary Turner, Frank Kienhofer</i> | |
| PBMR GRAPHITE REFLECTOR STRUCTURAL INTEGRITY PROBABILISTIC ASSESSMENT | 524 |
| <i>Michael Hindley, Christiaan Erasmus</i> | |
| GENERAL NOTE ON VIBRATIONS WITH TIME DEPENDENT BOUNDARY CONDITIONS | 534 |
| <i>M. Cepkauskas</i> | |
| NEAR-WALL EFFECTS ON GLOBAL FLOW BEHAVIOUR BEHIND A DIFFRACTED SHOCK WAVE..... | 543 |
| <i>Adam Muritala, Craig Law, Beric Skews</i> | |
| STUDY OF HYDRODYNAMICS IN A TWO PHASE FLUIDIZED BED REACTOR EXPERIMENTALLY AND NUMERICALLY | 548 |
| <i>Mahdi Hamzehei, Hassan Rahimzadeh</i> | |
| WEBSTER'S HORN WITH TIME DEPENDENT BOUNDARY CONDITIONS..... | 557 |
| <i>Ofentse Morake, M. Cepkauskas</i> | |
| HEAT CONDUCTION OF HOLLOW CYLINDER WITH TIME DEPENDENT BOUNDARY CONDITIONS | 566 |
| <i>M. Cepkauskas, Ofentse Morake</i> | |
| OBSERVATIONS ON THE SELECTION OF OBJECTIVE FUNCTION FOR THE OPTIMISATION OF TURBINE ENDWALLS USING COMPUTATIONAL FLUID DYNAMICS | 574 |
| <i>G. Snedden, D. Dunn, T. von Backstrom, G. Ingram</i> | |
| Author Index | |