

2014 21st IEEE International Conference on Electronics, Circuits and Systems

(ICECS 2014)

**Marseille, France
7-10 December 2014**



**IEEE Catalog Number: CFP14773-POD
ISBN: 978-1-4799-4241-1**

ICECS 2014 - Table of Contents

Radiation-Hardened Techniques for CMOS Flash ADC	1
U. Gatti ¹ , C. Calligaro ¹ , E. Pikhay ² , Y. Roizin ²	
¹ RedCat Devices, Italy; ² TowerJazz, Israel	
CMOS Subharmonic Downconverter Using an LNTA Front-End	5
F. Jiang, C. Saavedra	
<i>Queen's University, Canada</i>	
An 8Gb/s 0.75mW/Gb/s Injection-Locked Receiver with Constant Jitter Tracking Bandwidth and Accurate Quadrature Clock Generation in 40nm CMOS	9
S. Chen ¹ , Q. Ao ⁴ , H. Jing ³ , X. Shi ² , S. Meng ⁴ , X. Chen ⁴	
¹ Institute of Computing Technology, Chinese Academy of Sciences, China; ² McMaster University, Canada; ³ SKL Computer Architecture, ICT, Chinese Academy of Sciences, Beijing, China, China; ⁴ University of Chinese Academy of Sciences, China	
Demodulation of RF Signal Aggregating Four Non-Contiguous Frequency Carriers	13
A. Kaissoine, B. Huyart	
<i>Télécom ParisTech, France</i>	
Hardware Implementation of a Secure Random Number Generator	17
J. Li ¹ , J. Shan ¹ , L. Wang ² , M. Chen ²	
¹ Lanzhou JiaoTong University, China; ² Shanghai Institute of Optics and Fine Mechanics, Chinese Academy of Sciences, China	
All-Digital 0.016mm² Reconfigurable Sensor-ADC Using 4CKES-TAD in 65nm Digital CMOS ...	21
T. Watanabe ¹ , Y. Hou ² , M. Miyahara ² , A. Matsuzawa ²	
¹ DENSO Corporation, Japan; ² Tokyo Institute of Technology, Japan	
High Resolution Digital-to-Time Converter for Low Jitter Digital PLLs	25
A. Chawda, P. Paliwal, P. Laad, S. Gupta	
<i>Indian Institute of Technology Bombay, India</i>	
A Scalable Microradio Receiver Used in Radiation Pattern Measurement Technology	29
C. Peng, Y. Kao, H. Chou, S. Lin, T. Chu	
<i>National Tsing Hua University, Taiwan</i>	
Idealized Operation of Third-Harmonic-Peaking Class-Ef Power Amplifier with Extended Maximum Operating Frequency	33
M. Thian	
<i>Queens University Belfast, United Kingdom</i>	
An Inductorless Wideband Balun-LNA for Spin Torque Oscillator-Based Field Sensing	36
T. Chen, S. Rodriguez, J. Åkerman, A. Rusu	
<i>KTH Royal Institute of Technology, Sweden</i>	
Fused Modulo $2^n - 1$ Add-Multiply Unit	40
K. Tsoumanis ¹ , K. Pekmestzi ¹ , C. Efstathiou ²	
¹ National Technical University of Athens, Greece; ² Technological Institute of Athens, Greece	
An Efficient Time Step Control Method in Transient Simulation for DAE System	44
J. Yao ¹ , T. Wang ² , J. Roychowdhury ²	
¹ Tsinghua University, China; ² University of California, Berkeley, United States	

A Low Noise CMOS Image Sensor with a 14-Bit Two-Step Single-Slope ADC and a Column Self-Calibration Technique	48
W. Lim, J. Hwang, D. Kim, S. Jeon, S. Son, M. Song <i>Dongguk University, Korea, South</i>	
Low Power Fast Ethernet Line Driver	52
A. Richter, C. Tzschoppe, F. Ellinger <i>Technische Universität Dresden, Germany</i>	
A Zero-Crossing Digital Phase-Locked Loop Architecture with Hyperbolic Nonlinearity for High Doppler Environments	56
E. Salahat, M. Al-Qutayri, S. Al-Araji, H. Saleh <i>Khalifa University of Science, Technology and Research, U.A.E.</i>	
MTCMOS Low-Power Optimization Technique (LPOT) for 1V Pipelined RISC CPU Circuit	60
C. Hsu, Y. Hong, J. Kuo <i>National Taiwan University, Taiwan</i>	
A Low-Offset High CMRR Current-Mode Instrumentation Amplifier Using Differential Difference Current Conveyor	64
U. Cini <i>Trakya University, Turkey</i>	
A 2.23 ps RMS Jitter 3us Fast Settling ADPLL Using Temperature Compensation PLL Controller	68
K. Okuno, K. Masaki, S. Izumi, T. Konishi, H. Kawaguchi, M. Yoshimoto <i>Kobe University, Japan</i>	
A Fully Integrated Doherty-Amplifier for 5.6 GHz WLAN Applications	72
C. Tzschoppe, R. Wolf, D. Fritsche, A. Richter, F. Ellinger <i>Technische Universität Dresden, Germany</i>	
Monolithic Quenching-and-Reset Circuit for Single-Photon Avalanche Diodes	76
G. Giustolisi, A. Grasso, G. Palumbo <i>Università degli Studi di Catania, Italy</i>	
Joint Estimation of Complex Gain and Fractional Delay for Tx Leakage Compensation in FDD Transceivers	80
R. Gerzaguet ² , L. Ros ¹ , F. Belveze ³ , J. Brossier ¹ ¹ <i>Grenoble Institute of Technology, France</i> ; ² <i>Grenoble Institute of Technology & ST Microelectronics, France</i> ; ³ <i>ST-Microelectronics, France</i>	
CMOS Noise Canceling Balun LNA with Tunable Bandpass from 4.6 GHz to 5.8 GHz	84
J. Sturm ¹ , S. Popuri ¹ , X. Xiang ² ¹ <i>Carinthia University of Applied Sciences, Austria</i> ; ² <i>Lantiq A GmbH., Austria</i>	
Comments on Efficient Dithering in Digital Delta-Sigma Modulator	88
H. Mo, M. Kennedy <i>University College Cork and Tyndall National Institute, Ireland</i>	
The Start-Up Circuit for a Low Voltage Bandgap Reference	92
H. Shrimali, V. Liberali <i>Università degli Studi di Milano, Italy</i>	
Multi-Scheme PSK and QAM Modulator Through Vector Scaling and Summation	96
S. Mondal, J. Xu, C. Saavedra <i>Queen's University, Canada</i>	
Extended Event-Driven Modeling of a Sigma Delta Fractional-N PLL Including Non-Ideal Effects	100
C. Hangmann ² , C. Hedayat ¹ , U. Hilleringmann ² ¹ <i>Fraunhofer ENAS, Germany</i> ; ² <i>Universität Paderborn, Germany</i>	

Cost-Driven Statistical Analysis for Selection of Alternative Measurements of Analog Circuits ..	104
M. Verdy ¹ , A. Ratiu ¹ , D. Morche ¹ , E. Defoucauld ¹ , S. Lesecq ¹ , J. Mallet ² , C. Mayor ²	
¹ CEA-LETI, France; ² Presto Engineering Inc, France	
High Gain Amplifiers in Flexible Self-Aligned a-IGZO Thin-Film-Transistor Technology	108
R. Shabanpour ² , T. Meister ² , K. Ishida ² , L. Petti ¹ , N. Münzenrieder ¹ , G. Salvatore ¹ , B. Boroujeni ² , C. Carta ² , G. Tröster ¹ , F. Ellinger ²	
¹ Eidgenössische Technische Hochschule Zürich, Switzerland; ² Technische Universität Dresden, Germany	
Maximum Power-Point Extraction of Small Switched-Inductor Piezoelectric Harvesters	112
J. Lei, G. Rincón-Mora	
Georgia Institute of Technology, United States	
A 0.03mm², 40nm CMOS 1.5GS/s All-Digital Complementary PWM-GRO	116
E. Prefasi ² , E. Gutierrez ² , L. Hernandez ² , S. Paton ² , S. Walter ¹ , U. Gaier ¹	
¹ Lantiq GmbH, Austria; ² Universidad Carlos III de Madrid, Spain	
A MapReduce Framework Implementation for Network-on-Chip Platforms	120
K. Gyftakis ² , I. Anagnostopoulos ² , D. Soudris ² , D. Reisis ¹	
¹ National and Kapodistrian University of Athens, Greece; ² National Technical University of Athens, Greece	
Noise Robust Speech Recognition Selectively Using Noise Adapted HMM Set	124
H. Sakuno ² , N. Hayasaka ¹ , Y. Iiguni ²	
¹ Osaka Electro-Communication University, Japan; ² Osaka University, Japan	
Analysis and Modeling of Oscillators with Interference Noise	128
S. Shimizu, J. Mizuno, S. Morishita, K. Hida, T. Yoshimura	
Osaka Institute of Technology, Japan	
Employing Incremental Sigma Delta DACs for High Resolution SAR ADC	132
A. Almarashli, J. Anders, M. Ortmanns	
Universität Ulm, Germany	
Design of a High Linearity Gm Stage for a High Speed Current Mode SAR ADC	136
A. Elkafrawy, A. Almarashli, R. Ritter, J. Anders, M. Ortmanns	
Universität Ulm, Germany	
CMOS Class-AB Tunable Voltage-Feedback Current Operational Amplifier	140
F. Esparza-Alfaro ¹ , A. Lopez-Martin ¹ , G. Palumbo ² , S. Pennisi ²	
¹ Universidad Pública de Navarra, Spain; ² Università degli Studi di Catania, Italy	
A 160-GHz Three-Stage Fully-Differential Amplifier in 40-nm CMOS	144
N. Van Thienen, P. Reynaert	
Katholieke Universiteit Leuven, Belgium	
Ultra-Wideband Antenna Integrated with Dual-Band Dielectric Resonator	148
I. Messaoudene ² , T. Denidni ¹ , A. Benghalia ²	
¹ INRS-EMT, University of Quebec, Canada; ² Université Constantine 1, Algeria	
Design of an Harmonic Rejection System Using Integrated Active Inductors	151
C. Sy ¹ , S. Bosse ² , S. Barth ² , S. Rakotozafy Harison ²	
¹ Nancay Radio Astronomy Station, France; ² Radio Astronomy Station, France	
Fast Center Search Algorithm with Hardware Implementation for Motion Estimation in HEVC Encoder	155
A. Medhat ¹ , A. Shalaby ¹ , M. Sayed ¹ , M. Elsabrouty ¹ , F. Mehdipour ²	
¹ Egypt Japan University of Science and Technology, Egypt; ² Kyushu University, Japan	
A Digital Baseband for Low Power FSK Based Receiver in 65 nm CMOS	159
S. Yasser Sherazi, H. Sjöland, P. Nilsson	
Lund University, Sweden	

Sizing of the Physical Layer of a RF Intra-Chip Communications	163
M. Hamieh ¹ , M. Ariaudo ¹ , S. Quintanel ¹ , Y. Louet ²	
¹ ETIS/ENSEA - University of Cergy-Pontoise-CNRS, France; ² IETR/SUPELEC-CNRS, France	
A Proof-of-Concept Superregenerative QPSK Transceiver	167
A. López-Riera, P. Palà-Schönwälder, J. Bonet-Dalmau, F. Moncunill-Geniz, F. Del Águila-López, R. Giralt-Mas	
<i>Universitat Politècnica de Catalunya, Spain</i>	
Eye Tracking System Based on SOPC	171
H. Qin, X. Xu, Z. Hu, D. Zhang	
<i>South China University of Technology, China</i>	
Very Low Cost Entropy Source Based on Chaotic Dynamics Retrofittable on Networked Devices to Prevent RNG Attacks	175
M. Fabbri, S. Callegari	
<i>Università di Bologna, Italy</i>	
High-Efficiency CMOS Rectifier Dedicated for Multi-Band Ambient RF Energy Harvesting	179
Y. Wang, M. Sawan	
<i>École Polytechnique de Montréal, Canada</i>	
A New CMOS Current Mode Fast Folding Amplifier	183
M. Al-Absi, S. Dhar, M. Abuelma'atti, M. Elhassan	
<i>King Fahd University of Petroleum and Minerals, Saudi Arabia</i>	
Wideband MEMS Switched Delay Lines with High Phase Linearity	187
S. Ibrahim ¹ , G. Szczepkowski ² , R. Farrell ¹	
¹ Maynooth University, Ireland; ² S3 Group, Ireland	
A Neyman-Pearson Approach to the Development of a Low Cost Earthquake Detection and Damage Mitigation System using Sensor Fusion	191
T. Redhwan, M. Chowdhury, H. Rahman	
<i>North South University, Bangladesh</i>	
Efficient Micro-Bump Assignment for RDL Routing in 3D ICs	195
J. Yan ¹ , Y. Tseng ¹ , C. Yen ²	
¹ Chung-Hua University, Taiwan; ² National Taiwan Ocean University, Taiwan	
A Qualitative-Modeling-Based Low-Power Silicon Nerve Membrane	199
T. Kohno, K. Aihara	
<i>University of Tokyo, Japan</i>	
LSB-First SAR ADC with Bit-Repeating for Reduced Energy Consumption	203
A. Waters, J. Leung, U. Moon	
<i>Oregon State University, United States</i>	
Analysis and Performance Trade-Offs of Linearity Calibration for Stochastic ADCs	207
A. Waters, S. Leuenberger, F. Farahbakhshian, U. Moon	
<i>Oregon State University, United States</i>	
High-Performance Frequency Compensation Topology for Four-Stage OTAs	211
A. Grasso, G. Palumbo, S. Pennisi, G. Di Cataldo	
<i>Università degli Studi di Catania, Italy</i>	
Reconfigurable All-Band GNSS RF CMOS Receiver	215
S. Li, J. Li, X. Gu, L. Liu, G. Li	
<i>National University of Defense Technology, China</i>	

Energy Scavenging and Storage Using Through Silicon Vias to Reduce Power Consumption in 3D ICs	219
R. Minvielle, M. Bayoumi <i>University of Louisiana at Lafayette, United States</i>	
An 8-Bit I/O-Sized ADC with Second-Order TDC and Mom Capacitor Voltage-to-Time Converter	223
K. Okuno, T. Konishi, S. Izumi, M. Yoshimoto, H. Kawaguchi <i>Kobe University, Japan</i>	
Investigation on Bond Wire Dedicated to Integrated Time Base	227
A. Gamet ³ , S. Meillère ¹ , M. Bendahan ² , P. Le Fevre ³ , N. Froidevaux ³ ¹ <i>Aix Marseille Université, CNRS, Université de Toulon, IM2NP, France;</i> ² <i>IM2NP - Aix Marseille Université, France;</i> ³ <i>STMicroelectronics, France</i>	
A CMOS Temperature to Duty Cycle Converter Using Differential Temperature Sensing	231
S. Chouhan, K. Halonen <i>Aalto University, Finland</i>	
Internal Vth Cancellation Scheme for RF to DC Rectifiers Used in RF Energy Harvesting	235
S. Chouhan, K. Halonen <i>Aalto University, Finland</i>	
Classification-Based Early Termination for Coding Tree Structure Decision in HEVC	239
G. Correa ¹ , P. Assuncao ² , L. Da Silva Cruz ¹ , L. Agostini ³ ¹ <i>Instituto de Telecomunicações, Portugal;</i> ² <i>Polytechnic Institute of Leiria / Instituto de Telecomunicações, Portugal;</i> ³ <i>Universidade Federal de Pelotas, Brazil</i>	
Vertically Integrated Circuits: Example of an Application to an X-Ray Detector	243
A. Marras ¹ , A. Allahgholi ¹ , J. Becker ¹ , L. Bianco ¹ , A. Delfs ¹ , P. Goettlicher ¹ , A. Klyuev ¹ , S. Jack ¹ , S. Lange ¹ , I. Sheviakov ¹ , U. Trunk ¹ , Q. Xia ¹ , J. Zhang ¹ , M. Zimmer ¹ , R. Dinapoli ³ , D. Greiffenberg ³ , D. Mezza ³ , A. Mozzanica ³ , B. Schmitt ³ , X. Shi ³ , R. Klanner ⁴ , J. Schwandt ⁴ , H. Graafsma ² ¹ <i>Deutsches Elektronen-Synchrotron, Germany;</i> ² <i>Deutsches Elektronen-Synchrotron / Mid Sweden University, Germany;</i> ³ <i>Paul Scherrer Institute, Switzerland;</i> ⁴ <i>Universität Hamburg, Germany</i>	
Pilot-Aided Beamforming for OFDM Detection Over Severe Multipath Fading	247
G. Gassier ³ , F. Briolle ⁴ , J. Barrère ² , G. Chabriel ¹ ¹ <i>Aix Marseille Université, CNRS, Université de Toulon, IM2NP, France;</i> ² <i>Université de Toulon / Aix-Marseille Université, France;</i> ³ <i>Université de Toulon / EOAA-CReA, France;</i> ⁴ <i>Université de Toulon/ Aix Marseille Université, France</i>	
Design Considerations for High-CMRR Low-Power Current Mode Instrumentation Amplifier for Biomedical Data Acquisition Systems	251
D. Das, A. J. M. Baghini, D. Sharma <i>Indian Institute of Technology Bombay, India</i>	
A Fully Integrated 5.5 GHz Cross-Coupled VCO with High Output Power Using 0.25um CMOS Technology	255
J. Dang ² , A. Noculak ¹ , S. Haddadinejad ² , C. Jungemann ¹ , B. Meinerzhagen ² ¹ <i>Rheinisch-Westfälische Technische Hochschule Aachen, Germany;</i> ² <i>Technische Universität Braunschweig, Germany</i>	
The Staircase Memristor and its Applications	259
X. Yang, W. Chen, F. Wang <i>University of Kent, United Kingdom</i>	
A Cascode-Free Single-Stage Amplifier Using a Fully-Differential Folded Voltage-Combiner	263
R. Póvoa ² , N. Lourenço ² , N. Horta ² , R. Santos-Tavares ¹ , J. Goes ¹ ¹ <i>CTS - UNINOVA, Portugal;</i> ² <i>Instituto de Telecomunicações, Portugal</i>	

Linear Regression Techniques for Efficient Analysis of Transistor Variability	267
D. Stamoulis ¹ , D. Rodopoulos ² , B. Meyer ¹ , D. Soudris ² , Z. Zilic ¹	
¹ McGill University, Canada; ² National Technical University of Athens, Greece	
Compressing Code for Embedded Systems	271
W. Azevedo Dias, E. Moreno	
<i>Universidade Federal de Sergipe, Brazil</i>	
An Instrumentation Amplifier Based on a Floating Gate Fully Differential CCH with DEO Rejection for ECG Acquisition Systems	275
M. Kongpoon, K. Leelavattananon, K. Sooksood	
<i>King Mongkut's Institute of Technology Ladkrabang, Thailand</i>	
Memristor-Less Current- and Voltage-Controlled Meminductor Emulators	279
M. Fouda, A. Radwan	
<i>Cairo University, Egypt</i>	
An Image Encryption System Based on Generalized Discrete Maps	283
A. Radwan, S. Abd-El-Hafiz, S. AbdElHaleem	
<i>Cairo University, Egypt</i>	
A New Approach for Event Detection and Feature Extraction for NILM	287
N. Amirach ² , B. Xerri ¹ , B. Borloz ¹ , C. Jauffret ¹	
¹ IM2NP - Université de Toulon, France; ² Université de Toulon/IM2NP, France	
Low-Power Humidity Read-Out Circuit in CMOS 180-nm for RFID Sensors	291
A. Boni ² , L. Giuffredi ² , A. Magnanini ¹	
¹ Silis s.r.l., Italy; ² Università degli Studi di Parma, Italy	
Memory Efficient Implementation of Self-Corrected Min-Sum LDPC Decoder	295
O. Boncalo ² , A. Amaricai ² , V. Savin ¹	
¹ CEA-LETI, France; ² University Politehnica Timisoara, Romania	
Drift-Driven Investigation of Phase Distribution in Phase-Change Memories	299
A. Cabrini, S. Braga, G. Torelli	
<i>Università degli Studi di Pavia, Italy</i>	
A Theoretical Charge Transfer Scheme for Efficiency Optimization of Integrated Charge Pumps	303
A. Cabrini, L. Gobbi, G. Torelli	
<i>Università degli Studi di Pavia, Italy</i>	
A Fault Attack Countermeasure for ECC Processor Using One-Hot RSD Encoding	307
H. Marzouqi, M. Al-Qutayri, K. Salah	
<i>Khalifa University of Science, Technology and Research, U.A.E.</i>	
Computational Sensitivity in the Analysis of Torus and its Bifurcations	311
S. Hidaka ¹ , K. Kamiyama ¹ , T. Endo ¹ , N. Inaba ¹ , M. Sekikawa ²	
¹ Meiji University, Japan; ² Utsunomiya University, Japan	
A Microwave Sensor for Glue on Paper Detection	315
F. Orfei, M. Dionigi	
<i>Università degli Studi di Perugia, Italy</i>	
Logarithmic AD Conversion Using Latched Comparators and a Time-to-Digital Converter	319
M. Santos ¹ , N. Horta ¹ , J. Guilherme ²	
¹ Instituto de Telecomunicações, Portugal; ² Instituto Politecnico Tomar, Portugal	
An Analytical Model of AC-DC Voltage Multipliers	323
T. Tanzawa	
<i>Micron Japan, Ltd., Japan</i>	

Design of DC-DC Switched-Capacitor Voltage Multiplier Driven by DC Energy Transducer	327
T. Tanzawa <i>Micron Japan, Ltd., Japan</i>	
Pseudo NMOS Based Sense Amplifier for High Speed Single-Ended SRAM	331
H. Jeong ² , T. Kim ² , S. Jung ² , T. Song ¹ , G. Kim ¹ ¹ <i>Samsung Electronics, Korea, South</i> ; ² <i>Yonsei University, Korea, South</i>	
Performance Study of Nonlinearities Blind Correction in Wideband Receivers	335
R. Vanebrouck ³ , C. Jabbour ² , P. Desgreys ² , O. Jamin ¹ , V. Nguyen ² ¹ <i>NXP Semiconductors, France</i> ; ² <i>Télécom ParisTech, France</i> ; ³ <i>Télécom Paristech/NXP Semiconductors, France</i>	
Supply-Voltage Down Conversion for Digital CMOS Designs	339
P. Nilsson, M. Ali, M. Ethiraj, S. Sherazi <i>Lund University, Sweden</i>	
A 79dB THD CMOS Low Power THA Circuit Using Pseudo Differential Source Follower and Common-Mode Management	343
W. Zhang ¹ , F. Tang ² ¹ <i>Chongqing Three Gorges University, China</i> ; ² <i>Chongqing University, China</i>	
Intra-Body Communications - Radio-Frequency Versus Ultrasonic	347
F. Rivet ¹ , N. Owen ² , D. Lai ² , Y. Deval ¹ ¹ <i>University of Bordeaux, France</i> ; ² <i>Victoria University, Australia</i>	
LNA Circuit Design Counting the Interconnect Line Parasitics	351
R. Hamani ¹ , C. Andrei ¹ , B. Jarry ² , J. Lintignat ³ ¹ <i>NXP Semiconductors, France</i> ; ² <i>Université de Limoges, France</i> ; ³ <i>XLIM / Université de Limoges, France</i>	
2D MAGFET-Type Sensors Modeling: Application to a New Device Design, the CHOPFET	355
L. Osberger, V. Frick <i>Université de Strasbourg, France</i>	
Robust Voice Activity Detection Using Selectively Energy Features	359
J. Wakasugi ² , N. Hayasaka ¹ , Y. Iiguni ² ¹ <i>Osaka Electro-Communication University, Japan</i> ; ² <i>Osaka University, Japan</i>	
A Superparallel Image Filtering Digital-Pixel-Sensor Employing a Compressive Multiplication Technique	363
H. Zhu, K. Asada <i>University of Tokyo, Japan</i>	
Experimental and Simulation Results on Si Integrated Inductor Efficiency for Smart RF-ICs . . .	367
A. Royet ¹ , J. Barbé ² , O. Valorge ³ , L. Rémy ⁴ , I. Constant ⁴ ¹ <i>CEA-LETI, France</i> ; ² <i>CEA/LETI, France</i> ; ³ <i>EASII-IC, France</i> ; ⁴ <i>LFoundry Rousset, France</i>	
Saliency Oriented Object Image Re-Ranking	371
C. Xu, Y. Gao, M. Shi <i>Peking University, China</i>	
A New Mismatch-Insensitive 1.5-Bit MDAC with Unity Feedback-Factor and Enhanced Performance	375
N. Pereira ² , J. Goes ¹ , M. Rodrigues ³ , P. Faria ³ ¹ <i>CTS - UNINOVA, Portugal</i> ; ² <i>CTS/UNINOVA, Portugal</i> ; ³ <i>S3Group, Portugal</i>	
Distributed Asynchronous Controllers for Clock Management in Low Power Systems	379
C. Al Khatib ² , C. Aupetit ² , A. Chagoya ² , C. Chevalier ¹ , G. Sicard ² , L. Fesquet ² ¹ <i>STMicroelectronics, France</i> ; ² <i>Université Grenoble Alpes, France</i>	

SOI CMOS Tunable Capacitors for RF Antenna Aperture Tuning	383
D. Nicolas ¹ , A. Giry ¹ , E. Ben Abdallah ¹ , S. Bories ¹ , G. Tant ¹ , T. Parra ³ , C. Delaveaud ¹ , P. Vincent ¹ , F. Chan Wai Po ²	
¹ CEA-LETI, France; ² ISEP, France; ³ LAAS-CNRS, France	
FinFET Based SRAM Design: a Survey on Device, Circuit, and Technology Issues	387
M. Bayoumi, A. Dutta	
<i>University of Louisiana at Lafayette, United States</i>	
Integrated Front-End for on Line Continuous Calibration of Rogowski Coil Current Transducer	391
S. Paulus ² , J. Kammerer ² , J. Pascal ¹ , L. Hébrard ²	
¹ ABB Ltd, Switzerland; ² Université de Strasbourg, France	
Wide Range 8ps Incremental Resolution Time Interval Generator Based on FPGA Technology .	395
I. Vornicu, R. Carmona-Galán, A. Rodríguez-Vázquez	
<i>Instituto de Microelectrónica de Sevilla and Universidad de Sevilla, Spain</i>	
DynPack: Dynamic Multi-Objective Packing Algorithm for Optimization of Post Place-and-Route Metrics in FPGAs	399
V. Silva, A. Silva-Filho	
<i>Universidade Federal de Pernambuco, Brazil</i>	
Performances of an Highly Parallel Image Processing Chain for Capturing High Dynamic Range Video	403
M. Benetti, A. Peizerat, A. Dupret, L. Bruno De Sa, M. Tchagaspanian	
<i>CEA, France</i>	
On the Construction of LDPC Convolutional Code Ensembles Based on Permuted Circulant Unit Matrices	407
F. Gioulekas ³ , C. Petrou ² , A. Vgenis ¹ , M. Birbas ¹	
¹ Analogies S.A., Greece; ² P&I Sens Leveling, ASML Netherlands BV, Netherlands; ³ University General Hospital of Larissa, Greece	
Reduced Complexity Rate-Matching/De-Matching Architecture for the LTE Turbo Code	411
A. Spanos ³ , F. Gioulekas ² , M. Birbas ¹ , A. Vgenis ¹	
¹ Analogies S.A., Greece; ² University General Hospital of Larissa, Greece; ³ University of Edinburgh, United Kingdom	
Low-Power, High-Data-Rate, BPSK Demodulator for Implantable Biomedical Applications	415
A. Javid, H. Vahedian, A. Sodagar, M. Ehsanian Mofrad	
<i>Khajeh Nasir Toosi University of Technology, Iran</i>	
TDES Cryptography Algorithm Acceleration Using a Reconfigurable Functional Unit	419
G. Cardarilli, L. Di Nunzio, R. Fazzolari, M. Re	
<i>Università degli Studi di Roma Tor Vergata, Italy</i>	
Resonant-Based Test Method for MEMS Devices	423
A. Dianat, A. Attaran, R. Rashidzadeh, R. Muscedere	
<i>University of Windsor, Canada</i>	
A Method for NoC-Based MPSoC Energy Consumption Estimation	427
A. Martins, D. Silva, G. Castilhos, T. Monteiro, F. Moraes	
<i>Pontifícia Universidade Católica do Rio Grande do Sul, Brazil</i>	
Effects of the NoC Architecture in the Performance of NoC-Based MPSoCs	431
D. Silva, B. Oliveira, F. Moraes	
<i>Pontifícia Universidade Católica do Rio Grande do Sul, Brazil</i>	
The Effect of Multi-Scrolls Distribution on Image Encryption	435
A. Radwan, S. Abd-El-Hafiz	
<i>Cairo University, Egypt</i>	

A Rad-Hard DC-DC Converter Controller	439
B. Silva ¹ , N. Horta ¹ , J. Guilherme ²	
¹ <i>Instituto de Telecomunicações, Portugal;</i> ² <i>Instituto Politecnico Tomar, Portugal</i>	
Transient Response Exploration of SRAM Cell Metastable States Caused by Ionizing Radiation with 3D Mixed Mode Simulation	443
A. Privat, L. Clark, H. Barnaby	
<i>Arizona State University, United States</i>	
Subthreshold Passive RF Tag's PIE Decoder Design with Wide Tolerance and Custom Ratioed Logic Cells	447
W. Shi ² , C. Choy ¹	
¹ <i>Chinese University of Hong Kong, Hong Kong;</i> ² <i>Shenzhen University, China</i>	
Probabilistic Model Checking of Single Event Transient Propagation at RTL Level	451
G. Bany Hamad ² , O. Ait Mohamed ¹ , Y. Savaria ²	
¹ <i>Concordia University, Canada;</i> ² <i>École Polytechnique de Montréal, Canada</i>	
Application-Informed Platform Evaluation for Commercial-Off-the-Shelf Dynamic Voltage Scaling	455
B. Boudaoud, J. Lach, H. Powell	
<i>University of Virginia, United States</i>	
Resistive Correction of Low Output Impedance High-Speed Current-Steering DACs	459
S. Leuenberger, A. Waters, U. Moon	
<i>Oregon State University, United States</i>	
Switched Capacitor DC-DC Converter for Ultra-Low Power Applications	463
D. Kilani, B. Mohammad, H. Saleh, M. Ismail	
<i>Khalifa University of Science, Technology and Research, U.A.E.</i>	
An Energy-Efficient Dynamic-Integrator-Based Delta Sigma Modulator	467
R. Matsushiba, K. Ohara, T. Waho	
<i>Sophia University, Japan</i>	
Radio Receiver Front-End Using Time-Based All-Digital ADC (TAD)	471
T. Terasawa ¹ , Y. Kamiya ¹ , H. Kawashima ¹ , K. Imai ¹ , M. Suzuki ¹ , T. Watanabe ¹ , N. Taguchi ¹ , M. Sawada ¹ , Y. Hou ² , Y. Hirooka ² , N. Phuc ² , M. Miyahara ² , A. Matsuzawa ²	
¹ <i>DENSO Corporation, Japan;</i> ² <i>Tokyo Institute of Technology, Japan</i>	
A Simple Structure AGC for Synchronous Capacitor Resonant Converter Used in HIFU Application	474
X. Wang ² , M. Zhang ² , X. Ren ² , F. Rodes ¹ , R. Deniéport ¹	
¹ <i>École nationale supérieure d'électronique, informatique, télécommunications, mathématique et mécanique, France;</i> ² <i>Université Paris-Sud, France</i>	
Design Methodology for Low Power RF LNA Based on the Figure of Merit and the Inversion Coefficient	478
F. Fadhui ³ , T. Taxis ³ , Y. Deval ³ , C. Enz ¹ , D. Belot ²	
¹ <i>Ecole Polytechnique Fédérale de Lausanne, Switzerland;</i> ² <i>STMicroelectronics, France;</i> ³ <i>University of Bordeaux, France</i>	
Optimal Programming with Voltage-Controlled Temperature Profile to Reduce Set State Distribution Dispersion in PCM	482
A. Kiouseloglou ¹ , E. Covi ² , G. Navarro ¹ , A. Cabrini ³ , L. Perniola ¹ , G. Torelli ³	
¹ <i>CEA-LETI, France;</i> ² <i>Laboratorio MDM, IMM - CNR, Italy;</i> ³ <i>Università degli studi di Pavia, Italy</i>	

In Vivo Measurements with a 64-Channel Extracellular Neural Recording Integrated Circuit ...	486
M. Delgado-Restituto ² , A. Rodríguez-Pérez ² , A. Darie ² , A. Rodríguez-Vázquez ² , C. Soto-Sánchez ¹ , E. Fernández-Jover ¹	
¹ Bioengineering Institute, University Miguel Hernandez, Spain; ² Instituto de Microelectrónica de Sevilla and Universidad de Sevilla, Spain	
Statistical Analysis of Noise in Broadband and High Resolution ADCs	490
G. Kamdem De Teyou, H. Petit, P. Loumeau, H. Fakhoury, Y. Le Guillou, S. Paquelet	
<i>Télécom ParisTech, France</i>	
Multi-Phase Oscillator for Higher-Order PSK Applications	494
M. Fouda ¹ , A. Soltan ² , A. Radwan ¹ , A. Soliman ¹	
¹ Cairo University, Egypt; ² Newcastle University, United Kingdom	
Reducing Scan-Shift Power Through Scan Partitioning and Test Vector Reordering	498
T. Wu, L. Zhou, H. Liu	
<i>National University of Defense Technology, China</i>	
Numerical Analysis of Nano Schottky Junctions for Developing Novel Sub-20 nm Electronic Devices	502
K. Eledlebi, M. Ismail, M. Rezeq	
<i>Khalifa University of Science, Technology and Research, U.A.E.</i>	
Elastic Security Zones for NoC-Based 3D-MPSoCs	506
M. Sepúlveda ² , G. Gogniat ³ , D. Flórez ¹ , J. Digué ³ , C. Zeferino ³ , M. Strum ²	
¹ Universidad de los Andes, Colombia; ² Universidade de São Paulo, Brazil; ³ Université Bretagne Sud, Brazil	
Current Feedback Operational Amplifier (CFOA) Based Fractional Order Oscillators	510
L. Said ² , A. Madian ² , A. Radwan ¹ , A. Soliman ¹	
¹ Cairo University, Egypt; ² German University in Cairo, Egypt	
A New Accurate Analytical Expression for the SiPM Transient Response to Single Photons	514
D. Marano ¹ , G. Bonanno ¹ , M. Belluso ¹ , S. Billotta ¹ , A. Grillo ¹ , S. Garozzo ¹ , G. Romeo ¹ , A. Grasso ² , S. Pennisi ² , G. Palumbo ²	
¹ Istituto Nazionale di Astrofisica, Italy; ² Università degli Studi di Catania, Italy	
A Mathematical Model for Time-Domain Analysis and for Parametric Optimization of a Class of Switched Capacitor RF Power Amplifiers	518
P. Zarkos ² , C. Adamopoulos ² , I. Vassiliou ¹ , P. Sotiriadis ²	
¹ Broadcom Greece, Greece; ² National Technical University of Athens, Greece	
A mmW Low Power VCO with High Tuning Range in 28nm FDSOI CMOS Technology	522
M. Vallet ² , O. Richard ¹ , Y. Deval ³ , D. Belot ¹	
¹ STMicroelectronics, France; ² STMicroelectronics and IMS Bordeaux, France; ³ University of Bordeaux, France	
80 GHz co-Designed LNA and Antenna for Automotive Radar	526
N. Martin ³ , T. Taris ³ , J. Begueret ³ , C. Person ² , D. Belot ¹	
¹ STMicroelectronics, France; ² Télécom Bretagne, France; ³ University of Bordeaux, France	
Medical Power Generator Using a Voltage Mode Resonant Converter Controlled by a Synchronous Switched Capacitor Is MRI Compatible	530
R. Deniéport ¹ , F. Rodes ¹ , M. Zhang ² , X. Wang ² , X. Ren ²	
¹ École nationale supérieure d'électronique, informatique, télécommunications, mathématique et mécanique, France; ² Université Paris-Sud, France	
Dedicated Hardware IP Module for Extracting Singular Points from Fingerprints	534
M. Martínez Rodríguez, R. Arjona, P. Brox, I. Baturone	
<i>Instituto de Microelectrónica de Sevilla and Universidad de Sevilla, Spain</i>	

Closed-Loop Simulation Method for Evaluation of Static Offset in Discrete-Time Comparators .	538
A. Ginés, E. Peralías, G. Leger, A. Rueda <i>Instituto de Microelectrónica de Sevilla and Universidad de Sevilla, Spain</i>	
Composite Fields Against Side Channel Analysis for the Advanced Encryption Standard	542
M. Bollo ¹ , P. Maistri ² ¹ <i>TIMA Laboratory, France;</i> ² <i>Université Grenoble Alpes, France</i>	
Design of a Direct Light to Time Converter and its Noise Analysis	546
D. Sallin, A. Koukab, M. Kayal <i>École Polytechnique Fédérale de Lausanne, Switzerland</i>	
A High-Linearity Design for Rail-to-Rail Fully Differential Current Conveyors	550
S. Caviglia, P. Gastaldo, R. Zunino, D. Caviglia <i>Università degli Studi di Genova, Italy</i>	
A 10-Bit, 3 ps RMS Precision Time-to-Digital Converter for Diffuse Optical Tomography Measurements	554
M. Kanoun, L. Arpin, V. Rheume, M. Tétreault, Y. Bérubé-Lauzière, R. Fontaine <i>Université de Sherbrooke, Canada</i>	
High Resolution NEMS Smart Audio Sensor Based on Resistive Silicon Nanowires for Hearing Aids	558
E. Savary ² , W. Rahajandraibe ² , S. Meillère ² , E. Kussener ² , H. Barthelemy ¹ , J. Czarny ³ , H. Lhermet ³ , P. Robert ³ ¹ <i>Aix Marseille Université, CNRS, Université de Toulon, France;</i> ² <i>Aix Marseille Université, CNRS, Université de Toulon, IM2NP, France;</i> ³ <i>CEA-LETI, France</i>	
Optimized Implementation of Memristor-Based Full Adder by Material Implication Logic	562
M. Teimoori ² , A. Amirsoleimani ⁴ , J. Shamsi ¹ , A. Ahmadi ³ , S. Alirezaee ⁴ , M. Ahmadi ⁴ ¹ <i>Iran University of Science and Technology, Iran;</i> ² <i>Islamic Azad University, Science and Research Branch, Iran;</i> ³ <i>Razi University, Iran;</i> ⁴ <i>University of Windsor, Canada</i>	
Low-Cost Fault-Tolerant Routing for Regular Topology NoCs	566
K. Tatas, S. Savva, C. Kyriacou <i>Frederick University, Cyprus</i>	
An Efficient Algorithm to Synthesize Quantum Circuits and Optimization	570
Ö. Susam, M. Altun <i>Istanbul Technical University, Turkey</i>	
Impact of Gate Workfunction Fluctuation on FinFET Standard Cells	574
C. Meinhardt, A. Lackmann Zimpeck, R. Reis <i>Universidade Federal do Rio Grande do Sul, Brazil</i>	
3D Floorplanning with Nets-to-TSVs Assignment	578
M. Ahmed, S. Mohapatra, M. Chrzanowska-Jeske <i>Portland State University, United States</i>	
Blind Calibration of Nonlinearity Mismatch Errors in Two-Channel Time-Interleaved ADCs ...	582
Y. Wang ² , H. Johansson ¹ , H. Xu ² , Z. Sun ² ¹ <i>Linköping University, Sweden;</i> ² <i>National University of Defense Technology, China</i>	
A Zinc Dioxide -on- Silicon MEMS Resonator for Narrowband Filtering	586
O. Mortada, P. Blondy, A. Crunteanu, M. Chatras, J. Orlianges <i>Université de Limoges, France</i>	
A Low Noise Op-Amp Transimpedance Amplifier for LIDAR Applications	590
A. Auckloo, R. Tozer, J. David, C. Tan <i>University of Sheffield, United Kingdom</i>	

The Riemann Pump: a Concurrent Transmitter in GaN Technology	594
Y. Veyrac ² , F. Rivet ² , Y. Deval ² , D. Dallet ² , P. Garrec ¹ , R. Montigny ¹	
¹ Thales Group, France; ² University of Bordeaux, France	
Biodegradable Pressure Sensor for Health-Care	598
V. Annese ¹ , D. De Venuto ¹ , C. Martin ² , D. Cumming ²	
¹ Politecnico di Bari, Italy; ² University of Glasgow, United Kingdom	
Robust Response Design for Heterogeneous Systems Based on Metamodels	602
A. Oros ³ , M. Topa ³ , R. Amariutei ¹ , A. Buzo ² , M. Rafaila ² , G. Pelz ²	
¹ Gheorghe Asachi Technical University, Romania; ² Infineon Technologies, Germany; ³ Technical University of Cluj-Napoca, Romania	
Automatic Layout Generation of Power MOSFET Transistors in Bulk CMOS	606
D. Guilherme ¹ , N. Horta ¹ , J. Guilherme ²	
¹ Instituto de Telecomunicações, Portugal; ² Instituto Politecnico Tomar, Portugal	
Radiation Hardened Bootstrapped Switch in 0.18um CMOS Process	610
O. Bernal, L. Perbet, H. Tap	
LAAS / CNRS / Université de Toulouse, France	
Fault Tolerant Implementation of a SpaceWire Interface	614
S. Taube, V. Petrovic, M. Krstic	
Innovations for High Performance Microelectronics, Germany	
An FPGA-Based Hardware Accelerator for Simulating Spatiotemporal Neurons	618
G. Tarawneh, J. Read	
Newcastle University, United Kingdom	
A Hybrid Model of Switch Mode Converter for Low Power AC-DC Voltage Applications	622
S. M, M. Barai	
National Institute of Technology Calicut, India	
Radiation-Tolerant Standard Cell Synthesis Using Double-Rail Redundant Approach	626
V. Ciriani ² , L. Frontini ² , V. Liberali ² , S. Shojaii ² , A. Stabile ¹ , G. Trucco ²	
¹ Istituto Nazionale di Fisica Nucleare, Italy; ² Università degli Studi di Milano, Italy	
Bi-Directional High-Side Current Sense Circuit for Switch Mode Power Supplies	630
M. Ekhtiari, E. Bruun, M. Andersen, Z. Zhang	
Technical University of Denmark, Denmark	
Transition Inversion Coding with Parity Check for Off-Chip Serial Transmission	634
J. Zeng ¹ , J. Zhou ¹ , R. Lin ²	
¹ Xia Men University, China; ² Yuan Ze University, Taiwan	
LDO Regulator Versus Switched Inductor DC-DC Converter	638
D. Kilani, B. Mohammad, H. Saleh, M. Ismail	
Khalifa University of Science, Technology and Research, U.A.E.	
Digital Pulse Frequency Modulation for Switched Capacitor DC-DC Converter on 65nm Process	642
D. Kilani, B. Mohammad, H. Saleh, M. Ismail	
Khalifa University of Science, Technology and Research, U.A.E.	
Why Hybridize NEMS with CMOS?	646
M. Tache ¹ , V. Beiu ¹ , T. King Liu ²	
¹ United Arab Emirates University, U.A.E.; ² University of California, Berkeley, United States	
An Energy Efficient Multi-Bit TSV Transmitter Using Capacitive Coupling	650
J. Görner, S. Höppner, D. Walter, M. Haas, D. Plettemeier, R. Schüffny	
Technische Universität Dresden, Germany	

A Digitally Corrected ADC Using a Passive Pulse Frequency Modulator	654
E. Gutierrez ² , L. Hernandez ² , U. Gaier ¹ , S. Walter ¹ , L. Zou ¹	
¹ Lantiq GmbH, Austria; ² Universidad Carlos III de Madrid, Spain	
A New General Purpose Line Probe Routing Algorithm	658
S. Gonçalves, L. Rosa Jr., F. Marques	
<i>Universidade Federal de Pelotas, Brazil</i>	
Impact of a Fully Reconfigurable LNA on an RF Front-End: a System Level Analysis	662
L. Lolis ¹ , M. de Souza ² , L. Zambon ¹ , A. Mariano ¹	
¹ Universidade Federal do Paraná, Brazil; ² Universidade Tecnológica Federal do Paraná, Brazil	
A Low Cost Biomimetic Implementation of a CPG Based on AdEx Neuron Model	666
S. Gomar ¹ , A. Ahmadi ¹ , S. Alirezaee ² , M. Ahmadi ² , M. Mirhasani ²	
¹ Razi University, Iran; ² University of Windsor, Canada	
A Reconfigurable Charge Pump in 0.13um CMOS for Agile MEMS Actuation	670
A. Alameh, A. Robichaud, F. Nabki	
<i>Université du Québec à Montréal, Canada</i>	
Design Methodology of High Efficiency Continuous Mode Transfer Power Amplifiers with One Octave Bandwidth	674
T. Sharma, R. Darraji, F. Ghannouchi	
<i>University of Calgary - iRadio Lab, Canada</i>	
SPIHT-Based Image Compression Scheme for Energy Conservation Over Wireless Vision Sensor Networks	678
A. Chefi ¹ , G. Sicard ²	
¹ TIMA Laboratory, France; ² Université Grenoble Alpes, France	
Analyzing the Electromigration Effects on Different Metal Layers and Different Wire Lengths ..	682
G. Posser ¹ , V. Mishra ² , R. Reis ¹ , S. Sapatnekar ²	
¹ Universidade Federal do Rio Grande do Sul, Brazil; ² University of Minnesota, United States	
Instrumented Glove for Skills Assessment in Neurosurgical Simulation	686
J. Lemos ³ , M. Hernández ³ , G. Soto-Romero ² , A. Valade ¹	
¹ LAAS-CNRS, France; ² LAAS-CNRS / ISIFC-Université de Franche-Comté, France; ³ Universidad de Antioquia, Colombia	
Design Constraints of High Performance Chopping Signal Conditioning Circuits for Integrated Sensors	690
P. Vejdani, A. Bouchami, F. Nabki	
<i>Université du Québec à Montréal, Canada</i>	
32 dB Gain W-Band LNA in 28 nm Bulk CMOS	694
D. Pepe ¹ , D. Zito ²	
¹ Tyndall National Institute, Ireland; ² Tyndall National Institute/University College Cork, Ireland	
Modeling the Static and Dynamic Behavior of Multi-Layer Varistors in the Threshold Voltage Region Depending on the DC Operating Point	698
C. Widemann ¹ , S. Scheier ² , S. Frei ² , W. Mathis ¹	
¹ Leibniz Universität Hannover, Germany; ² Technische Universität Dortmund, Germany	
Implementation of Boost Converter Zero Current Detection Using Digital ASIC Design Flow ...	702
M. Wahbah, B. Mohammad, H. Saleh, M. Ismail	
<i>Khalifa University of Science, Technology and Research, U.A.E.</i>	
An ASIC Linear Congruence Solver Synthesized with Three Cell Libraries	706
J. Bucek, P. Kubalik, R. Lorencz, T. Zahradnicky	
<i>Czech Technical University in Prague, Czech Rep.</i>	

Variability of Nanoscale Triple Gate FinFETs	710
D. Tassis, I. Messaris, N. Fasarakis, A. Tsormpatzoglou, S. Nikolaidis, C. Dimitriadis <i>Aristotle University of Thessaloniki, Greece</i>	
Using High-Level Synthesis to Build Memory and Datapath Optimized DSP Accelerators	714
D. Diamantopoulos ² , G. Economakos ² , D. Reisis ¹ ¹ <i>National and Kapodistrian University of Athens, Greece;</i> ² <i>National Technical University of Athens, Greece</i>	
Thermal Impact of 3D Stacking and Die Thickness: Analysis and Characterization of a Memory-on-Logic 3D Circuit	718
C. Santos ² , P. Vivet ¹ , R. Reis ² ¹ <i>CEA-LETI, France;</i> ² <i>Universidade Federal do Rio Grande do Sul, Brazil</i>	
Side Information Generation Using Optical Flow and Block Matching in Wyner-Ziv Video Coding	722
Y. Mohammad Taheri, M. Ahmad, M. Swamy <i>Concordia University, Canada</i>	
Analysis of Absolute Photonic Band Gaps in Twodimensional Photonic Crystals Based on CdSe Rods Embedded in TiO2 Matrix	726
A. Labbani ² , L. Jouablia ² , A. Benghalia ¹ ¹ <i>Université Constantine 1, Algeria;</i> ² <i>University Constantine 1, Algeria</i>	
A Low-Power Wilkinson-Type ADC for CdZnTe Detectors in 0.13um CMOS	730
M. Beikahmadi, S. Mirabbasi <i>University of British Columbia, Canada</i>	
Image Retrieval via Generalized I-Divergence in the Bag-of-Visual-Words Framework	734
B. Rocha, E. Nogueira, D. Guliato, D. Ferreira, C. Barcelos <i>Universidade Federal de Uberlândia, Brazil</i>	
Configurable Pulse Routing Architecture for Accelerated Multi-Node Neuromorphic Systems ...	738
V. Thanasoulis, J. Partzsch, B. Vogginger, R. Schüffny <i>Technische Universität Dresden, Germany</i>	
A Modeling and Code Generation Framework for Critical Embedded Systems Design: from Simulink Down to VHDL and Ada/C Code	742
M. Lanoe ² , M. Bordin ¹ , D. Heller ² , P. Coussy ² , C. Chavet ² ¹ <i>AdaCore, France;</i> ² <i>Université de Bretagne Sud, France</i>	
Digital Hardware Optimization for 1.5-GHz High-Speed DDFS	746
K. Asok, K. Sahoo <i>Amrita Vishwa Vidyapeetham University, India</i>	
A Data-Driven Energy Efficient and Flexible Compute Fabric Architecture for Adaptive Computing Applied to ULSI of FFT	750
P. Nsame, G. Bois, Y. Savaria <i>École Polytechnique de Montréal, Canada</i>	
OAPM: Fine-Grained Operand-Aware Power Management with Fast Reaction Time	754
S. Farah, M. Bayoumi <i>University of Louisiana at Lafayette, United States</i>	
RF-LNA Circuit Synthesis by Genetic Algorithm-Specified Artificial Neural Network	758
E. Dumesnil, F. Nabki, M. Boukadoum <i>Université du Québec à Montréal, Canada</i>	
Performance Comparison of Two Wide-Tuning-Range 13-GHz CMOS LC-VCOs	762
G. Yu, S. Mirabbasi, A. Ivanov <i>University of British Columbia, Canada</i>	

Efficient Shaped Quantizer Dithering Implementation for Sigma Delta Modulators	766
N. Anabtawi ¹ , R. Ferzli ¹ , H. Harmanani ²	
¹ Arizona State University, United States; ² Lebanese American University, United States	
A 12-Bit, 5.5uW Single-Slope ADC Using Intermittent Working TDC with Multi-Phase Clock Signals	770
D. Uchida, M. Ikebe, J. Motohisa, E. Sano	
<i>Hokkaido University, Japan</i>	
Stochastic Analysis of CNFET Circuits Using Enhanced Logical Effort Model in the Presence of Metallic Tubes	774
M. Ali, M. Ahmed, M. Chrzanowska-Jeske	
<i>Portland State University, United States</i>	
Criticality Evaluation of Embedded Software Running on a Pipelined Microprocessor and Impact of Compilation Options	778
K. Chibani, S. Bergaoui, M. Portolan, R. Leveugle	
<i>Université Grenoble Alpes, France</i>	
XG-PON Optical Network Unit Downstream FEC Design Based on Truncated Reed-Solomon Code	782
G. Georgis ² , C. Tzeranis ² , D. Reisis ² , G. Synnefakis ¹	
¹ inAccess Networks S.A., Greece; ² National and Kapodistrian University of Athens, Greece	
Small Area Charge Pump Using Low Voltage Capacitors	786
N. Dumas, V. Frick, J. Heitz, C. Lallement, L. Hébrard	
<i>Université de Strasbourg, France</i>	
Configurable and High-Throughput Architectures for Quasi-Cyclic Low-Density Parity-Check Codes	790
A. Al Hariri, F. Monteiro, L. Siéler, A. Dandache	
<i>Université de Lorraine, France</i>	
Analysis of the Inductance and Switching Frequency Trade-Off in Integrated DC-DC Converters	794
S. Li, S. Smaili, Y. Massoud	
<i>Worcester Polytechnic Institute, United States</i>	
A 4GHz CMOS130nm IR-UWB Dual Front-End Transceiver for IEEE802.15 Standards	798
L. Ouvry ³ , G. Masson ³ , M. Pezzin ³ , B. Piaget ³ , B. Caillat ³ , S. Bourdel ² , N. Dehaese ¹ , O. Fourquin ¹ , J. Gaubert ¹ , S. Meillère ¹ , R. Vauché ¹	
¹ Aix Marseille Université, CNRS, Université de Toulon, IM2NP, France; ² PHELMA and IMEP Laboratory, France; ³ Université Grenoble Alpes / CEA LETI, France	
A Low Power/Noise Emission LTE Fully Class A/B Transmitter with a Programmable Output Balun	802
E. Girani ² , N. Codega ¹ , R. Castello ²	
¹ Marvell Italia S.R.L., Italy; ² Università degli Studi di Pavia, Italy	
Investigations of Margins for the Interplay Using a Digital Testing Tool Dedicated to Neutrons Discrimination	806
S. Ben Krit ¹ , K. Coulié-Castellani ¹ , W. Rahajandraibe ¹ , G. Micolau ³ , A. Lyoussi ²	
¹ Aix Marseille Université, CNRS, Université de Toulon, IM2NP, France; ² CEA Cadarache, France; ³ University of Avignon, France	
CMOS UWB Beamforming Radar System	810
L. Wang, C. Heng, Y. Lian	
<i>National University of Singapore, Singapore</i>	
A 130nm CMOS IR-UWB Receiver Based on Baseband Cross-Phase Detection	814
M. Crepaldi, P. Motto Ros, D. Demarchi	
<i>Fondazione Istituto Italiano di Tecnologia, Italy</i>	

RF Energy Harvesting and Remote Powering at 900MHz and 2.4GHz	818
T. Taris ² , L. Fadel ² , L. Oyhenart ² , R. Berges ¹ , F. Torres ¹ , V. Vigneras ²	
¹ Laboratoire de l'Intégration du Matériau au Système, France; ² University of Bordeaux, France	
Effective Sum of Squares Implementation for BPSK Soft-Decision Decoding	822
P. Mermigkas, V. Paliouras	
University of Patras, Greece	
Impulse-Radio Ultra-Wideband Modulation and Detection Techniques for Body Area Networks	826
I. Dotlic, R. Miura	
National Institute of Information and Communications Technology, Japan	
Towards Multiphysics Simulations of Integrated Circuits	830
M. Garci, J. Kammerer, L. Hébrard	
Université de Strasbourg, France	
Qualitative Analysis of RSSI Behavior in Cooperative Wireless Body Area Networks for Mobility Detection and Navigation Applications	834
B. Denis ¹ , N. Amiot ⁴ , B. Uguen ⁴ , A. Guizar ² , C. Goursaud ² , A. Ouni ³ , C. Chaudet ³	
¹ CEA-LETI, France; ² INSA Lyon - CITI, France; ³ Télécom ParisTech, France; ⁴ Université Rennes 1 - IETR, France	
A Technique for the Identification of Trapping Sets in LDPC Codes	838
C. Vasilopoulos, V. Paliouras	
University of Patras, Greece	
Automatic Generation of Electro-Thermal Models with TRAPPIST	842
D. De Jonghe ¹ , G. Gielen ¹ , R. Gillon ²	
¹ Katholieke Universiteit Leuven, Belgium; ² ON Semiconductor, Belgium	
Comparison Study Between Single and Differential Miniature UWB Antenna	846
O. Clauzier, S. Bories, C. Delaveaud	
CEA-LETI, France	
Crystal-Less Duty-Cycled-When-Active IR-UWB Transceivers	850
X. Wang ³ , R. Dokania ² , A. Apsel ¹	
¹ Cornell University, United States; ² Intel Corporation, United States; ³ MIT Lincoln Laboratory, United States	
Person-Centric Microelectronic Sensor Systems : Implant Use Case	854
G. Dolmans, N. Kiyani, H. Pflug, D. Li, H. Visser	
Holst Centre / Imec, Netherlands	
Multi-Domain Simulation as a Foundation for the Engineering of Smart Systems: Challenges and the SMAC Vision	858
R. Gillon ² , G. Gangemi ⁵ , M. Grosso ⁴ , F. Fummi ¹ , M. Poncino ³	
¹ EDALab s.r.l., Italy; ² ON Semiconductor, Belgium; ³ Politecnico di Torino, Italy; ⁴ ST-Polito S.c.a.r.l., Italy; ⁵ STMicroelectronics, Italy	
UVM-SystemC-AMS Based Framework for the Correct by Construction Design of MEMS in Their Real Heterogeneous Application Context	862
T. Maehne ⁴ , Z. Wang ⁴ , B. Vernay ⁴ , L. Andrade ⁴ , C. Ben Aoun ⁴ , J. Chaput ⁴ , M. Louërat ⁴ , F. Pêcheux ⁴ , A. Krust ¹ , G. Schröpfer ¹ , M. Barnasconi ³ , K. Einwich ² , F. Cenni ⁵ , O. Guillaume ⁵	
¹ Coventor, Inc., France; ² Fraunhofer IIS/EAS, Germany; ³ NXP Semiconductors, Netherlands; ⁴ Sorbonne Universités / Université Pierre-et-Marie-Curie, France; ⁵ STMicroelectronics, France	
UWB-IR Digital Baseband Architecture for IEEE 802.15.6 wireless BAN	866
H. Chougrani ⁴ , J. Schwoerer ³ , P. Horrein ² , A. Baghdadi ² , F. Dehmas ¹	
¹ CEA-LETI, France; ² Institut Mines Telecom (Telecom Bretagne), France; ³ Orange Labs, France; ⁴ Orange Labs & Institut Mines Telecom (Telecom Bretagne), France	

Hierarchical Design Flow for Heterogenous Systems Using Pareto Front Interpolation	870
L. Labrak ² , I. O'connor ² , F. Frantz ¹	
¹ <i>Synopsys, Inc., United States; </i> ² <i>Université de Lyon, France</i>	
Energy-Efficient Ultra-Wideband Impulse Radios for Short-Range Low-Data Rate Communications	874
A. Bevilacqua, A. Neviani	
<i>Università degli Studi di Padova, Italy</i>	
A Wideband 2-DOF Resonator for Electromagnetic Energy Harvesting Systems	878
B. Fu ² , E. Blokhina ² , D. O'connell ² , O. Feely ² , R. Frizzell ¹	
¹ <i>Bell Labs, Alcatel-Lucent, Ireland; </i> ² <i>University College Dublin, Ireland</i>	
Capacitive Kinetic Energy Harvesting: System-Level Engineering Challenges	882
D. Galayko ² , A. Dudka ² , P. Basset ¹	
¹ <i>ESYCOM, France; </i> ² <i>Sorbonne Universités / Université Pierre-et-Marie-Curie, France</i>	
Circuitry for Nonlinear Vibration Energy Harvesting	886
F. Orfei	
<i>Università degli Studi di Perugia, Italy</i>	
The Impact of Routing Arbitration Mechanisms on 3D NoC Latency	890
R. Cataldo, R. Fernandes, F. Grando, T. Webber, A. Benso, C. Marcon	
<i>Pontifícia Universidade Católica do Rio Grande do Sul, Brazil</i>	