

# **2015 Symposium on Design, Test, Integration and Packaging of MEMS/MOEMS**

**(DTIP 2015)**

**Montpellier, France  
27 – 30 April 2015**



**IEEE Catalog Number: CFP15DTI-POD**  
**ISBN: 978-1-4799-8545-6**

# TABLE OF CONTENTS

<b>A Novel Multiple-Shell Vibratory Ring Gyroscope .....</b>	<b>1</b>
<i>A. Abdul-Wahed, M. Mahmoud</i>	
<b>Design Of A 3D Multilayer Out-Of-Plane Overlap Electrostatic Energy Harvesting MEMS For Medical Implant Applications .....</b>	<b>5</b>
<i>S. Risquez, M. Woytasik, J. Wei, F. Parrain, E. Lefevre</i>	
<b>An Ultra-Low-Power Front-End for Differential Capacitive Sensors.....</b>	<b>10</b>
<i>P. Kongpark, F. Maily, L. Latorre, P. Nouet</i>	
<b>Integration of Commercial Microspeakers in an Acoustic Absorbing Liner.....</b>	<b>14</b>
<i>A. Houdouin, E. Martincic, E. Lefevre, A. Houdouin, S. Durand, N. Yaakoubi, Y. Auregan</i>	
<b>MEMS based Inertial Measurement Units: For Strategic Applications .....</b>	<b>18</b>
<i>G. Chatterjee, L. Latorre, F. Maily, P. Nouet, N. Hachelef, C. Oudea</i>	
<b>Micro And Nanostructured Substrates For DNA Fibers Combing By Forced Dewetting .....</b>	<b>23</b>
<i>B. Charlot, R. Teissier, E. Schwob</i>	
<b>Screen-Printed Free-Standing Piezoelectric Devices Using Low Temperature Process .....</b>	<b>27</b>
<i>N. Jamel, A. Almusallam, D. Zhu, R. Torah, K. Yang, J. Tudor, S. Beeby</i>	
<b>Capillary Force Pumping Fluid for Glucose Oxidase Enzymatic Fuel Cells .....</b>	<b>31</b>
<i>Y. Tsai, H. Yang, C. Shieh</i>	
<b>A Compact Packaging Technique for the Integration of Ultrasound Probes in Surgical Needles.....</b>	<b>37</b>
<i>G. Schiavone, M. Desmulliez, T. Jones, D. Price, R. McPhillips, Z. Qiu, C. Demore, S. Cochran, S. Mahboob, Y. Jiang, C. Meggs, T. Button</i>	
<b>SU-8 Microchannels for Live Cell Dielectrophoresis Improvements .....</b>	<b>42</b>
<i>P. Fikar, G. Lissorgues, L. Rousseau, O. Francois, B. Pioufle, F. Hamdi, V. Georgiev, D. Georgiev</i>	
<b>Systemc-AMS/MDVP-Based Modeling For The Virtual Prototyping Of MEMS Applications.....</b>	<b>46</b>
<i>F. Cenni, O. Guillaume, M. Diaz-Nava, T. Maehne</i>	
<b>Co-Design of a MEMS-CMOS Autonomous Switched Oscillator .....</b>	<b>52</b>
<i>G. Torri, J. Bienstman, X. Rottenberg, H. Tilmas, C. Hoof, R. Puers</i>	
<b>A RF Tunable Agile Filter: From Component To System Design.....</b>	<b>56</b>
<i>J. Pagazani, G. Lissorgues, T. Vinh-Dinh, D. Pasquet, A. Mehdaoui, G. Schropfer, P. Nicole</i>	
<b>New Design Methodology For MEMS-Electronic-Package Co-Design And Validation For Inertial Sensor Systems.....</b>	<b>62</b>
<i>A. Sanginario, A. Mehdaoui, S. Zerbini, G. Schropfer, D. Demarchi</i>	
<b>System-Level Design Of A Readout Circuit With Thermostatic Control For A MEMS Pellistor Sensor .....</b>	<b>68</b>
<i>O. Leman, M. Srivastava, J. Hauer</i>	
<b>A Novel Pneumatic Dispenser Fabrication Technique for Digitally Printing Electroluminescent Lamps on Fabric.....</b>	<b>74</b>
<i>M. Vos, R. Torah, J. Tudor</i>	
<b>Optimisation of a Novel Direct-Write Dispenser Printer Technique for Improving Printed Smart Fabric Device Performance.....</b>	<b>78</b>
<i>Z. Ahmed, R. Torah, J. Tudor</i>	
<b>Quantum Dots/Silicon Nanowire Coaxial Photoelectrode-based Dye-sensitized Solar Cells .....</b>	<b>83</b>
<i>C. Hsu, G. Wang, Y. Hsieh</i>	
<b>CMOS Compatible Pinpointed Fabrication of Nanoscale Silicon Oxide Islands Array.....</b>	<b>89</b>
<i>P. Dai, N. Lu, A. Gao, Y. Wang, T. Li</i>	
<b>Fabrication of Linear Fresnel Lens Using UV Embossing and A Micromachined Roller Mold.....</b>	<b>93</b>
<i>X. Zhang, K. Liu, X. Shan</i>	
<b>A FEM Study on Debonding Process for BCB Cap Transfer Packaging.....</b>	<b>97</b>
<i>S. Seok</i>	
<b>A Further Study Of Reduced-Order Modeling Techniques For Nonlinear MEMS Beams .....</b>	<b>101</b>
<i>J. Juillard, G. Vidal-Alvarez, N. Barniol</i>	
<b>Optimization of Parameters for CMOS MEMS Resonant Pressure Sensors .....</b>	<b>107</b>
<i>S. Banerji, J. Madrenas, D. Fernandez</i>	
<b>Generation Of User-Defined Input Stimuli For Virtual Prototyping Of MEMS Sensors Applications .....</b>	<b>113</b>
<i>F. Cenni, D. Lyonard, E. Audouin, R. Destenay</i>	
<b>Multiphysical Finite Element Modeling of a Quartz Micro-Resonator Thermal Sensitivity .....</b>	<b>119</b>
<i>B. Bourgeteau, R. Levy, P. Lavenus, O. Traon</i>	
<b>SystemC-AMS Simulation of a Biaxial Accelerometer Based on MEMS Model Order Reduction.....</b>	<b>124</b>
<i>B. Vernay, A. Krust, G. Schropfer, F. Pecheux, M. Louerat</i>	

<b>Enabling Smart System Design with the SMAC Platform</b> .....	130
<i>M. Grosso, G. Gangemi, S. Rinaudo, F. Cenni, M. Crepaldi, A. Sanginario, D. Demarchi</i>	
<b>A Proposed RTL Design Technique for Highly Optimized On-Chip Data Processors of MEMS Sensors</b> .....	136
<i>P. Horvath, G. Hosszu, F. Kovacs</i>	
<b>Dependence Of Preferred C-Axis Orientation On RF Magnetron Sputtering Power For AZO/Si Acoustic Wave Devices</b> .....	140
<i>A. Ralib, A. Nordin, N. Malik, R. Othman</i>	
<b>Laser Curing of Screen and Inkjet Printed Conductors on Flexible Substrates</b> .....	146
<i>Y. Wei, Y. Li, R. Torah, J. Tudor</i>	
<b>Stress Controlled CMUT Fabrication based on a CMOS Compatible Sacrificial Release Process</b> .....	150
<i>L. Elsaesser, M. Friedrichs, M. Klemm, A. Unamuno</i>	
<b>Low Temperature Solid-Liquid Interdiffusion Wafer And Die Bonding Based On PVD Thin Sn/Cu Films</b> .....	154
<i>S. Lemettré, S. Seok, N. Isac, J. Moulin, A. Bosseboeuf</i>	
<b>Elastic Properties of Graphene Grown by Chemical Vapor Deposition</b> .....	158
<i>X. Zhang, C. Liang, S. Zimmermann, F. Krohs, Y. Wang, T. Li</i>	
<b>Experimental Study on Microfluidic Nanoparticle Immobilization using a Biomimetic Method</b> .....	162
<i>X. Huang, Y. Zhu, C. Tsoi, X. Zhang</i>	
<b>Detecting Response Of Square And Circular Si/AlN/Al Membranes Transducers By Laser Vibrometry Doppler And Impedancemeter</b> .....	166
<i>E. Herth, F. Lardet-Vieudrin, L. Valbin, E. Algre</i>	
<b>Influence of Nanotexturization, Nanoparticles and CdTe Quantum Dots in the Power Conversion Efficiency of Solar Cells</b> .....	171
<i>U. Tronco-Jurado, E. Saucedo-Flores, R. Ruelas, R. Lopez, M. Alvarez-Ramos, A. Ayon</i>	
<b>Fabrication of Monolithic Wheatstone Bridge Circuit for Piezoresistive Microcantilever Sensor</b> .....	173
<i>R. Rahim, A. Nordin, N. Malik, B. Bais, B. Majlis</i>	
<b>Frequency Profile Measurement System For Microcantilever-Array Based Gas Sensor</b> .....	178
<i>M. Possas, L. Rousseau, F. Ghassemi, G. Lissorgues, E. Scorsoni, R. Manai, P. Bergonzo</i>	
<b>In-Situ Measurement of Nanoparticle Quantity in Microchambers</b> .....	183
<i>F. Ender, A. Vitez, G. Sallai, D. Weisner, M. Nemeth</i>	
<b>The Limiting Effect Of Electromechanical Coupling In Self-Biased Electrostatic Vibration Energy Harvester</b> .....	189
<i>A. Karami, A. Dudka, D. Galayko, F. Marty, P. Basset</i>	
<b>A Double-Pole Single-Throw Latching MEMS Switch For Reconfigurable Distribution Frames</b> .....	193
<i>D. Dellaert, J. Doutreloigne</i>	
<b>Integrated Inductors with One or Two Magnetic Layers</b> .....	197
<i>D. Yaya, S. Capraro, K. Youssouf, M. Youssouf, M. Bechir, J. Chatelon, J. Rousseau</i>	
<b>Performance Analysis of an RF MEMS TPoS Resonator Using FE Modelling</b> .....	201
<i>R. Farrugia, I. Grech, O. Casha, J. Micallef, E. Gatt</i>	
<b>Narrow-Band Switching By Means Of Triangular Meta-Material Resonators Based On RF MEMS Cantilevers In CPW Configuration</b> .....	207
<i>A. Lucibello, E. Proietti, R. Marcelli, G. Sardi, G. Bartolucci</i>	
<b>Magnetic Inductor Model Which Take Into Account Permeability And Loss Tangent Of The Magnetic Material</b> .....	212
<i>M. Bechir, D. Yaya, F. Kahlouche, M. Souldan, K. Youssouf, S. Capraro, J. Chatelon, J. Rousseau</i>	
<b>Design of Mechanically Tunable Optical Filters with Microring Resonators</b> .....	216
<i>D. Hah, J. Bordelon</i>	
<b>Electromechanical Coupling Characteristics of MEMS Micro Cantilevers with Applications</b> .....	221
<i>K. Ou, K. Chen</i>	
<b>Design Optimisation Of Silicon-Based MEMS Sensors Dedicated To Bioaerosols Monitoring</b> .....	226
<i>B. Berthelot, E. Algre, E. Gehin, S. Moularat, E. Robine</i>	
<b>Reliability Design of Thermally Actuated MEMS Switches Supported by V-Beams</b> .....	231
<i>M. Pustan, R. Chiorean, C. Birleanu, C. Dudesu, R. Muller, A. Baracu, R. Voicu</i>	
<b>Optimization of Focusing SAW Propagation in Piezoelectric Medium for Microfluidic Applications</b> .....	235
<i>N. Aziz, B. Bais, M. Buyong, B. Majlis, A. Nordin</i>	
<b>Modelling Of The Flow Rate Dependent Partial Thermal Resistance Of Integrated Microscale Cooling Structures</b> .....	240
<i>G. Takacs, P. Szabo, G. Bognar</i>	
<b>Frequency Analysis of Electrostatic Cantilever-based MEMS Sensor</b> .....	244
<i>M. Shoaib, N. Hisham, N. Basheer, M. Tariq</i>	

<b>Spatio-Temporal Flow Pattern Observations Using Bio-Inspired Hair Flow Sensors</b> .....	250
<i>A. Dagamseh, S. Hmeidi, G. Krijnen</i>	
<b>How to Evaluate the Reliability of MEMS Devices Without Standards</b> .....	254
<i>J. Dhennin, D. Lellouchi, F. Presseccq</i>	
<b>Fabrication of Fabric LED Array</b> .....	257
<i>S. Takamatsu, T. Yamashita, T. Itoh</i>	
<b>Development of Battery-less Wireless Current Sensor Node Used in Power Distribution Panel</b> .....	261
<i>H. Okada, T. Itoh</i>	
<b>Moisture Sensor Feasibility on Paper-based Substrate</b> .....	265
<i>M. Balde, A. Vena, B. Sorli</i>	
<b>Roll-to-Roll Thermal Embossing for Large Area Microstructure Formation and Application</b> .....	271
<i>X. Shan, M. Mohahidin</i>	
<b>Developing MEMS DC Electric Current Sensor for End-use Monitoring of DC Power Supply: Part V</b>	
<b>– Corresponding Relationship between Polarization and Output Voltage</b> .....	275
<i>X. Yang, Y. Fu, D. Wang, J. Zhao, T. Kobayashi</i>	
<b>Fabrication, Characterization and Test of Acoustic Sensors for Detection of Pollutants in Aquatic Environments</b> .....	280
<i>D. Lapeine, F. Very, D. Laux, J. Ferrandis, B. Charlot, F. Pascal, P. Combette, A. Giani</i>	
<b>Characterization Of Capacitive MEMS Resonators Via Nonlinear Open-Loop Frequency Responses</b> .....	284
<i>A. Brenes, J. Juillard, L. Bourgois, F. Santos</i>	
<b>An Interface Circuit For Time-Multiplexed Electrostatic Drive And Sample Of Electrostatic MEMS Mirror</b> .....	290
<i>S. Maruyama, K. Machida, H. Toshiyoshi, T. Konishi, H. Fujita</i>	
<b>Towards Droplet Size-Aware Biochemical Application Compilation For AM-EWOD Biochips</b> .....	296
<i>M. Alistar, P. Pop</i>	
<b>Two-Phase Taylor-flow Reduced Order Thermal Modeling</b> .....	302
<i>M. Nemeth, A. Poppe</i>	
<b>Pin Count-Aware Biochemical Application Compilation for mVLSI Biochips</b> .....	308
<i>M. Raagaard, P. Pop</i>	
<b>Wafer Level Packaging for Hermetical Encapsulation of MEMS Resonators</b> .....	314
<i>C. Manier, K. Zoschke, H. Oppermann, D. Ruffieux, S. Piazza, T. Suni, J. Dekker, G. Allegato</i>	
<b>Dispenser Printed Proximity Sensor On Fabric For Creative Smart Fabric Applications</b> .....	320
<i>Y. Wei, R. Torah, Y. Li, J. Tudor</i>	
<b>MOEMS For Near Field Optical Microscopy: From Conception To Fabrication Process Challenges</b> .....	324
<i>P. Falgayrettes, P. Gall-Borrut, A. Tsigara, B. Belier, F. Maillard</i>	
<b>Visible-Light Photocatalysis Using Plasmonic Coupling Effect For Optofluidic Microreactors</b> .....	327
<i>F. Tan, N. Wang, S. Cao, Q. Liang, W. Yu, X. Zhang</i>	
<b>Investigation of Warpage in Wafer-level Molding: Measurements and FE Analysis</b> .....	331
<i>R. Farrugia, I. Grech, O. Casha, J. Micallef, E. Gatt, I. Ellul, R. Duca, I. Borg</i>	
<b>Parylene-C Encapsulation for Polymeric Cantilever Stability</b> .....	337
<i>N. Maheshwari, G. Chatterjee, M. Vinchurkar, G. Gupta, H. Kshirsagar, K. Narsimhan, V. Rao</i>	
<b>Experimental Validation Of Diaphragms For Acoustic Micro-Transducers</b> .....	342
<i>J. Esteves, G. Pasquale, L. Rufer, A. Koumela, S. Basrour, A. Soma</i>	
<b>A MEMS Micromirror Based Head-Up Display System</b> .....	346
<i>R. Ben-Mrad, D. Pasiliao</i>	
<b>A Miniature Piezoelectric Energy Harvester For Air Flows</b> .....	350
<i>H. Sun, D. Zhu, N. White, S. Beeby</i>	
<b>A Miniature Vibrating Cantilever Magnetometer</b> .....	353
<i>R. Levy, P. Kayser, S. Masson, B. Bourgeteau, J. Moulin</i>	
<b>A Strain-Sensor-Integrated Test Bed for Electro Mechanical Characterization of VLSI Probe</b> .....	357
<i>R. Setoguchi, E. Lebrasseur, M. Kubota, Y. Mita</i>	
<b>Constant Frequency Drive Method For MEMS For Improved Failure Detection</b> .....	362
<i>S. Jamborhazi, M. Rencz</i>	
<b>Cycling Reliability Of RF-MEMS Switches With Gold-Platinum Multilayers As Contact Material</b> .....	368
<i>V. Mulloni, B. Margesin, P. Farinelli, R. Marcelli, G. Angelis</i>	
<b>Fracture Mechanism Analysis For Stealth Dicing Applied In Wafer Expansion</b> .....	373
<i>W. Chuang, W. Tu, J. Hwang, C. Lee</i>	
<b>Dielectric Charging Frequency Response of MEMS Switches with Insulator-Insulator Contact</b> .....	377
<i>D. Molinero, S. Cunningham, D. Dereus, A. Morris</i>	
<b>Author Index</b>	