

2015 International Conference on Clean Electrical Power

(ICCEP 2015)

**Taormina, Italy
16-18 June 2015**



**IEEE Catalog Number: CFP1536B-POD
ISBN: 978-1-4799-8705-4**

POWER ELECTRONICS CONVERTERS FOR RES

Accurate Design of Controllers in a Parallel Single-Phase Inverter System of Distributed Generators Sharing Linear and Non-Linear Loads'''

E. Chiodo, M. Karimian, D. Lauria, G. Mazzanti, A. Rabiee (ITALY)

Active Front End in Presence of Voltage Notches'''

A. Di Napoli, A. Ndokaj (ITALY)

Constant switching frequency control-based linear assisted DC/DC regulator for photovoltaic solar-powered facilities. '''

A. Grau-Saldes, H. Martinez-Garcia (SPAIN)

Interleaved High performance non isolated switched inductance converter for renewable'''

M. Balato, L. Costanzo, P. Marino, L. Rubino, G. Rubino, M. Vitelli (ITALY)

Modular Z-Source DC-DC Converter based Multilevel Power Conditioning System for PV Applications'''

L. Palma (CHILE)

DC SMART GRIDS

A comparison of insulated DC-DC converters for HVDC off-shore wind farms'''

P. Ladoux, T. Lagier (FRANCE)

A Cost Minimization Strategy for the Control of Hybrid AC-DC Microgrids in Industrial Systems''

A. Bracale, P. Caramia, F. Mottola (ITALY)

A Novel Approach in Multi-port DC/DC Converter Control'''

M. Corti, E. Tironi, G. Ubezio (ITALY)

DC Multibus based on a Single-Star Bridge Cells Modular Multilevel Cascade Converter for DC Smart Grids'''

R. A. Mastromauro, S. Pugliese, D. Ricchiuto, S. Stasi, M. Liserre (GERMANY, ITALY)

DC-Link Stress Analysis for the Grid Connection of Point Absorber Type Wave Energy Converters

D. Elamalayil Soman, M. Leijon, J. Loncarski, M. Srndovic, (SERBIA, SWEDEN, ITALY)

WIND POWER GENERATION

Application of Extended Kalman Filter to Parameter Estimation of Doubly-Fed Induction Generators in Variable-Speed'''

M. Abdelrahem, C. Hackl, R. Kennel (GERMANY)

Influence of the Measurement Accuracy of Wind Sensors on Wind System Performance'''

C. Mademlis (GREECE)

Modelling of Wind Energy Resources and Wind Farm Power Outputs Using Nested Markov Chain Approach'''

S. Djokic, B. Hayes, R. Langella, A. Testa, (UNITED KINGDOM, ITALY)

Performance Comparison of Wind Energy Conversion System Technologies'''

A. Ferreira, C. Vaz (PORTUGAL)

Wind Turbine Optimal Site Matching Based on Capacity and Availability Factors'''

R. Chedid, R. Ghajar, M. Badawieh (LEBANON)

GRID INTEGRATION OF RES

Demand Side Response for Frequency Control in a regional power system'''

E. Ciapessoni, D. Cirio, F. Conte, S. Massucco, F. Silvestro (ITALY)

Direct Scalar Torque Control for Wind Turbine with Permanent Magnet Synchronous Generator'''

G. Koch, H. Pinheiro, G. Schneider, J. Zucuni (BRAZIL)

Effect of Full Converter Wind Turbines on Inter-Area Oscillation of Power Systems'''

R. Eriksson, H. Hajizadeh Askari, S. Hashemi Toghroljerdi, Q. Wu (DENMARK)

Impact of Wind Power Prediction Quality on the Optimal Control of Microgrids'''

L. Dao, L. Ferrarini, L. Piroddi (ITALY)

Wind Energy and Flicker: which correlation?'''

M. Brenna, F. Foadelli, M. Longo, D. Zaninelli (ITALY)

POSTER SESSION 1

A Cascade Control Scheme for Hybrid Photovoltaic Power System'''

F. Cositore, S. Manfredi, M. Pagano, M. Roscia (ITALY)

A Control strategy of a Stand Alone Induction Generator coupled with a Diesel Engine for distributed generation with renewable resources'''

L. P. Di Noia, D. Lauria, R. Rizzo (ITALY)

A global linearization approach to control and state estimation of a VSC-HVDC system'''

C. Cecati, G. Rigatos, P. Siano, P. Wira (FRANCE, ITALY)

A nonlinear H-infinity feedback control approach for asynchronous generators'''

C. Cecati, G. Rigatos, P. Siano (ITALY)

An optimised methodology to predict the Wind Farms production'''

E. M. Carlini, A. Ianniciello, C. Pisani, A. Vaccaro, D. Villacci (ITALY)

Analysis of coaxial magnetic gears'''

G. Gentile, A. Ometto, N. Rotondale, A. Rotondale (ITALY)

Analytical approach to identify optimal position and exchange profile of storage systems in distribution networks'''

D. Moneta, M. Rossi, G. Viganò (ITALY)

Approach to predictive evaluation of the reliability of an electric drive train based on a stochastic model'''

I. Bolvashenkov, H. G. Herzog (GERMANY)

Comparison among passive and active rectifier for Seawave Energy production'''

F. Bizzozero, G. Gruosso, Q. Zhou (ITALY)

Contactless Energy Transmission System for Electrical Vehicles Batteries Charging'''

M. S. Carmeli, F. Castelli Dezza, M. Mauri (ITALY)

Coordinated Voltage Control of Multi-Converter power plants operating in Transmission Systems. The case of photovoltaics'''

V. Arcidiacono, R. Campaner, M. Chiandone, A. Massi Pavan, F. Milano, G. Sulligoi (ITALY)

Energy Loss Minimization by Optimal Design of Stationary Super-capacitors for Light Railways'''

S. Hillmansen, T. Ratniyomchai, P. Tricoli (UNITED KINGDOM)

Experimental Study on Efficiency Enhancement in Interior Permanent Magnet Synchronous Machines'''

M. Caruso, A. Di Tommaso, R. Miceli, C. Spataro (ITALY)

Experimental test of the performances of a Photovoltaic Modules Model'''

V. Boscaino, G. Capponi, G. Cipriani, V. Di Dio, R. Miceli (ITALY)

General Purpose Dynamic Dead Time Generator'''

M. Macellari, L. Schirone (ITALY)

Hybrid Micro-Grid Experimental Application in Tanzania'''

M. S. Carmeli, C. Brivio, P. Guidetti, S. Mandelli, G. Marchegiani, M. Mauri, M. Merlo, R. Perini, D. Rosati (ITALY)

Modeling and Simulation of IGBT Thermal Behavior During a Short Circuit Power Pulse'''

D. Cristaldi, S. Musumeci, A. Raciti (ITALY)

Net Zero Energy of smart house design'''

M. Longo, M. Roscia, D. Zaninelli (ITALY)

One-Cycle Control-Based Linear Assisted DC/DC Regulator for Photovoltaic Outdoor Robotic Recharger'''

Y. Bolea-Monte, A. Grau-Saldes, H. Martinez-Garcia (SPAIN)

Overvoltages and Power Oscillations in Hydro Generators'''

I. Gasparac, Z. Maljkovic, M. Mirosevic (HUNGARY)

Performance of dynamic line rating systems for increasing wind energy integration'''

I. Albizu, E. Fernandez, A. J. Mazon, G. J. Olazarri, S. Rementeria (SPAIN)

Photovoltaic Power Control Based on Differential Flatness Approach of Multiphase Interleaved Boost Converter for Grid Connected Applications'''

B. Davat, C. Ekkaravarodome, P. Mungporn, B. Nahid-Mobaraheh, S. Pierfederici, S. Sikkabut, P. Thounthong, S. Toraninpanich, B. Yodwong (FRANCE, THAILAND)

Fuzzy-based power control for Distributed Generators based on Solid Oxide Fuel Cells'''

N. Chettibi, A. Mellit, G. Sulligoi, A. Massi Pavan (ITALY)

Prototype test apparatus for generator system with twin water wheel'''

A. Imazawa, N. Naoe (JAPAN)

Reference Strings for Statistical Monitoring of the Energy Performance of Photovoltaic Fields'''

L. Cristaldi, M. Faifer, G. Leone, S. Vergura (ITALY)

Technical comparison between a Gas-Insulated Line and a traditional three-bundled OHL for a 400 kV, 200 km connection'''

D. Lauria, S. Quaia (ITALY)

Wavelet Recurrent Neural Network with Semi-Parametric Input Data Preprocessing for Micro-Wind Power Forecasting in Integrated Generation Systems'''

F. Bonanno, G. Capizzi, G. Graditi, C. Napoli, G. Lo Sciuto (ITALY)

Experimental comparison between an "information based" MPPT algorithm and standard P&O in both partial shading and uniform illumination'''

V. D'Alessandro, S. Daliento, F. Di Napoli, P. Guerriero (ITALY)

PV MODELING

Faults diagnosis in photovoltaic arrays''''

W. Chine, V. Lughi, A. Massi Pavan, A. Mellit (ALGERIA, ITALY)

Modeling and Simulation of Photovoltaic Strings Under Partial Shading Conditions Using Matlab/Simscape''''

R. Boukenoui, A. Mellit, R. Bradai, H. Salhi (ALGERIA)

Modeling and Validation of PV Plants using Generic Dynamic Models''''

L. Albizu, P. Eguia, A. Etxegarai, J. I. San Martin, E. Torres (SPAIN)

PV MODELING

About the identification of the single diode model parameters of high fill factor photovoltaic modules''''

M. C. Di Piazza, M. Luna, G. Petrone, G. Spagnuolo (ITALY)

An Adaptive Method for the Identification of the Main Features of Photovoltaic Modules''''

P. L. Carotenuto, G. Petrone, G. Spagnuolo (ITALY)

On the Photovoltaic Explicit Empirical Model: Operations along the Current-Voltage Curve''''

A. Massi Pavan, S. Vergura (ITALY)

Parameters identification of the single-diode model for amorphous PV panels''''

G. Petrone, G. Spagnuolo (ITALY)

PV TECHNOLOGY: INNOVATION AND APPLICATION

Energy and Economic Assessment of a Hybrid Solar Assisted Heat Pump System''''

R. Adhikari, N. Aste, C. Del Pero, F. Leonforte (ITALY)

Frontiers of photovoltaic technology''''

A. Fraleoni Morgera, V. Lughi (ITALY)

Integration of a Solar System in the Greenhouse Architecture'''

G. Patrono, S. Vergura (ITALY)

Performance monitoring and building integration assessment of innovative LSC components'''

N. Aste, C. Del Pero, L. C. Tagliabue, F. Leonforte, D. Testa, R. Fusco (ITALY)

Techno-economic analysis of a PV generator operating in a hybrid diesel-unreliable grid system'''

R. Chedid, I. Baydoun, S. Eid, S. Tarhini, R. Ghajar (LEBANON)

CONTROL OF POLLUTANT EMISSIONS IN DISTRIBUTED ENERGY SYSTEMS

Assessment of pollutants emission of two residential micro-CHP systems'''
N. Bianco, M. Caliano, G. Graditi, L. Mongibello (ITALY)

Influence of Energy Quality Management on CO2 Emissions in Operation
Optimization of a Distributed Energy System'''
*N. Bianco, Y. Bing, M. L. Di Somma, G. Graditi, P. B. Luh, L. Mongibello,
V. Naso (ITALY, USA)*

Investigating on Electric Consumptions for Residential Buildings Ventilation
in Different Italian Climates'''
N. Aste, C. Del Pero, M. Fattore, M. Mazzon (ITALY)

REGULATION AND DISPATCH OF DG SYSTEMS

Battery 2nd Life: Leveraging the Sustainability Potential of EVs and
Renewable Energy Grid Integration'''
B. Gohla-Neudecker, M. Bowler, S. Mohr (GERMANY)

Determination of Dynamic Line Drop Compensation Parameters of Voltage
Regulators for Voltage Rise Mitigation in Distribution System'''
J. Baba, M. Mufaris, S. Yoshizawa, Y. Hayashi (JAPAN)

Frequency Control in Coupled Energy Systems with High Penetration of
Renewable Energies'''
G. Ackermann, P. Dubucq (GERMANY)

Virtual power plant with energy storage optimized in an electricity market
approach'''
*V. Dumbrava, G. C. Lazaroiu, S. Leva, M. Roscia, M. Teliceanu
(ITALY, ROMANIA)*

SMART GRIDS

A DC Side Energy Storage Management for One-Day-Ahead Power Profile Control of Concentrator Photovoltaic Power Plants'''

A. Damiano, G. Gatto, A. Lai, I. Marongiu, C. Musio, A. Perfetto, A. Serpi (ITALY)

Clustering Power System Approach with Smart Distribution Network Controller'''

D. Holtschulte, J. Kortenbruck, S. Leksawat, D. Morton, E. Ortjohann, A. Schmelter (GERMANY)

Optimizing Grid to Vehicle electric energy system with new technologies'''

A. Amditis, G. Brusaglino, E. Spessa (GREECE, ITALY)

Transport Issues and Sustainable Mobility in Smart Cities'''

E. Venezia, S. Vergura (ITALY)

POSTER SESSION 2

3D Performance Analysis of a Concentrating Solar Power Plant based on a MATLAB model'''

S. Vergura (ITALY)

A GUI Based Analysis of Infrared Images of PV Modules'''

M. F. de Ruvo, F. Marino, S. Vergura (ITALY)

Active Switched Quasi-Z-Source Inverter with High-Boost Ability for Low-Voltage Renewable Energy Sources'''

T. W. Chun, A. V. Ho, H. G. Kim, H. H. Lee (KOREA)

Archimedes screws for micro hydro induction generation: effects of the adoption of a frequency converter'''

E. Buffa, L. Ferraris, P. Ferraris, E. Poskovic (ITALY)

Bayes Estimation of Inverse Weibull Distribution for Extreme Wind Speed Prediction'''

E. Chiodo, M. Karimian, G. Mazzanti (ITALY)

Comparative Study of Control Approaches of Li-Ion Battery/Super-capacitor Storage Devices for Fuel Cell Power Plant'''

B. Davat, C. Ekkaravarodome, P. Mungporn, B. Nahidmobarakeh, S. Pierfederici, S. Sikkabut, P. Thounthong, B. Yodwong (FRANCE, THAILAND)

Comparison of Two Different Estimation Methods of Wind Speed Extreme Values'''

E. Chiodo, M. Karimian, G. Mazzanti (ITALY)

Conventional and electric vehicles: a complete economic and environmental comparison'''

G. Graditi, G. Langella, C. Laterza, M. Valenti (ITALY)

DC fault detection in VCS-based HVDC grids used for the integration of renewable energies'''

G. Buigues, V. Valverde, I. Zamora, D.M. Larruskain, O. Abarrategui, A. Iturregi (SPAIN)

Design of a Converter for Photovoltaic Panels Testing'''

L. Cristaldi, M. Faifer, L. Piegari, P. Soulatiantork (ITALY)

Dynamic Electrothermal Simulation of Photovoltaic Plants'''

L. Codecasa, V. D'Alessandro, S. Daliento, F. Di Napoli, P. Guerriero, A. Magnani (ITALY)

Efficiency Evaluation of a Micro-Generation System for Energy Recovery in Water Distribution Networks'''

A. Dannier, A. Del Pizzo, N. Fontana, M. Giugni, G. Marini, D. Proto (ITALY)

Energy Consumption Trends of Residential Buildings in Uganda: Case Study and Evaluation of Energy Savings Potential'''

R. Adhikari, N. Aste, G. Kazoora, M. Olweny (ITALY, UGANDA)

Feasibility study of a Solar Photovoltaic Adaptable Refrigeration Kit for remote areas in developing countries'''

C. Del Pero, F.M. Butera, M. Buffoli, L. Piegari, L. Capolongo, M. Fattore (ITALY)

Gate Charge Control of High-Voltage Silicon-Carbide (SiC) MOSFET in Power Converter Applications'''

S. Musumeci (ITALY)

Hosting Capacity of Distribution Networks: Evaluation of the Network Congestion Risk due to Distributed Generation'''

D. Moneta, M. Rossi, G. Vigano (ITALY)

Improved SMPS Modeling for Photovoltaic Applications by a Novel Neural Paradigm with Hamiltonian-Based Training Algorithm'''

F. Bonanno, G. Capizzi, G. Lo Sciuto (ITALY)

Optimal Dispatch Control of Energy Storage Systems using Forward-Backward Induction'''

B. Abegaz, S. Mahajan (USA)

Risk-based probabilistic approach to estimate power system security in the Sicilian context'''

E. C. Carlini, G. Pecoraro, C. Quaciari, G. Tina (ITALY)

Smart Microgrid Grid Power Quality Improvement and Reduction of Fuel Consumption by Application of an Adjustable Speed Generation System'''

T. Balkowiec, W. Koczara (POLAND)

Solving Harmonics Reduction Problem in Multilevel Inverters By Switching Neural Networks-Based Modeling'''

F. Bonanno, G. Capizzi, G. Lo Sciuto (ITALY)

Super-Junction Power MOSFET in Half Bridge DC-DC Zero-Voltage Converter for Energy Conversion Management'''

D. Cristaldi, S. Musumeci, F. Portoghese (ITALY)

A method for "design to range" energy storage systems in catenary free operations of light railway vehicles'''

A. Del Pizzo, L. Fratelli, D. Perna, C. Nappi (ITALY)

A single input double buck-boost output reconfigurable converter for distributed generation'''

R. Rizzo, I. Spina, P. Tricoli (ITALY, UNITED KINGDOM)

Decision Model of Critical Peak Pricing Coordinating Wind Power Generation'''

Q. Cui, F. Hou, C. Liu, X. Wang (CHINA)

A NPC Step-up Inverter for Thermo-Electric Generators'''

A. Testa, S. De Caro, T. Scimone, M. Cacciato, G. Scelba (ITALY)

Energy Balance Assessment on Vehicles with Electrically Assisted Internal Combustion Engines'''

S. De Caro, C. Scaffidi, T. Scimone, A. Testa (ITALY)

Efficiency assessment of MIC PV plants using Wireless Sensor Networks'''

G. Campobello, S. De Caro, O. Giordano, A. Russo, A. Segreto, S. Serrano, T. Scimone, A. Testa (ITALY)

A Novel Current Amplitude Protection Method for Distributed Generating System Based on Sufficient Criterion Theory'''

S. Xu, Y. Lu, Y. Chen (CHINA)

ENERGY CONTROL AND MANAGEMENT

A Novel EMS for Residential Microgrids Reconciling End-User and Utility Needs'''

M. C. Di Piazza, A. Di Piazza, G. La Tona, M. Luna (ITALY)

Efficient Power Flow Approximation Methodology for Topology Optimization Algorithms in Transmission System Operation'''

J. Eickmann, J. Kellermann, A. Moser (GERMANY)

Ensuring future Clean Electrical Energy supply through Cloud Computing'''

E. Gebretsadik, B. Bitzer (GERMANY)

Loadability of 400 kV four-bundled overhead transmission lines'''

D. Lauria, S. Quaia (ITALY)

Overhead Transmission Lines Dynamic Line Rating estimation in WAMS environments'''

G. M. Giannuzzi, C. Pisani, A. Vaccaro, D. Villacci (ITALY)

Smart Grid Integrated Green Data Centres as Ancillary Service Providers'''

D. Arnone, A. Barberi, D. La Cascia, E. Riva Sanseverino, G. Zizzo (ITALY)

FAULT DETECTION AND PROTECTION SYSTEMS

Cascaded Fuzzy Logic based Arc Fault Detection in Photovoltaic Applications'''

J. Goette, B. Grichting, M. Jacomet (SWITZERLAND)

Fault analysis in LVDC microgrids with PV plants and energy storage systems'''

M. Carminati, S. Grillo, L. Piegari, E. Ragaini, E. Tironi (ITALY)

Protection devices against DC fault in a back-to-back converter applied to distribution grids'''

F. Belloni, M. Brenna, R. Chiumeo, C. Gandolfi, D. Zaninelli (ITALY)

INNOVATIVE STORAGE SYSTEMS

Analysis of Supercapacitor Connection to PV Power Conditioning Systems for Improved Performance'''

L. Palma (CHILE)

Balancing control based on States of Charge and States of Health estimates at cell level '''

X. Pichon , J. C. Crébier, D. Riu , A. Collet (FRANCE)

CZTS Monograin Membranes for Photoelectrochemical Fuel Production '''

A. Samieipour, E. Kouhiisfahani, S. Galajev, D. Meissner (ESTONIA)

Design optimization of the magnetic suspension for a flywheel energy storage application '''

M. Andriollo, E. Scaldaferro, A. Tortella (ITALY)

CZTS Monograin Membranes for Photoelectrochemical Fuel Production Modifications for fuel production '''

E. Kouhiisfahani, A. Samieipour, T. Morawietz, Jürgen Kraut, R. Hiesgen, D. Meissner (ESTONIA)

PRICING MODELS AND ELECTRICITY MARKET

Initial Phases of Developing Decentralised Renewable Energy Systems in Base of Pyramid Markets Using Design Methods'''

E. Hiltunen, M. Jakobsson, M. Lammi, T. Paulraj, J. Pekkala (FINLAND)

Modeling of Italian Ancillary Services Market: Sicilian case study'''

C. Brunetto, G. Passarello, G. Tina (ITALY)

Optimal pricing strategies in real-time electricity pricing environments: an italian case study'''

S. Favuzza, G. Galioto, M. G. Ippolito, G. Pecoraro, E. Riva Sanseverino, E. Telaretti, G. Zizzo (ITALY)

Overhead line rating forecasting for the integration of wind power in electricity markets'''

I. Albizu, M. T. Bedialauneta, E. Fernandez, A. J. Mazon, J. G. Olazarri, K. Sagastabeitia (SPAIN)

GENERATORS FOR RES

A predictive control scheme for an autonomous induction generator with saturation effect'''

L. A. Daho, L. Ferrarini, S. Meddouri (ITALY)

Highly efficient synchronous generators with permanent magnets intended to small hydropower station'''

M. Baranski, P. Pistelok (POLAND)

Operation Characteristics of Isotropic Synchronous Generators Connected to a Stand-Alone DC System'''

S. Bono, G. Foglia, M. Iachetti, M. Mauri, R. Perini (ITALY)

Sensorless Control of Doubly-Fed Induction Generators in Variable-Speed Wind Turbine Systems'''

M. Abdelrahem, C. Hackl, R. Kennel (GERMANY)

PV SYSTEMS IN PARTIAL SHADING CONDITIONS

A geostatistical approach for identifying the shadowing conditions affecting a PV plant'''

P. L. Carotenuto, M. C. Di Piazza, A. Di Piazza, M. Luna, G. Petrone, G. Spagnuolo (ITALY)

Dual Implementation of TEODI MPPT technique: Uniform and Mismatching conditions'''

M. Balato, L. Costanzo, P. Marino, L. Rubino, M. Vitelli (ITALY)

Evaluation of the Impact of Partial Shading on the Performance of a Grid-Tied Photovoltaic system'''

F. P. Anon da Silva, Y. Baghzouz, K. Hurayb, Y. Moumouni (USA)

Fast Estimation of MPPs in Mismatched PV Arrays based on Lossless Model'''

M. L. Orozco Gutierrez, G. Petrone, J. M. Ramirez Scarpetta, C. A. Ramos Paja, G. Spagnuolo (COLOMBIA, ITALY)