

35th Annual Conference of the Canadian Nuclear Society & 38th CNS/CNA Student Conference 2015

Saint John, New Brunswick, Canada
31 May - 2 June 2015

Volume 1 of 2

ISBN: 978-1-5108-1081-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by the Canadian Nuclear Society
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Canadian Nuclear Society
at the address below.

Canadian Nuclear Society
4th Floor, 700 University Ave
Toronto, Ontario, Canada
M5G 1X6

Phone: (416) 977-7620
Fax: (416) 977-8131

cns-snc@on.aibn.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

PLENARY IA: NUCLEAR POWER – UTILITY COLLABORATIONS TO IMPROVE LIFETIME PERFORMANCE

Point Lepreau Generating Station CNS Annual General Meeting Strategic Importance of Collaboration..... <i>K. Miller</i>	1
Developing Technical Exchanges with C-6 Utilities	6
<i>H. Tan</i>	
Achieving CANDU Excellence Through Collaboration	16
<i>F. Dermarkar</i>	

PLNARY 1B: PERFORMANCE IMPROVEMENT PROGRAMS: GOALS AND EXPERIENCE – PANEL DISCUSSION

Performance Improvement Program: Goals & Experience..... <i>F. Guglielmi</i>	30
Improving Fleet Performance	38
<i>S. Ramjist</i>	
Bruce A - Performance Improvement..... <i>P. Boucher</i>	42
Darlington Refurbishment - Performance Improvement Programs Goals and Experience	48
<i>N. Mitchell</i>	
Qinshan#3 Goals and Experience Of Performance Improvement..... <i>H. Tan</i>	53

1A2 – REFURBISHMENT AND LIFE EXTENSION (I)

Advanced Scale Conditioning Agent and Consolidated Deposit Extraction Planning, Application Experience, and Results at Comanche Peak Unit 2 and industrial Super Critical Water Oxidation Waste Reduction	66
<i>M. Forney, D. Ramaley, W. Bryant</i>	
RTD-Incotest for Evaluation of Corrosion under Insulation	81
<i>J. Witts</i>	
Software-based Annunciator Replacement: A Tale of Two Projects	88
<i>G. Simmons</i>	
The Generation of Calandria Tube (CT) Inner Diameter Profiles from Fuel Channel (FC) Inspection Data..... <i>P. Sedran, B. Rankin, C. Lemire</i>	99

1A3 - THERMALHYDRAULICS

Investigation of Air-Water Flow in a Horizontal Pipe with 90 Degree Bends using Wire Mesh Sensors	111
<i>R. Bowden, S.-K. Yang</i>	
Prediction of Gas Volume Fraction in Fully-developed Gas-liquid Flow in a Vertical Pipe	123
<i>A. Islam, N. Adoo, D. Bergstrom, D. Wang</i>	
New Contact Boiling Experiments to EvaluateCalandria Tube Strain Acceptance Criteria	135
<i>M. El-Hawary, J. Szymanski, A. Tanase, A. Delja, A. Oussoren, P. Neal</i>	
A Cliff Edge Evaluation for CANDU-6 Beyond Design Basis Accidents	147
<i>S. Kim, D. Kho, S. Yi, S. Kang</i>	

1A4 – NUCLEAR MATERIALS

Mitigation of End Flux Peaking in CANDU Fuel Bundles using Neutron Absorbers..... <i>D. Pierce, P. Chan, W. Shen</i>	157
Experimental and Thermodynamic Assessment of Beryllium-Replacement Materials for CANDU® Brazed Joints	167
<i>K. Potter, G. Ferrier, F. Dimayuga, E. Corcoran</i>	
A New Nuclear Materials Laboratory at Queen's University	178
<i>R. Holt, M. Daymond</i>	
A Re-Examination of Thermodynamic Modelling of U-Ru Binary Phase Diagram	187
<i>L. Wang, M. Kaye</i>	

1B2 – WMD – RADIATION MONITORING

An Introduction and Overview of DRAFT CSA Standard N288.7 Groundwater Protection at Class I Nuclear Facilities and Uranium Mines and Mills.....	197
<i>J. DeWilde, M. Klukas, M. Audet</i>	
Radiological Site Assessment at Sun Rose Claim Utilizing ScanPlotSM Technology.....	207
<i>H. Downey</i>	
ScanSortSM at Whiteshell Laboratories for Sorting of Experimental Cesium Pond Soil	214
<i>H. Downey</i>	

1B3 – SAFETY AND LICENSING (I)

How Argentina Saved The C6 Containment	222
<i>N. Craik</i>	
Update of Severe Accident Management Guidelines at Point Lepreau Generating Station.....	223
<i>D. Mullin, S. Robertson, D. Wilson</i>	
Assessment of Thermalhydraulic Phenomena for External Water Make-Up.....	236
<i>C. Harwood, J. Baschuk</i>	

1B4 - COMMUNICATION

Lessons Learnt from Fukushima Accident – What did McMaster Undergraduate Students Learn?	248
<i>S. Nagasaki</i>	
nuclearFACTS: Public Engagement About the Impacts of Nuclear Research	261
<i>M. Dalzell, R. Alexander, M. Main</i>	
Industry–University Collaboration for Research and Education	265
<i>B. Shalaby, V. Snell, B. Rouben</i>	

2A1 – PANEL DISCUSSION ON INTERNATIONAL DEVELOPMENTS IN USED NUCLEAR FUEL REPOSITORY PROGRAMS

Panel Session: International Developments in Used Nuclear Fuel Repository Programs.....	272
<i>E. Mantagaris</i>	
Canada's Plan for Long-Term Management of Used Nuclear Fuel	274
<i>K. Shaver</i>	
International Perspective	280
<i>G. Ouzounian</i>	
The French Geological Disposal Project CIGEO	293
<i>G. Ouzounian</i>	
History and Update of the U.S. Program for the Management of Used Nuclear Fuel	300
<i>T. Isaacs</i>	

2A2 – SAFETY AND SECURITY

Operating Nuclear Power Stations in a Regulated Cyber Security Environment: A Roadmap for Success	308
<i>E. Dorman</i>	
Effect of High Frequency Content of Uniform Hazard Response Spectra on Nuclear Power Plant Structures, Systems and Components	314
<i>A. Usmani, P. Baughman</i>	
Fire Alarm Detection in High-Ceiling Rooms	320
<i>R. Brewer, L. Morrison</i>	
Cyber Security Compliance to the New CSA 290.7 Standard	332
<i>M. Daley, R. Doucet, M. Echlin, M. MacDonald, V. Mihaylov, J. Sijs, D. Trask</i>	

2A3 – INSTRUMENTATION AND CONTROL

The Role of Automated Testing and Logging Tools in Fuel Handling I&C Refurbishment: Bruce A NGS FH Protective Replacement	344
<i>J. Dalby, Y. Mackwood, W. Volk, W. Yu</i>	
Limerick BWR Turbine Control and Protection System Upgrade Success	356
<i>C. Tang, T. Pietryka, P. Federico, J. Williams</i>	
Development, Application and Licensing of FPGA Based Safety Systems	370
<i>T. Tuite, J. Carvajal</i>	
Point Lepreau Instrument and Equipment Survivability Assessment during Severe Accident Conditions.....	385
<i>D. Mullin</i>	

Overview of Monitoring Applications for Retrofit and New-build NPP Projects.....	397
<i>V. Thomas, C. Black</i>	

2A4 – ADVANCED REACTOR DESIGNS

Power Flattening and Reactivity Suppression Strategies for the Canadian Supercritical Water Reactor Concept.....	409
<i>M. McDonald, A. Colton, J. Pencer</i>	
A Benchmark Comparison of the Canadian Supercritical Water-cooled Reactor (SCWR) 64-element Fuel Lattice Cell Parameters using Various Computer Codes	422
<i>J. Sharpe, F. Salaun, D. Hummel, A. Moghrabi, M. Nowak, J. Pencer, D. Novog, A. Buijs</i>	
StarCore Nuclear Generation IV HTGR.....	442
<i>M. Yates, F. Shahrokh, D. Poole, L. Eskin</i>	
LEADIR-PS: Providing Unprecedented SMR Safety and Economics	453
<i>R. Hart</i>	

2B1 – WMD – DEEP GEOLOGICAL REPOSITORY PACKAGING

Development of the Canadian Used Fuel Repository Engineered Barrier System	472
<i>C. Hatton</i>	
Hybrid Laser Arc Welding of a Used Fuel Container.....	483
<i>C. Boyle, P. Martel</i>	
Electrodeposited Copper Coatings for Used Fuel Containers.....	498
<i>P. Keech, P. Lin, N. Mahalanobis</i>	
Cold Spray Copper Coatings for Used Fuel Containers	508
<i>P. Keech, P. Vo, D. Poirier, J.-G. Legoux</i>	
Used Fuel Packing Plant for CANDU Fuel.....	519
<i>I. Menzies, B. Thayer, A. Murchison, N. Bains</i>	

2B2 – REACTOR PHYSICS

Effect of Downgraded Moderator Purity on Lattice Reactivity and Coolant Void Reactivity for a LEU Lattice in the ZED-2 Reactor.....	531
<i>M. Zeller, J. Chow</i>	
EC6 Design Improvements and Confirmatory Testing.....	545
<i>S. Yu, L. Drennan, M. Soulard</i>	
Adjuster Rod Aging in Darlington's CANDU Reactors: Behaviour, Measurement and Implications for Operation.....	556
<i>C. Banica, A. Sullivan</i>	
Measurement and Analysis for Determination of Power Coefficient of Reactivity of an Operating CANDU6.....	568
<i>J. Kim, Y. Kim, K. Kim</i>	
CANDU6 PCR Evaluation with a Detailed 3-D Monte Carlo Analysis.....	580
<i>M. Motalab, W. Kim, Y. Kim</i>	

2B3 – CHEMISTRY AND MATERIALS

Radiation Chemistry in SCWR.....	591
<i>G. Liu, K. Ghandi</i>	
Influence of Alkali Metal Oxides and Alkaline Earth Metal Oxides on the Mitigation of Stress Corrosion Cracking in CANDU Fuel Sheathing.....	601
<i>J. Metzler, G. Ferrier, M. Farahani, P. Chan, E. Corcoran</i>	
Assessment of Alternate Ion Exchange Resins for Improved Antimony Removal from the Primary Heat Transport System	613
<i>R. Burany, S. Suryanaran, A. Husain</i>	
Specific Heat of Zr-2.5Nb Pressure Tube Material Measured by Differential Scanning Calorimetry (DSC).....	626
<i>R. Fong, P. Neal, F. Fazeli, M. Aniolek, S. Gezgin</i>	
Thermal Expansion Anisotropy of Zr-2.5Nb Pressure Tube Material on Heating to 1100°C	636
<i>R. Fong, F. Fazeli, T. Smith</i>	

2B4 – SAFETY AND LICENSING (II)

Severe Accident Analysis of a Steam Generator Tube Rupture Accident Using Maap-candu to Support Level 2 PSA for the Point Lepreau Generating Station Refurbishment Project.....	648
<i>S. Petoukhov, M. Brown</i>	

VOLUME 2

Quantifying the Contribution of Aleatory and Epistemic Uncertainties in the Estimation of Probability of Failure of Primary Piping	671
<i>M. Jyrkama, M. Pandey</i>	
Establishment of Channel-Specific Channel and Bundle Power Limits	682
<i>J. Choi, D. Park, H. Ahn, B. Kim, C. Choi, D. Kho, S. Kim</i>	
Effect of Flow Conditions on Flow Accelerated Corrosion in Pipe Bends	693
<i>H. Mazhar, C. Ching</i>	
Study on Start Time of Parametric Study for Channel Analysis under SBLOCA/LOECL	706
<i>B. Moon, E. Jang, S. Kim</i>	

PLENARY 2A: ENTERPRISE RISK MANAGEMENT

Enterprise Risk Management	711
<i>C. Eaton</i>	
Business Risk Management	719
<i>C. Cosby</i>	
Level 1 IER 14-20 - Integrated Risk - Healthy Technical Conscience	728
<i>P. Freeman</i>	
Insurer Risk Control and Nuclear Liability	738
<i>C. DeMerchant</i>	

PLENARY 2B: VENDOR ROLE IN A CONTINUOUSLY IMPROVING INDUSTRY – PANEL DISCUSSION

Quality & Timely Delivery of Products and Services	744
<i>K. Shabbir</i>	
Improving Quality and On-time Delivery - A Vendor's Perspective -	748
<i>V. Robinson</i>	

PLENARY 3A: WASTE MANAGEMENT AND DECOMMISSIONING

Implementing Canada's Plan for the Long-term Management of Used Nuclear Fuel	763
<i>D. Wilson</i>	
Pickering NGS End of Commercial Operations	770
<i>L. Swami</i>	
Addressing Our Nuclear Legacy Liabilities	777
<i>Joan Miller</i>	
Waste and Decommissioning – Regulators Perspective	783
<i>R. Jammal</i>	

PLENARY 3B: DEVELOPING TECHNOLOGIES AND RESOURCES

UNENE Research	794
<i>B. Shalaby</i>	
Developing Technologies and Resources	806
<i>R. Walker</i>	
Professional Development and Extension Programs	811
<i>G. Bereznai</i>	
The Importance of Industrial R&D and Collaboration	818
<i>R. Whalen</i>	
Innovation	827
<i>N. Alexander</i>	

3A1 – PANEL DISCUSSION ON TRANSPORTATION OF NUCLEAR FUEL

Panel Session: Transportation of Used Nuclear Fuel	832
<i>E. Mantagaris</i>	
Transport of Nuclear Used Fuel and Waste Materials	836
<i>H.-J. Neau</i>	
EDF Energy Generation UK Transport of Irradiated Fuel	843
<i>R. James</i>	
Transport of Nuclear Substances in Canada	851
<i>S. Faillé</i>	
Safe and Secure: Transportation of Radioactive Materials	862
<i>D. Howe</i>	

NWMO Transportation Technical Work Program - Presentation to CNS Conference	867
<i>C. Hatton</i>	
Overview of NWMO's Transportation Engagement Plan.....	873
<i>J.-A. Facella</i>	

3A2 – REFURBISHMENT AND LIFE EXTENSION (II)

Applicability of ANSYS ELBOW290 Element for Flexibility Calculation of Tight Radius Bends on Feeder Pipes in CANDU Reactors.....	879
<i>X. Zhang</i>	
Comparative Static Simulations of a CANDU6 Cell Using Different Transport Codes.....	887
<i>M. Mahjoub, J. Koclas</i>	
Preliminary Development and Modelling of a Next Generation Inspection System for CANDU Pressure Tubes	896
<i>J. Gilbert, M. Manning, S. Nokleby, E. Waller</i>	
Innovative Pipe Thickness Verification for Feedwater Flow at Darlington Nuclear Power Generating Station.....	909
<i>V. Ton, J. Kim, C. Zhao</i>	

3A3 – SAFETY AND LICENSING (III)

Conservatism in Methodologies for Moderator Subcooling Sufficiency for Fuel Channel Integrity upon Pressure Tube and Calandria Tube Contact.....	921
<i>L. Sun</i>	
Plant Habitability Assessment for Point Lepreau Generating Station during a Severe Accident Resulting From Station Blackout Conditions.....	934
<i>D. Mullin</i>	
Wind Hazard Assessment for Point Lepreau Generating Station	947
<i>D. Mullin, M. Moland, J. Sciaudone, L. Twisdale, P. Vickery, D. Mizzen</i>	

3A4 – ADVANCED FUEL CYCLES

Continuing Development of a Fuel Performance Model for Th-Based Ceramic Fuel	960
<i>J. Bell, P. Chan</i>	
A Study on the Optimal Cooling Time of Actinide Feedstock for use in Transuranic Mixed Oxide Fuels in CANDU Reactors	972
<i>A. Morreale, J. Luxat</i>	
Productive Elimination of Nuclear Waste (PENW): A Complementary Boon for CANDUs and the Canadian Nuclear Industry.....	989
<i>P. Ottensmeyer</i>	
Natural Uranium Equivalent Fuel An Innovative Design for Proven CANDU Technology	1001
<i>F. Pineiro, K. Ho, A. Khaial, M. Boubcher, C. Cottrell, S. Kuran, Z. Zhenhua, M. Zhiliang</i>	
Canada's Deep Geological Repository for Used Nuclear Fuel – Update on the Site Evaluation Process and Interweaving of Aboriginal Traditional Knowledge	1009
<i>B. Watts, M. Belfadhel, J.-A. Facella</i>	
Assessment of Disruptive Scenarios of a Canadian Used Fuel Repository in Crystalline Rock.....	1017
<i>M. Gobien, F. Garisto, N. Hunt, E. Kremer</i>	

3B2 – MEDICAL PHYSICS AND RADIATION BIOLOGY

The Design, Construction, and Commissioning of a Multi-Use Cyclotron Facility	1029
<i>S. Ho, M. Hutcheson, D. Schick-Martin, M. Dalzell, N. Alexander</i>	
Commentary on Inhaled $^{239}\text{PuO}_2$ in Dogs — A Prophylaxis Against Lung Cancer?	1037
<i>J. Cuttler, L. Feinendegen</i>	
Designing a Computer Code to Calculate the Committed Dose Equivalent to Internal Organs Following the Injection of a Radiopharmaceutical	1045
<i>Z. Keldani, R. Roman, S. Saadi, E. Nichita</i>	

3B3 – SAFETY AND LICENSING (IV)

Development of Canadian Seismic Design Approach and Overview of Seismic Standards	1055
<i>A. Usmani, T. Aziz</i>	
Probabilistic Seismic Hazard Assessment for Point Lepreau Generating Station.....	1067
<i>D. Mullin, A. Lavine, J. Egan</i>	
Probabilistic Tsunami Hazard Assessment for Point Lepreau Generating Station	1079
<i>D. Mullin, T. Alcinov, P. Roussel, A. Lavine, M. Arcos, K. Hanson, R. Youngs</i>	

STUDENT SESSION

Specifics of Forced-Convection Heat Transfer in Supercritical Carbon Dioxide	1092
A. Saltanov, B. Mann, C. Harvel, D. Pioro	
Dose Measurement Aboard Biosatellite BION-M #1 (AutoCAD Implementation into MCNPX)	1100
P. Dolloso, A. Miller, R. Machrafi, V. Shurshakov, S. Khulapko, O. Ivanova	
Modelling the Transport of Corrosion Products and Radionuclides in the CANDU Primary Heat Transport System	1106
O. Palazchenko, D. Lister	
Canadian Supercritical Water Reactor Modeling Using G4STORK	1111
W. Ford, A. Buijs	
Project Management Lessons Learned from Building the Wendelstein 7-X Stellarator Fusion Research Reactor	1116
M. Freire-Gormaly, A. Gittens, L. Zhang	
Designing a Computer Code to Estimate the Committed Dose Equivalent to Internal Organs Following the Injection of a Radiopharmaceutical	1121
Z. Keldani, R. Roman, S. Saadi	
Monte Carlo Modeling of the Fastscan Whole Body Counter Response	1126
H. Graham, E. Waller	
Development of Methodology to Assess Application of Practical Elimination for Nuclear Power Plants	1131
J. Jung, D. Sivekumar, S. Thambirasa	
Sensing and Collecting Radioactive Materials as a Project to Teach Engineering Design	1136
D. Drake, T. Majdi, J. Strack, D. Andronache, K. Boniface, A. Bot, J. Boudreau, H. Brar, L. Chen, A. Dickson, T. Doodeman, Y. Fernandes, M. Fitzpatrick, S. Holden, C. Hollingshead, D. Jalbert, S. Johnson, Y. Kim, Z. Marych, S. McNamee, N. Merchant, A. Milko, A. Moscoe, J. Munro, P. Nearing, G. Patterson, R. Puri, A. Shah, M. Smith, K. Stott, D. Tadla, R. Thomas, R. Van Gemeren, S. Virtue, J. Vu, C. Wong, S. Younan, C. Yu, A. Buijs	
Monte Carlo Simulations of the SLOWPOKE-2 Reactor	1141
A. Tan, A. Buijs	
Experimental and Thermodynamic Studies of Beryllium replacement Materials for CANDU® Brazed Joints	1147
K. Potter, G. Ferrier, E. Corcoran	
Modelling the Long-term Corrosion Behaviour of Candidate Alloys for the Canadian SCWR	1153
G. Steeves, W. Cook	
Experimental Results Supporting the Concept of One-Sided Muon Tomography	1158
K. Boniface, G. Jonkmans, A. Buijs, A. Erlandson, S. Livingstone	
Modelling Hydrogen Permeation in a Hydrogen Effusion Probe for Monitoring Corrosion of Carbon Steels	1164
P. Santiviparat, T. Rirkosboon, F. Steward, D. Lister, W. Cook	
Influence of Alkali Metal Oxides and Alkaline Earth Metal Oxides on the Mitigation of Stress Corrosion Cracking in CANDU Fuel Sheathing	1169
J. Metzler, G. Ferrier, M. Farahani, P. Chan, E. Corcoran	
Study of Irradiation Induced Defects and Phase Instability in β Phase of Zr Excel Alloy with In-situ Heavy Ion Irradiation	1175
H. Yu, Z. Yao, M. Kirk, M. Daymond	
Separation of the Secondary Electrons from the Gamma Radiation near the Surface of an Encapsulated Gamma Source Using a Magnetic Field	1180
E. Heritage, E. Waller	
Investigation of the Thermal Stability of $Nd_xSc_yZr_{1-x-y}O_{2-\delta}$ Inert Matrix Fuel Materials	1185
J. Hayes, M. Saoudi, A. Grosvenor	
Ab Initio Investigation of Chloroaqualead (II) Complexes As Possible Corrosion Products in Super Critical Water Cooled Reactor (SCWR)	1190
D. Anzelj, C. Pye	
Reaction Rate Prediction in the Supercritical Region of $H\cdot + OH^- \rightarrow e^-_{aq} + H_2O$Using μSR	1195
T. Du, G. Liu, J. Beninger, K. Ghandi	
Control Blade Pattern Optimization Using Evolutionary Algorithm for the Canadian SCWR	1200
F. Salaua, J. Sharpe, D. Hummel, D. Novog	
INuclear Data Sensitivity and Uncertainty Analysis for the Canadian Supercritical Water-Cooled Reactor (SCWR) 64 – Element Fresh Fuel Lattice Cell	1207
A. Moghrabi, D. Novog	
Mitigation of End Flux Peaking in CANDU Fuel Bundles using Neutron Absorbers	1213
D. Pierce, P. Chan, W. Shen	
A Preliminary Assessment of Radiation Effects on American Flagfish	1218
M. Tzuvaki, E. Waller	
Pressure-Drop Analysis of a Re-Entrant Fuel Channel In a Pressure-Channel Supercritical Water-Cooled Reactor	1223
D. Kowalczyk, F. Rafat, M. Chauhan	
Comparison Study on Air Oxidation Behavior of Advanced Super-Alloys In Elevated Temperatures	1229
M. Sanaye, M. Nezakat, H. Akhiani, J. Szpunar	
The Effect of Weld Chemistry on the Likely Primary Water Stress Corrosion Cracking Susceptibility of Alloy 82 Dissimilar Metal Welds	1234
S. Persaud, S. Ramamurthy, R. Newman	
Regression Analysis of Pulsed Eddy Current Signals for Inspection of Steam Generator Tube Support Structures	1239
J. Buck, P. Underhill, S. Mokros, J. Morelli, T. Krause, V. Babbar, B. Lepine	

Determining the Efficacy of Nuclear Security Through Computer Simulation.....	1244
<i>N. Chornoboy, E. Waller</i>	
Prediction of Heat Transfer in a Vertical Bare Tube Upward Flow	1249
<i>R. Abdullah, V. Agranat, M. Malin, I. Pioro</i>	
Pulsed Eddy Current Response to Magnetite at Broach Supports in Steam Generators	1255
<i>S. Mokros, J. Buck, P. Underhill, J. Morelli, T. Krause</i>	
Heat-Transfer Characteristics of SuperCritical Water Flowing Upward in Bare-Tubes.....	1260
<i>K. Sidawi</i>	
Heat Transfer Analysis for the Application of SCWR Process Heat for the Thermochemical Production of Hydrogen	1265
<i>J. Jouvin, I. Pioro</i>	
Revised Numerical Model for F₂ Bubble Breakdown in Molten FLiBe and its Economics in the Fuel Cycle.....	1271
<i>K. Seto</i>	
Heat Loss Analysis for a Re-Entrant SCWR Fuel-Channel Concept.....	1277
<i>F. Rafat</i>	
Nuclear Security Regulatory Framework Analysis for Small Modular Reactors in Canada and Abroad.....	1282
<i>A. Farah</i>	
Error Analysis of Supercritical Water Correlations Using ATHLET System Code For Low and Moderate Mass Flux Cases.....	1288
<i>J. Samuel</i>	
Development of a Fuel Performance Model of (Th,Pu)O₂.....	1293
<i>J. Bell, P. Chan</i>	
Development of a Simple Gamma Ray Camera Using Handheld Scintillation Detectors	1298
<i>A. Miller, R. Machrafi</i>	
The Effect of Ionic Strength on the Sorption and Speciation of Palladium.....	1303
<i>J. Riddoch, S. Nagasaki</i>	
Proliferation Resistance Assessment of Different Fuel Cycles in the CANDU System.....	1308
<i>X. Wang, A. Buijs, S. Nagasaki</i>	

ADDITIONAL PAPERS

AREVA Valve Enhancement Program Improved Valve Sealing Performance and Reliability	1313
<i>B. Igel</i>	
Uptake and Speciation of Iodine in Calcium Carbonates	1334
<i>J. Podder, J. Lin, W. Sun, Y. Pan, S. Botis, J. Tse, N. Chen, Y. Hu, D. Li, J. Seaman</i>	
Author Index	