

2015 IEEE Compound Semiconductor Integrated Circuit Symposium (CSICS 2015)

**New Orleans, Louisiana, USA
11-14 October 2015**



**IEEE Catalog Number: CFP15GAA-POD
ISBN: 978-1-4799-8495-4**

CSICS 2015 TABLE OF CONTENTS

SESSION A: Plenary Session

Chairpersons: *Jim Carroll, NI-AWR Group*
Brian Moser, Qorvo

A.1	DARPA MMW System Programs and How They Drive Compound Semiconductor Technology Needs (Invited)	1
	<i>H. Bruce Wallace, Life Fellow, Defense Advanced Research Projects Agency (DARPA)</i> <i>Arlington, VA, United States</i>	
A.2	Single-Chip GaN X-Band MMIC Dynamic Supply PAs (Invited)	4
	<i>Zoya Popovic, University of Colorado, Boulder, CO, United States</i>	
A.3	European Frontiers in RF GaN (Invited)	8
	<i>Frank E. van Vliet and Peter de Hek, TNO, The Hague, The Netherlands</i>	
A.4	Future of Integrated Coherent Optics: Pluggable Optics and Beyond (Invited)	12
	<i>Ian Betty, Ciena, Ottawa, Canada</i>	
A.5	A Polystrata® 820 mW G-Band Solid State Power Amplifier	16
	<i>Jean-Marc Rollin¹, David Miller¹, Miguel Urteaga², Zachary M. Griffith², and Hooman Kazemi¹</i> <i>¹Nuvotronics Inc., Durham, NC, United States, ²Teledyne Scientific Company, Thousand Oaks, CA, United States</i>	

SESSION B: Silicon Technologies for Next Generation Applications

Chairpersons: *Nabil El-Hinnawy, Northrop Grumman Electronic Systems*
Tomoya Kaneko, NEC Corporation

B.1	More than Moore - Wafer Scale Integration of Dissimilar Materials on a Si Platform (Invited)	20
	<i>Thomas E. Kazior¹, Jeffery R. LaRoche¹, Kelly Ip¹, Theodore Kennedy¹, John Knickerbocker²,</i> <i>Cornelia Tsang², and Lovelace Soirez³, ¹Raytheon Company, Andover, United States, ²IBM TJ Watson</i> <i>Research Center, Yorktown Heights, NY, United States, ³Novati Technologies, Austin, TX, United States</i>	
B.2	A Watt-Class, High-Efficiency, Digitally-Modulated Polar Power Amplifier in SOI CMOS	21
	<i>Varish Diddi, Hamed Gheidi, Youjiang Liu, James Buckwalter and Peter Asbeck,</i> <i>University of California San Diego, La Jolla, CA, United States</i>	
B.3	A Wideband 25-35GHz 5-Bit Low Power 2x2 CMOS Beam Forming Network IC for Reconfigurable Phased Arrays	25
	<i>Naveen Daftari, Leland Gilreath, Andrew D. Smith, Minh Thai, Khanh Thai, Monte Watanabe,</i> <i>Yi-Cheng Wu, Charlie Jackson, Ashley Danial, Dan Scherrer, and Tim LaRocca,</i> <i>Northrop Grumman Aerospace Systems, Redondo Beach, CA, United States</i>	
B.4	28 GHz >250 mW CMOS Power Amplifier Using Multigate-Cell Design	29
	<i>Jefy A. Jayamon¹, James F. Buckwalter^{1,2}, and Peter M. Asbeck¹</i> <i>¹University of California, San Diego,</i> <i>CA, United States, ²University of California Santa Barbara, Santa Barbara, CA, United States</i>	

SESSION C: Thermal Management Technologies

Chairpersons: *Kazutaka Inoue, Sumitomo Electric Industries, Ltd.*
Barry Wu, Keysight Technologies, Inc

C.1	High Performance GaN-on-Diamond HEMTs Fabricated by Low-Temperature Device Transfer Process (Invited)	33
	<i>Kenneth K. Chu¹, Pane C. Chao¹, Jose A. Diaz¹, Thomas Yurovchak¹, Bernard J. Schmanski¹, Carlton T. Creamer¹, Scott Sweetland¹, Raymond L. Kallagher², Craig McGray², Glen D. Via³, and John D. Blevins³, ¹BAE Systems, Nashua, NH, United States, ²Modern Microsystems, Silver Spring, MD, United States, ³Air Force Research Laboratory, Dayton, OH, United States</i>	
C.2	Sub-Micron Thermal Imaging Characterization of GaN HEMT and MMIC Devices	37
	<i>Kazuaki Yazawa^{1,2}, Dustin Kendig¹, and Ali Shakouri², ¹Microsanj LLC., Santa Clara, CA, United States, ²Purdue University, West Lafayette, IN, United States</i>	
C.3	Evaluating Thermal Composites Using Asymptotic Homogenization	41
	<i>Michael Becker¹ and Jason H. Nadler², ¹Georgia Institute of Technology, Atlanta, GA, United States ²Georgia Tech Research Institute, Atlanta, GA, United States</i>	
C.4	Self-Heating in a GaN-Based Heterojunction Field-Effect Transistor Investigated by Ultraviolet and Visible Micro-Raman Spectroscopy	45
	<i>Mohammad Nazari, Bobby Logan Hancock, Edwin L. Piner, and Mark W. Holtz, Texas State University, San Marcos, TX, United States</i>	

SESSION D: E- to G-Band High Power Amplifiers

Chairpersons: *Marc Rocchi, OMMIC*
Kazuya Yamamoto, Mitsubishi Electric Corp

D.1	W- and G-Band Solid State Power Combining (Invited)	49
	<i>Kenneth W. Brown, Darin M. Gritters and Hooman Kazemi, Raytheon Rancho Innovations, Rancho Cucamonga, CA, United States</i>	
D.2	340-440mW Broadband, High-Efficiency E-band PA's in InP HBT	53
	<i>Zach Griffith, Miguel Urteaga, Petra Rowell and Richard Pierson, Teledyne Scientific Company, Thousand Oaks, CA, United States</i>	
D.3	High-gain AlGaIn/GaN HEMT Single Chip E-Band Power Amplifier MMIC with 30 dBm Output Power	57
	<i>Erdin Ture, Dirk Schwantuschke, Axel Tessmann, Sandrine Wagner, Peter Brückner, Michael Mikulla, Rüdiger Quay, and Oliver Ambacher, Fraunhofer Institute for Applied Solid-State Physics, Freiburg, Germany</i>	
D.4	A 22 dBm, 0.6 mm² D-band SiGe HBT Power Amplifier using Series Power Combining Sub-Quarter-Wavelength Baluns	61
	<i>Saeid Daneshgar¹ and James F. Buckwalter², ¹University of California San Diego, La Jolla, CA, United States, ²University of California Santa Barbara, Santa Barbara, CA, United States</i>	

SESSION E: Silicon Photonics

Chairpersons: *The' Linh Nguyen, Finisar*
Jim Buckwalter, UCSB

E.1	Development of Silicon Photonic Products for Telecom & Datacom (Invited)	65
	<i>Michel Poulin, Christine Latrasse, Marie-Josée Picard, Yves Painchaud*, Francois Pelletier, and Martin Guy, TeraXion, Quebec, Canada, *Handyem, Quebec, Canada</i>	

E.2	Silicon Photonic Microring Resonator-Based Transceivers for Compact WDM Optical Interconnects (Invited)	69
	<i>Samuel Palermo¹, Patrick Chiang^{2,3}, Cheng Li⁴, Chin-Hui Chen⁴, Marco Fiorentino⁴, Ray Beausoleil⁴, Hao Li², Kunzhi Yu¹, Binhao Wang¹, Rui Bai², Ayman Shafik¹, and Alex Titrik¹, ¹Texas A&M University, College Station, TX United States, ²Oregon State University, Corvallis, OR, United States, ³Fudan University, Shanghai, China ⁴HP Labs, Hewlett-Packard Company, Palo Alto, CA United States</i>	
E.3	Multilayer Silicon Nitride-on-Silicon Integrated Photonic Platforms (Invited)	73
	<i>Joyce K. S. Poon¹, Wesley D. Sacher¹, Ying Huang², and Guo-Qiang Lo², ¹University of Toronto, Toronto, Ontario, Canada, ²Institute of Microelectronics, A*STAR, Singapore</i>	

SESSION F: Advanced mmW and THz MMICs

Chairpersons: *Hooman Kazemi, Raytheon Ranch Innovations
Bodhisatwa Sadhu, IBM T.J Watson Research*

F.1	Progress in InP HEMT Submillimeter Wave Circuits and Packaging (Invited)	77
	<i>K. Leong, X. B. Mei, W. Yoshida, M. Lange, A. Zamora, B. Gorospe and W. R. Deal, Northrup Grumman Corporation, Redondo Beach, CA, United States</i>	
F.2	190-260GHz High-Power, Broadband PA's in 250nm InP HBT	81
	<i>Zach Griffith, Miguel Urteaga, Petra Rowell, and Richard Pierson, Teledyne Scientific Company, Thousand Oaks, CA, United States</i>	
F.3	Compact W-Band PA MMICs in Commercially Available 0.1um GaAs PHEMT Process	85
	<i>A. Bessemoulin¹, M. Rodriguez¹, J. Tarazi¹, G. McCulloch¹, A. E. Parker², and S. J. Mahon¹ ¹MACOM Technology Solutions, North Sydney, NSW, Australia, ²Macquarie University, NSW, Australia</i>	
F.4	250 GHz SiGe-BiCMOS Cascaded Single-Stage Distributed Amplifier	89
	<i>Paolo Valerio Testa, Robert Paulo, Corrado Carta, and Frank Ellinger, Technische Universitat Dresden, Dresden, Germany</i>	

SESSION G: HBT Modeling and Applications

Chairpersons: *Faramarz Kharabi, Qorvo Inc.
Paul Tasker, Cardiff University*

G.1	Compact Model Validation Strategies Based on Dedicated and Benchmark Circuit Blocks for the mm-Wave Frequency Range (Invited)	93
	<i>B. Ardouin¹, M. Schroter², T. Zimmer³, K. Aufinger⁴, U. Pfeiffer⁵, C. Raya¹, A. Mukherjee², S. Malz⁵, S. Fregonese³, R. D'Esposito³, and M. De Matos³, ¹XMOD Technologies, Bordeaux, France, ²CEDIC, Dresden University of Technology, Dresden, Germany, ³Laboratoires IMS University of Bordeaux, Bordeaux, France, ⁴Infineon Technologies AG, Munich, Germany, ⁵University of Wuppertal, Wuppertal, Germany</i>	
G.2	HBT Model Scaling for Different Epi Materials and Geometries	97
	<i>Yingying Yang, Peter J. Zampardi*, and Kai Kwok, Skyworks Solutions Inc., Newburg Park, CA, United States, *Formerly of Skyworks,</i>	
G.3	Comparison of Technologies for APT and ET Applications	101
	<i>Brian Moser¹, Peter J. Zampardi¹, Marc Schulze Tenberge², and Denny Limanto¹ ¹Qorvo, Greensboro, NC, United States, ²Maury Microwave, Ontario, CA, United States</i>	
G.4	An Evaluation of Extraction Methods for the External Collector Resistance for InP DHBTs	105
	<i>T. Nardmann¹ and M. Schroter^{1,2}, ¹Technical University Dresden, Dresden, Germany ²UC San Diego, La Jolla, CA, United States</i>	

SESSION H: Optical Coherent Transceivers

Chairpersons: *Munehiko Nagatani, NTT Corporation*
Craig Steinbeiser, Qorvo

- H.1 **Compact Low-Power Optical/Electrical Devices Enabling Coherent Transceivers for Datacom (Invited)** 109
Shogo Yamanaka^{1,2}, Hiroshi Onaka^{1,3}, and Osamu Ishida^{1,4}, ¹Photonics Electronics Technology Research Association PETRA, Tokyo, Japan, ²NTT Corporation, Japan, ³Fujitsu Limited, Japan, ⁴NTT Electronics Corporation, Japan
- H.2 **Indium Phosphide Based IQ-Modulators for Coherent Pluggable Optical Transceivers (Invited)**..... 113
Efthymios Rouvalis,, Finisar Germany GmbH, Berlin, Germany
- H.3 **Electro-Optical Co-Design to Minimize Power Consumption of 32 GBd Optical IQ-Transmitter Using InP MZ-Modulators (Invited)**..... 117
N. Wolf, L. Yan, J.-H. Choi, T. Kapa, S. Wunsch, R. Klotzer, K.-O. Velthaus, H.-G. Bach, and M. Schell, Fraunhofer Institute for Telecommunications, Berlin, Germany

SESSION I: GaN Power Amplifier Technology

Chairpersons: *Jon Mooney, Raytheon Company*
Shuoqi Chen, Qorvo

- I.1 **120W Ka Band Amplifier Utilizing GaN MMICs and Coaxial Waveguide Spatial Power Combining (Invited)**..... 121
Patrick G. Courtney, Jim Zeng, Thuan Tran, Hung Trinh, and Scott Behan, Qorvo, Newbury Park, CA, United States
- I.2 **GaN MMIC for Ka-Band with 18W**..... 125
K. Takagi, C. Y. Ng, H. Sakurai, and K. Matsushita, Toshiba Corporation, Kawasaki, Japan
- I.3 **A 4.2-W 10-GHz GaN MMIC Doherty Power Amplifier** 129
Mike Coffey, Parisa MomenRoodaki, Andrew Zai, and Zoya Popovic, University of Colorado Boulder, Boulder, CO, United States

SESSION J: Emerging sub-mm-Wave Devices

Chairpersons: *Zach Griffith, Teledyne Scientific Company*
Frank van Vliet, TNO

- J.1 **Submillimeter-Wave Amplifier Circuits Based on Thin-Film Microstrip Line Front-Side Technology** 133
A. Tessman, A. Leuther, M. Ohlrogge, and H. Massler, Fraunhofer Institute for Applied Solid-State Physics (IAF), Freiburg, Germany
- J.2 **Advances in InP HEMT WR1.5 Amplifier MMICs**..... 137
A. Zamora, X. B. Mei, K. M. K. H. Leong, M. Lange, J. Lee, W. Yoshida, B. S. Gorospe, and W. R. Deal, Northrup Grumman Corporation, Redondo Beach, CA, United States
- J.3 **VO2 Switches for Millimeter and Submillimeter-Wave Applications**..... 140
C. Hillman, P.A. Stupar, and Z. Griffith, Teledyne Scientific Company, Thousand Oaks, CA, United States

J.4	High Performance Resonant Tunneling Diode Oscillators for THz Applications	144
	<i>Jue Wang, Khalid Alharbi, Afesomeh Ofiare, Haiping Zhou, Ata Khalid, David Cumming, and Edward Wasige, University of Glasgow, Glasgow, United Kingdom</i>	

SESSION K: Power Technology

Chairpersons: *Noriyuki Watanabe, NTT Corporation*
Kenneth Chu, BAE Systems

K.1	Current Status of Gallium Oxide-Based Power Device Technology (Invited)	148
	<i>Masataka Higashiwaki¹, Kohei Sasaki^{1,2}, Man Hoi Wong¹, Takafumi Kamimura¹, Ken Goto^{2,3}, Kazuhiro Nomura³, Quang Tu Thieu³, Rie Togashi³, Hisashi Murakami³, Yoshinao Kumagai³, Bo Monemar^{3,4}, Akinori Koukitu³, Akito Kuramata², Takekazu Masui², and Shigenobu Yamakoshi², ¹National Institute of Information and Communications Technology, Koganei, Japan, ²Tamura Corporation, Sayama, Japan, ³Tokyo University of Agriculture and Technology, Koganei, Japan, ⁴Linköping University, Linköping, Sweden</i>	
K.2	An Overview of GaN-Based Monolithic Power Integrated Circuit Technology on Polarization-Junction Platform (Invited)	152
	<i>Akira Nakajima¹, Sin-ichi Nishizawa¹, Hiromichi Ohashi¹, Shunsuke Kubota², Rei Kayanuma², Kazuo Tsutsui², Kuniyuki Kakushima², Hitoshi Wakabayashi², and Hiroshi Iwai², ¹National Institute of Advanced Industrial Science and Technology, Tsukuba, Japan, ²Tokyo Institute of Technology, Yokohama, Japan</i>	
K.3	Monolithically-Integrated Multilevel Inverter on Lateral GaN-on-Si Technology for High-Voltage Applications	156
	<i>B. Weiss, R. Reiner, P. Waltreit, S. Müller, M. Wespel, R. Quay, and O. Ambacher, Fraunhofer Institute for Applied Solid State Physics, Freiburg, Germany</i>	

SESSION L: FET Device Concepts and Modeling

Chairpersons: *Rob Jones, Raytheon Company*
Michael Schroter, TU Dresden/UCSD

L.1	III-V MOSFETs for future CMOS (Invited)	160
	<i>J. A. del Alamo, D. A. Antoniadis, J. Lin, W. Lu, A. Vardi, and X. Zhao, Massachusetts Institute of Technology, Cambridge, MA, United States</i>	
L.2	High-Frequency InGaAs Nanowire MOSFETs (Invited)	164
	<i>E. Lind, Lund University, Lund, Sweden</i>	
L.3	MIT Virtual Source RF Model as a Tool for GaN-Based LNA and Oscillator Design	168
	<i>Ujwal Radhakrishna, Pilsoon Choi, Li-Shuan Peh, and Dimitri Antoniadis, Massachusetts Institute of Technology, Cambridge, MA, United States</i>	
L.4	Surface-Potential-Based RF Large Signal Model for Gallium Nitride HEMTs	172
	<i>S. Khandelwal¹, S. Ghosh², Y.S. Chauhan², B. Iniguez³, and T. A. Fjeldly⁴, ¹UC Berkeley, Berkeley, CA, United States; ²IIT Kanpur, India, ³URV, Spain, ⁴NTNU, Trondheim, Norway</i>	

SESSION M: Millimeter-Wave ICs for Radar and Communication

Chairpersons: *Shahriar Shahramian, Alcatel-Lucent*
Herbert Knapp, Infineon Technologies

M.1	A Highly Integrated 60-GHz 6-Channel Transceiver Chip in 0.35 μm SiGe Technology for Smart Sensing and Short-Range Communications	176
	<i>I. Nasr¹, E. Karagozler², I. Poupyrev², and S. Trotta¹, ¹Infineon Technologies, Neubiberg, Bavaria, Germany, ²Google Inc., Mountain View, CA, United States</i>	
M.2	300-GHz Band 20-Gbps ASK Transmitter Module Based on InP-HEMT MMICs	180
	<i>Hiroshi Hamada, Toshihiko Kosugi, Ho-Jin Song, Makoto Yaita, Amine El Moutaouakil, Hideaki Matsuzaki, and Akihiko Hirata, NTT Corporation, Atsugi-shi, Kanagawa, Japan</i>	
M.3	120GHz 256QAM GaAs Transceiver Module for Over-10Gbps Wireless Communications	184
	<i>Satoshi Iino, Masaharu Ito, Yasushi Wada, Toshihide Kuwabara, and Tsunehisa Marumoto, NEC Corporation, Kawasaki, Kanagawa, Japan</i>	
M.4	A New Active Quasi-Circulator Structure with High Isolation for 77-GHz Automotive FMCW Radar Systems in SiGe Technology	188
	<i>Matthias Porranz¹, Christoph Wagner², Herbert Jaeger², and Andreas Stelzer¹, ¹Johannes Kepler University of Linz, Linz, Austria, ²Danube Integrated Circuit Engineering (DICE), Linz, Austria</i>	
M.5	A 70 GHz Bidirectional Front-End for Half-Duplex Transceiver in 90-nm SiGe BiCMOS	192
	<i>Tissana Kijsanayotin¹, Jun Li¹, and James F. Buckwalter², ¹University of California, San Diego, La Jolla, CA, United States, ²University of California, Santa Barbara, Santa Barbara, CA, United States</i>	

SESSION N: High Frequency Devices & Packaging

Chairpersons: *Robert Howell, Northrop Grumman Electronic Systems*
Han Wui Then, Intel Corp

N.1	Plasma Mode HEMTs with RTD Gate and Multiple 2DEG Channels for Stable Terahertz Operation (Invited)	196
	<i>John L. Volakis and Shubhendu Bhardwaj, The Ohio State University, Columbus, OH, United States</i>	
N.2	Grating-Induced Frequency Multiplication in Gunn Diodes	200
	<i>Don D. Smith, Freescale Discovery Labs, Austin, TX, United States</i>	
N.3	Lumped-Element Modeling of Millimeter-Wave HEMT Parasitics via Full-Wave Electromagnetic Analysis	204
	<i>Yasir Karisan, Cosan Caglayan, Georgios C. Trichopoulos, and Kubilay Sertel, The Ohio State University, Columbus, OH, United States</i>	
N.4	A Lossy Electromagnetic Bandgap Structure for Mode Suppression in Chip Scale Packages	207
	<i>William E. McKinzie III, WEMTEC, Inc., Fulton, MD, United States</i>	

SESSION O: Circuits for Future Optical Systems

Chairpersons: *Yuriy Greshishchev, Ciena Corp.*
Hui Pan, Broadcom Corp.

O.1	A 56-Gb/s Wireline Transceiver in 20nm CMOS (Invited)	211
	<i>Takayuki Shibasaki, Yanfei Chen, Yoshiyasu Doi, Hideki Takauchi, Toshihiko Mori, Yoichi Koyanagi, and Hirotaka Tamura, Fujitsu Laboratories, Kawasaki, Kanagawa, Japan</i>	

O.2	A 56-Gb/s PAM4 InP HBT Driver IC Compensating for Nonlinearity of Extinction Curve of EAM	215
	<i>Toshiki Kishi¹, Munehiko Nagatani¹, Shigeru Kanazawa², Wataru Kobayashi¹, Hiroshi Yamazaki¹, Minoru Ida¹, Kenji Kurishima¹, Masafumi Nogawa², Shunji Kimura², and Hideyuki Nosaka¹, ¹NTT Device Technology Laboratories, NTT Corporation, Atsugi-shi, Kanagawa, Japan, ²NTT Device Innovation Center, NTT Corporation, Atsugi-shi, Kanagawa, Japan</i>	
O.3	59-dB Omega 68-GHz Variable Gain-Bandwidth Differential Linear TIA in 0.7-μm InP DHBT for 400-Gb/s Optical Communication Systems	219
	<i>Jean-Yves Dupuy, Filipe Jorge, Muriel Riet, Virginie Nodjiadjim, Herve Aubry, and Agnieszka Konczykowska, III-V Lab –joint lab of Alcatel-Lucent Bell Labs, Thales and CEA/Leti, Marcoussis, France</i>	
O.4	A 15-Gb/s AC-coupled VCSEL Driver with Waveform Shaping in 65nm CMOS	223
	<i>Victor Kozlov and Anthony Chan Carusone, University of Toronto, Ontario, Canada</i>	

SESSION P: High Efficiency Amplifiers

Chairpersons: *Wayne Struble, M/A-COM*
Rik Jos, NXP Semiconductors

P.1	High Efficiency GaN HEMT Power Amplifier/Rectifier Module Design Using Time Reversal Duality (Invited)	227
	<i>Kazuhiko Honjo and Ryo Ishikawa, The University of Electro-Communications, Chofu, Tokyo, Japan</i>	
P.2	Efficiency First: Outphasing Architectures for Power Amplification of High-PAPR Signals (Invited)	231
	<i>Taylor W. Barton, The University of Texas at Dallas, Richardson, TX, United States</i>	
P.3	Multi-Level Chireix Outphasing GaN MMIC PA	235
	<i>Michael Litchfield and Zoya Popovic, University of Colorado at Boulder, Boulder, CO, United States</i>	
P.4	Envelope Modulator & X-band MMICs On Highly Integrated 3D Tunable Microcoax Substrate	239
	<i>D. F. Kimball¹, H. Kazeimi², J. J. Yan¹, P. T. Theilmann¹, I. Telleiz¹, and G. Collins¹, ¹MaXentric Technologies, LLC, La Jolla, CA, United States, ² Nuvotronics, Camarillo, CA, United States</i>	

SESSION Q: Advanced Technology and Circuit Solutions for Optical Communications

Chairpersons: *Kumar Lakshmi Kumar, Cisco Systems*
Thomas Tojfl, IBM Research GmbH

Q.1	Challenges & Solutions for High-Volume Production in SiGe BICMOS and CMOS Technologies for High-Frequency and Optical Communications (Invited)	243
	<i>Philippe Galy and Pascal Chevalier, STMicroelectronics, Crolles, France</i>	
Q.2	A 112Gb/s 4-PAM Transceiver Chipset in 0.18μm SiGe BiCMOS Technology for Optical Communication Systems (Invited)	247
	<i>Shahriar Shahramian, Jeffrey Lee, Joe Weiner, Ricardo Aroca*, Yves Baeyens, Noriaki Kaneda, and Young-Kai Chen, Bell Laboratories, Alcatel-Lucent, Murray Hill, NJ, United States, *Formally with Alcatel-Lucent, currently with Acacia Communications, Hazlet, NJ, United States</i>	
Q.3	A Low Noise, DC-135GHz MOS-HBT Distributed Amplifier for Receiver Applications	251
	<i>James Hoffman¹, Sorin P. Voinigescu¹, P. Chevalier², Andreia Cathelin², and P. Schvan³ ¹University of Toronto, Ontario, Canada, ²STMicroelectronics, Crolles, France ³Ciena Corporation, Ottawa, Ontario, Canada</i>	

SESSION R: Late-Breaking News Papers I

Chairpersons: *Harris P. Moyer, HRL Laboratories*
Pete Zampardi, Qorvo

R.1	A X-band Reconfigurable Phased Array Antenna System Using 0.13-μm SiGe BiCMOS IC with 5-Bit IF Phase Shifters	255
	<i>Naoki Oshima¹, Ikuma Ando¹, Youichi Kitagishi², Eiichi Matsumura², Suguru Kameda³, Noriharu Suematsu³, and Kazuaki Kunihiro, ¹ NEC Corporation, Kawasaki, Kanagawa, Japan, ² NEC Corporation, Fuchu, Tokyo, Japan, ³ Tohoku University, Sendai, Miyagi, Japan</i>	
R.2	A 240GHz Synthesizer in 55nm SiGe BiCMOS	259
	<i>Stefan Shopov¹, Juergen Hasch², Pascal Chevalier³, Andreia Cathelin³, and Sorin P. Voinigescu¹</i> <i>¹ University of Toronto, Toronto, Ontario, Canada, ² Robert Bosch GmbH, Stuttgart, Germany</i> <i>³ STMicroelectronics, Crolles, France</i>	
R.3	A SiGe-Based D-Band Fundamental-Wave VCO with 9 dBm Output Power and -185 dBc/Hz FoMT	263
	<i>Faisal Ahmed, Muhammad Furqan, Bernd Heinemann*, and Andreas Stelzer, Johannes Kepler University, Linz, Austria, *IHP GmbH, Frankfurt (Oder), Germany</i>	
R.4	A MMIC GaN HEMT Voltage-Controlled-Oscillator with High Tuning Linearity and Low Phase Noise	267
	<i>Thanh Ngoc Thi Do, Szhou Lai, Mikael Horberg, Herbert Zirath, and Dan Kuylenstierna, Chalmers University of Technology, Gothenburg, Sweden</i>	
R.5	A 9–81/38–189 GHz Dual-Band Switchable Dynamic Frequency Divider	271
	<i>Jidan Al-Eryani^{1,2}, Herbert Knapp², Hao Li², Klaus Aufinger², Jonas Wursthorn^{1,2}, Soran Majied², and Linus Maurer¹, ¹ Universitat der Bundeswehr Muenchen, Neubiberg, Germany, ² Infineon Technologies AG, Neubiberg, Germany</i>	

SESSION S: Late-Breaking News Papers II

Chairpersons: *Charles F. Campbell, Qorvo*
Jim Carroll, NI-AWR Group

S.1	A Novel 100 MHz-45 GHz GaN HEMT Low Noise Non-Gate-Terminated Distributed Amplifier Based on a 6-inch 0.15μm GaN-SiC mm-Wave Process Technology	275
	<i>Kevin W. Kobayashi, Dan Denninghoff, and Dain Miller, QORVO, Torrance, CA, United States</i>	
S.2	A 6-41 GHz Distributed Amplifier with Supply Scaling for Efficiency Enhancement	279
	<i>Cooper S. Levy and James F. Buckwalter, University of California San Diego, La Jolla, CA, United States</i>	
S.3	A Study of GaN HEMTs Current Collapse Impacts on Doherty Multistage PA Linearity	283
	<i>Yoji Murao, Makoto Hayakawa, Kazuya Ohgami and Tomoya Kaneko, NEC Corporation, Kawasaki, Kanagawa, Japan</i>	
S.4	A 140–180-GHz Broadband Amplifier with 7 dBm OP1dB and 400 GHz GBW in SiGe BiCMOS	287
	<i>Muhammad Furqan, Faisal Ahmed, Holger Rucker*, and Andreas Stelzer, Johannes Kepler University, Linz, Austria, *IHP GmbH, Frankfurt (Oder), Germany</i>	

Author Index	291
---------------------------	-----