2015 IEEE Regional Symposium on Micro and Nanoelectronics (RSM 2015)

Kuala Terengganu, Malaysia 19 – 21 August 2015



IEEE Catalog Number: ISBN:

CFP1568N-POD 978-1-4799-8551-7

<u>Keynote</u>

| No. | Title | Pages |
|------------|--|-------|
| K01. | Nanotechnology: Development of Practical Systems and Nano-Micro-Macro Integration | A01 |
| K02. | Parallel Injection Current Modulation of Mach-Zehnder Interferometer Modulator on Silicon on Insulator | A02 |
| K03. | Brain-like Signal Generating Electric Devices made of Single-Walled Carbon Nanotube and Nanoparticle Complex | A03 |
| K04. | The Future of Optoelectronics Packaging in High Data Rates Application | A04 |
| <u>MEM</u> | S and Microsensors | |
| No. | Title | Pages |
| 001. | The Vertical Strained Impact Ionization MOSFET (VESIMOS) for Ultra-Sensitive Biosensor Application | 1 |
| 002. | Development of a Read-Out Circuitry for Piezoresistive Microcantilever Electrical Properties Measurement | 5 |
| 003. | PDMS Young's Modulus Calibration for Micropillar Force Sensor Application | 9 |
| 004. | Towards Improving the Etch Performance of KrF Excimer Laser Micromachining on Silicon Material | 13 |
| 005. | Modelling of Microfluidics Network using Electric Circuits | 17 |
| 006. | Simulation of an Hybrid Blood Cells Micro-Separator | 21 |
| 007. | Characterization of ROFF/RON Ratio of Fludic Based Memristor Sensor for pH Detection | 25 |
| 008. | Modeling and Simulation of Polysilicon Piezoresistors in a CMOS-MEMS Resonator for Mass Detection | 29 |
| 009. | Low Temperature Bonding Techniques for MEMS Devices | 33 |
| 010. | A Comparative Study of Photocurable Sensing Membrane for Potassium ChemFET Sensor | 37 |
| 011. | Fabrication and Characterization Of SAW IDT Biosensor For Biomolecule Detection | 41 |
| 012. | Real Time Motorcycle Image Detections on Field Programmable Gate Array | 45 |

| 013. | 3C-SiC-on-Si Based MEMS Packaged Capacitive Pressure Sensor Operating up to 500 °C and 5 MPa | 49 |
|------|--|----|
| 014. | CMOS-MEMS Multiple Resonant Vibration Energy Harvester for Wireless Sensor Network | 53 |
| 015. | Relation of Parallel Resistance to the Passive Double SAW Resonator | 57 |
| 016. | CMOS-MEMS Thermoelectric Generator for Low Power Medical Devices | 61 |
| 017. | Characterization of CMOS-MEMS Device for Acetone Vapor Detection in Exhaled Breath | 65 |
| 018. | Fundamental References over Insole Plantar Pressure in terms of Human Body Weight Percentage | 69 |
| 019. | Investigation On Self Powered Automated Multi levels Car Parking System | 73 |
| 020. | Investigation on Developing of a Piezoresistive Pressure Sensor for Foot Plantar Measurement System | 77 |
| 021. | Power Consumption and Size Minimization of a Wireless Sensor Node in Automation System Application | 81 |

Circuit, VLSI & Microwave

| No. | Title | Pages |
|------|---|-------|
| 022. | Physics-Based Modelling of Vertical Strained Impact Ionization MOSFET (VESIMOS) | 85 |
| 023. | Effect of Zeta Potential Variation in Single Phase Flow Characteristics of a Rectangular Nanochannel | 89 |
| 024. | FPGA-Based Hardware-in-the-Loop Verification of Dual-Stage HDD Head Position Control | 93 |
| 025. | Designing a Boost Converter of Micro Energy Harvester Using Thermal and Vibration Input for Biomedical Devices | 97 |
| 026. | Optimization of RF- DC Converter in Micro Energy Harvester Using Voltage Boosting Network and Bulk Modulation Technique for BioMedical Devices | 101 |
| 027. | Fabrication of Superconducting YBCO Microwave Microstrip Resonators | 105 |
| 028. | Electrical Performances Based on Two Different Structured of Micro Supercapacitor Electrodes | 108 |

| 029. | A 3-Stage 40 GHz CMOS Power Amplifier Driver for Radio-Over-Fiber Technology | 112 |
|------|---|-----|
| 030. | The Design of Ground Shield Spiral Inductor using 0.13 μ m CMOS Technology for Millimeter-Wave Radio over Fiber Applications | 116 |
| 031. | Investigation on Optical Interconnect(OI) Link Performances using External Modulator | 120 |
| 032. | High Frequency CNTFET-based Logic Gate | 124 |
| 033. | Electron Concentration Behavior in Junctionless vs Junction SOI n-MOSFET Transistor | 128 |
| 034. | Impact of Size Variation in Junctionless vs Junction Planar SOI n-MOSFET Transistor | 132 |
| 035. | Impact of High-k Dielectric on the Digital and Analog Performance on Emulation of Double-Gate UTBB SOI MOSFETs with Different Ground Plane Structures | 136 |
| 036. | Impact of Silicon-Body Thickness on Emulation of Double-Gate UTBB SOI MOSFETs with Different Ground Plane Structures | 140 |
| 037. | A Low Power Bandgap Voltage Reference for Low-Dropout Regulator | 144 |
| 038. | Comparison of Seven Cantilever Designs for Piezoelectric Energy Harvester Based On Mo/AlN/3C-SiC | 148 |
| 039. | Modeling of 14 nm Gate Length n-Type MOSFET | 152 |
| 040. | Statistical Optimization of Process Parameters for Threshold Voltage in 22 nm p-Type MOSFET using Taguchi Method | 156 |
| 041. | Scaling Impact on Design Performance Metric of Sub-Micron CMOS Devices Incorporated with Halo | 160 |
| 042. | Comparison of DC and Pulse Train Analysis on Submicrometer pMOSFETs Lifetime Prediction using On-The-Fly Method | 164 |
| 043. | A Study of the States Kinetics in NBTI Degradation by Two-Stage NBTI Model Implementation | 168 |
| 044. | Tag for UWB Chipless RFID: A Single Antenna Approach | 172 |
| 045. | A Low Power Multiplexer Based Pass Transistor Logic Full Adder | 176 |

Materials & Devices

| No. | Title | Pages |
|------|---|-------|
| 046. | Electrical Simulation of Ni/4H-SiC Schottky Diodes Before and After Low Energy Electron Radiation | 180 |

| 047. | Trajectory of Microparticles Actuated with Standing Surface Acoustic Waves in Microfluidic Devices | 184 |
|------|---|-----|
| 048. | Modeling Microparticles' Path in DEP-FFF Microfludic Devices | 188 |
| 049. | Synthesis and Characterization of Neodymium and Nickel Particles in Polymer Base Actuator | 192 |
| 050. | Reactive Ion Etching of TiO2 Thin Film: The Impact of Different Gaseous | 196 |
| 051. | Characteristics of TiO2 Thin Film with Back-Gate Biasing for FET-Based Biosensors Application | 200 |
| 052. | Real-Time Detection by Properties of Tin Dioxide for Formaldehyde Gas Sensor | 204 |
| 053. | Fabrication and Electrical Characterization of Graphene Oxide as Transducing Channel for Biosensor Application | 208 |
| 054. | Laser Micromachining of Circular Transmission Line Model (CTLM) of Al Contacts on n-type SiC/Si Chips | 212 |

Materials & Process

| No. | Title | Pages |
|------|--|-------|
| 055. | Verification of the Thin Film Metal Layer Thickness by Energy Dispersive X-ray | 216 |
| 056. | Influence of Laser Wavelength Variation on the Laser Annealed CdTe Thin Films Grown by Thermal Evaporation | 220 |
| 057. | Investigation of the Annealing Time Effects on Cu Deposited CdTe Thin Films for Photovoltaic Application | 224 |
| 058. | Impact of Stress-induced Heating on PLR and WLR HCI Testing | 228 |
| 059. | Effect of Isopropyl Alcohol (IPA) on Etching Rate and Surface Roughness of Silicon Etched in KOH Solution | 232 |
| 060. | Ag, Pd/Ag, and Au Thick Films Growth Using Screen Printing Method for Microstrip Band Pass Filter Application | 236 |
| 061. | Photoresist Residue Defect by Etch Byproduct on PIP Etch Process | 240 |
| 062. | Effect of Harum Manis Mango as Natural Photosensitizer at Different Extracting Temperature on Performance of Dye-Sensitized Solar Cells (DSSCs) | 244 |
| 063. | Impacts of Dye Extracting Solvents and pH on the Stability of the Oxalis Triangularis as Dye Sensitizer by Time-Varying on DSSCs | 248 |

| 064. | Microwave Irradiation Assisted Synthesis of Silicon Carbide Nanowhiskers | 252 |
|------|--|-----|
| 065. | Transparent Mask Design and Fabrication of Interdigitated Electrodes | 256 |
| 066. | Wet Chemical Cleaning Effect on the Formation of Ultrathin Interfacial Layer between Germanium (Ge) and High-k Dielectric | 260 |
| 067. | Effect of Acid Concentration and Time of Sulphate Process on Synthesizing the Titanium Dioxide from Synthetic Rutile Waste | 263 |
| 068. | Printability and Structural Analysis of Yttrium Iron Garnet Thick Film with Low Firing Temperature | 267 |
| 069. | RF Sputtered PZT Thin Film at MPB for Piezoelectric Harvester Devices | 271 |

Photonics

| No. | Title | Pages |
|------|--|-------|
| 070. | On the SPR-Based Optical Biosensors | 275 |
| 071. | The Effect of Growth Conditions to the Optical Quality of GaAsBi Alloy | 279 |
| 072. | Sensitivity Improvement of Multipath Optical Ring Resonators Using Silicon-On-Insulator Technology | 282 |
| 073. | Numerical Simulation of One Dimensional (1D) Photonic Crystal Multiple Cavities Based on Silicon on Insulator (SOI) | 286 |
| 074. | Reproducibility and Free Spectral Range (FSR) Control of a High Quality Factor – 1D Photonic Crystal (PhC) Extended Cavity | 290 |
| 075. | FDTD Analysis of Structured Metallic Nanohole Films for LSPR-Based Biosensor | 293 |
| 076. | Design of Optical Single Mode Splitter using Ion Exchange Method for Ammonia Biosensor | 297 |
| 077. | On The Performance of Mach-Zehnder-Interferometer (MZI) Optical Modulator on Silicon-On-Insulator (SOI) | 301 |
| 078. | Fabrication of Gold Strip Thin Film on Glass Substrate for Plasmonic Demodulation Application | 305 |
| | | |

Nanotechnology

| No. | Title | Pages |
|------|---|-------|
| 079. | A Computational Study on Transport Properties of Square Graphene Nanoconstriction | 309 |

| 080. | Performance Benchmarking of Graphene Nanoscroll Transistor with 22nm MOSFET Model | 313 |
|------|---|-----|
| 081. | Towards High Performance Graphene Nanoribbon Transistors (GNR-FETs) | 317 |
| 082. | Improved Growth Quality of the ZnO Thin Films on Au Nano-Particles/p-Si | 321 |
| 083. | Physical Properties of Hydrothermal Growth Nanostructure Metal Titanium Dioxide | 325 |
| 084. | Deposition and Characterization of ZnO Thin Film for FET with Back Gate Biasing-Based Biosensors Application | 329 |
| 085. | The Effect of Aluminum Nanoparticle on the Seebeck Coefficient of Biomedical Thermoelectric Devices | 333 |
| 086. | Surface Properties of Modified Nanodiamond on Silicon via a Spray Method | 337 |
| 087. | Study on Chemically Modified Graphene Platforms for Biosensor Applications | 341 |
| 088. | Integrated of IDEs with TiO2 Nanoparticles Thin Films for pH Sensor | 345 |
| 089. | TiO ₂ Anatase Phase Structure Growth, Morphological Optical and Electrical Characterization by Different Alcoholic Solvents | 349 |
| 090. | Synthesis of Carbon Nanotubes using Microwave Oven | 353 |
| 091. | Silicon Nanowire Interface Circuit for Biosensing Applications | 357 |
| 092. | Effect of Aggregation on Dielectric Property of MWCNT/PDMS Nanocomposite | 361 |