

# **2015 21st Asia-Pacific Conference on Communications (APCC 2015)**

**Kyoto, Japan  
14-16 October 2015**



**IEEE Catalog Number: CFP15790-POD  
ISBN: 978-1-4673-6653-3**

**Copyright © 2015, The Institute of Electronics, Information and Communication  
Engineers (IEICE)  
All Rights Reserved**

***\*\*\*This publication is a representation of what appears in the IEEE  
Digital Libraries. Some format issues inherent in the e-media version may  
also appear in this print version.***

IEEE Catalog Number:	CFP15790-POD
ISBN (Print-On-Demand):	978-1-4673-6653-3
ISBN (Online):	978-4-88552-301-4
ISSN:	2163-0771

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

<b>CELL SEARCH TIME PERFORMANCE USING PVS TRANSMIT DIVERSITY IN HETEROGENEOUS NETWORKS WITH THE SAME FREQUENCY SPECTRUM .....</b>	<b>1</b>
<i>N. Noguchi ; M. Sawahashi ; S. Nagata</i>	
<b>POWER ALLOCATION FOR DYNAMIC FRACTIONAL FREQUENCY REUSE (DFFR) IN DOWNLINK LTE-A SYSTEM.....</b>	<b>12</b>
<i>M. K. Noor Shahida ; R. Nordin ; M. Ismail</i>	
<b>A PASSIVE METHOD FOR ESTIMATING OVERALL LTE CELL TRAFFIC LOAD BY USING RADIO QUALITY INFORMATION OF A USER TERMINAL .....</b>	<b>17</b>
<i>E. Takahashi ; T. Onishi ; T. Shiroshima ; H. Sugahara</i>	
<b>HIGH-AVAILABILITY OPTICAL MULTI-CARRIER INTERFACE FOR OPERATIONAL EXPENDITURE REDUCTION .....</b>	<b>21</b>
<i>K. Shintaku ; Y. Yamada ; S. Kobayashi ; A. Hirano ; Y. Koizumi</i>	
<b>LINEAR AND NONLINEAR IMPAIRMENTS WHEN ADDING AND DROPPING SUPERCHANNELS IN AN ELASTIC OPTICAL NETWORK.....</b>	<b>25</b>
<i>T. Nakagawa ; Y. Mori ; K. Maru ; H. Matsushita ; M. Jinno</i>	
<b>WAVELENGTH MULTICASTING OF RZ-DPSK SIGNAL WITH TUNABLE PULSEWIDTH USING RAMAN AMPLIFICATION PULSE COMPRESSOR.....</b>	<b>29</b>
<i>Q. N. Q. Nhu ; H. N. Tan ; Q. Nguyen-The ; M. Matsuura ; N. Kishi</i>	
<b>PROPOSAL OF A SIMPLE CD ROADM WITH CONTENTION-FREE ADD/DROP FUNCTION.....</b>	<b>33</b>
<i>A. Iwaki ; A. Sahara ; M. Fukutoku</i>	
<b>AN ANALYZING METHOD USING SELF-ORGANIZING MAP FOR MIMO MESH NETWORKS.....</b>	<b>37</b>
<i>Y. Minematsu ; H. Okada ; K. Kobayashi ; M. Katayama</i>	
<b>AN OVERLOADED MIMO SIGNAL DETECTION SCHEME WITH SLAB DECODING AND LATTICE REDUCTION.....</b>	<b>42</b>
<i>R. Hayakawa ; K. Hayashi ; M. Kaneko</i>	
<b>SPECTRAL AND ENERGY EFFICIENCY FOR MASSIVE MIMO MULTI-PAIR TWO-WAY RELAY NETWORKS WITH ZFR/ZFT AND IMPERFECT CSI .....</b>	<b>47</b>
<i>J. Yang ; H. Wang ; J. Ding ; B. Li ; C. Li</i>	
<b>AN OVERLOADED MIMO RECEIVER WITH EXTENDED ROTATION MATRICES FOR VIRTUAL CHANNELS.....</b>	<b>52</b>
<i>S. Denno ; A. Kitamoto</i>	
<b>DYNAMIC ALMOST BLANK SUBFRAME ASSIGNMENT METHOD WITH POWER CONTROL SUBFRAME FOR USER FAIRNESS .....</b>	<b>57</b>
<i>M. Ozawa ; T. Ohtsuki</i>	
<b>ANALYSES OF QOS-BASED RELAY DEPLOYMENT IN 4G LTE-A WIRELESS MOBILE RELAY NETWORKS.....</b>	<b>62</b>
<i>B. J. Chang ; Y. H. Liang ; S. S. Su</i>	
<b>USING CLUSTERING TECHNIQUES TO IMPROVE CAPACITY OF LTE NETWORKS.....</b>	<b>68</b>
<i>M. Hajjar ; G. Aldabbagh ; N. Dimitriou</i>	
<b>MODELLING LOAD BALANCING MECHANISMS IN SELF-OPTIMISING 4G MOBILE NETWORKS.....</b>	<b>74</b>
<i>M. Glabowski ; S. Hanczewski ; M. Stasiak</i>	
<b>QAM UWB-IMPULSE RADIO USING OPTICAL PULSES POSITION MODULATION FOR OPTICAL FIBER-WIRELESS LINKS.....</b>	<b>79</b>
<i>T. Kishida ; K. Nabika ; S. Oshiba</i>	
<b>OPTICAL-WIRELESS ENHANCED CODE-SHIFT-KEYING WITH IM/DD .....</b>	<b>84</b>
<i>S. Takayanagi ; H. Habuchi ; Y. Kozawa</i>	
<b>DEMONSTRATION OF THE IMPROVEMENT OF TRANSMISSION DISTANCE USING MULTIPLE STATE TRELIS CODED OPTICAL MODULATION .....</b>	<b>89</b>
<i>E. L. T. De Gabory ; T. Nakamura ; H. Noguchi ; W. Maeda ; S. Fujita ; J. Abe ; K. Fukuchi</i>	
<b>OPTICAL DP-HIGH ORDER-QAM TRANSMISSION SYSTEM FOR HIGH-SPEED SHORT LINKS UTILIZING COPROGATING TWIN LOCAL LIGHTS.....</b>	<b>94</b>
<i>H. Kawakami ; Y. Miyamoto ; T. Kobayashi</i>	
<b>LINK-ADAPTABLE VECTOR-PERTURBATION ZFBF PRECODER FOR MULTI-POINT 3D-BEAMFORMERS .....</b>	<b>98</b>
<i>M. Fujii</i>	

<b>RECEIVER DIVERSITY EVALUATION FOR A VHF BAND BROADBAND MOBILE COMMUNICATION SYSTEM .....</b>	<b>104</b>
<i>H. Sawada ; M. Oodo ; T. Kan ; F. Kojima ; H. Harada ; H. Kobayashi ; N. Soma ; M. Moriyama ; O. Yamamoto ; T. Yamato ; S. Yamamoto</i>	
<b>ENERGY EFFICIENT BEAMFORMING TRANSMISSION SCHEME CONSIDERING HOURLY USERS' DISTRIBUTION .....</b>	<b>109</b>
<i>N. E. B. Ishak ; E. Kamioka</i>	
<b>DESIGN AND IMPLEMENTATION OF VARIABLE-LENGTH LOCATOR ALLOCATION PROTOCOL FOR SCALABLE INTERNET ADDRESSING .....</b>	<b>114</b>
<i>K. Fujikawa ; A. H. A. Muktadir ; Y. Fukushima ; H. Harai ; X. Shao ; F. Wang ; L. Gao</i>	
<b>LIGHT-WEIGHT PERFORMANCE ANALYSIS OF WI-FI OFFLOAD USING MEAN-FIELD APPROXIMATION .....</b>	<b>120</b>
<i>X. Li ; Y. Narita ; Y. Gotoh ; S. Shioda ; N. Komuro ; H. Sekiya ; S. Sakata ; K. Miyoshi ; T. Murase</i>	
<b>A SIMULATION STUDY OF HYPER-CELLULAR ARCHITECTURE WITH DYNAMIC TEMPORAL AND SPATIAL TRAFFIC .....</b>	<b>126</b>
<i>Z. Zhu ; X. Xu ; X. Zheng ; Y. Sun ; S. Zhou ; J. Gong ; Z. Niu</i>	
<b>SELF-ORGANIZED RESOURCE ALLOCATION BASED ON CSI OVERHEARING IN HETEROGENEOUS NETWORKS EMPLOYING CELL RANGE EXPANSION .....</b>	<b>132</b>
<i>T. Kamenosono ; M. Kaneko ; K. Hayashi ; L. Boukhatem</i>	
<b>NYQUIST OTDM BASED ON OPTICAL CORRELATION DETECTION USING IMPULSE RESPONSE OF PHOTO RECEIVER .....</b>	<b>137</b>
<i>Y. Miyoshi ; H. Kubota ; M. Ohashi</i>	
<b>MIMO EQUALIZATION ANALYSIS FOR SDM TRANSMISSION OVER 2KM ELLIPTICAL-CORE FEW-MODE FIBER FOR DATACENTER APPLICATIONS .....</b>	<b>141</b>
<i>E. Ip ; N. Cvijetic ; G. Milione ; K. Kanonakis ; T. Wang ; M. J. Li ; J. Stone ; G. Peng</i>	
<b>SINGLE OPTICAL CARRIER 200G DP-QPSK TRANSMITTER USING RF SUB-BANDING WITH INTEGRATED ULTRA-WIDE BAND IQ MIXERS.....</b>	<b>146</b>
<i>Y. K. Huang ; S. Zhang ; F. Yaman ; T. Wang</i>	
<b>EFFICIENT RAY TRACING ALGORITHM WITH THE AVOIDANCE OF DUPLICATE IMAGE GENERATION.....</b>	<b>152</b>
<i>M. Kusaka ; S. Shioda</i>	
<b>SEQUENTIALLY SWITCHED ANTENNA ARRAY AND APPLICATION TO A WIMAX SYSTEM.....</b>	<b>158</b>
<i>J. Webber ; S. Tsukamoto ; T. Maeda ; T. Kumagai ; S. Yamamoto ; S. Aikawa</i>	
<b>OUTAGE STATISTICS FOR BECKMANN FADING CHANNELS IN NON-ISOTROPIC SCATTERING ENVIRONMENTS .....</b>	<b>164</b>
<i>W. Dahech ; N. Hajri ; N. Youssef ; T. Kawabata ; M. Pätzold</i>	
<b>RESEARCH ACTIVITIES OF THE FIFTH GENERATION MOBILE COMMUNICATION PROMOTION FORUM RADIO ACCESS TECHNOLOGIES TOWARDS THE FIFTH GENERATION MOBILE COMMUNICATIONS SYSTEM.....</b>	<b>169</b>
<i>T. Nakamura</i>	
<b>HETEROGENEOUS NETWORK: AN EVOLUTIONARY PATH TO 5G .....</b>	<b>174</b>
<i>S. Sun ; K. Adachi ; P. H. Tan ; Y. Zhou ; J. Joung ; C. K. Ho</i>	
<b>MMWAVE CELLULAR MOBILE COMMUNICATION FOR GIGA KOREA 5G PROJECT.....</b>	<b>179</b>
<i>J. Lee ; Y. Song ; E. Choi ; J. Park</i>	
<b>ENABLING TECHNOLOGIES FOR 5G AIR-INTERFACE WITH EMPHASIS ON SPECTRAL EFFICIENCY IN THE PRESENCE OF VERY LARGE NUMBER OF LINKS.....</b>	<b>184</b>
<i>W. Tong ; J. Ma ; P. Z. Huawei</i>	
<b>A TWIN CYLINDER MODEL FOR MOVING HUMAN BODY SHADOWING IN 60GHZ WLAN .....</b>	<b>188</b>
<i>T. Wang ; M. Umehira ; H. Otsu ; S. Takeda ; T. Miyajima ; K. Kagoshima</i>	
<b>PERFORMANCE ANALYSIS OF PARALLEL FSO/MMW SYSTEMS WITH ADAPTIVE RATE UNDER WEATHER EFFECTS .....</b>	<b>193</b>
<i>V. V. Mai ; A. T. Pham</i>	
<b>IMPLEMENTATION AND EVALUATION OF REACTIVE BASE STATION SELECTION FOR HUMAN BLOCKAGE IN MMWAVE COMMUNICATIONS.....</b>	<b>199</b>
<i>Y. Oguma ; T. Nishio ; K. Yamamoto ; M. Morikura</i>	
<b>A NOVEL ROBUST AND EFFICIENT DYNAMIC BANDWIDTH ALLOCATION SCHEME OVER A LONG-REACH PASSIVE OPTICAL NETWORK.....</b>	<b>204</b>
<i>I. F. Chao ; T. M. Zhang</i>	
<b>A PRACTICAL CHANNEL MODELING METHOD FOR FEW-MODE OPTICAL FIBER COMMUNICATION SYSTEMS .....</b>	<b>209</b>
<i>D. Lee ; K. Shibahara ; T. Nakagawa ; Y. Miyamoto ; C. Majumdar</i>	

<b>SUBCARRIER RESTORATION FOR SURVIVABLE MULTI-FLOW TRANSPONDERS IN ELASTIC OPTICAL NETWORKS</b> .....	214
<i>T. Tanaka ; T. Inui ; W. Imajuku ; A. Hirano</i>	
<b>OPTIMAL LOAD BALANCING METHOD FOR SYMMETRICALLY ROUTED HYBRID SDN NETWORKS</b> .....	234
<i>R. Yasunaga ; Y. Nakayama ; T. Mochida ; Y. Kimura ; T. Yoshida ; K. I. Suzuki</i>	
<b>IMPLEMENTING TRAFFIC DISTRIBUTION FUNCTION OF SMART OSPF IN SOFTWARE-DEFINED NETWORKING</b> .....	239
<i>E. Oki ; Y. Nakahodo ; T. Naito ; S. Okamoto</i>	
<b>VNODE INFRASTRUCTURE ENHANCEMENT - DEEPLY PROGRAMMABLE NETWORK VIRTUALIZATION</b> .....	244
<i>K. Yamada ; Y. Kanada ; K. Amemiya ; A. Nakao ; Y. Saida</i>	
<b>R&amp;D ACTIVITIES FOR 5G IN IEICE TECHNICAL COMMITTEE ON RADIO COMMUNICATION SYSTEMS</b> .....	250
<i>H. Murata ; E. Okamoto ; M. Mikami ; A. Okazaki ; S. Suyama ; T. Inoue ; J. Mashino ; T. Yamamoto ; M. Taromaru</i>	
<b>A NOVEL HYBRID BEAMFORMING TRANSMISSION SCHEME FOR COMMON CHANNELS AND SIGNALS</b> .....	257
<i>X. Hou ; H. Jiang ; H. Kayama ; W. Xi</i>	
<b>INVESTIGATION ON DYNAMIC POINT SELECTION SCHEME BASED ON PROPORTIONAL FAIR CRITERIA</b> .....	262
<i>T. Takemoto ; N. Miki</i>	
<b>COMPLEXITY REDUCTION OF PICO CELL CLUSTERING FOR INTERFERENCE ALIGNMENT IN HETEROGENEOUS NETWORKS</b> .....	267
<i>R. Seno ; T. Ohtsuki ; W. Jiang ; Y. Takatori</i>	
<b>MILLIMETER-WAVE WIRELESS COMMUNICATION IN A DATA CENTER CABINET WITH ADAPTIVE CONTROL OF PROPAGATION</b> .....	272
<i>J. Webber ; H. Kamoda ; N. Kukutsu ; T. Kumagai</i>	
<b>EXPERIMENTAL EVALUATION OF IEEE 802.11AD MILLIMETER-WAVE WLAN DEVICES</b> .....	278
<i>T. Yamada ; T. Nishio ; M. Morikura ; K. Yamamoto</i>	
<b>A SOLUTION TO GET ANTENNA PATTERN BASED ON AXIS CALIBRATION BETWEEN DIFFERENT MM-WAVE MEASUREMENT PLATFORMS</b> .....	283
<i>L. Zhou ; J. Li ; L. Xiao ; F. Luan ; S. Zhou</i>	
<b>TWO-STAGE SPIT DETECTION SCHEME WITH BETWEENNESS CENTRALITY AND SOCIAL TRUST</b> .....	289
<i>M. Kurata ; K. Toyoda ; I. Sasase</i>	
<b>DESIGN OF NEW FINGERPRINTING CODES USING OPTICAL ORTHOGONAL CODES</b> .....	294
<i>N. Zhao ; N. Y. Yu</i>	
<b>SECURE PARENT NODE SELECTION SCHEME IN ROUTE CONSTRUCTION TO EXCLUDE ATTACKING NODES FROM RPL NETWORK</b> .....	299
<i>K. Iuchi ; T. Matsunaga ; K. Toyoda ; I. Sasase</i>	
<b>INTERCEPT OUTAGE PROBABILITY ANALYSIS OF COGNITIVE RELAY NETWORKS IN PRESENCE OF EAVESDROPPING ATTACK</b> .....	304
<i>J. Yang ; L. Chen ; J. Ding ; X. Hu ; P. T. Mathiopoulos</i>	
<b>PROPOSAL ON VIRTUAL EDGE ARCHITECTURE USING VIRTUAL NETWORK FUNCTION LIVE MIGRATION WITH WAVELENGTH ADM</b> .....	327
<i>A. Misawa ; K. Mochizuki ; H. Tsuchiya ; M. Nakagawa ; K. Hattori ; M. Katayama ; J. I. Kani</i>	
<b>AN EXTENDED SDN CONTROLLER FOR HANDOVER IN HETEROGENEOUS WIRELESS NETWORK</b> .....	332
<i>T. Nguyen-Duc ; E. Kamioka</i>	
<b>HIGH-RESOLUTION VIDEO TRANSMISSION NETWORK SYSTEM USING DYNAMIC SDN</b> .....	338
<i>H. Kimiyama ; M. Kitamura ; M. Maruyama ; T. Fujii</i>	
<b>ENHANCING THROUGHPUT OF STAR TOPOLOGY SENSOR NETWORK BY GROUP ACKNOWLEDGEMENT METHOD AND MCR SS-CSMA/CA</b> .....	343
<i>M. Takamori ; Y. Yamao</i>	
<b>ROBUSTNESS ANALYSIS FOR THREE-DIMENSIONAL NODE LOCALIZATION IN WIRELESS SENSOR NETWORKS</b> .....	348
<i>W. Liu ; E. Dong ; Y. Song</i>	
<b>FRAME LENGTH OPTIMIZATION FOR IN-BAND FULL-DUPLEX WIRELESS LANS</b> .....	354
<i>N. Iida ; T. Nishio ; M. Morikura ; K. Yamamoto ; T. Nabetanit ; T. Aoki</i>	

<b>GENERALIZED PF SCHEDULING FOR BIDIRECTIONAL AND USER-MULTIPLEXING UNIDIRECTIONAL FULL-DUPLEX LINKS .....</b>	<b>359</b>
<i>T. Ohto ; K. Yamamoto ; K. Haneda ; T. Nishio ; M. Morikura</i>	
<b>MODIFIED NONLINEAR SQRT CHIRP WAVEFORM BASED OS-OCC UWB SYSTEM .....</b>	<b>364</b>
<i>F. Kong ; Z. Bai ; S. Peng ; B. Zhang ; X. Liu ; K. Kwak</i>	
<b>BACKSCATTER RADIO COMMUNICATION FOR WIRELESS POWERED COMMUNICATION NETWORKS.....</b>	<b>370</b>
<i>S. H. Choi ; D. I. Kim</i>	
<b>A NOVEL FPP-BASED CHANNEL ASSIGNMENT SCHEME.....</b>	<b>375</b>
<i>C. H. Liao ; C. C. Chen ; I. J. Su ; T. K. Woo</i>	
<b>DYNAMIC CHANNEL SELECTION METHOD FOR DIRECT SPECTRUM DIVISION TRANSMISSION IN CSMA SYSTEMS.....</b>	<b>380</b>
<i>D. Murayama ; K. Nakahira ; M. Morikura</i>	
<b>PERFORMANCE EVALUATION OF OVERLAP MITIGATION THROUGH SPATIAL ADAPTIVE PLAY FOR DENSE WLANS.....</b>	<b>386</b>
<i>S. Kamiya ; K. Nagashima ; K. Yamamoto ; T. Nishio ; M. Morikura ; T. Sugihara</i>	
<b>VIRTUAL MACHINE SELECTION SCHEME CONSIDERING RELIABILITY FOR CLOUD SERVICES .....</b>	<b>404</b>
<i>R. Kaneko ; P. Pavarangkoon ; E. Oki</i>	
<b>TOPIC MODEL BASED BEHAVIOUR MODELING AND CLUSTERING ANALYSIS FOR WIRELESS NETWORK USERS .....</b>	<b>410</b>
<i>B. Leng ; J. Liu ; H. Pan ; S. Zhou ; Z. N. Tsinghua</i>	
<b>STUDY OF MULTICAST VIDEO STREAMING IN CLOUD COMPUTING ENVIRONMENT.....</b>	<b>416</b>
<i>I. H. Peng ; Y. C. Lee ; Y. H. Ho</i>	
<b>DYNAMIC FREQUENCY HOPPING CHANNEL MANAGEMENT IN COGNITIVE RADIO AD-HOC NETWORKS.....</b>	<b>422</b>
<i>S. J. Yoo ; J. M. Won ; M. Seo ; H. W. Cho</i>	
<b>EFFECTIVE CAPACITY OF COGNITIVE COOPERATIVE RELAY NETWORKS OVER <math>\alpha</math>-<math>\mu</math> FADING CHANNELS .....</b>	<b>427</b>
<i>C. Kabiri ; H. J. Zepernick ; H. Tran</i>	
<b>OUTAGE PROBABILITY ANALYSIS OF COGNITIVE DECODE-AND-FORWARD RELAY NETWORKS OVER <math>K</math> - <math>\mu</math> SHADOWED CHANNELS.....</b>	<b>433</b>
<i>S. Kumar ; S. Chouhan</i>	
<b>CLOCK TIMING MISMATCH COMPENSATION IN DIRECT SAMPLING RECEIVER.....</b>	<b>444</b>
<i>M. Sakai ; H. Lin ; K. Yamashita ; J. Wu</i>	
<b>IMPROVEMENT OF TRANSMISSION CAPACITY OF VISIBLE LIGHT ACCESS LINK USING BAYESIAN COMPRESSIVE SENSING .....</b>	<b>449</b>
<i>Y. Y. Won ; D. S. Seo ; S. M. Yoon</i>	
<b>COMPARISON OF KALMAN SMOOTHER TO WIENER SMOOTHER IN PRACTICAL OFDM CHANNEL ESTIMATION .....</b>	<b>454</b>
<i>J. Hagiwara ; T. Nishimura ; T. Ohgane ; Y. Ogawat</i>	
<b>COMPUTATIONAL COMPLEXITY REDUCTION OF ORTHOGONAL PRECODING FOR SIDELobe SUPPRESSION OF OFDM SIGNAL.....</b>	<b>460</b>
<i>H. Kawasaki ; M. Ohta ; K. Yamashita</i>	
<b>DEVICE-TO-DEVICE INTERFERENCE AVOIDANCE UNDERLAYING CELLULAR DOWNLINK TRANSMISSION.....</b>	<b>464</b>
<i>J. Y. Pan ; Y. Y. Liu</i>	
<b>IDENTIFICATION OF INTER-CELL UPLINK INTERFERES BASED ON MULTI-CELL SCHEDULING MATRIX INVERSION .....</b>	<b>470</b>
<i>T. Bourgeois ; K. Toda ; T. Ohseki ; T. Yamamoto ; Y. Suegara</i>	
<b>OPTIMUM BASEBAND RESOURCE SWITCHING INTERVAL DETERMINATION METHOD IN C-RAN.....</b>	<b>475</b>
<i>X. Peng ; T. Takeuchi ; M. Ikekawa</i>	
<b>DYNAMIC RESOURCE REALLOCATION FOR 5G WITH OFDMA IN MULTIPLE USER MIMO ROF-WDM-PON.....</b>	<b>480</b>
<i>S. Xu ; S. Xu ; Y. Tanaka</i>	
<b>AVOIDING BUFFERBLOAT WITH FRAME-DROP THRESHOLD NOTIFICATION IN RING AGGREGATION NETWORKS.....</b>	<b>508</b>
<i>Y. Nakayama ; K. Sezaki</i>	
<b>TESTAMENTS FOR RESILIENT STRUCTURED OVERLAY NETWORKS.....</b>	<b>514</b>
<i>K. Mizutani ; T. Inoue ; T. Mano ; O. Akashi ; S. Matsuura ; K. Fujikawa</i>	

<b>DUAL-PATH METHOD FOR ENHANCING THE PERFORMANCE OF IEEE 802.1 AVB WITH TIME-TRIGGERED SCHEME</b> .....	519
<i>S. Jeon ; J. Lee ; S. Park</i>	
<b>A CELL DEPLOYMENT ANALYSIS MODEL FOR MULTI-SERVICE SHARED M2M AREA NETWORKS</b> .....	524
<i>T. Fujita ; N. Azuma ; T. Ohba ; M. Aihara ; H. Morikawa</i>	
<b>A MOBILITY PREDICTION (MP)-BASED PHENOMENON MONITORING IN AN UNBOUNDED AREA</b> .....	529
<i>D. Van Le ; H. Oh ; S. Yoon</i>	
<b>ROUTING WITH DYNAMIC CLUSTER AWARENESS IN DTNS</b> .....	534
<i>C. L. Hu ; H. T. Huang</i>	
<b>PATH METRICS FOR LOWER THROUGHPUT FLUCTUATION FOR VIDEO STREAMING SERVICE IN WIRELESS MESH NETWORKS</b> .....	539
<i>H. Asahina ; H. Yamamoto ; K. Toyoda ; I. Sasase</i>	
<b>AN ADAPTIVE NODE DENSITY ESTIMATION IN VANETS USING RECEIVED SIGNAL POWER</b> .....	544
<i>G. Khomami ; P. Veeraraghavan ; F. P. Font??n</i>	
<b>PERFORMANCE OF TIME AND FREQUENCY COMPRESSION OF FASTER-THAN-NYQUIST SIGNALING IN FREQUENCY-SELECTIVE FADING CHANNELS</b> .....	550
<i>Y. Yamada ; M. Sawahashi ; K. Saito</i>	
<b>SUCCESSIVE INTERFERENCE CANCELLER WITH RESIDUAL INTERFERENCE REDUCTION FOR M2M WIRELESS ACCESS SYSTEM</b> .....	555
<i>H. Katsuda ; S. Ohmori ; A. Yamagishi ; S. Yoshino</i>	
<b>STABLE SPARSE CHANNEL ESTIMATION ALGORITHM UNDER NON-GAUSSIAN NOISE ENVIRONMENTS</b> .....	561
<i>G. Gui ; L. Xu ; N. Shimoi</i>	
<b>FREQUENCY OFFSET TRANSMITTER DIVERSITY FOR M2M ACCESS SYSTEM</b> .....	566
<i>S. Ohmori ; A. Yamagishi ; H. Katsuda ; N. Mochizuki ; M. Harada ; S. Yoshino</i>	
<b>QOE ASSESSMENT OF OPERABILITY AND FAIRNESS FOR SOFT OBJECTS IN NETWORKED REAL-TIME GAME WITH HAPTIC SENSE</b> .....	570
<i>M. Sithu ; Y. Ishibashi ; P. Huang ; N. Fukushima</i>	
<b>MULTI-VIEW VIDEO AND AUDIO TRANSMISSION WITH MPEG-DASH AND ITS QOE</b> .....	575
<i>T. Nunome ; H. Tani</i>	
<b>FINE GRAINED CLASSIFICATION OF INTERNET VIDEO TRAFFICS</b> .....	580
<i>Y. N. Dong ; L. T. Yao ; H. X. Shi</i>	
<b>A DYNAMIC RATE SWITCHING METHOD FOR LIVE VIDEO STREAMING USING A SMART DEVICE</b> .....	585
<i>N. Kai ; H. Yoshida ; K. Nihei ; K. Satoda ; D. Kanetomo</i>	
<b>HIGH-SPEED SORTED-TABLE SEARCH SCHEME FOR NETWORK PROCESSING</b> .....	616
<i>H. Uzawa ; K. Terada ; N. Ikeda ; S. Shigematsu</i>	
<b>AN EFFICIENT FILE TRANSFER USING HELPER IN BITTORRENT</b> .....	621
<i>G. Lee ; H. Kanemitsu ; H. Nakazato</i>	
<b>PACKET CLASSIFICATION WITH MULTIPLE DECISION TREES</b> .....	626
<i>P. C. Wang</i>	
<b>COMPARISON OF SUBSCRIBER ASSIGNMENT METHODS ON SCALABLE DISTRIBUTED PUB/SUB SYSTEMS</b> .....	632
<i>R. Banno ; T. Kawano ; S. Takeuchi ; M. Takemoto ; M. Matsuo</i>	
<b>DIFFERENTIAL ENCODING OF 16APSK FOR BICM-ID</b> .....	637
<i>R. Y. Wei ; W. Y. Hsu ; J. A. Ritcey</i>	
<b>UNDESIRE SIGNAL POWER ESTIMATION BASED ON ESTIMATED SUPERPOSED BAND FOR MULTICARRIER TRANSMISSION</b> .....	642
<i>Y. Shibata ; T. Ohtsuki ; J. Mashinot</i>	
<b>PAPR REDUCTION IN FBMC SYSTEMS USING PHASE REALIGNMENT BASED TECHNIQUES</b> .....	647
<i>R. Shrestha ; J. S. Seo</i>	
<b>DESIGN AND ANALYSIS OF A SATELLITE-MOUNT ARRAY-FED PARABOLIC ANTENNA BY ELECTROMAGNETIC COMPUTATIONS</b> .....	652
<i>N. H. A. Rahman ; M. T. Ali ; M. T. Islam ; Y. Yamada</i>	
<b>NONLINEAR OSCILLATION FOR A MILLIMETER-SIZED ELECTROSTATIC ENERGY HARVESTER</b> .....	657
<i>K. Ono ; N. Sato ; T. Sakata ; Y. Jin ; Y. Sato ; H. Koizumi</i>	

<b>A WIDE FREQUENCY PLL-LESS CLOCK GENERATOR WITH FAST INTERMITTENT OPERATION FOR LOW-POWER WEARABLE MEDICAL APPLICATIONS</b> .....	662
<i>A. Musa ; T. Minotani ; T. Kondo ; H. Morimura</i>	
<b>PPLN-BASED LOW-NOISE IN-LINE PHASE SENSITIVE AMPLIFIER WITH HIGHLY SENSITIVE CARRIER-RECOVERY SYSTEM</b> .....	666
<i>K. Enbutsu ; T. Umeki ; O. Tadanaga ; H. Takenouchi ; M. Asobe</i>	
<b>TWEAKED BINARY TREE ALGORITHM TO COPE WITH CAPTURE EFFECT AND DETECTION ERROR IN RFID SYSTEMS</b> .....	674
<i>C. T. Nguyen ; A. T. H. Bui ; V. V. Mai ; A. T. Pham</i>	
<b>A FEASIBILITY STUDY OF PLUG-IN TYPE RF TAG LOCALIZATION SYSTEM FOR HANDHELD UHF RFID READER/WRITERS</b> .....	680
<i>M. Miyazawa ; Y. Igarashi ; J. Mitsugi</i>	
<b>SILENT-INTERVAL IMPEDANCE MATCHING FOR SHORT PULSE CAN TO ENHANCE SCALABILITY</b> .....	686
<i>M. Mizuma ; D. Umehara ; T. Takahashi ; K. Wakasugi</i>	
<b>BOXCAN: A PLATFORM REALIZING FAST RETRIEVAL OF PARENT-CHILD TREE OF CONTAINERS AND INNER OBJECTS OVER EPCIS EVENTS</b> .....	692
<i>Y. Sato ; T. Sato ; J. Mitsugi</i>	
<b>Author Index</b>	