

2016 IEEE Wireless Power Transfer Conference (WPTC 2016)

**Aveiro, Portugal
5-6 May 2016**



**IEEE Catalog Number: CFP16WPT-POD
ISBN: 978-1-4673-7987-8**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16WPT-POD
ISBN (Print-On-Demand):	978-1-4673-7987-8
ISBN (Online):	978-1-4673-7986-1

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Session I: Near Field WPT

Chair: Huib Visser

Co-chair: Aggelos Bletsas

Electric Field Breakdown in Wireless Power Transfer Systems due to Ferrite Dielectric Polarizability 1

J. S. McLean¹, R. Sutton², ¹TDK R&D Corp, ²Cedar Park, United States

PCB-package to Chip Wireless Power Transfer Scheme using Magnetic-field Resonance Coupling for High-density 3-D IC 5

J. Song, S. Jung, S. Park, J. Kim, J. Kim, Korea Advanced Institute of Science and Technology (KAIST), Daejeon, Republic of Korea

Simultaneous Estimation of Primary Voltage and Mutual Inductance Based on Secondary-Side Information in Wireless Power Transfer Systems 9

K. Hata, T. Imura, Y. Hori, The University of Tokyo, Kashiwa, Japan

A Compact and High Quality Factor Archimedean Coil Geometry for Wireless Power Transfer 12

M. Feenaghty, R. Dahle, State University of New York (SUNY) New Paltz, New Paltz, United States

Fast Receiver-Side Load Control Based on Electromagnetic Distribution for Wireless Power Transfer Using Parallel Line feeder 15

T. Maekawa, Q. T. Duong, T. Higashino, M. Okada, Nara Institute of Science and Technology, Ikoma, Japan

The Basic Cell Operating Regimes for Wireless Power Transfer of Electric Vehicles 19

A. Costanzo¹, M. Dionigi², F. Mastri¹, M. Mongiardo², G. Monti³, J. Russer⁴, P. Russer⁴, ¹University of Bologna, Bologna, Italy, ²University of Perugia, Perugia, Italy, ³University of Salento, Lecce, Italy, ⁴Technische Universität München, München, Germany

A System for Dynamic Inductive Power Supply of Electric Vehicles on the Road 23

J. A. Russer¹, M. Dionigi², M. Mongiardo², F. Mastri³, A. Costanzo³, P. Russer¹, ¹Technische Universität München, Germany, ²Università di Perugia, Perugia, Italy, ³Università di Bologna, Bologna, Italy

Session Posters I

Chair: Luca Roselli

Low EMF Three Phase Resonant Magnetic Field Charger for Drone with High Q Reactive Loop Shielding 27

C. Song¹, H. Kim¹, Y. Cho¹, K. Yoon², S. Kong¹, J. Kim¹, I. Kim³, Y. Kim³, ¹KAIST Daejeon, Republic of Korea, ²Division of Future Vehicle, KAIST, Daejeon, Republic of Korea, ³Future Energy Unit, ENERCONSTech, Seoul, Korea

Hybrid Metamaterial with Zero and Negative Permeability to Enhance Efficiency in Wireless Power Transfer System 31

Yeonje Cho¹, Seongsoo Lee¹, Seungtaek Jeong¹, Hongseok Kim¹, Chiuk Song¹, Kibum Yoon¹, Jinwook Song¹, Sunkyu Kong¹, Yeojin Yun² and Joung-ho Kim¹, ¹School of Electrical Engineering, KAIST, S. Korea, ²Samsung Display, S. Korea

Experimental investigation of 1D, 2D, and 3D metamaterials for efficiency enhancement in a 6.78MHz wireless power transfer system 34

Wenwen Li¹, Ping Wang¹, Chen Yao¹, Yingyi Zhang¹, Houjun Tang², ¹Department of Electrical Engineering, Shanghai Jiao Tong University, ²Key Laboratory of Control of Power Transmission and Transformation Ministry of Education, Shanghai, China

EVALUATION OF A FRACTAL LOOP FOR WIRELESS POWER TRANSMISSION 38

Hiroki Ishikawa, Yoshihiko Kuwahara, Graduate School of Engineering, Shizuoka University

WIRELESS POWER TRANSMISSION FOR A TRAVELING MOBILITY SCOOTER 41

Yuuji Sakayanagi, Shota Togawa, Kenta Konagaya, Yoshihiko Kuwahara, Graduate School of Integrated Science and Technologies, Shizuoka University

A coupled mechanical-electrical simulator for the operational requirements estimation in a dynamic IPT system for electric vehicles 44

Riccardo Ruffo, Vincenzo Cirimele, Paolo Guglielmi and Mojtaba Khalilian, Politecnico di Torino, Department of Energy, Torino, Italy

Printed Spiral Metamaterial Resonators for Ferrite-Less Wireless Powering System with Proximal Metal Plates 48

Chong-Yi Liou and Shau-Gang Mao, National Taiwan University, Taipei, Taiwan, R.O.C.

Standby power reduction method for wireless power transfer system with parallel resonance type resonator 52

Byoung-Hee Lee¹, Yeon-woo Choi¹ and Bong-Chul Kim², ¹Dept. of Electronics and Control Engineering, Hanbat National University, Dae-jeon, Republic of Korea, ²DMC Research and Development Center, Samsung Electronics, Yang-jae, Seoul, Republic of Korea

Focus Steering in Open-Ended Waveguide Sheet for Efficient and Safe Two-Dimensional Waveguide Power Transfer 55

Akihito Noda and Hiroyuki Shinoda, Graduate School of Frontier Sciences, The University of Tokyo

A Wideband Rectenna for 2.4 GHz-band RF Energy Harvesting 59

Yong Huang¹, Naoki Shinohara¹ and Hiroshi Toromura², ¹Research Institute for Sustainable Humanosphere (RISH), Kyoto University, Kyoto, Japan, ²ATR, Volvo Group, Uji, Japan

Enabling Wireless Power Transfer Though a Metal Encased Handheld Device 62

Nathan S. Jeong and Francesco Carobolante, Qualcomm Technologies Incorporated

Method and System for Wireless and Single-Conductor Power and Data Transmission 65

Susanna Vital de Campos de Freitas, Adam Maunder, Fabiano Cezar Domingos and Pedram Mousavi, University of Alberta, Edmonton, Canada

Far-Field Energy Harvesting Rectifier Analysis 68

Hans W. Pflug¹, Shady Keyrouz² and Hubregt J. Visser², ¹Holst Centre / imec, Eindhoven, The Netherlands, ²Eindhoven University of Technology, Eindhoven, The Netherlands

Hybrid Class-E Low dv/dt Rectifier for High Frequency Inductive Power Transfer 72

George Kkelis, David C. Yates, and Paul D. Mitcheson, Department of Electrical and Electronic Engineering, Imperial College London

A Feasibility Study on a Voltage-Doubler-Type Rectenna 76

Tomohiko Mitani, Shogo Kawashima, and Taiga Nishimura, Research Institute for Sustainable Humanosphere, Kyoto University, Uji, Japan

Chargeable Object Location Identification Technique for Antenna-Arrayed RF Power Emitter Using Microcontroller-based Harmonic Reflection Detection Circuit 79

Chun-Cheng Chen¹, Sheng-Fan Yang¹, Tzuen-Hsi Huang¹, Fang-Ming Wu², and Pei-Jung Chung², ¹Department of Electrical Engineering, National Cheng Kung University, Tainan, Taiwan, R.O.C., ²Delta Research Center, Delta Electronics Inc., Taipei, Taiwan, R.O.C.

Analysis of Electromagnetic Field Leaked from Several Wireless Power Transfer Systems in Large-Scale Model 82

Yoshihiro Kanasaki, Tatsunori Yui, Kenji Takagi, Masayuki Anada, Hiroyuki Uno, Hironobu Watanabe, and Yutaka Saito, Panasonic System Networks R&D Lab. Co., Ltd, Japan

Frequency-Division Techniques for Microwave Power Transfer and Wireless Communication System with Closed Waveguide 85

Shotaro Ishino¹, Ippei Takano², Koji Yano¹, and Naoki Shinohara³, ¹Furuno Electric Co., Ltd, Nishinomiya, Japan, ²Toyohashi University of Technology, Toyohashi, Japan, ³Kyoto University, Uji, Japan

Enhanced Wireless Power Transfer Procedure via Real-time Beaming 89

Diego Masotti¹ and Alessandra Costanzo², ¹Department of Electrical, Electronic, and Information Engineering “Guglielmo Marconi”, University of Bologna, Bologna, Italy, ²Department of Electrical, Electronic, and Information Engineering “Guglielmo Marconi”, University of Bologna, Cesena, Italy

Design of C-band Rectifier with Watt-Class DC Output Using 0.18 μ m CMOS and GaN Diode 93

Takana Kaho¹, Ryoko Kishikawa², Akihira Miyachi², and Shigeo Kawasaki², ¹NTT Network Innovation Laboratories, NTT Corporation, Kanagawa, Japan, ²Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency, Kanagawa, Japan

Maximizing DC Power in WPT Using a Transient Transmit Array Antenna 97

Hubregt J. Visser, Holst Centre / imec, Eindhoven, The Netherlands, Eindhoven University of Technology, Eindhoven, The Netherlands

Load Identification in Dynamic Wireless Power Transfer System Utilizing Current Injection in the Transmitting Coil 101

Mojtaba Khalilian¹, Stefan George Rosu², Vincenzo Cirimele¹, Paolo Guglielmi¹ and Riccardo Ruffo¹, ¹Politecnico di Torino, Department of Energy, Torino, Italy, ²University Politehnica of Bucharest, Bucharest, Romania

A Current Driven Class D Rectifier with a Resistance Compression Network for 6.78MHz IPT Systems 105

Juan M. Arteaga, George Kkelis, David C. Yates, Paul D. Mitcheson, Department of Electrical and Electronic Engineering, Imperial College London

One-Kilowatt Capacitive Power Transfer via Wheels of a Compact Electric Vehicle 109

Naoki Sakai, Daiki Itokazu, Yoshiki Suzuki, Sonshu Sakihara, Takashi Ohira, Toyohashi University of Technology, Toyohashi, Japan

Experimental power transfer and signal assessment of wireless communications in reverberating cavities 112

Wilfrid Quenum, Isabelle Junqua, Jean Philippe Parmantier, DEMR - UFTMiP - ONERA, The French Aerospace Lab, Toulouse, France

A universal and stand-alone datalogger for lab-on-a-disc applications 116

Saraí M. Torres Delgado¹, Fralett Suárez Sandoval², Jan G. Korvink³, and Dario Magerz³, ¹Laboratory for Simulation, ²Laboratory for Microactuators, Department of Microsystems Engineering – IMTEK, University of Freiburg, Germany, ³Institute of Microstructure Technology, Karlsruhe Institute of Technology, Germany

New Real-Time Tuning Method for Wireless Power Transfer Systems 120

Jaegue Shin¹, Maria Teresa Outeiro², Dariusz Czarkowski¹, ¹New York University, Tandon School of Engineering, New York, USA, ²Polytechnic Institute of Coimbra, Research Center for Systems and Technologies, Coimbra/Porto, Portugal

Multiband Rectenna for microwave applications 124

A. Okba¹, S. Charlot¹, P-F Calmon¹, A. Takacs^{1,2}, H. Aubert^{1,3}, ¹CNRS, LAAS, Toulouse, France, ²Univ. de Toulouse, UPS, Toulouse, France, ³Univ. de Toulouse, INP, Toulouse, France

Design Objectives and Power Limitations of Human Implantable Wireless Power Transfer Systems 128

Christopher H. Kwan, David C. Yates and Paul D. Mitcheson, Department of Electrical and Electronic Engineering, Imperial College London, United Kingdom

A 100-W 94% Efficient 6-MHz SiC Class E Inverter with a Sub 2-W GaN Resonant Gate Drive for IPT 132

David C. Yates, Samer Aldhafer, and Paul D. Mitcheson, Department of Electrical and Electronic Engineering, Imperial College London, United Kingdom

Study on a Rectifier for Microwave Power Transfer with Intermittent Input Signal 135

Takashi Hirakawa and Naoki Shinohara, Research Institute for Sustainable Humanosphere, Kyoto University, Gokasho, Uji, Kyoto, Japan

Inductive Power Transmission Using Multiple Concatenated Parallel-Line-Feeder Segments 138

Quang-Thang Duong and Minoru Okada, Graduate School of Information Science, Nara Institute of Science and Technology, Ikoma, Nara, Japan

Efficiency Enhancement of Metamaterial-Inspired Wireless Energy Transfer Topologies 141

Antonios X. Lalas, Nikolaos V. Kantartzis and Theodoros D. Tsiboukis, Department of Electrical and Computer Engineering, Aristotle University of Thessaloniki, Thessaloniki, Greece

An Active Retrodirective Antenna Element for Circularly Polarized Wireless Power Transmission 145

Pascual D. Hilario Re¹, Symon K. Podilchak¹, Constantin Constantinides¹, George Goussetis¹, Jaesup Leey², ¹School of Engineering and Physical Sciences, Institute of Sensors, Signals and Systems, Heriot-Watt University, Edinburgh, United Kingdom, ²Samsung Advanced Institute of Technology, Samsung Electronics Co., Ltd, Kiheung, Korea

A 65-nm CMOS battery-less temperature sensor node for RF-powered Wireless Sensor Networks 149

Grigory Popov, Fortunato C. Dualibe, Véronique Moeyaert, Papy Ndungidi, Hugo García-Vázquez and Carlos Valderrama, Polytechnic Faculty; University of Mons, Mons, Belgium

Session II: Far Field WPT

Chair: Jenshan Lin

Co-chair: Antonis Dimitriou

Coexistence of Wireless Power and Signal Transfer in Magnetic Resonance Coil 153

Heng-Ming Hsu, Chun-Tsai Chien, Chung-Yuan Chen, Wei-Zh Huang, Guan-Wen Li, and Chih-Kai Chang, Department of Electrical Engineering, National Chung-Hsing University, Taichung, Taiwan

The 500MHz band low power rectenna for DTV in the Tokyo area 156

Takahiro Furuta, Motoki Ito, Nao Nambo, Kenji Itoh, Keisuke Noguchi and Jiro Ida, Kanazawa Institute of Technology, Nonoichi, Ishikawa, Japan

Class-E Amplifier and Rectifier for a Wireless Link with Secure Signal and Simultaneous Power Transmission 159

Leysi Rizo¹, David Vegas¹, M. Nieves Ruiz¹, R. Marante², L. Cabria² and José A. García¹, ¹Dpto. Ing. Comunicaciones, Universidad de Cantabria, Santander, Spain, ²TTI Norte, Santander, Spain

A Software-Defined Radio RFID Reader Design with Improved Wireless Power Transfer Capabilities 162

Alírio Boaventura, Ricardo Gonçalves, Daniel Belo, Pedro Pinho and Nuno Borges Carvalho, Dep. de Eletrónica, Telecomunicações e Informática, Instituto de Telecomunicações, Universidade de Aveiro, Portugal

Design of Ku-Band Wireless Power Transfer System to Empower Light Drones 166

José Luis Gómez-Tornero¹, Miguel Poveda-García¹, Raúl Guzmán-Quirós¹, Juan Carlos Sánchez-Arnause², ¹Group of Electromagnetism Applied to Telecoms (GEAT), ²Group of Telematics Engineering, Dept. of Information and Communication Technologies, Technical University of Cartagena (UPCT), Cartagena (Murcia), Spain

Design of an Ultra-Compact Low-Power Rectenna in Paper Substrate for Energy Harvesting in the Wi-Fi Band 170

V. Palazzi¹, C. Kalialakis², F. Alimenti¹, P. Mezzanotte¹, L. Roselli¹, A. Collado², A. Georgiadis², ¹Department of Engineering, University of Perugia, Perugia, Italy, ²Centre Tecnològic de Telecomunicacions de Catalunya (CTTC), Castelldefels, Spain

RF Energy Harvester in the Proximity of an Aircraft Radar Altimeter 174

Jose Estrada¹, Ignacio Ramos¹, Authi Narayan², Alan Keith², Zoya Popovic¹, ¹Department of Electrical, Computer and Energy Engineering, University of Colorado, Boulder, U.S.A., ²Boeing Corporation, Huntington Beach, CA, U.S.A.

Session III: Near Field WPT

Chair: Jenshan Lin

Co-chair: Antonis Dimitriou

A High-Voltage Compliant Neural Stimulator With HF Wireless Power and UHF Backscatter Communication 178

Vaishnavi Ranganathan¹, Brody Mahoney¹, Eric Pepin¹, Michael D. Sunshine³, Chet T. Moritz³, Jacques C. Rudell¹ and Joshua R. Smith^{2,1}, ¹Electrical Engineering, ²Computer Science and Engineering, ³Rehabilitation Medicine, University of Washington, Seattle, WA

Analysis of a Near Field Communication Wireless Power System 182

Yi Zhao¹, Brody Mahoney¹, Joshua R. Smith^{2,1}, ¹Electrical Engineering Department, ²Computer Science and Engineering Department, University of Washington, Seattle, WA

3-D Wireless Charging System with Flexible Receiver Coil Alignment 186

Ron-Chi Kuo¹, Patrick Riehl², and Jenshan Lin¹, ¹University of Florida, Gainesville, FL, USA, ²MediaTek, Woburn, MA, USA

Near-field Capacitive Wireless Power Transfer Array with External Field Cancellation 190

Ignacio Ramos, Khurram Afridi, José A. Estrada, and Zoya Popović, Electrical, Computer and Energy Engineering University of Colorado, Boulder, Colorado, U.S.A.

Session IV: Near Field WPT

Chair: Shigeo Kawazaki

Co-chair: Heng-Ming Hsu

Design of High Order Modulation Backscatter Wireless Sensor for Passive IoT Solutions 194

Ricardo Correia, Nuno Borges Carvalho, Instituto de Telecomunicações, Departamento de Electrónica, Telecomunicações e Informática, Universidade de Aveiro, Portugal

Double-spiral coils and live impedance modulation for efficient wireless power transfer via magnetoinductive waves 197

Fralett Suárez Sandoval¹, Ali Moazenzadeh¹, Saraí M. Torres Delgadoy², and Ulrike Wallrabe¹, ¹Laboratory for Microactuators, ²Laboratory for Simulation, Department of Microsystems Engineering – IMTEK, University of Freiburg, Germany

A Novel Approach for Reliable Communications within Inductive Power Transfer Systems 201

Benedikt Sanftl, Felix Pflaum, Martin Trautmann, Robert Weigel, and Alexander Koelpin, Univ. of Erlangen-Nuremberg, Institute for Electronics Engineering, Erlangen, Germany

Integration of Coil and UHF Antenna for Wireless Power Transfer and Data Telemetry 205

Yu-Jen Chi, Department of Electrical and Computer Engineering, Tamkang University, Taiwan (R.O.C.)

Time Reversed Electromagnetic Wave Propagation as a Novel Method of Wireless Power Transfer 208

Frank Cangialosi, Tyler Grover, Patrick Healey, Tim Furman, Andrew Simon and Steven M. Anlage
Gemstone Team TESLA, Center for Nanophysics and Advanced Materials, Department of Physics,
University of Maryland, College Park, USA

Session Posters II

Chair: Luca Roselli

Priority Evaluation for Multiple Receivers in Wireless Power Transfer Based On Magnetic Resonance 212

Peng Hao¹, Lu Liu², Liang Zhao¹, ¹Zhenjiang BigLink Co., Ltd. Zhenjiang, China, ²Dept. of Electronics and Information, Jiangsu University of Science and Technology, Zhenjiang, Jiangsu, China

Reduction Method of Electromagnetic Interference in Tightly-Coupled Resonant Magnetic Field Automotive Charger with Input Impedance Design 216

Kibum Yoon, Chiuk Song, Hongseok Kim, Yeonje Cho, Seungtaek Jeong and Joungho Kim, Division of Future Vehicle, Korea Advanced Institute of Science and Technology(KAIST), Department of Electrical Engineering, Advanced Institute of Science and Technology (KAIST), Daejeon, Korea

EMI Reduction in Wireless Power Transfer System Using Spread Spectrum Frequency Dithering 219

Hongseok Kim, Jonghoon Kim, Seungtaek Jeong, Seongsoo Lee, Yeonje Cho, Dong-Hyun Kim, and Joungho Kim, TeraByte Interconnection and Package Laboratory, School of Electrical Engineering, Korea Advanced Institute of Science and Technology, Daejeon, Republic of Korea

Controlled-Resonance Power Architecture Enables Efficient Flexible Wireless Power Transfer 222

Hengchun Mao, Bo Yang, Zeng Li, and Shi Song, NuVolta Technologies Inc, Milpitas, USA

High Frequency Capacitive Coupling Wireless Power Transfer using glass dielectric layers 226

Kang Hyun Yi, School of Electronic and Electric Engineering, Daegu University Gyeongsan, Gyeongbuk, Republic of Korea

Design of Multi-frequency Coil for Capacitor-less Wireless Power Transfer using High Order Self-resonance of Open End Coil 229

Koichi Furusato, Takehiro Imura, Yoichi Hori, The University of Tokyo, Kashiwanoha, Kashiwa, Chiba, Japan

Measurement Accuracy Verification for Real-time Power and Impedance Sensor for Wireless Power Transfer Systems 233

Toshio Minami and Ryohei Tanaka, Research and Development Division, DAIHEN Corporation, Yodogawa-ku, Osaka City, Osaka Prefecture

Minimizing Printed Spiral Coil Losses for Inductive Link Wireless Power Transfer 236

Sondos Mehri^{1,2}, Ahmed Chiheb Ammari^{3,4}, Jaleddine BenHadj Slama², Mohamad Sawan⁵, ¹ENIT, National Engineering School of Tunis, University of Tunis El Manar, Tunisia, ²SAGE, National Engineering School of Sousse, (ENISO), University of Sousse, Tunisia, ³Department of Electrical & Computer Engineering, Faculty of Engineering, King Abdulaziz University, Jeddah, Saudi Arabia, ⁴MMA Laboratory, National Institute of the Applied Sciences and Technology, Carthage University, Tunis, Tunisia, ⁵Polystim Neurotechnologies Laboratory, Polytechnique Montréal, Québec, Canada

Uncertainty Quantification of Wireless Power Transfer Systems 240

Sándor Bilicz, Szabolcs Gyimóthy, József Pávó, Péter Horváth and Károly Marák, Budapest University of Technology and Economics, Budapest, Hungary

High Efficient Integrated Power Receiver for a Qi Compliant Wireless Power Transfer System 243

Andreas Berger¹, Matteo Agostinelli², Christoph Sandner², Sanna Vesti² and Mario Huemer¹, ¹Johannes Kepler University Linz, Linz, Austria, ²Infineon Technologies Austria AG, Villach, Austria

High Efficiency Wireless Charging System with Rapid-Charging Strategy 247

Bong-Chul Kim¹, Ki-Young Kim¹, Sanoop Ramachandra², and Ashish Khandelwal¹, ¹DMC Research and Development Center, Samsung Electronics, Yang-jae, Seoul, Republic of Korea, ²Samsung R&D Bangalore, Samsung Electronics in India Bangalore, India

Increasing Wireless Powered Systems Efficiency by Combining WPT and Electromagnetic Energy Harvesting 250

Daniel Belo¹, Apostolos Georgiadis² and Nuno B. Carvalho¹, ¹Instituto de Telecomunicações, Universidade de Aveiro, Aveiro, Portugal, ²Centre Tecnològic de Telecomunicacions de Catalunya (CTTC), Barcelona, Spain

Wireless power transmission in small airplanes 253

Jan Velim, Miroslav Cupal, David Krutilek, Zbynek Raida, SIX Research Centre, Brno University of Technology, Brno, Czech Republic

Large Signal Rectifier Characterization for Simultaneous Data and Power Transfer 257

Marco Fantuzzi¹, Mohammad Rajabi², Gustavo Avolio², Alessandra Costanzo¹ and Dominique Schreurs², ¹DEI – University of Bologna, Bologna, Italy, ²ESAT TELEMIC, K.U. Leuven, Belgium

Comparative Strategies of Exploiting the 3rd Harmonic Signal Energy in Passive RFID Tags 261

Dahmane Allane^{1,2}, Gianfranco Andia Vera², Yvan Duroc³, Rachida Touhami¹ and Smail Tedjini², ¹Université des Sciences et de la Technologie Houari Boumediene (USTHB), Algeria, ²Laboratoire de Conception et d'Intégration des Systèmes (LCIS), part Grenoble Institute of Technology of University Grenoble-Alpes, Valence, France, ³Ampere Lab, Lyon University, Villeurbanne, France

Wireless Power Transfer for In-vehicle Contact-less Power Line Communication Systems 264

Tetsuya Kusumoto¹, Yoshikazu Furuta², ¹Research Division 2, Nippon Soken Inc, Nishio, Japan, ²Research Division 3, DENSO CORPORATION, Aichi, Japan

A 2.45GHz CMOS Rectifier for RF Energy Harvesting 267

Wendy W.Y. Lau and Liter Siek, Centre of Excellence in IC Design (VIRTUS), School of Electrical and Electronic Engineering, Nanyang Technological University, Singapore

Genetic Algorithm-Based Design of Receiving Resonator Arrays for Wireless Power Transfer via Magnetic Resonant Coupling 270

Takuya Sasatani¹, Yoshiaki Narusue², Yoshihiro Kawahara¹, and Tohru Asami¹, ¹Graduate School of Information Science and Technology, The University of Tokyo, Tokyo, Japan, ²JSPS Research Fellow, Tokyo, Japan

Could Battery-less Scatter Radio Tags Achieve 270-meter Range? 274

Georgios Vougioukas, Spyridon-Nektarios Daskalakis and Aggelos Bletsas, School of ECE, Technical University of Crete, Chania, Greece

Dimensioning of a Contactless Energy Transfer System for an Electrical Excited Synchronous Machine 277

Marcel Maier, Marco Zimmer, Jörg Heinrich, David Maier, Nejila Parspour, Institute of Electrical Energy Conversion, University of Stuttgart, Stuttgart, Germany

Technologies for Wireless Charging in Microwave Cavity Box Using GaN Schottky Barrier Diode 280

Yasuo Ohno¹, Hiroko Itoh¹, Ryota Fujihara², and Jin-Ping Ao², ¹Laser Systems Inc., Sapporo, Japan, ²Institute of Technology and Science, Tokushima University, Tokushima, Japan

A 13.56MHz Power-Efficient Active Rectifier with Digital Offset Compensation for Implantable Medical Devices 284

Jonathan Fuh, Sheng-Kai Hsieh, Fu-Bin Yang, and Po-Hung Chen, Department of Electronics Engineering, National Chiao Tung University, Hsinchu, Taiwan

RSSI-Based Maximum Likelihood Localization of Passive RFID Tags Using a Mobile Cart 287

Stavroula Siachalou¹, Aggelos Bletsas², John Sahalos³, and Antonis G. Dimitriou¹, ¹School of Electrical and Computer Engineering, Aristotle University of Thessaloniki, Thessaloniki, Greece, ²School of Electronic and Computer Engineering, Technical University of Crete, Chania, Greece, ³School of Electrical and Computer Engineering, University of Nicosia, Nicosia, Cyprus

Design and Experiments of Transparent Rectennas for Wireless Power Harvesting 291

Samir Bellal, Hakim Takhedmit and Laurent Cirio, Université Paris-Est. ESYCOM (EA 2552), UPEMLV, ESIEE-Paris, France

Design and optimization of air core spiral resonators for magnetic coupling wireless power transfer on seawater 295

H. M. Santos, M. R. Pereira, L.M. Pessoa, H.M. Salgado, Inesc Tec, Porto, Portugal

Lateral Misalignment Tolerance Enhancement by using Electromagnet Based Flux Gate in Wireless Power Transfer Systems 299

Jaehyoung Park, Karam Hwang, Dongwook Kim and Seungyoung Ahn, CCS Graduate School for Green Transportation, KAIST, Daejeon, Korea

Research on Wireless Power Transmission System between Satellites 303

Dele Shi, Longlong Zhang, Haihong Ma, Zhen Wang, Yixian Wang, Zhanguo Cui, Shandong Institute of Aerospace Electro-technology, Yantai, China

Study on 5.8 GHz Band Rectenna Rectifying Circuit for Internal Wireless System of Satellite 307

Ce Wang, Naoki Shinohara, and Tomohiko Mitani, Research Institute for Sustainable Humanosphere, Kyoto University Gokasho, Uji, Kyoto, Japan

Session V: Near Field WPT and Other Topics

Chair: Young-Jun Park

Co-chair: Diego Masotti

A Novel Multi-coil Magnetically-Coupled Resonance Array for Wireless Power Transfer System 311

Zhu Liu¹, Zhizhang (David) Chen^{1,2}, Yilun Guo¹, and Yiqiang Yu^{1,2}, ¹University of Electronic Science and Technology of China, Chengdu, Sichuan, China, ²Department of Electrical and Computer Engineering, Dalhousie University, Halifax, Canada

Optimization of a Small Planar Spiral Coil on a Magnetic Substrate for Quality factor using Volume Filament Model 314

Do-Hyeon Kim and Young-Jin Park, University of Science & Technology (UST) and Korea Electrotechnology Research Institute (KERI), Ansan, Korea

Biological Effects of High-power Microwave Power Transfer for Electric Vehicle 318

Hiroshi Toromura¹, Yong Huang², Shin Koyama², Junji Miyakoshi², and Naoki Shinohara², ¹ATR, Volvo Group, Uji, Japan, ²Research Institute for Sustainable Humanosphere (RISH), Kyoto University, Kyoto, Japan

Short-Range 4x4 MIMO Wireless Communication and Power Transfer System 321

Tatsuro KUWAHARA¹, Koushi HAMANO¹, Ryuya TANAKA¹, Satoshi YOSHIDA¹, Kenjiro NISHIKAWA¹, Tomohiro SEKI², and Shigeo KAWASAKI³, ¹Dept. of Electrical and Electronics Engineering, Kagoshima University 1-21-40 Korimoto, Kagoshima, Japan, ²Nihon University, ³Japan Aerospace Exploration Agency

Load-Independent Class EF Inverters for Inductive Wireless Power Transfer 325

Samer Aldhaher, Paul D. Mitcheson and David C. Yates, Department of Electrical and Electronic Engineering, Imperial College London, UK

A Design of Inductive Coupling Wireless Power Receiver with High Efficiency Active Rectifier and Multi Feedback LDO Regulator 329

Young-Jun Park, SeongJin Oh, SangYun Kim, Sunghun Cho, MinChan Kim, Ju-Hyun Park, DongSoo Lee, HongJin Kim and Kang-Yoon Lee, College of Information and Communication Engineering, Sungkyunkwan University 2066, Korea

Heuristic Passive and Active Matching Circuit Design Method for Wireless Power Transfer for Moving Objects 333

Jo Bito, Soyeon Jeong and Manos M. Tentzeris, School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, Georgia

Selective Collapse of Nonlinear Time Reversed Electromagnetic Waves 337

Scott Roman, Rahul Gogna, Steven M. Anlage, Gemstone Team TESLA, CNAM, Physics Department University of Maryland, College Park, USA