

**2016 Joint IEEE International  
Symposium on the Applications of  
Ferroelectrics, European Conference  
on Application of Polar Dielectrics, and  
Piezoelectric Force Microscopy  
Workshop (ISAF/ECAPD/PFM 2016)**

**Darmstadt, Germany  
21-25 August 2016**



**IEEE Catalog Number: CFP16ISA-POD  
ISBN: 978-1-5090-1872-7**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\*This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP16ISA-POD      |
| ISBN (Print-On-Demand): | 978-1-5090-1872-7 |
| ISBN (Online):          | 978-1-5090-1871-0 |
| ISSN:                   | 1099-4734         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

|  |    |
|--|----|
| <b>AGING BEHAVIOR IN CO DOPED BARIUM TITANATE CERAMICS</b> .....   | 1  |
| <i>Rémy Ul, Mai Pham-Thi, Pascal Marchet</i>   |    |
| <b>APPLICATION OF DOE METHODS TO ESTABLISH A MODEL FOR THE PULSED LASER DEPOSITION OF PZT THIN-FILMS</b> .....   | 5  |
| <i>A. Schatz, D. Pantel</i>  |    |
| <b>COMPARATIVE STUDY OF FERROELECTRIC (K,NA)NBO<sub>3</sub> THIN FILMS PULSED LASER DEPOSITION ON PLATINUM SUBSTRATES WITH DIFFERENT ORIENTATION</b> .....   | 9  |
| <i>Rika Tamano, Yoko Takada, Naoki Okamoto, Takeyasu Saito, Takeshi Yoshimura, Norifumi Fujimura, Koji Higuchi, Akira Kitajima</i>   |    |
| <b>DEVELOPMENT OF A DUAL-PHASE MINIATURE VALVE-LESS PIEZOELECTRIC PUMP</b> .....   | 13 |
| <i>Tai-Ho Yu</i>   |    |
| <b>DEVELOPMENT OF METAL OXIDE THIN FILMS FOR SELF POWER GENERATING INTEGRATED DEVICES</b> .....  | 17 |
| <i>Anjali Sharma, Prashant Kumar Raghav, Monika Tomar, Reema Gupta, Vinay Gupta</i>  |    |
| <b>DIELECTRIC PROPERTIES AND RELAXATION BEHAVIOR IN MN-DOPED CA<sub>0.6</sub>SR<sub>0.4</sub>TIO<sub>3</sub> CERAMICS FOR ENERGY STORAGE</b> .....   | 20 |
| <i>Doris Lin Zhang</i>   |    |
| <b>ELASTIC CONSTANTS IN PB(MG<sub>1/3</sub>NB<sub>2/3</sub>)O<sub>3</sub>-PBTIO<sub>3</sub> SINGLE CRYSTALS AND CERAMICS EVALUATED BY SOUND VELOCITIES</b> .....   | 24 |
| <i>Toshio Ogawa</i>  |    |
| <b>ELASTICO-MECHANOLUMINESCENCE IN NON-PIEZOELECTRIC CATIO<sub>3</sub>:PR<sup>3+</sup></b> .....   | 28 |
| <i>Haifeng Zhao, Xusheng Wang, Xiaomin Feng, Hua Fang, Yanxia Li, Xi Yao</i>   |    |
| <b>ELECTROCALORIC EFFECT IN BATIO<sub>3</sub> BASED LEAD-FREE MULTILAYER CERAMIC CAPACITORS</b> .....  | 32 |
| <i>Biao Lu, Xin-Hua Wen, Zhen-Hua Tang, Bo Liang, Tao Tao, Zhi-Wei Xie, Tian-Fu Zhang, Xin-Gui Tang, Young Xiang, Jie Liao, Sheng-Guo Lu</i>   |    |
| <b>ELECTROMECHANICAL CHARACTERIZATION OF PIEZOCERAMIC ELEMENTS AROUND RESONANCE FREQUENCIES AT HIGH EXCITATION LEVELS AND DIFFERENT THERMODYNAMIC CONDITIONS</b> .....   | 37 |
| <i>Antonio Petošić, Marko Horvat, Marko Budimir, Nikola Pavlovic, Tadej Rojac, Barbara Malic, Silvio Drnovšek</i>  |    |
| <b>ELECTRON-PINNED DEFECT-DIPOLES FOR SRIO<sub>3</sub>-BASED CERAMICS WITH HIGH PERMITTIVITY AND LOW DIELECTRIC LOSS</b> .....   | 41 |
| <i>Zichen He, Minghe Cao, Nana Wang, Qi Zhang, Hua Hao, Zhonghua Yao, Hanxing Liu</i>  |    |
| <b>FERROELECTRIC BI<sub>1/2</sub>NA<sub>1/2</sub>TIO<sub>3</sub> -7BATIO<sub>3</sub>/RELAXORBI<sub>1/2</sub>NA<sub>1/2</sub>TIO<sub>3</sub> -25SRIO<sub>3</sub> COMPOSITES</b> .....   | 45 |
| <i>Hakimeh Wakily, Jurij Koruza, Azatuhi Ayrikyan, Kyle Webber</i>   |    |
| <b>ENHANCED PIEZO RESPONSE IN MECHANICALLY ACTIVATED AND MICROWAVE SINTERED PLZT 8/60/40 CERAMICS</b> .....  | 49 |
| <i>Ajeet Kumar, K. C. James Raju, A. R. James</i>  |    |
| <b>FINITE ELEMENT ANALYSIS OF ULTRASONIC SPHERICAL PIEZOELECTRIC PHASED ARRAY WITH SPLIT ELECTRODES</b> .....  | 53 |
| <i>Andrey Nasedkin, Andrey Rybyanets</i>   |    |
| <b>FROM RELAXOR TO FERROELECTRIC BEHAVIOR IN K<sub>1-x</sub>LI<sub>x</sub>TAO<sub>3</sub></b> .....  | 57 |
| <i>Z. Trybula, Sz. Los, M. Trybula, J. Dec, S. Miga</i>  |    |
| <b>HIGH ENERGY-STORAGE PERFORMANCE AND DISCHARGE PROPERTIES OF (PB<sub>0.98</sub>LA<sub>0.02</sub>)(ZR<sub>0.45</sub>SN<sub>0.55</sub>)<sub>0.995</sub>O<sub>3</sub> ANTIFERROELECTRIC THICK FILMS</b> .....                                     | 61 |
| <i>Xiucui Wang, Tongqing Yang, Jie Shen</i>  |    |
| <b>HIGH TEMPERATURE FLEXURAL ULTRASONIC TRANSDUCER FOR NON-CONTACT MEASUREMENT APPLICATIONS</b> .....  | 65 |
| <i>S. E. Burrows, S. N. Ramadas, T. J. R. Eriksson, L. Kang, A. Unger, M. Kupnik, S. M. Dixon</i>  |    |
| <b>IMPEDANCE SPECTROSCOPY UTILIZED TO STUDY THE SPATIAL DISTRIBUTION OF CONDUCTIVITY WITHIN CAPACITORS DURING OPERATION</b> .....  | 68 |
| <i>Thorsten J. M. Bayer, Jian-Jun Wang, Jared J. Carter, Long-Qing Chen, Clive A. Randall</i>  |    |
| <b>IMPROVED ELECTRICAL PROPERTIES AND DUAL-MODE PHOTOLUMINESCENCE IN (1-X)(NA<sub>0.475</sub>K<sub>0.475</sub>LI<sub>0.05</sub>)NBO<sub>3</sub>- X(ER<sub>0.5</sub>NA<sub>0.5</sub>)TIO<sub>3</sub> LEAD-FREE MULTIFUNCTIONAL CERAMICS</b> ..... | 72 |
| <i>Xiaona Chai, Jun Li, Xusheng Wang, Yanxia Li</i>  |    |

|   |     |
|---|-----|
| <b>IMPROVED ENDURANCE PROPERTIES OF MOD-MADE BATIO<sub>3</sub> THIN FILM DIODE FOR RRAM APPLICATION BY CONTROLLING OXYGEN VACANCIES IN NITROGEN ANNEALING</b> ..... | 76  |
| <i>T. Sugie, S. Maejima, K. Yamashita, M. Noda</i>  |     |
| <b>INKJET PRINTING OF THIN METAL-OXIDE STRUCTURES FROM SOL-GEL PRECURSOR INKS</b> .....   | 79  |
| <i>Aleksander Matavz, Raluca C. Frunza, Aljaz Drnovsek, Vid Bobnar, Barbara Malic</i>   |     |
| <b>LOSS CHARACTERISATION OF PIEZOCRYSTALS UNDER ELEVATED ENVIRONMENTAL CONDITIONS</b> .....   | 83  |
| <i>Xiaochun Liao, Tingyi Jiang, Zhihong Huang, Sandy Cochran</i>  |     |
| <b>MICROWAVE TUNABLE FERROELECTRIC CAPACITORS WITH ENHANCED POWER HANDLING CAPABILITY BASED ON THE SILICON CARBIDE SUBSTRATE</b> .....                              | 87  |
| <i>A. V. Tumarkin, A. G. Gagarin, A. A. Odinets, I. V. Kotelnikov</i>   |     |
| <b>NANOSCALE POLARIZATION RELAXATION AND PIEZOELECTRIC PROPERTIES OF SBN THIN FILMS</b> .....   | 90  |
| <i>M. Melo, E. B. Araujo, M. Ivanov, V. Ya. Shur, A. L. Kholkin</i>   |     |
| <b>NEW PROCESS FOR TRANSFERRING PZT THIN FILM ONTO POLYMER SUBSTRATE</b> .....  | 94  |
| <i>T. Dufay, R. Seveno, B. Guiffard, J. C. Thomas</i>   |     |
| <b>NON-DESTRUCTIVE EVALUATION TECHNIQUE OF SURFACE-MOUNTED CAPACITOR BASED ON PHOTOTHERMAL FREQUENCY MODULATION TECHNIQUE</b> .....                                 | 98  |
| <i>A. Yurai, Y. Sato</i>  |     |
| <b>NOVEL PEROVSKITE-TYPE FERROELECTRICS WITH HIGH CURIE TEMPERATURE AND PIEZORESPONSE (REVIEW)</b> .....  | 102 |
| <i>Jian Yu, L. L. Zhang, X. B. Hou, Y. Lin, W. L. Zheng</i>   |     |
| <b>NUCLEATION AND GROWTH DOMAIN LIMITS IN FERROELECTRIC POLYCRYSTALLINE THIN FILMS</b> .....  | 106 |
| <i>A. S. Borowiak, A. Garcia-Sanchez, S. Mercone</i>  |     |
| <b>OVER-POLING STUDY OF PMN-PT AND PIN-PMN-PT CRYSTAL GROWN BY VERTICAL GRADIENT FREEZE METHOD</b> .....  | 110 |
| <i>Zibo Jiang</i>   |     |
| <b>PIEZOELECTRIC ENERGY HARVESTING USING A NOVEL CYMBAL TRANSDUCER DESIGN</b> .....   | 114 |
| <i>G. Yesner, M. Kuciej, A. Safari, A. Jasim, H. Wang, A. Maher</i>   |     |
| <b>PIEZORESPONSE FORCE MICROSCOPY (PFM) CHARACTERIZATION OF GAN NANOWIRES GROWN BY PLASMA ASSISTED MOLECULAR BEAM EPITAXY (PA-MBE)</b> .....                        | 118 |
| <i>Nikhilendu Tiwary, Ritam Sarkar, V. Ramgopal Rao, Apurba Laha</i>  |     |
| <b>PROMINENT PHOTOVOLTAIC RESPONSE IN MULTIFERROIC BFO/BTO HETEROSTRUCTURES</b> .....   | 122 |
| <i>Savita Sharma, Nitin K. Puri, Vinay Gupta, Monika Tomar</i>  |     |
| <b>PROSPECTION OF (PB,CA)TIO<sub>3</sub> MORPHOTROPIC PHASE BOUNDARY FROM EXPERIMENTAL THERMAL ANALYSIS DATA</b> .....  | 126 |
| <i>Flávia R. Estrada, José A Eiras, Ducinei Garcia, Manuel H. Lente</i>   |     |
| <b>RESEARCH ON A TRANS-SCALE INERTIAL STICK-SLIP PLATFORM DRIVEN BY PIEZOELECTRIC CERAMICS</b> .....  | 129 |
| <i>Bowen Zhong, Zongwei Li, Zhenhua Wang, Lining Sun, Linsen Chen</i>   |     |
| <b>SAW FIELD AND ACOUSTO-OPTICAL INTERACTION IN ZNO/ALN/SAPPHIRE STRUCTURE</b> .....  | 133 |
| <i>Lokesh Rana, Vinay Gupta, Namrata Dewan Soni, Monika Tomar</i>   |     |
| <b>STRESS CONTROL ON SOL-GEL PZT PREPARATION FOR HIGHLY SENSITIVE DIAPHRAGM STRUCTURES OF ULTRASONIC MICROSENSORS</b> .....   | 137 |
| <i>Kaoru Yamashita, Jo Shiomi, Taiki Nishiumi, Minoru Noda</i>  |     |
| <b>STRUCTURE, DIELECTRIC PROPERTIES AND ENERGY STORAGE PERFORMANCE OF BARIUM STRONTIUM TITANATE THIN FILMS PREPARED BY SPIN-COATING TECHNIQUE</b> .....             | 141 |
| <i>Chunli Diao, Hanxing Liu, Hua Hao, Minghe Cao, Zhonghua Yao</i>  |     |
| <b>STUDY OF FERROELECTRIC SBN THIN FILMS FOR ELECTRO- OPTIC APPLICATIONS</b> .....  | 145 |
| <i>Surbhi Gupta, Ayushi Paliwal, Vinay Gupta, Monika Tomar</i>  |     |
| <b>SWITCHABLE HIGH OVERTONE RESONANCES IN BST FILM WITH MIM STRUCTURE ON SAPPHIRE SUBSTRATE</b> .....   | 148 |
| <i>K. Sandeep, J. Pundareekam Goud, K. C James Raju</i>   |     |
| <b>THE CREATION OF THE PIEZORESPONSE FORCE MICROSCOPY TWENTY-THREE YEARS AGO</b> .....  | 151 |
| <i>K. Franke, L. Eng, M. Weihnacht, W. Haessler, J. Besold</i>  |     |

|   |     |
|---|-----|
| <b>THE STRUCTURE AND DIELECTRIC PROPERTIES OF <math>\text{BAZR}_x\text{TI}_{1-x}\text{O}_3</math> AND <math>\text{BASNXTI}_{1-x}\text{O}_3</math> THIN FILMS FOR MICROWAVE APPLICATIONS</b> ..... | 154 |
| <i>A. V. Tumarkin, A. G. Altynnikov, A. G. Gagarin, S. V. Razumov, A. A. Odinets, I. P. Pronin</i>  |     |
| <b>THERMAL EXCITATION AS A MEAN FOR NONDESTRUCTIVE EVALUATION OF EMBEDDED PIEZOELECTRIC TRANSDUCERS</b> .....   | 157 |
| <i>A. Eydam, G. Suchanek, G. Gerlach</i>  |     |
| <b>TOTAL-DOSE RADIATION RESPONSE AND POST- IRRADIATION ANNEALING RESPONSE OF HAFNIUM CAPACITORS</b> .....   | 161 |
| <i>Xin Liu, Yuqiu Lei, Yonghong Cheng</i>   |     |
| <b>UPPER BOUNDS IN ELECTROCALORIC COOLING</b> .....   | 165 |
| <i>G. Suchanek</i>  |     |
| <b>WAVEGUIDE AND DIFFRACTION ELEMENTS OPTICALLY GENERATED IN SURFACE-DOPED LAYERS OF FERROELECTRIC LITHIUM NIOBATE</b> .....  | 169 |
| <i>A. D. Bezpaly, A. O. Verkhoturov, V. M. Shandarov</i>  |     |
| <b>WAVEGUIDE CIRCUITS FORMED IN LITHIUM NIOBATE SAMPLES BY BRIGHT SPATIAL OPTICAL SOLITONS</b> .....  | 173 |
| <i>A. S. Perin, V. Yu. Ryabchenok, V. M. Shandarov</i>  |     |
| <b>Author Index</b>   |     |