

2016 IEEE Bipolar/BiCMOS Circuits and Technology Meeting (BCTM 2016)

**New Brunswick, New Jersey, USA
25-27 September 2016**



**IEEE Catalog Number: CFP16BIP-POD
ISBN: 978-1-5090-0485-0**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16BIP-POD
ISBN (Print-On-Demand):	978-1-5090-0485-0
ISBN (Online):	978-1-5090-0484-3
ISSN:	1088-9299

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

SIGE BICMOS TECHNOLOGIES FOR HIGH-SPEED AND HIGH-VOLUME OPTICAL INTERCONNECT APPLICATIONS	1
<i>T. Nguyen, A. Izadi, G. Denoyer</i>	
A 50 GB/S TIA IN 0.25μM SIGE:C BICMOS IN FOLDED CASCODE ARCHITECTURE WITH PNP HBTS	9
<i>I. Lopez, P. Rito, A. Awny, B. Heinemann, D. Kissinger, A. Ulusoy</i>	
THE EFFECT OF STRONG EQUALIZATION IN HIGH-SPEED VCSEL-BASED OPTICAL COMMUNICATIONS UP TO 48 GBIT/S	13
<i>G. Belfiore, R. Henker, F. Ellinger</i>	
MODELING OF HIGH-CURRENT DAMAGE IN SIGE HBTS UNDER PULSED STRESS	17
<i>U. Raghunathan, B. Wier, R. Martinez, Z. Fleetwood, A. Omprakash, H. Ying, S. Zeinolabedinzadeh, J. Cressler</i>	
ON THE USE OF VERTICAL SUPERJUNCTION COLLECTORS FOR ENHANCED BREAKDOWN PERFORMANCE IN SIGE HBTS	21
<i>B. Wier, U. Raghunathan, Z. Fleetwood, M. Oakley, A. Joseph, V. Jain, J. Cressler</i>	
INVESTIGATION OF DOUBLE-EMITTER REDUCED-SURFACE- FIELD HORIZONTAL CURRENT BIPOLAR TRANSISTOR BREAKDOWN MECHANISMS	25
<i>M. Koricic, J. Zilak, T. Suligoj</i>	
DC AND RF BREAKDOWN VOLTAGE CHARACTERISTICS OF SIGE HBTS FOR WIFI PA APPLICATIONS	29
<i>V. Jain, H. Ding, R. Camillo-Castillo, A. Joseph</i>	
THZ BANDWIDTH INP HBT TECHNOLOGIES AND HETEROGENEOUS INTEGRATION WITH SI CMOS	35
<i>M. Urteaga, A. Carter, Z. Griffith, R. Pierson, J. Bergman, A. Arias, P. Rowell, J. Hacker, B. Brar, M. Rodwell</i>	
BCTM, THIRTY YEARS OF SUCCESS	42
<i>P. Davis, J. Shier</i>	
APPLYING BIPOLAR TRANSISTORS IN DYNAMIC POWER SUPPLY TRANSMITTERS	46
<i>E. McCune</i>	
THE IMPACTS OF BASE BIAS RESISTOR AND LTE 16QAM SIGNAL BANDWIDTH ON HIGH-EFFICIENCY LINEAR SIGE POWER AMPLIFIER DESIGN	52
<i>J. Tsay, J. Lopez, D. Lie</i>	
A LOW PHASE NOISE TRI-BAND LO GENERATION FOR KU AND E BAND RADIOS FOR BACKHAULING POINT-TO-POINT APPLICATIONS	56
<i>D. Cabrera, J. Begueret, N. Verrascina, O. Tesson, O. Mazouffre, P. Gamand</i>	
90NM BICMOS TECHNOLOGY FEATURING 400GHZ F_{MAX} SIGE:C HBT	60
<i>V. Trivedi, J. John, J. Young, T. Dao, D. Morgan, I. To, R. Ma, D. Hammock, S. Mehrotra, L. Radic, B. Grote, T. Roggenbauer, J. Kirchgessner</i>	
ADVANCED SI/SIGE HBT ARCHITECTURE FOR 28-NM FD-SOI BICMOS	64
<i>V. Vu, D. Celi, T. Zimmer, S. Fregonese, P. Chevalier</i>	
ADVANTAGES OF SIGE-PNP OVER SI-PNP FOR ANALOG AND RF ENHANCED CBICMOS AND COMPLEMENTARY BIPOLAR DESIGN USAGE	68
<i>J. Babcock, J. Halbert, H. Yasuda, A. Sadovnikov, J. Kim, A. Bucholz, R. Malone, M. Corsi, G. Cestra, M. Dahlstrom</i>	
LINEAR ULTRABROADBAND NPNONLY ANALOG CORRELATOR AT 33 GBPS IN 130 NM SIGE BICMOS TECHNOLOGY	78
<i>A. Javed, J. Scheytt, U. Ahe</i>	
CURRENT REGULATOR WITH ENERGY LIMITATION IN THE UNPOWERED STATE FEATURING BIPOLAR DISCHARGE PATH	82
<i>S. Easwaran, S. Venugopal, R. Weigel</i>	
A 4-GHZ 32-BIT DIRECT DIGITAL FREQUENCY SYNTHESIZER IN 0.25 μM SIGE HBT WITH SFDR > 46 DBC UP TO NYQUIST BANDWIDTH	86
<i>X. Guo, D. Wu, L. Zhou, H. Liu, J. Wu, X. Liu</i>	
A 30GS/S 6BIT SIGE ADC WITH INPUT BANDWIDTH OVER 18GHZ AND FULL DATA RATE INTERFACE	90
<i>D. Wu, L. Zhou, Y. Huang, P. Wang, J. Wu, Z. Jin, X. Liu</i>	
CO-SIMULATION AND CO-DESIGN OF CHIP-PACKAGE- BOARD INTERFACES IN HIGHLY-INTEGRATED RF SYSTEMS	94
<i>V. Issakov, M. Wojnowski, H. Knapp, S. Trotta, H.-P. Forstner, K. Pressel, A. Hagelauer</i>	

THE BROADBAND DARLINGTON AMPLIFIER AS A SIMPLE BENCHMARK CIRCUIT FOR COMPACT MODEL VERIFICATION AT MM-WAVE FREQUENCY	102
<i>A. Mukherjee, C. Lin, M. Schroter</i>	
ANALYSIS AND MODELING OF THE LONG-TERM AGEING RATE OF SIGE HBTS UNDER MIXED-MODE STRESS	106
<i>G. Fischer</i>	
BEYOND THE BOUNDARIES: ENABLING NEW CIRCUIT OPPORTUNITIES BY USING SIGE HBTS IN COUNTERINTUITIVE WAYS	110
<i>J. Cressler</i>	
A PASSIVE TOTAL POWER RADIOMETER IN 0.25 μM SIGE BICMOS FOR MILLIMETER-WAVE IMAGING	118
<i>E. Malotiaux, M. Spirito</i>	
WIDEBAND ACTIVE BI-DIRECTIONAL SIGE DIGITAL STEP ATTENUATOR USING AN ACTIVE DPDT SWITCH.....	122
<i>M.-K. Cho, I. Song, Z. Fleetwood, J. Cressler</i>	
SIDE-USE OF A GE P-I-N PHOTO DIODE FOR ELECTRICAL APPLICATION IN A PHOTONIC BICMOS TECHNOLOGY	126
<i>S. Lischke, D. Knoll, S. Tolunay-Wipf, C. Mai, A. Fox, F. Herzel, M. Kaynak</i>	
GE-ON-INSULATOR LATERAL BIPOLAR TRANSISTORS	130
<i>J.-B. Yau, J. Yoon, J. Cai, T. Ning, K. Chan, S. Engelmann, D.-G. Park, R. Mo, G. Shahidi</i>	
LOW GATE DRIVE IGBT ENABLING DIRECT CONTROL THROUGH DIGITAL ISOLATOR POWER.....	134
<i>E. Coyne, S. Lynch, P. McGuinness, C. McLoughline, C. O'Sullivan, B. Lane, L. O'Sullivan, J. Liddy</i>	
NOVEL NPN BIPOLAR TRANSISTOR WITH HIGH GAIN, HIGH EARLY VOLTAGE, AND HIGH V_{CE0} IN AN ADVANCED SMARTMOS TECHNOLOGY	138
<i>X. Lin, R. Zhu</i>	
WHY IS THERE NO INTERNAL COLLECTOR RESISTANCE IN HICUM?	142
<i>M. Schroter, S. Lehmann, A. Pawlak</i>	
A HICUM/L2 MODEL FOR HIGH-VOLTAGE BJTS.....	146
<i>A. Pawlak, B. Ohannaidh, M. Schroter</i>	
AN IMPROVED SCALABLE SELF-CONSISTENT ITERATIVE MODEL FOR THERMAL RESISTANCE IN SIGE HBTS	150
<i>S. Balanethiram, A. Chakravorty, R. D'Esposito, S. Fregonese, T. Zimmer</i>	
HYBRID SMALL-SIGNAL π -MODEL FOR THE LATERAL NQS EFFECT IN SIGE HBT	154
<i>S. Yadav, A. Chakravorty, M. Schroter</i>	
INJECTION LOCKING CIRCUIT TECHNIQUES FOR HIGH-EFFICIENCY MILLIMETER-WAVE TRANSMITTER ARRAYS IN SIGE AND CMOS SOI PROCESSES.....	158
<i>J. Buckwalter</i>	
A 76- TO 81-GHZ PACKAGED SINGLE-CHIP TRANSCEIVER FOR AUTOMOTIVE RADAR	166
<i>T. Fujibayashi, Y. Takeda, W. Wang, Y.-S. Yeh, W. Stapelbroek, S. Takeuchi, B. Floyd</i>	
SCALABLE SENSOR PLATFORM WITH MULTI-PURPOSE FULLY-DIFFERENTIAL 61 AND 122 GHZ TRANSCEIVERS FOR MIMO RADAR APPLICATIONS.....	170
<i>H. Ng, M. Kucharski, D. Kissinger</i>	
A 162 GHZ POWER AMPLIFIER WITH 14 DBM OUTPUT POWER	174
<i>J. Al-Eryani, H. Knapp, J. Wursthorn, K. Aufinger, S. Majied, H. Li, S. Boguth, R. Lachner, J. Bock, L. Maurer</i>	
Author Index	