2016 IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT 2016)

Bangalore, India 20-21 May 2016

Pages 706-1428



IEEE Catalog Number: ISBN:

CFP16F77-POD 978-1-5090-0775-2

Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP16F77-POD

 ISBN (Print-On-Demand):
 978-1-5090-0775-2

 ISBN (Online):
 978-1-5090-0774-5

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



2016 IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT-2016)

Table of Contents

Preface i
Message ii-viii
Committee ix-x

Sl. No.	Title of the Paper	Page number
1.	On converting discrete logarithm calculation to long division	1-4
2.	An Efficient Technique for Automated Diagnosis of Cardiac Rhythms using Electrocardiogram	5-8
3.	Rules based Event Extraction from Natural language Text	9-13
4.	Reduction of Mutual Coupling in Antenna Arrays using Periodic Structures	14-16
5.	An Efficient Deconvolution Technique by Identification and Estimation of Blur	17-23
6.	A review paper on awareness Statistics on Plagiarism among Research Scholars	24-26
7.	Cloud Computing based E-Commerce Model	27-30
8.	Assessment of Seismic Energy obtained from Blast induced Ground Vibrations using Signal Processing Computation Techniques	31-35
9.	Evaluation and analysis of Nonlinear Effect in WDM Optical Network	36-39
10.	Analysis of Duo-binary Modulation Scheme in Single Channel on the basis of BER	40-42
11.	NRZ VS RZ: Performance Analysis of SMF With Different LASER Sources At 10 Gbps.	43-46
12.	A Trust model in Cloud Computing based on Fuzzy Logic	47-52
13.	ECG Denoising Using Weiner Filter and Adaptive Least Mean Square Algorithm	53-57
14.	Design and Implementation of 4-bit Ripple Carry Adder Using SETMOS Architecture	58-61
15.	Analysis of Amplify and Forward Technique to Improve Secrecy Rate in Multi-Hope Relaying System	62-64
16.	Haar Features based Handwritten Character Recognition System for Tulu Script	65-68
17.	Data mining and machine learning approaches on Engineering Materials-A Review	69-73
18.	Random Node Deployment and Route Establishment in Receiver Based Routing Protocol for WSNs	74-78

19.	Implementation of Interleaved Dual Boost Converter utilizing FPGA for PWM	79-83
20.	Vital corporate resource builder with multimedia and sharing	84-87
21.	An Advanced Two Way DC-DC Converter For Deduction in Leakage Current	88-93
22.	Bandwidth Planning Tool for Optical Networks	94-98
23.	An Efficient Algorithm for Generating Association Rules by using Constrained Itemsets Mining	99-102
24.	Optimization of Generalized Regression Neural Networks Using PSO and GA for Non-Performer Particles	103-107
25.	Global Wireless Tele-Communication WSN's Architecture Using N-Tier Spherical GRID Routing	108-112
26.	Analysis and Design of low-power Reversible BILBO	113-117
27.	Comparative Study of Imaging Transforms on Diabetic Retinopathy Images	118-122
28.	Hybrid Digital Pulse Width Modulator Architecture Using FPGA	123-126
29.	Ballistocardiography Signal Filtering using Adaptive Least Mean Square Algorithm.	127-131
30.	Pedobarography Based Disability Analysis for Hemiplegic Patients of Different Weights using Foot Planter Pressure Sensors	132-135
31.	Zone based Hierarchical energy efficient clustering scheme for WSN	136-140
32.	EBDRA: Energy Balanced Dynamic cluster Routing Approach for WSN	141-145
33.	Data Analytics in Wireless Sensor based network for Public Utility Control and Management.	146-150
34.	An Efficient Mobile Sink Path Selection Approach for WSNs	151-155
35.	Fuzzy vault for fingerprint template security with error correcting codes	156-160
36.	A Weight-Based Approach For Node Failure Detection and Recovery in Mobile Cloud Computing	161-164
37.	0.5 V, Ultra Low Power Multi Standard Gm-C Filter For Bio Medical Applications	165-169
38.	Optimized Proposed 9T SRAM Cell	170-174
39.	Energy Efficient Cluster Head Selection to Enhance Network Connectivity for Wireless Sensor Network	175-179
40.	Modelling and System identification of a Quarter car suspension system using Simulink	180-183
41.	Feed Forward Neural Network Optimization using Self Adaptive Differential Evolution for Pattern Classification	184-188
42.	Monitoring and controlling the industrial motor parameters remotely using LabVIEW	189-193
43.	Programmable FSM Based Built-In-Self-Test For Memory	194-199
44.	Comparison of STFT Based Direction of Arrival Estimation Techniques for Speech Signal	200-205
45.	Recent advancements in design of microwave components for space applications	206-211

46.	Multistage combined Image Enhancement Technique	212-216
47.	The Braille Interface	217-220
48.	A 31-level Inverter With Optimal Number of Switches for Power Applications	221-225
49.	Hand-Gesture Recognition for Automated Speech Generation	226-231
50.	Design of Ultra-Wide Band Band pass filter using square ring resonator and coupled lines	232-235
51.	No-Reference Image Quality Assessment of JPEG Compressed Images using Mean Coefficient DWT Based Features	236-240
52.	An analysis of BER comparison of various digital modulation schemes used for adaptive modulation	241-245
53.	Green House by using IOT and Cloud computing	246-250
54.	Design and Implementation of Aperture-Coupled Stacked Microstrip Patch Antennas for Satellite TT&C Applications	251-255
55.	Application of Multi-scale Fuzzy Entropy for roller bearing fault detection and fault classification based on VPMCD	256-261
56.	Enhancing Portfolio Returns by Identifying High Growth Companies in Indian Stock Market Using Artificial Intelligence	262-266
57.	Analytical Modeling and Self-tuned Fuzzy-PID Logic based Control for Quarter Car Suspension System using Simulink.	267-271
58.	Mathematical Analysis for Maximization of Cell Capacity Using Partial Frequency Reuse in LTE Network	272-277
59.	A System on Chip based Serial Number Identification using Computer Vision	278-283
60.	Learning agents based Intelligent Transport and routing Systems for Autonomous vehicles and their respective vehicle control systems based on Model Predictive Control(MPC)	284-290
61.	Gender Classification Using KPCA And SVM	291-295
62.	Design and Implementation of Low Cost Three Phase Digital Energy Meter.	296-300
63.	Design And Implementation of CAN bus Protocol for Monitoring Vehicle Parameters	301-304
64.	The Design of Touch Detection HCI System Based On Raspberry Pi Module	305-310
65.	Design of A Simple Digital ADC Using Only Digital Blocks And Delay Element Circuit.	311-315
66.	Design of low power operational amplifier and digital latch circuits using power efficient charge steering technique	316-321
67.	Design of Net Meter Using FPGA	322-326
68.	Performance Analysis of Dual Layer Stacked Swastika Shaped Patch Antenna with a Meta-Material Structured Ground Plane for Satellite Communication and Radar Applications	327-331
69.	Tuning of Digital PID Controller for Blood Glucose Level of Diabetic patient	332-336
70.	Evaluation of Key Performance Indicators Of Smart Cities By Delphi Analysis	337-342

71.	Comparative Analysis of different Direction of Arrival	343-347
72.	Estimation Techniques 2D Symmetric 6T SRAM With RESET	348-352
	Optimization of Synchronous Buck-Boost DC-DC Switching	
73.	Converter	353-359
74.	Crowd-Sourcing for Smart Cities	360-365
75.	Prediction Analysis for Tumor Growth from Large Scale Non-invasive Images	366-370
76.	Multiband Circular Bow Tie Antenna Design using Apollonian Gasket of Fractals	371-376
77.	Energetic Trust Management Services over Unattended Wireless Sensor Networks	377-381
78.	Agent based Dynamic Clustering for Hybrid VANET (ADCHV)	382-386
79.	Design of Graphics Processing Framework on FPGA	387-391
80.	Performance Analysis Of Speech Enhancement Using Adaptive Wavelet Thresholding	392-396
81.	Analysis and Design of Reversible Excess-3 Adder and Subtractor	397-400
82.	FPGA implementation of Combined Compression & denoising scheme for remote sensing images	401-404
83.	Analysis and Application of Compressive Sensing Technique for Rapid Magnetic Resonance Imaging	405-408
84.	Design and Development of an Automatic Clustered, Assorted Trash Segregation System	409-413
85.	Optical and Streakline flow based crowd estimation for surveillance system	414-416
86.	ASIC Implementation Of Error Detection And Correction Using High Performance Majority Logic Decoder	417-421
87.	Optimizing Chien Search In BCH Decoder	422-425
88.	Recognition of Motor Imagery Left and Right Hand Movement using EEG	426-430
89.	Psychology assisted Prediction of Academic Performance using Machine Learning	431-435
90.	An Efficient Routing Algorithm based on Ant Colony Optimization for VANETs	436-440
91.	Person Specific Characteristic Analysis Time domain Techniques for ECG Signals	441-446
92.	Biomimicing the Excitatory and Inhibitory Synapse	447-450
93.	Implementation of OFDM by using wavelet for optimization of Wireless Communication system	451-455
94.	Enhancement of Noisy Speech using Sub-band Harmonic Regeneration and Speech Presence Uncertainty Estimator	456-460
95.	Performance Analysis of Controller Area Network based Safety System in an Electric Vehicle.	461-465
96.	PBRR Based Routing Algorithm for the Alternative Path Selection in WSNs	466-470
97.	Image Processing Based Leukemia Cancer Cell Detection	471-474
98.	Secret Image Protection Using Image Fusion	475-479

99.	Performance Analyzer: An approach for Performance Analysis of Enterprise Servers	480-484
100.	Wireless sensor based closed loop real time laboratory access using GSM	485-489
101.	Wideband Acquisition Technique for QPSK Demodulator.	490-493
102.	Extraction of Behavioural Patterns from Pre-processed Web Usage Data for Web Personalization	494-498
103.	Digital Signature Based Key Management Protocol for Secure Data Transfer in Dynamic Wireless Sensor Networks	499-502
104.	Domain Based Sentiment Analysis in Regional Language- Kannada using Machine Learning Algorithm	503-507
105.	Efficient Coverage and Secured Data Transfer with Load Balance and Connectivity Preservation in Wireless Sensor Networks	508-512
106.	Multi Image Watermarking Using Lagrangian Support Vector Regression	513-516
107.	Reduced Energy Consumption And Cooperative Load Balancing Via Reliable Routing In Cluster Based MANETs	517-521
108.	A Root-MUSIC Algorithm for High Resolution ISAR Imaging	522-526
109.	Breath To Speech Communication With Fall Detection For Elder/Patient With Take Care Analytics	527-531
110.	Design and implementation of Live tap for deterministic Ethernet bus using FPGA	532-536
111.	Auto focusing SAR Images using Multistage Wiener Filter	537-541
112.	Web Cultural Mining And Enhancing User Access On Web Using Culture	542-545
113.	A Novel Approach To Detect Brain Tumour In MRI Images Using Hybrid Technique With SVM Classifiers	546-549
114.	Development of Generic Verification Environment Based on UVM With Case Study on HMC Controller	550-553
115.	Reconfiguring CPLD To Perform Operations Based On Sequence Detection Condition	554-558
116.	Exploring Split Ring Resonators for GHz applications	559-562
117.	A Novel Design and Implementation of Multi-Valued Logic Arithmetic Full Adder circuit using CNTFET	563-568
118.	Design And Implementation Of CCSDS Standards Based Telecomm and System For Satellites Using VHDL	569-573
119.	Dual V _{dd} and Multi V _{th} Cascaded Inverters as Level converter for Clock Distribution Network	574-578
120.	Design of Voltage Scaled Level Converters in Low Power Clock Distribution Networks.	579-583
121.	Multilayer machine learning algorithm to classify diabetic type on knee dataset	584-587
122.	Modeling and Simulation of Multi Coil Induction Heating System for Semiconductor Wafer Processing	588-592
123.	Design of 1-bit and 4-bit Adder using Reversible Logic in Quantum-Dot Cellular Automata	593-597

125. Fluzzy Based Hybrid PV-Wind Systems Using Active Power Fliter For Grid-Interconnection 126. Improved Weighted Cooperative Spectrum Sensing Algorithm Based on Reliability in Cognitive Radio Networks 127. Performance Analysis of Block Based SVD Watermarking Scheme for Medical Images 128. Cost Effective Gate Drive Circuit for MLI with Constant Number Of Conducting Switches 129. Design and Verification of Flexible Interface for Multicore System using PCIe IO Virtualization 130. Tees-Two - Tier Energy Efficient Secure Scheme For Increased Network Performance In Wireless Sensor Networks 131. Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN 132. increased Obstantial Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications 446-648 135. Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 672-677 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Simmir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System	-	,	
126. Improved Weighted Cooperative Spectrum Sensing Algorithm Based on Reliability in Cognitive Radio Networks 609-612 127. Performance Analysis of Block Based SVD Watermarking Scheme for Medical Images 613-616 128. Cost Effective Gate Drive Circuit for MLI with Constant Number Of Conducting Switches 617-622 129. Design and Verification of Flexible Interface for Multicore System using PCIe IO Virtualization 623-627 130. Tees-Two -Tier Energy Efficient Secure Scheme For Increased Network Performance In Wireless Sensor Networks 628-632 131. Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications 633-636 132. Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN 637-640 133. Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications 646-648 135. Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 653-657 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 653-657 137. User Stories to User Reality : A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. Poesign of High Gain, Low Power CMOS Multi-Standard Plane Structures 667-671 140. Bloom Filter for Elasticity in DBaaS 672-677 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 688-691 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure 697-701 145. 145. 146. 147. 147. 147. 148. 148. 149. 149. 149. 149. 149. 149.	124.	A survey on Wireless Body Area Network and electronic-Healthcare	598-603
126. Based on Reliability in Cognitive Radio Networks 127. Performance Analysis of Block Based SVD Watermarking Scheme for Medical Images 128. Cost Effective Gate Drive Circuit for MLI with Constant Number Of Conducting Switches 129. Design and Verification of Flexible Interface for Multicore System using PCIe IO Virtualization 130. Tees-Two -Tier Energy Efficient Secure Scheme For Increased Network Performance In Wireless Sensor Networks 131. Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications 132. Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN 133. Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications 135. Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System	125.		604-608
128. Scheme for Medical Images 128. Cost Effective Gate Drive Circuit for MLI with Constant Number Of Conducting Switches 129. Design and Verification of Flexible Interface for Multicore System using PCIe IO Virtualization 130. Tees-Two -Tier Energy Efficient Secure Scheme For Increased Network Performance In Wireless Sensor Networks 131. Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS CPW to Microstrip Transition Using Different CPW Ground Plane Structures 141. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System	126.		609-612
128. Cost Effective Gate Drive Circuit for MLI with Constant Number Of Conducting Switches 129. Design and Verification of Flexible Interface for Multicore System using PCIe IO Virtualization 130. Tees-Two -Tier Energy Efficient Secure Scheme For Increased Network Performance In Wireless Sensor Networks 131. Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications 132. Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN 133. Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications 135. Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System	127.		613-616
130. Tees-Two -Tier Energy Efficient Secure Scheme For Increased Network Performance In Wireless Sensor Networks 131. Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System	128.		617-622
130. Increased Network Performance In Wireless Sensor Networks Reconfigurable Multiband Microstrip Patch Antenna Design for Wireless Communication Applications Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption An Elliptical Inset Feed Patch Antenna for UWB Applications Low Cost Automation Solution for Paper Bag Production using Commodity Hardware Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 633-636 633-636 641-645	129.		623-627
131. for Wireless Communication Applications Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM Design Approach Towards an Efficient Secure Reconfigurable System	130.	Tees-Two -Tier Energy Efficient Secure Scheme For	628-632
Design and implementation of an efficient routing schemes to increase distribute lifetime efficiency in WSN Providing Security Mechanisms in Broker-Less Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM Design Approach Towards an Efficient Secure Reconfigurable System 145. Design Approach Towards an Efficient Secure 697-701	131.	Reconfigurable Multiband Microstrip Patch Antenna Design	633-636
133. Publish/Subscribe Systems Using Hierarchical Identity Based Encryption 134. An Elliptical Inset Feed Patch Antenna for UWB Applications 135. Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System	132.		637-640
134. An Elliptical Inset Feed Patch Antenna for UWB Applications Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM Design Approach Towards an Efficient Secure 697-701	133.	Publish/Subscribe Systems Using Hierarchical Identity Based	641-645
Low Cost Automation Solution for Paper Bag Production using Commodity Hardware 136. Analog Implementation of TDCNN Single-Cell Architecture using Sinh-Domain Companding Technique 137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 653-657 667-671 668-662 672-677 678-682 678-682	134.		646-648
137. User Stories to User Reality: A DevOps Approach for the Cloud 138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 658-662 667-671 667-671 667-671 678-682 678-682 688-691 688-691	135.	1 0	649-652
138. Design of High Gain, Low Power CMOS Multi-Standard LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 663-666 667-671 667-671 667-671 668-682 678-682 678-682 688-691	136.		653-657
138. LNA 139. CPW to Microstrip Transition Using Different CPW Ground Plane Structures 140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 667-671 667-671 678-682 683-687 688-691 692-696	137.	User Stories to User Reality : A DevOps Approach for the	658-662
140. Bloom Filter for Elasticity in DBaaS 141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 1607-671 672-677 678-682 683-687 688-691 692-696	138.	LNA	663-666
141. Degree Centrality, Eigenvector Centrality and the Relation Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 678-682 683-687 688-691 692-696	139.		667-671
141. Between Them in Twitter 142. Design and Hardware Implementation of Two Stage Solid State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 146. Reconfigurable System 147. Design Approach Towards an Efficient Secure Reconfigurable System	140.	Bloom Filter for Elasticity in DBaaS	672-677
143. State Bipolar Marx Generator 143. Randomly tampered image detection and self-recovery for a text document using Shamir Secret Sharing 144. AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 688-691 692-696	141.		678-682
text document using Shamir Secret Sharing AC resistance calculation of litz wire and its modeling with FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 688-691 692-696	142.		683-687
144. FEMM 145. Design Approach Towards an Efficient Secure Reconfigurable System 692-696 697-701	143.		688-691
Reconfigurable System 697-701	144.	AC resistance calculation of litz wire and its modeling with	692-696
	145.		697-701
146. KOP: An Opinion Mining System in Konkani 702-705	146.	KOP: An Opinion Mining System in Konkani	702-705
Passive Copy-Move Forgery Detection using SIFT, HOG and SURF Features 706-710	147.		706-710

	A Hybrid Approach for Data collection using Multiple Mobile	
148.	Nodes in WSN (HADMMN)	711-714
149.	Performance Analysis of Concatenated Codes for Different Channels	715-719
150.	Improvement of Speed in Data Collection Rate in Tree based Wireless Sensor Network	720-723
151.	Bidirectional People Counting System in Video Surveillance	724-727
152.	FPGA Implementation of Channel Emulator for testing of Wireless Air interface Using VHDL	728-732
153.	A Compact Tri-band Antenna for WLAN and WiMAX Applications	733-735
154.	A Framework for Software Quality Model Selection using TOPSIS	736-739
155.	Design Investigation of a Spiralled Swastika Slotted Antenna for Modern Space Applications	740-743
156.	Design and Implementation of Low Noise Amplifier for MRI Scanner	744-747
157.	Modular Approach for Customizable UART	748-750
158.	Privacy Preservation on Social Network using Data Sanitization	751-753
159.	Efficient and Effective Cellular Technology: Femtocells	754-757
160.	Direct Power Control PWM Rectifier using Switching table for series resonant converter capacitor charging pulsed power supply	758-762
161.	Devise and Establishment of Property Specification Language to Verify the complex behaviour of FPGA Ethernet IP Core	763-768
162.	Performance Evaluation of Double Gate Junctionless Field Effect Transistor with Vertical Gaussian Doping Profile	769-772
163.	Effects Of Noise And Relative Overlap On Image Mosaicing Using SURF Features	773-777
164.	Dynamic Priority-based Resource Allocation Policy for Mixed Traffic in Long Term Evolution Network	778-782
165.	An Efficient Hybrid Optimization Technique for Parameter Optimization in Log Periodic Nano-Antenna	783-788
166.	Feasibility Study and Implementation of OpenFlow based SDN Controller for Tactical Scenario	789-794
167.	Hadoop-HBase for finding association rules using Apriori MapReduce algorithm	795-798
168.	Development of algorithms for MAV Security	799-802
169.	Friction Identification and Control of Ball Screw Driven System using PLC	803-808
170.	Network Lifetime Enhancement of Clustering Approach Using Handoff Mechanism in WSN	809-812
171.	Integrated Procedure for Segmentation of Cortical Surface from Brain MRI	813-816
172.	Analysing MTL Properties using NuSMV Model Checker	817-820

	-T	
173.	Classification of Benign and Malignant bone lesions on CT Images Using Support Vector Machine: A Comparison of Kernel Functions	821-824
174.	Crop Disease Classification using Texture Analysis	825-828
175.	Cryptographic Implementation Of Aggregate-Key Encryption For Data Sharing in Cloud Storage	829-832
176.	Optimizing Set Of Paths Connecting Multiple Source-Sink Pairs	833-838
177.	Computational Analysis of Potential Profile of III-V Heterojunction Gate-All-Around Tunneling FET for Low Power Digital Circuits	839-842
178.	Design of Matrix Wiener Filter for Noise Reduction and Speech Enhancement in Hearing Aids	843-847
179.	Internet of Things based Home Automation System	848-850
180.	RRC and MAC Call Flow Procedures for D2D Communication through Sidelink in LTE-A	851-854
181.	An Improved Control Method to Suppress DC Injection to the Grid for Grid-connected Single-Phase PV Inverter with Less Harmonic Distortion	855-860
182.	Threshold Based Soft Partial Parallel Interference Cancellation for MIMO-OFDM System	861-865
183.	An efficient High Throughput Routing With successive interference cancellation in Wireless Sensor Networks	866-868
184.	Modified Improved Sinc Power Pulse for Inter Carrier Interference Reduction in OFDM System	869-873
185.	A New Triple Band Hybrid Fractal Boundary Antenna	874-878
186.	Updated Page Rank of Dynamically Generated Research Authors' Pages: A New Idea	879-882
187.	Performance Enhancement of OFDM System by reducing PAPR using DFT Spreading Technique	883-887
188.	Information retrieval system using UNL for multilingual question answering	888-892
189.	Denoising of Digital Images Using Shearlet Transform	893-896
190.	Analysis on High Utility Infrequent Itemsets mining over Transactional Database	897-902
191.	Design Aspects for Upgrading Firmware Of A Resource Constrained Device in the Field	903-907
192.	Fiber Optic Probe for Surface Roughness Measurement of ALM Samples Based on Laser Speckle Intensity	908-912
193.	Design of 2 ⁿ x2 ^m x1 Random Access Memory using Reversible Logic	913-917
194.	FPGA design and implementation of Digital PWM technique for DC-DC Converters	918-920
195.	Novel Design of fast and compact SHA-1 algorithm for Security Applications	921-925
196.	Design and implementation of Fiber Channel Based High Speed Serial Transmitter for data Protocol on FPGA	926-931

197.	Design & Verification of Serial Low-power Inter-chip Media Bus (SLIMbus) Device Controller Supporting MIPI Standard	932-936
198.	Design of drowsiness, heart beat detection system and alertness indicator for driver safety	937-941
199.	Design & Verification of ONFI Complient High Performance NAND Flash Controller	942-945
200.	Design and Implementation of Izhikevich Spiking Neuron Model on FPGA	946-951
201.	Prevention of MITM attack caused by Rogue Router Advertisements in IPv6	952-956
202.	An Area Efficient Multiplexer for Crossbar Arbiter Design Using Quantum Dot Cellular Automata	957-960
203.	Raspberry Pi and iBeacons as Environmental Data Monitors and the potential applications in a growing BigData ecosystem	961-965
204.	Comparative Analysis of K means Clustering using different scheduling algorithms	966-970
205.	Reversible Watermarking In Medical Images Using Histogram Shifting Method with Improved Security and Embedding Capacity	971-975
206.	Analysis of Asthma By Using Mel Frequency Cepstral Coefficient	976-980
207.	Verification environment for PCI target and Wishbone master interface module using System Verilog	981-984
208.	Analysis of Influence of Temperature on 20nm Triangular Bulk FinFET	985-987
209.	Fully Pipelined-Loop unrolled AES with Enhanced Key Expansion	988-992
210.	A Slitted Multiband Monopole Antenna for GPS, WiMAX, WLAN And Satellite Application	993-996
211.	Double Coding Mechanism for Robust Audio Data Hiding in Videos	997-1001
212.	Centralized Cooperative Spectrum Sensing with Energy Detection in Cognitive Radio and Optimization	1002-1006
213.	Smart Acoustic Sensor Deploying Embedded System	1007-1010
214.	Improvement of performance parameters of rectangular patch antenna using metamaterial	1011-1015
215.	Optical Performance Monitor Placement in OTNs Using Link Statistical Model	1016-1019
216.	Energy Efficient Region Based Clustering Algorithm for WSN using Fuzzy Logic	1020-1024
217.	Constraint Data Mining using Apriori Algorithm with AND Operation	1025-1029
218.	Design of Elliptical Antenna For UWB Applications with High Isolation	1030-1033
219.	Design and Simulation of LV PLL with ALF D-Charge Pump in 90 nm CMOS Technology	1034-1038
220.	Power Efficient implementation of MVA-SI on Speech Controlled IoT Systems	1039-1042

	,	
221.	GPS-Enabled Collaborative Sensing in Cognitive Radio Networks for Efficient Spectrum Assignment	1043-1046
222.	Real Time Application of Raspberry Pi in Compression of Images	1047-1050
223.	GUI Implementation of Real Time Feedback System to learn Singing	1051-1054
224.	Personalized Semantic Retrieval of Information from Large Scale Blog data	1055-1059
225.	Sparse Channel Estimation for MIMO-OFDM Systems using Compressed Sensing	1060-1064
226.	Pilot contamination evolved scale linearity for Investigating the impact of inter-user resistivity in massive MIMO with Non-Ideal Hardware	1065-1068
227.	Commissioning of Wireless Bridge Monitoring System (WBMS): A Dedicated Approach for Railway Network	1069-1074
228.	An automated approach for mitigating server security issues	1075-1079
229.	Source Camera Identification Using Noise Residual	1080-1084
230.	Bandwidth analysis and comparison of Slotted patch antenna for wireless applications	1085-1088
231.	Implementation of Multiplexers based Pipelined CORDIC for OFDM systems	1089-1093
232.	SAR Implementation using LFM Signal	1094-1097
233.	Coded Flip-OFDM for Unipolar Communication	1094-1097
234.	M5P Model Tree in Predicting Student Performance : A Case Study	1103-1107
235.	Design and Development of an IOT based wearable device for the safety and security of women and girl children	1108-1112
236.	Web Printing Paper tension control system	1113-1116
237.	Application of Exemplar-Based Inpainting in Depth Image Based Rendering	1117-1121
238.	Design And Simulation Of Symmetrical MLA-PIFA With Metamaterial	1122-1125
239.	A Novel Approach for Extraction and Representation of Main Data from Web Pages to Android Application	1126-1130
240.	Design Of Vedic IEEE 754 Floating Point Multiplier	1131-1135
241.	A Compact Multiband Microstrip Patch Antenna Loaded with CSRR for Wireless Applications	1136-1139
242.	A 1.2V 10-bit 500-MS/s Current Steering DAC in 90nm technology	1140-1144
243.	IoT Based Monitoring and Control of Appliances for Smart Home	1145-1150
244.	Automation of Outage Analysis using Natural Language Processing	1151-1155
245.	Highly Efficient route discovery mechanism with coverage, energy and lifetime considerations	1156-1160
246.	Hyperspectral Image Classification using Spatial-Spectral Features and Machine Learning Approach	1161-1165
247.	Lower and Higher critical Band enhancement to attain Intelligibility improvement in noisy environment	1166-1170

240	Adaptive Blind Deconvolution and Denoising of Motion	1171 1175
248.	Blurred Images	1171-1175
249.	Dynamically Automated Interactive Voice Response System for Smart city Surveillance	1176-1180
250.	A Bluetooth Low Energy Based Beacon System for Smart Short Range Surveillance	1181-1184
251.	Design and Analysis of DMA based Network Interface for NoC's Router	1185-1190
252.	Performance Analysis of Fusion methods for EAR Biometrics	1191-1194
253.	Design and Implementation of Fiber Channel Based High Speed Receiver Protocol for Avionics on FPGA	1195-1200
254.	PAPR and MUI Reduction using novel Bayesian Approach in OFDM based MIMO	1201-1205
255.	Unmixing Of Hyperpectral Image Using Nonlinear Parametric Model	1206-1211
256.	The Secured Data Provenance: Background and Application oriented analysis	1212-1216
257.	Image Sensor Data Fusion Using Factorized Kalman Filter	1217-1220
258.	Enhanced Coherent Optical OFDM FSO Link Using Diversity for Different Weather Conditions	1221-1225
259.	Two-Channel Reconfigurable Digital Receiver For Cloud Radar Applications	1226-1230
260.	Reduction of Harmonics in Induction Motor Drive Using Harmonic Injection Method	1231-1234
261.	Autonomous Ball Grabber Robot	1235-1239
262.	Detection and Prevention of ARP Poisoning in Dynamic IP configuration	1240-1244
263.	Secure and Efficient CoAP Based Authentication and Access Control for Internet of Things (IoT)	1245-1250
264.	Enhancement of PV System Based on Artificial Bee Colony Algorithm under dynamic Conditions	1251-1255
265.	A Novel Method To Summarize and Retrieve Text Documents Using Text Feature Extraction Based on Ontology	1256-1260
266.	Content Based Search Mode Improvement For B Frame in HEVC	1261-1266
267.	Stereo Images for Depth Measurement	1267-1271
268.	Significance of Frame Size and Frame Shift on Vowel on Set Point Detection	1272-1276
269.	Parallel Pipelined FFT Architecture for Real Valued Signals using Radix-2	1277-1281
270.	Cross Layer Design Approach for Energy Optimization in Underwater Acoustic sensor Network	1282-1286
271.	Cluster Based Routing Protocol to Prolong Network Lifetime through Mobile Sink in WSN	1287-1291
272.	CTF Controller for CT scan using Beagle Bone Black	1292-1295
273.	DANES - Distributed Algorithm for Node Energy- management for Self-organizing Wireless Sensor Networks	1296-1301

274.	FPGA based area optimized parallel pipelined Radix-2 ² feed	1302-1307
	forward FFT architecture	
275.	Fake shadow detection using local HOG features	1308-1314
276.	Design & Implementation of Real Time Bio-Signal Acquisition System for Quality Health Care Services for the population of Rural India	1315-1319
277.	Modeling of Epidemic Spread By Social Interactions	1320-1324
278.	Clutter Suppression Techniques to Detect Behind the Wall Static Human using UWB Radar	1325-1329
279.	Ultra Wideband Antennas for High Data Rate and Low Mutual Coupling Using Circular Reflector	1330-1334
280.	Quaternion Based Pointing Algorithm for Two-Axis Gimbal of Micro Aerial Vehicles	1335-1339
281.	Design of Maximally Decimated Linear Phase Orthogonal Filter Bank using Iterative SVD Technique and its Application	1340-1343
282.	Principal Component Analysis based Intrusion Detection Using Support Vector Machine	1344-1350
283.	Improved QRS Detector Using Hybrid MAMEMI Filter	1351-1355
284.	DSB-SC AM based Software Defined Radio(SDR) Design	1356-1360
285.	Prediction of Electrostatic Discharge Soft Failure issue in case of a six layer PCB of a tablet using SIwave tool	1361-1366
286.	Comparative analysis of wideband DOA estimation methods with nested array	1367-1370
287.	Energy Routing Protocol with power utilization optimization in MANET	1371-1374
288.	Performance Evaluation of Omni Directional Cells in the Presence and Absence of Cell Zooming Techniques	1375-1380
289.	Braille Cell Actuator based Teaching System for Visually Impaired Students	1381-1385
290.	LabVIEW Based Tool Condition Monitoring And Control For CNC Lathe Based on Parameter Analysis	1386-1388
291.	Slotted Ground Circular Antenna for Personal Communication System (PCS) & Broadcasting	1389-1392
292.	Modified Synchronizer For The Protection From Metastability	1393-1397
293.	Genetic Algorithm for Energy Harvesting-Wireless Sensor Networks	1398-1402
294.	Demand Side Management And Load Voltage Regulation Using Electric Spring	1403-1406
295.	QT based Patient Setup Display GUI Design for Radiation Oncology Machine on Beagle Bone Black	1407-1410
296.	Improving Projected Clustering Algorithm for High Dimensional Dataset	1411-1415
297.	Efficient Data Gathering in Wireless Sensor Network Using Mobile Sink	1416-1420
298.	Energy analysis of symbiotic organisms search optimization based task scheduling algorithm	1421-1424
299.	EEG based detection of Epilepsy by a Mixed Design Approach	1425-1428

300.	Design of Lightning Acquisition and Smart Triggering Using Kintex-7 FPGA And NI cRIO	1429-1435
301.	Security Enhancement in Group Based Authentication for VANET	1436-1441
302.	Sustainable Agriculture using Eco-friendly and Energy Efficient Sensor Technology	1442-1446
303.	Relay Based Green Communication in Mobile Networks: 1-Dimension Case	1147-1451
304.	Design of Power Line Communication based ICT for Smart Grids	1452-1455
305.	Crop Management of Agricultural Products using Time Series Analysis	1456-1460
306.	Bandwidth Enhancement of Low noise Amplifier using Inductive Source and Distributed Components	1461-1465
307.	Creation of 3D Scene from Raw Text	1466-1469
308.	An Analysis of Head Pose Variation Detection and Recognition in Human Faces	1470-1475
309.	Securing IoT devices using JavaScript based Sandbox	1476-1482
310.	Design and Implementation of Hodgkin and Huxley Spiking Neuron Model on FPGA	1483-1487
311.	Android based sign board detection with image and voice alert system	1488-1491
312.	Character Detection and Recognition System for Visually Impaired People	1492-1496
313.	Implementation of Speech Encryption and Decryption using Advanced Encryption Standard	1497-1501
314.	Video Denoising using Surfacelet Transform	1502-1505
315.	Design and Development of Smart Assistive Device for Visually Impaired People	1506-1509
316.	Fringe Capacitance Model of a Double-Gate MOSFET With Gate Underlap	1510-1513
317.	Design of Configurable Power Efficient 2-Dimensional Crossbar Switch For Network-on-Chip(NoC)	1514-1517
318.	Developing An Application Using Eye Tracker	1518-1522
319.	Distributed Canny Edge Detection Algorithm Using Morphological Filter	1523-1527
320.	U Shaped Multiband Monopole Antenna For Spacecraft, WLAN And Satellite Communication Application	1528-1532
321.	Hybrid MPPT Controller for Accurate and Quick Tracking	1533-1537
322.	Realization of Successful ZVT Operation in a Soft-Transition Converter	1538-1542
323.	AMAC Scheduling: To optimize QOS for DSRC	1543-1549
324.	Green networking using a combination of network virtualization and adaptive link rate	1550-1553
325.	A Swarm Intelligence Technique To Enhance Network Lifetime In WSN	1554-1557
326.	Complexity reduction scheme in encoding and decoding for Polar Codes	1558-1562

327.	An Initiative to Classify Different Neurological Disorder in Children using Multichannel EEG Signals	1563-1566
328.	An Assessment of Support Vector Machine Kernel Parameters using Remotely Sensed Satellite Data	1567-1570
329.	Extraction and Description of Tumour Region from the Brain MRI Image using Segmentation Techniques	1571-1576
330.	Use of Cloud Computing Platforms towards Robotics Applications	1577-1583
331.	Design, Analysis and Performance Comparison of GNRFET based Adiabatic 8-bit ALU	1584-1588
332.	Efficient file sharing system using XMPP (Let's Share)	1589-1593
333.	Automated Traffic Light Control System and Stolen Vehicle Detection	1594-1597
334.	JVM Characterization Framework for Workload Generated as per Machine Learning Benckmark and Spark Framework	1598-1602
335.	A Non Local Approach to De-noise SAR Images Using Compressive Sensing Method	1603-1606
336.	Implementation of Controlled Access Methods for Wireless Communication Using VLSI	1607-1611
337.	A Policy based preventive measure against flooding attack in MANETs	1612-1616
338.	An Electronic System to recognize Heart Diseases based on Heart Sounds	1617-1621
339.	Gain and Bandwidth Enhancement of CPW fed Patch Antenna for wideband applications	1622-1625
340.	Fuel Optimal Air Traffic Control Management System	1626-1631
341.	Design and Optimization of 8 bit ALU using Reversible Logic	1632-1636
342.	Design and Implementation of Ethernet based Analyzer for Avionics serial bus on FPGA	1637-1641
343.	Parameter Analysis of Amorphous Silicon Thin Film Transistors	1642-1646
344.	Co-operative Cyclo-stationary Feature Detection with Universal Filtered Multi-Carrier Spectrum Sensing for Cognitive Radio Network	1647-1650
345.	Load Balanced and Energy Efficient Data Collection Scheme using Data Mule for WSNs	1651-1655
346.	Optimization Of Motorcycle Pitch With Non Linear Control	1656-1660
347.	A Study On Meg for Algorithmic Head Shape Extraction Using Statistical Analysis	1661-1665
348.	Performance Evaluation of Routing Protocols Based on Different Models in MANET	1666-1670
349.	Multi-Band antenna with enhanced gain for Wireless applications	1671-1675
350.	An Advanced thresholding algorithm for diagnosis of glaucoma in fundus images	1676-1680
351.	Proposing the systems to provide protection of vehicles against theft and accident	1681-1685
352.	A novel Approach to avoid malicious attack to enhance network in WSN	1686-1690

353.	Multi algorithm based Landmine Detection using Ground	1691-1694
555.	Penetration Radar	1071 1071
354.	Design and development of new apparatus in VANETs for safety and accident avoidance.	1695-1698
355.	Data Driven Prognosis Approach for Safety Critical Systems	1699-1703
356.	Face Recognition with CLNF for Uncontrolled Occlusion Faces	1704-1708
357.	Space-Fed Microstrip Array with Proximity-Fed Microstrip Antenna Feed Element	1709-1712
358.	Circularly Polarized Sequentially Rotated Gap – Coupled Elliptical Microstrip Antennas Array	1713-1717
359.	Angular Cut Circular Microstrip Antenna for Multi-band Dual Polarized Response	1718-1722
360.	Automatic Product Detection And Smart Billing For Shopping using Li-Fi	1723-1726
361.	Fractional-Order Filter Design for Ultra-Low Frequency Applications	1727-1730
362.	An Automated attendance system using video surveillance camera	1731-1735
363.	A MIMO Antenna : Study on Reducing Mutual Coupling and Improving Isolation	1736-1740
364.	Computer Aided Detection of Abnormal Red Blood Cells	1741-1746
365.	Anemia Detection using Ensemble Learning Techniques and Statistical Models	1747-1751
366.	Synchronous Reference Frame Based Transformer less Single Phase Grid Tie Inverter for DC Bus Power Evacuation	1752-1756
367.	FPGA based robots for industrial security and application	1757-1760
368.	Video based Action Detection and Recognition Human using Optical Flow and SVM Classifier	1761-1765
369.	Multi-Object Tracking using TLD framework	1766-1769
370.	Detection and Identification of Unattended/Removed Objects in Video Surveillance	1770-1773
371.	Design of High Gain Bulk-Driven Miller OTA Using 180nm CMOS Technology	1774-1777
372.	Preprocessing for Image Classification by Convolutional Neural Networks	1778-1781
373.	Reliable Security Policy in Mobile Distributed Network	1782-1786
374.	Impact of Gate Oxide Thickness and Aspect Ratio of Fin Height and Fin Width on Nanoscale Tapered FinFETs	1787-1791
375.	Volume Measurement of Object using Computer Vision	1792-1795
376.	Design and Performance Analysis of Low Frequency CMOS Ring Oscillator Using 90nm Technology.	1796-1801
377.	A Study on Robustness of Block Entropy Based Digital Image Watermarking Techniques with respect to Various Attacks	1802-1806
378.	Classification of Benign and Malignant Bone Lesions on CT Images using Random Forest	1807-1810
379.	Performance Evaluation PL330 DMA Controller for Bulk Data Transfer in ZynqSoC	1811-1815

380.	Study of radiation resistance property of a-IGZO Thin Film Transistors	1816-1819
381.	Design of CPW fed Bow-Tie Slot Antenna for Ground Penetrating Radar Application	1820-1823
382.	Performance Analysis of the MIMO System using the Chaos Shift Keying	1824-1828
383.	IoTEE-An integrated framework for rapid trusted IOT application development	1829-1834
384.	Symmetric Color Image Encryption Algorithm using Fractional D.R.P.M. and Chaotic Baker Map	1835-1840
385.	Speed Control of IPMSM Motor without Rotor Position Sensors based on MRAS Observer with Space Vector Modulation	1841-1845
386.	SoC Implementation of Network Intrusion Detection Using Counting Bloom Filter	1846-1850
387.	Design and Implementation of Line Multiplier	1851-1854
388.	An Improved Image Watermarking Technique Implementing 2-DWT and SVD	1855-1859
389.	A Robust Design of Coplanar Full adder and 4-bit Ripple Carry Adder using Qunatum-dot Cellular Automata	1860-1863
390.	Detection of Brain Tumor using NNE Approach	1864-1868
391.	A Novel Approach For Fast Generation Of Digitally Reconstructed Radiographs To Increase The Automation Of 2D-3D Registration System	1869-1872
392.	VLSI Architecture for delay efficient 32-bit Multiplier using Vedic Mathematic sutras	1873-1877
393.	Hexagonal Surface Coil for 1.5T MRI Scanner	1878-1881
394.	One Time Pad Generation Using Quantum Superposition States	1882-1886
395.	Design of Delay Efficient Modified 16 bit Wallace Multiplier	1887-1891
396.	ECG Arrhythmia Classification using Discrete Wavelet Transform and Artificial Neural Network	1892-1896
397.	Area and Power Efficient Carry - Select Adder	1897-1901
398.	Bio-Inspired Optimization Techniques For Job Scheduling In Grid Computing	1902-1906
399.	Classification of MRI Images in 2D Coronal View and Measurement of Articular Cartilage Thickness for Early Detection of Knee Osteoarthritis	1907-1911
400.	Vision Based Velocity Estimation for Soft Landing of Spacecrafts	1912-1916
401.	Analysis and Design of low-power Reversible Carry Select Adder Using D-Latch	1917-1920
402.	Design and Performance Analysis of Bidirectional TWDM OFDM-PON with wavelength reuse scheme	1921-1924
403.	Efficient Feature Extraction using DCT for Gender Classification	1925-1928
404.	Print Server using Raspberry Pi	1929-1932
405.	Rectangular Microstrip Patch Antenna for Wireless Fidelity Application	1933-1937

406. 407. 408.	Identification of persisting trends in the Indian stock markets using Hurst Exponent Development of Agile Frequency Synthesizer	1938-1942 1943-1945
	Development of Agile Frequency Synthesizer	1943-1945
408.		17 10 17 10
	Reduction In Web Latency Through Novel Prefetching Techniques	1946-1949
409.	High Speed and Area Efficient Single Precision Floating Point Arithmetic Unit	1950-1954
410.	A Novalized VLSI Design and Implementation of EEG Signal Acquisition System	1955-1959
411.	AODV-Based Secure Routing Against Black hole Attack in MANET	1960-1964
412.	Real-Time Implementation of Object Detection and Tracking on DSP for Video Surveillance Applications	1965-1969
413.	An Improved Approach of CBIR using Color Based HSV Quantization and Shape Based Edge Detection Algorithm	1970-1975
414.	An IoT based Smart Inverter	1976-1980
415.	Comparative study of text detection in Natural Scene Images	1981-1985
416.	Optimal Network Performance Gain by Introducing User Control Layer	1986-1988
417.	An HUD for Connected Car for Maintenance and Emergency Intimation	1989-1991
418.	Automated Energy Meter Using Wi-Fi Enabled Raspberry Pi	1992-1994
419.	Drift Diffusion Modeling and Simulation of Four Terminal Ballistic Rectifier	1995-1998
420.	A Non-invasive Blood Pressure Monitoring System	1999-2001
421.	Optimization and fabrication of Amorphous silicon based TFT	2002-2004
422.	Time dispersion parameters for single bounce 2D geometrical channel including rain fading effect	2005-2009
423.	Design & Implementation of High Speed Low Power Scan Flip-Flop	2010-2014
424.	Detecting Fraudulent Words: Using PFCM Clustering	2015-2017
425.	Performance Investigation of Kerr effects on to WDM Fiber Optical Networks	2018-2022
426.	Pipelined 8-bit RISC Processor Design using Verilog HDL on FPGA	2023-2027
427.	IRIS Biometrics Survey 2010-2015	2028-2033
428.	Design and Performance Evaluation of a Dual-Band Antenna for the 5G Mobile Communication	2034-2036
429.	Application of Compressed Sensing on Magnetic Resonance Imaging: A brief Survey	2037-2041
430.	Portable Attendance System Integrated with Learning Management System like Moodle	2042-2046
431.	Preserving Privacy of Source Location using Random walk: A Survey	2047-2051
432.	An Ameliorated Methodology for the Design of Panoptic Work Process Flow Diagram Optimization of Electric Stresses in High Voltage System of	2052-2055
132.		

434.	32 bit RISC Processor with Floating Point Unit for DSP Applications	2062-2066
435.	I-Vector Based Depression Level Estimation Technique	2067-2071
436.	APS: Dynamic Platform Selector for Big Data analysis	2072-2076
437.	Topological Analysis of K-Connected MANETs using Connectivity Index, Randic and Euclidian Energy	2077-2082
438.	Location Based Privacy Preserving Access Control for Relational Data	2083-2087
439.	Multiple-Valued-Logic(MVL) Based Combinational Building Blocks	2088-2092
440.	Opportunistic Routing Technique for Minimized Energy Consumption for relay node selection in wireless sensor networks	2093-2097
441.	A Novel Method of Wideband Acquisition and Anti-Sideband Lock in PM Receivers using FFT	2098-2101
442.	Email classification using adaptive ontologies Learning	2102-2106
443.	Improving The Performance of DL Massive MIMO in The Presence of Composite Fading	2107-2111
444.	A Low Cost Short Haul Plastic Optical Fiber Link For Home Networking Applications	2112-2115
445.	8-Channel Wavelength Division Multiplexing (WDM) with zero BER	2116-2119
446.	Design of portable electronic instrument for detection of urea in milk by fabrication of urea sensor using ZnO nanoparticles	2120-2124
447.	Implementation of Operand Decomposition in Signed Logarithmic Multipliers	2125-2129
448.	Design and Performance Analysis of FEC schemes in OFDM Communication System	2130-2134
449.	Double Input Soft-Transition DC-DC Converter for Photo-Voltaic Applications	2135-2139
450.	A packet error techniques to optimize overall network lifetime in WSN	2140-2143
451.	Design of a qudruple band printed monopole antenna using ENG metamaterial antenna	2144-2147

Author Index