

2016 11th International Conference on Advanced Semiconductor Devices & Microsystems (ASDAM 2016)

**Smolenice, Slovakia
13 – 16 November 2016**



**IEEE Catalog Number: CFP16469-POD
ISBN: 978-1-5090-3084-2**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16469-POD
ISBN (Print-On-Demand):	978-1-5090-3084-2
ISBN (Online):	978-1-5090-3083-5

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

CONTENTS

Theme/Authors	Page
Threshold voltage instabilities in AlGaIn/GaN MOS-HEMTs with ALD-grown Al₂O₃ gate dielectrics: Relation to distribution of oxide/semiconductor interface state density M. Ťapajna, L. Válik, D. Gregušová, K. Fröhlich, F. Guemann, T. Hashizume, and J. Kuzmík	1
Pseudo-vertical GaN-based trench gate metal oxide semiconductor field effect transistor R. Hentschel, A. Wachowiak, A. Grosser, A. Jahn, U. Merkel, A. Wille, H. Kalisch, A. Vescan, S. Schmult, and T. Mikiolajick	5
DC and pulsed IV characterisation of AlGaIn/GaN MOS-HEMT structures with Al₂O₃ gate dielectric prepared by various techniques F. Guemann, D. Gregušová, L. Válik, M. Ťapajna, Š. Haščik, K. Hušeková, K. Fröhlich, O. Pohorelec and J. Kuzmík	9
Analysis of Hybrid Pair Si IGBT-SiC diode for Very High Power Applications M. Nawaz, F. Chimento	13
SiO₂/4H-SiC Interface Traps Effects on the Input Capacitance of DMOSFET G. D. Licciardo. L. Di Benedetto	19
Optimization of semi-insulating GaAs detector for thermal neutron detection A. Šagátová, B. Zaťko, K. Sedláčková, V. Nečas, P. Boháček	23
Towards III-nitride nano-LED based single photon emitters: technology and applications H. Hardtdegen, M. Mikulics	27
GaAs-based photodetector with applied PDMS membrane with photonic crystal in the surface D. Pudiš, M. Tlaczala, L. Suslik, W. Dawidowski, B. Sciana, J. Kovač, J. Kovač jr., M. Goraus, P. Gašo, J. Ďurišová, I. Zborowska-Lindert	33
Improving Light Extraction Efficiency of PhC LED P. Hronec, J. Kováč, J. Škriniarová, J. Kováč jr., F. Uherek	37
Photoluminescence of InGaIn/GaN MQW structures – technological aspects A. Hospodková, J. Pangrác, J. Oswald, K. Kuldová, M. Ziková, and E. Hulicius	41
Electrical Characterization of MIS Photoanodes Annealed Under Different Conditions for Solar Fuel Generation M. Mikolášek, J. Racko, V. Řeháček, L. Harmatha, M. Ťapajna, and K. Fröhlich	45
Electro-Physical 2-D/3-D TCAD Analysis of Reduce The Temperature-related Negative Effects on Silicon Heterojunction Solar Cell for Concentrated Photovoltaic P. Příbytný, M. Mikolášek, J. Marek, A. Chvála, and D. Donoval	49

Polymer 3D photonic crystals for LED	53
M. Goraus, D. Pudiš, P. Gaso, L. Suslik, D. Jandura	
GaAsSb/InAs QDs structures for advanced telecom lasers	57
M. Zíková, A. Hospodková, J. Pangrác, J. Oswald, and E. Hulicius	
Minimization of Self-Heating in SOI MOSFET Devices with SELBOX Structure	61
M. Narayanan, H. Al-Nashash	
Highly reliable long-term operation of AlGaIn/GaN/AlN HFETs grown on silver substrate	65
A. Fox, M. Mikulics, M. Marso, M. Kočan, Z. Sofer, P. Kordoš, H. Lüth, J. Schubert, D. Grützmacher and H. Hardtdegen	
InGaIn mesoscopic structures for low energy consumption nano-opto-electronics	69
H. Lüth, M. Mikulics, A. Winden, St. Trelenkamp, Z. Sofer, M. Marso, D. Grützmacher and H. Hardtdegen	
Electrical and optical characterization of freestanding Ge₁Sb₂Te₄ nano-membranes integrated in coplanar strip lines	73
M. Mikulics, M. Marso, R. Adam, M. Schuck, A. Fox, R. Sobolewski, P. Kordoš, H. Lüth, D. Grützmacher and H. Hardtdegen	
Hybrid Optoelectronics Based on a Nanocrystal/III-N Nano-LED Platform	77
M. Marso, M. Mikulics, H. Lüth, Z. Sofer, P. Kordoš and H. Hardtdegen	
Fabrication of UV sources for novel lithographical techniques: development of nano-LED etching procedures	81
J. Moers, M. Mikulics, M. Marso, St. Trelenkamp, Z. Sofer, D. Grützmacher and H. Hardtdegen	
The effect of process parameters and annealing on the properties of Ti/Pt films for miniature temperature sensors	85
I. Hotový, Š. Haščík, M. Predanocy, M. Mikolášek, V. Řehaček, I. Kostič, P. Nemeč, A. Benčurová, D. Rossberg, L. Spiess	
Multi-bit Adder Design using a ME-MTJ technology	89
N. Sharma, A. Marshall, J. Bird, P. Dowben	
Technology of AlSb/GaSb based LED nanostructures for high temperature superlinear luminescence	93
E. Hulicius, A. Hospodková, J. Pangrác, M. Zíková	
3D energy harvester with tunable resonant frequency	97
V. Janicek	
Reducing Crosstalk in the Internal Structures of Integrated Circuits	101
J. Novak, J. Foit	
Magnetically Levitated and Guided Systems	105
F. Puci	

Model of the Triboelectric Generator	109
M. Husák, A. Bílý	
Gas Analyzer for Quick Indicative Measurements	113
M. Husák, A. Laposa, J. Kroutil	
Acoustic Method for Respiratory Monitoring	117
J. Kroutil, A. Laposa, M. Husák, R. Sio	
Gas sensor based on sputtered NiO thin films	121
M. Predanocy, I. Hotový, V. Řehaček	
Gold nanoisland arrays prepared by sputtering and bio-functionalization of their surfaces	125
O. Szabó, V. Tvarožek, S. Kováčová, I. Novotný	
Study of Repetitive Avalanche Stress Invoked Degradation of Electrical Properties of DMOS and TrenchMOS Transistors	129
J. Marek, Ľ. Stuchlíková, M. Jagelka, A. Chvála, P. Príbytný, M. Donoval and D. Donoval	
Study of negative electron beam nanoresist HSQ on GaAs substrate	133
R. Andok, A. Benčurová, I. Kostic, A. Ritomský, J. Škriniarová, K. Vutova	
Simple patterning method of sub-micro- and nanometer structures for gas sensor	137
P. Ďurina, A. Benčurová, M. Truchlý, R. Andok, I. Kostič, B. Grančič, A. Plecenik, P. Kúš, K. Vutova, E. Koleva	
Particle detectors based on 4H-SiC epitaxial layer and their properties	141
B. Zaňko, L. Hrubčín, A. Šagátová, P. Boháček, F. Dubecký, K. Sedlačková, M. Sekáčová, J. Arbet, V. Nečas, V. A. Skuratov	
Investigation of AlGaIn/GaN Schottky Structures by Deep Level Fourier Transient Spectroscopy with Optical Excitation	145
Ľ. Stuchlíková, A. Kósa, R. Szobolovszky, M. Petrus, L. Harmatha, S. L. Delage, J. Kováč	
DLTFS study of InGaAs/AlInAs heterostructures grown on n-InP:S substrates	149
A. Kósa, Ľ. Stuchlíková, L. Harmatha, J. Kováč, M. Badura, K. Bielak, B. Sciana, M. Tlaczala	
Impedance characterisation of NiO based gas sensor	153
M. Mikolášek, M. Predanocy, P. Jom, I. Hotový	
Schottky contact metallization stability on AlGaIn/GaN heterostructure during the diamond deposition process	157
O. Babchenko, G. Vanko, J. Dzuba, T. Ižák, M. Vojs, T. Lalinský and A. Kromka	
Characterization and gas sensor testing of single and mixed metal oxides based on NiO and TiO₂ thin films	161
I. Hotový, M. Predanocy, M. Mikolášek, P. Benko and V. Řehaček	

3-D Device and Circuit Electrothermal Simulations of Power Integrated Circuit Including Package	165
A. Chvála, P. Benko, P. Příbytný, J. Marek and D. Donoval	
Analysis and modeling of the electric field in the Gate oxide of 4H-SiC DMOSFET	169
L. Di Benedetto, G. D. Licciardo and A. Rubino	
Impact of repetitive UIS on modern GaN power devices	173
J. Marek, L. Stuchlíková, M. Jagelka, A. Chvála, P. Příbytný, M. Donoval, and D. Donoval	
Post-deposition annealing and thermal stability of integrated self-aligned E/D-mode n++GaN/InAlN/AlN/GaN MOS HEMTs	177
M. Blaho, D. Gregušová, Š. Haščik, A. Seifertová, M. Ťapajna, J. Šoltýs, A. Šatka, L. Nagy, A. Chvála, J. Marek, J. Priesol and J. Kuzmík	
Scaling and Traps Induced Degradation of Cutoff Frequency in GaN HEMT	181
B. C. Ubochi, S. Faramehr, K. Ahmeda, P. Igič, and K. Kalna	
Trap analysis in GaN-based heterostructures using current transients measurements	185
M. Florovič, J. Škriniarová, D. Gregušová, J. Kováč, P. Kordoš	
Temperature-dependent of sub-threshold slope of AlGaIn/GaN MOSHFETs with HfO₂ gate oxide prepared by ALD	189
R. Stoklas, D. Gregušová, K. Fröhlich, and J. Kuzmík	
Nanocrystalline diamond films for electronic monitoring of gas and organic molecules	193
A. Kromka, T. Ižák, M. Davydova, B. Rezek	
Modeling the I-V-T characteristics of 4H-SiC DMOSFET in presence of SiO₂/SiC interface traps and fixed oxide	199
G. D. Licciardo, L. Di Benedetto, A. Rubino	
The Effect of Self-Heating and Electrical Stress Induced Polarization in AlGaIn/GaN Heterojunction Based Devices	203
K. Ahmeda, S. Faramehr, P. Igič, K. Kalna, S. J. Duffy, A. Soltani, B. Benbakhti	
Effect of HCl pretreatment on the oxide/semiconductor interface state density in AlGaIn/GaN MOS-HEMT structures with MOCVD grown Al₂O₃ gate dielectric	207
M. Ťapajna, K. Hušeková, O. Pohorelec, L. Válik, Š. Haščik, F. Gucmann, K. Fröhlich, D. Gregušová, and J. Kuzmík	
RF performance optimization of SiGe:C transistors via Ge-B doping strategies and RTP	211
A. M. Yarimbiyik, D. I. Öksüz, E. Cesur	
Silicon carbide thin films deposited by PECVD technology for applications in photoelectrochemical water splitting devices	215
J. Huran, P. Boháček, V. Sasinková, A. Kleinová, M. Mikolášek, A.P. Kobzev, L. Hrubčín, J. Arbet, and M. Sekáčová	

Investigation of metal contacts on semi-insulating GaAs: physics, technology and applications	219
F. Dubecký, G. Vanko, D. Kindl, P. Hubík, E. Gombia, P. Boháček, M. Sekáčová, B. Zaňko	
Nanostructuring by femtosecond laser ablation and RIE for MEMS and microfluidic systems fabrication	223
J. Zehetner, G. Vanko, J. Dzuba, T. Lalinský	
Strain induced response of AlGaIn/GaN high electron mobility transistor located on cantilever and membrane	227
J. Dzuba, G. Vanko, O. Babchenko, T. Lalinský, F. Horvát, M. Szarvas, T. Kováč, B. Hučko	
Electrical Properties of Back-to-Back Metal/Insulator/Semiconductor Diodes Based on AlGaIn/GaN heterostructure	231
J. Osvald	
Evaluation of TIGBT field stop layer generated by helium implantation	235
R. Pechal, L. Dorňák, J. Vavro, A. Kozelský, A. Klimsza	
Incremental Control Techniques for Layout Modification	239
P. Vacula, V. Kotě, A. Kubačák, M. Lžičaj, R. Zelený, M. Husák, J. Jakovenko	
The influence of ozone pre-treatment in HfO₂-based resistive switching memory structures	243
P. Benko, M. Mikolášek, L. Harmatha, K. Fröhlich	
Author Index	247