

---

# Sensors for Safety and Security

---

## Editors:

### **E. L. Brosha**

Los Alamos National Laboratory  
Los Alamos, New Mexico, USA

### **B. Chin**

Auburn University  
Auburn, Alabama, USA

### **S. Minteer**

The University of Utah  
Salt Lake City, Utah, USA

### **M. T. Carter**

KWJ Engineering Inc.  
Denver, Colorado, USA

### **J. Li**

Nasa Ames Research Center  
Moffett Field, California, USA

### **A. Simonian**

Auburn University  
Auburn, Alabama, USA

## Sponsoring Divisions:



**Sensor**



**Physical and Analytical Electrochemistry**



**New Technology Subcommittee**



Published by

**The Electrochemical Society**

65 South Main Street, Building D  
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

[www.electrochem.org](http://www.electrochem.org)

**ecstransactions**™

**Vol. 45, No. 16**

---

Copyright 2013 by The Electrochemical Society.  
All rights reserved.

This book has been registered with Copyright Clearance Center.  
For further information, please contact the Copyright Clearance Center,  
Salem, Massachusetts.

Published by:

The Electrochemical Society  
65 South Main Street  
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902  
Fax 609.737.2743  
e-mail: [ecs@electrochem.org](mailto:ecs@electrochem.org)  
Web: [www.electrochem.org](http://www.electrochem.org)

ISSN 1938-6737 (online)  
ISSN 1938-5862 (print)  
ISSN 2151-2051 (cd-rom)

ISBN 978-1-62332-022-5 (PDF)  
ISBN 978-1-60768-373-5 (Softcover)

Printed in the United States of America.

---

***ECS Transactions, Volume 45, Issue 16***  
Sensors for Safety and Security

**Table of Contents**

<i>Preface</i>	<i>iii</i>
Towards the Design of an Acetone Breath Biosensor <i>N. Z. Hausmann, M. T. Meredith, S. D. Minteer</i>	1
Humidity Tolerance of Electrochemical Hydrogen Safety Sensors Based on Yttria-Stabilized Zirconia (YSZ) and Tin-doped Indium Oxide (ITO) <i>L. Y. Woo, R. S. Glass, E. L. Brosha, R. Mukundan, F. H. Garzon, W. J. Buttner, M. B. Post, C. Rivkin, R. Burgess</i>	19
Author Index	33