

---

# Chemical Sensors 10 -and- MEMS/NEMS 10

---

## Editors:

**A. Simonian**

Auburn University  
Auburn, Alabama, USA

**M. Carter**

KWJ Engineering, Inc.  
Newark, California, USA

**N. Miura**

Kyushu University  
Kasuga-shi, Japan

**Y. Shimizu**

Nagasaki University  
Nagasaki, Japan

**P. Srinivasan**

Texas Instruments Incorporated  
Dallas, Texas, USA

**P. Vanysek**

Northern Illinois University  
DeKalb, Illinois, USA

**P. J. Hesketh**

Georgia Institute of Technology  
Atlanta, Georgia, USA

**B. Chin**

Auburn University  
Auburn, Alabama, USA

**L. Nagahara**

National Cancer Institute  
Bethesda, Maryland, USA

**S. Uchiyama**

Saitama Institute of Technology  
Saitama, Japan

**K. B. Sundaram**

University of Central Florida  
Orlando, Florida, USA

**N. Wu**

West Virginia University  
Morgantown, West Virginia, USA

**Z. Aguilar**

Ocean NanoTech  
Springdale, Arkansas, USA

**G. Hunter**

NASA Glenn Research Center  
Cleveland, Ohio, USA

**M. Sailor**

University of California  
La Jolla, California, USA

**A. Londergan**

Qualcomm MEMS Technologies  
San Jose, California, USA

**O. Tabata**

Kyoto University  
Kyoto, Japan

## Sponsoring Divisions:

**Sensor****Dielectric Science & Technology****Electronics and Photonics****Physical and Analytical Electrochemistry**

Published by

**The Electrochemical Society**

65 South Main Street, Building D  
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

[www.electrochem.org](http://www.electrochem.org)

**ecs**transactions™**Vol. 50, No. 12**

---

Copyright 2012 by The Electrochemical Society.  
All rights reserved.

This book has been registered with Copyright Clearance Center.  
For further information, please contact the Copyright Clearance Center,  
Salem, Massachusetts.

Published by:

The Electrochemical Society  
65 South Main Street  
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902  
Fax 609.737.2743  
e-mail: [ecs@electrochem.org](mailto:ecs@electrochem.org)  
Web: [www.electrochem.org](http://www.electrochem.org)

ISSN 1938-6737 (online)  
ISSN 1938-5862 (print)  
ISSN 2151-2051 (cd-rom)

ISBN 978-1-62332-011-9 (Hardcover)  
ISBN 978-1-60768-360-5 (PDF)

Printed in the United States of America.

---

## Table of Contents

*Preface* *iii*

### Chapter 1 Nano/Bio Sensors

Phytosensors and Phytoactuators <i>A. G. Volkov, M. I. Volkova, and V. S. Markin</i>	3
Miniature Enzymatic Biosensors for Tear Glucose Measurement in Capillary Tubes <i>B. Peng, Q. Yan, A. Balijepalli, B. Cohan, T. C. Major, and M. E. Meyerhoff</i>	13
Time Sensors: Circadian Rhythms in Biologically Closed Electrochemical Circuits of Plants <i>A. J. Waite, J. D. Wooten, V. S. Markin, and A. G. Volkov</i>	23
Immobilization of Enzymes and Redox Proteins and Their Electrochemical Biosensor Applications <i>V. Mani, B. Devadas, S. Chen, and Y. Li</i>	35
Signal Optimization for Salmonella Typhimurium Detection on Food Surfaces Using Phage-Based Biosensors <i>Y. Chai, S. Li, S. Horikawa, M. Park, V. Vodyanoy, and B. A. Chin</i>	43
Bio-Inspired Autonomous Sentinel System for Screening Invasive Pathogens <i>S. Li, H. Wikle III, Y. Chai, M. Park, S. Horikawa, and B. A. Chin</i>	53
New Multimode Sensors Based on Nanostructured Materials for Simultaneous Screening of Biological Fluids for Specific Breast Cancer and Hepatitis B Biomarkers <i>R. I. Stefan - van Staden and M. Enachescu</i>	61
Performance of Optimized Phage-Based Magnetoelastic Biosensors for Salmonella Typhimurium Detection on Tomatoes <i>M. Park, S. Li, K. Weerakoon, S. Horikawa, Y. Chai, N. Hiremath, V. A. Petrenko, and B. A. Chin</i>	69

Development of Electrochemical Cantilever Sensors for DNA Applications <i>X. Quan, A. Heiskanen, Y. Sun, A. Labuda, A. Wolff, J. Jorge Dulanto, P. Grutter, M. Tenje, and A. Boisen</i>	77
Fabrication of Minimally-Invasive Patch Type Glucose Sensors <i>M. Yasuzawa, S. Sato, H. Nakanishi, and K. Edagawa</i>	83
Flexprint Substrate Enzyme Sensor for Determination of Daily Glucose-Profiles of Diabetic Patients <i>P. D. van der Wal, P. Hadvary, H. Tschirky, and N. F. de Rooij</i>	89
Nanodiamond Microelectrode Array with Mesa Structure Fabricated for Bio-Analytical Applications <i>S. Raina, W. Kang, and N. Ghosh</i>	93
Electrical Impedance Sensors for Cancer Cell Study <i>L. Yang</i>	101
Terahertz Chemical Imaging of a Multicomponent Tablet in Pharmaceutical Applications <i>K. Ajito, Y. Ueno, H. Song, J. Kim, E. Tamechika, N. Kukutsu, W. Limwikrant, K. Yamamoto, and K. Moribe</i>	109

## **Chapter 2**

### **Gas and Liquid Phase Chemical Sensors**

(Sensor Division Outstanding Achievement Award Presentation) Ceramic Gas Sensors to Oxide Nanostructures: Opportunities and Challenges <i>S. A. Akbar</i>	119
Selectivity Enhancement of YSZ-based VOC Sensor Utilizing SnO <sub>2</sub> /NiO-SE Via the Application of a Physical Gas-Diffusion Barrier <i>T. Sato, M. Breedon, and N. Miura</i>	129
Rapid and Simple Immunoassay Based on Negative Dielectrophoresis with Three-Dimensional Interdigitated Array Electrodes <i>T. Yasukawa, H. Shiku, T. Matsue, and F. Mizutani</i>	139
Bismuth-Film Electrodes for Sn <sup>2+</sup> Sensing: The Roles of Grain Size, Preferred Orientation Ratio, and Surface Roughness <i>C. H. Lien, C. Hu, Y. Tsai, and D. Wang</i>	147

High-Throughput Separation Assay for NO Metabolites in Blood Using Microfluidic Electrophoresis <i>S. Wakida, T. Miyado, K. Shimazu, Y. Shibutani, T. Mizukami, K. Nose, and A. Shimouchi</i>	165
Effects of Surface Modification of Noble-Metal Electrodes with Au on the H <sub>2</sub> -Sensing Properties of Diode-Type Gas Sensors <i>T. Hyodo, T. Yamashita, and Y. Shimizu</i>	171
Potentiometric YSZ-Based Sensors Using Zn-Ta-O-Based Sensing Electrode for Selective H <sub>2</sub> Detection <i>S. A. Anggraini, M. Breedon, and N. Miura</i>	179
Solid Electrolyte Type Ammonia Gas Sensor with High Water Durability <i>S. Tamura, T. Nagai, and N. Imanaka</i>	189
Direct Comparison of Anti-Interference Property for Bimetallic PtAu, PtIr, and PtRu Nanoparticle Catalysts in Amperometric Detection for H <sub>2</sub> O <sub>2</sub> Based Biosensors <i>M. Janyasupab, Y. Zhang, C. Liu, and C. Liu</i>	195
A High-Throughput Assay for Evaluation of Embryoid Bodies Using Local Redox Cycling-Based Electrochemical Chip Device <i>K. Ino, T. Nishijo, Y. Kanno, H. Shiku, and T. Matsue</i>	205
Printed Amperometric Gas Sensors <i>M. T. Carter, J. R. Stetter, M. W. Findlay, and V. Patel</i>	211
Interaction of Water Vapor with SnO <sub>2</sub> Sensor Materials: A Comparison of DRIFTS and Resistance Measurements <i>R. G. Pavelko, K. Grossmann, N. Barsan, and K. Shimano</i>	221
Development of Micro Hydrogen Gas Sensor Utilizing Polymerized Gel with Ionic Liquid as a Solvent <i>T. Yamauchi, T. Matsui, T. Nishiyama, K. Tsunashima, N. Tsubokawa, and S. Harada</i>	231
The Influences of Quenching Times on the Property of Thermal Oxidized Iridium pH Sensor <i>F. Huang, Y. Jin, L. Wen, D. Mu, and M. Cui</i>	237
Surface-Enhanced Raman Scattering on Ordered Metal Nanodot Array Obtained Using Anodic Porous Alumina <i>T. Kondo, K. Nishio, and H. Masuda</i>	249

Enzyme-Encapsulated Quantum Dot Hydrogels in the Development of Biosensors: A Multifunctional Platform for Both Bio-Catalysis and Fluorescent Probing <i>J. Yuan, N. Gaponik, and A. Eychmüller</i>	255
Adaptive Chemical Sampling Device Inspired by Crayfish <i>R. Takemura, K. Takahashi, T. Makishita, and H. Ishida</i>	259
CO Sensing Properties of Electrochemical Gas Sensors Using an Anion-Conducting Polymer as an Electrolyte <i>T. Goto, T. Hyodo, K. Kaneyasu, H. Yanagi, and Y. Shimizu</i>	267
NO <sub>2</sub> Sensing Properties of Porous In <sub>2</sub> O <sub>3</sub> -Based Powders Prepared by Utilizing Ultrasonic-Spray Pyrolysis Employing PMMA Microsphere Templates: Effects of the Size of the PMMA Microspheres on Their Gas-Sensing Properties <i>E. Fujii, T. Hyodo, K. Matsuo, and Y. Shimizu</i>	273
Redox-Active Alkali Insertion Materials as Inner Contact Layer in All-Solid-State Ion-Selective Electrodes <i>S. Komaba, C. Suzuki, N. Yabuuchi, T. Akatsuka, S. Kanazawa, and T. Hasegawa</i>	279
Sensing Characteristics of a Fiber Bragg Grating Hydrogen Gas Sensor Using Sol-Gel Derived Pt/WO <sub>3</sub> Film <i>S. Okazaki, Y. Maru, and T. Mizutani</i>	289
Zirconia-Based Electrochemical Oxygen Sensor for Accurately Determining Water Vapor Concentration <i>R. E. Soltis</i>	295
Fabrication of Surface Enhanced Raman Scattering (SERS)-Active Substrates by Using Dip-Pen Nanolithography <i>F. P. Lee, K. Chao, K. H. Hsieh, and K. Ou</i>	301
Application of Commercial Manufacturing Methods to Mixed-Potential NO <sub>x</sub> Sensors <i>C. R. Kreller, P. K. Sekhar, W. Li, P. Palanisamy, E. L. Brosha, R. Mukundan, and F. H. Garzón</i>	307
Research on Filter Materials for LP Gas Sensors <i>M. Sai, K. Shinnishi, K. Kaneyasu, T. Suzuki, and M. Takeuchi</i>	315

### Chapter 3 Chemical Sensors Poster Session

Characterization and Electrochemical Response of Sonogel Carbon Electrode Modified with Nanostructured TiO <sub>2</sub> and ZrO <sub>2</sub> Film to Detect Common Neurotransmitters <i>S. K. Lunsford, M. K. Hughes, and P. K. Nguyen</i>	321
Functionalization of Pyrolyzed Carbon Structures for Bio-Nanoelectronics Platforms <i>M. Hirabayashi, B. Mehta, A. Khosla, and S. Kassegne</i>	325
Self-Assembled Monolayers of Oligonucleotides as Receptor Layers for Mercury Ion Sensor <i>L. Górski, R. Ziolkowski, and E. Malinowska</i>	333
Development of Highly-Sensitive Electrochemical Measurement System on Dry Chemistry Using Ionic Liquid <i>S. Arimoto, M. Takahashi, A. Kamei, and T. Yoshioka</i>	339
Layer-by-Layer Catalytic Interface for Electrochemical Detection of Multiple Substrates Featuring Bio-Functionalized Carbon Nanotubes <i>J. S. Kirsch, X. Yang, and A. L. Simonian</i>	345
Chalcogenide Glass Chemical Sensor for Cadmium Detection in Industrial Environment <i>M. Milochova, M. Kassem, and E. Bychkov</i>	357
Electrochemical Pump Consisting of Cu <sup>2+</sup> -Poly(Acrylic Acid) Gel <i>K. Takada, N. Yamamura, A. Hayashi, T. Yasui, and A. Yuchi</i>	363
Superoxide Anion Radical Sensor Using GC Electrode Modified with Heparin/PEDOT and Polymerized Iron Porphyrin <i>R. Matsuoka, T. Kondo, and M. Yuasa</i>	369
High Sensitive Amperometric Detection of Glucose Using Conductive DLC Electrode in Higher Potential Region <i>K. Honda, A. Nakahara, H. Naragino, and K. Yoshinaga</i>	377
New Application of Produced Pigment from Bacteria to Detect Ammonia in Combination with Flow Injection for Ammonia Analysis <i>Y. Iida and I. Satoh</i>	385
Electrochemical Immunosensor for Diagnostic of Parasitological Human Diseases <i>C. A. Erdmann, J. Inaba, A. G. Viana, C. A. Pessoa, K. Wohnrath, and J. R. Garcia</i>	393

Preparation of Fine Implantable Needle Type Biosensors for Blood Vessel Glucose Monitoring <i>K. Edagawa and M. Yasuzawa</i>	401
---	-----

#### **Chapter 4 Micro/Nanofabrication**

Micro-Systems and Nanotechnologies in ELISA and Droplet Generation Applications <i>C. Yeh and Y. Lin</i>	409
Wafer Scale Processing of Plasmonic Nanoslit Arrays in 200mm CMOS Fab Environment <i>K. Malachowski, R. Verbeeck, T. Dupont, C. Chen, Y. Li, S. Musa, T. Stakenborg, D. Sabuncuoglu Tezcan, and P. Van Dorpe</i>	413
Tunable Young's Modulus in Carbon MEMS Using Graphene-Based Stiffeners <i>C. M. Washburn, T. Lambert, J. Blecke, D. Davis, P. S. Finnegan, B. G. Hance, D. R. Wheeler, T. E. Beechem, T. M. Alam, M. T. Brumbach, and J. M. Strong</i>	423
Residue-Free Dry Etching of Polymer Sacrificial Layer for Microelectromechanical-System Device Fabrication <i>K. Takagahara, K. Ono, K. Kuwabara, T. Sakata, H. Ishii, Y. Sato, and Y. Jin</i>	435
Hydrodynamic Cell Enrichment in Double Spiral Microfluidic Channels <i>J. Sun, M. Li, C. Liu, G. Hu, and X. Jiang</i>	441

#### **Chapter 5 Cantilevers and Microdevices**

Nano/Micro Patterned Phononic Crystals <i>B. Kim, J. Nguyen, C. Reinke, M. Ziaei-Moayyed, I. El-Kady, D. Goettler, M. Su, Z. C. Leseman, and R. H. Olsson III</i>	449
Photothermal Cantilever Deflection Spectroscopy <i>S. Kim, D. Lee, R. Thundat, M. Bagheri, S. Jeon, and T. Thundat</i>	459
Development of Insulated Conductive AFM Probes for Experiments in Electrochemical Environment <i>Y. Wu, T. Akiyama, P. D. van der Wal, S. Gautsch, and N. F. de Rooij</i>	465
Characterization of Piezoresistive Microcantilever Sensors with Metal Organic Frameworks for the Detection of Volatile Organic Compounds <i>I. Ellern, A. Venkatasubramanian, J. Lee, P. J. Hesketh, V. Stavilla, M. D. Allendorf, and A. L. Robinson</i>	469



Manipulation of Micro Condensed Matter by Direct Peeling Method by Using Atomic Force Microscope Tip <i>A. Kawai</i>	477
A MEMS-Based Platform for Multi-Physics Characterization of Ultra-Thin Freestanding Films <i>M. Haque, S. Kumar, and M. Alam</i>	487
Effects of Adsorbate Surface Diffusion in Focused Electron-Beam-Induced-Deposition <i>A. Szkudlarek, M. Gabureac, and I. Utke</i>	495
Electroplating of Micropatterned Nickel Phase Gratings for X-ray Phase Contrast Tomography <i>M. Amberger, K. Bade, J. Meiser, D. Kunka, and J. Mohr</i>	499
Impact of Donor Dopant on Acceptor Solubility in TlBr <i>S. R. Bishop and H. L. Tuller</i>	507
Microfabricated Systems to Measure Marine Variables <i>S. Aravamudhan and S. Bhansali</i>	513

**Chapter 6**  
**MEMS/NEMS Poster Session**

Micropatternable, Electrically Conducting Polyaniline Photoresist Blends for MEMS Applications <i>C. V. Patel, A. Khosla, and S. Kassegne</i>	525
Author Index	537