

2017 IEEE Compound Semiconductor Integrated Circuit Symposium (CSICS 2017)

**Miami, Florida, USA
22-25 October 2017**



**IEEE Catalog Number: CFP17GAA-POD
ISBN: 978-1-5090-6071-9**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP17GAA-POD
ISBN (Print-On-Demand):	978-1-5090-6071-9
ISBN (Online):	978-1-5090-6070-2
ISSN:	1550-8781

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

HYBRID CMOS SYSTEM-ON-CHIP/INP MMIC SYSTEMS FOR DEEP-SPACE PLANETARY EXPLORATION AT MM-WAVE AND THZ	1
<i>Adrian Tang ; Theodore Reck</i>	
DIGITAL POST-CORRECTION ON DYNAMIC NONLINEARITY IN GAN HEMT TRACK-AND-HOLD SAMPLING CIRCUITS	5
<i>Sungwon Chung ; Puneet Srivastava ; Xi Yang ; Tomás Palacios ; Hae-Seung Lee</i>	
TRANSIENT THERMOREFLECTANCE WAFER MAPPING FOR PROCESS CONTROL AND DEVELOPMENT: GAN-ON-DIAMOND	9
<i>James W. Pomeroy ; Roland B. Simon ; Callum Middleton ; Martin Kuball</i>	
A CW 20W KA-BAND GAN HIGH POWER MMIC AMPLIFIER WITH A GATE PITCH DESIGNED BY USING ONE-FINGER LARGE SIGNAL MODELS	13
<i>Yutaro Yamaguchi ; Jun Kamioka ; Masatake Hangai ; Shintaro Shinjo ; Koji Yamanaka</i>	
ULTRA-HIGH BANDWIDTH INP IQ MODULATORS FOR NEXT GENERATION COHERENT TRANSMITTER	17
<i>Yoshihiro Ogiso ; Josuke Ozaki ; Yuta Ueda ; Shigeru Kanazawa ; Hiromasa Tanobe ; Shinsuke Nakano ; Hiroshi Yamazaki ; Takuro Fujii ; Eiichi Yamada ; Nobuhiro Nunoya ; Nobuhiro Kikuchi</i>	
A RECONFIGURABLE S-/X-BAND GAN CASCODE LNA MMIC	21
<i>Kevin W. Kobayashi ; Charles Campbell ; Cathy Lee ; Justin Gallagher ; John Shust ; Andrew Botelho</i>	
PACKAGED 7 GHZ GAN MMIC DOHERTY POWER AMPLIFIER	25
<i>David Gustafsson ; Andreas Leidenhed ; Kristoffer Andersson</i>	
SILICON-PHOTONICS-BASED COHERENT OPTICAL SUBASSEMBLY (COSA) FOR ULTRA-COMPACT COHERENT TRANSCEIVER	29
<i>Kiyofumi Kikuchi ; Ken Tsuzuki ; Shin Kamei ; Shogo Yamanaka ; Shuichiro Asakawa ; Toshihiro Itoh ; Yusuke Nasu ; Kotaro Takeda ; Kentaro Honda ; Yuriko Kawamura ; Makoto Jizodo ; Masayuki Takahashi ; Mitsuo Usui ; Hiroyasu Mawatari ; Takashi Saida</i>	
THE INTERPLAY OF THERMAL, TIME AND POOLE-FRENKEL EMISSION ON THE TRAP-BASED PHYSICAL MODELING OF GAN HEMT DRAIN CHARACTERISTICS	32
<i>Chung-Hsu Chen ; Robert Sadler ; Dave Wang ; Daniel Hou ; Yuefei Yang ; Wing Yau ; Shiguang Wang ; Mo Wu ; Tingyi Wu ; Rex Chen ; Benjamin Ou</i>	
FULLY DIFFERENTIAL HIGH INPUT POWER HANDLING ULTRA-WIDEBAND LOW NOISE AMPLIFIER FOR MIMO RADAR APPLICATION	36
<i>M. Sakalas ; P. Sakalas ; N. Joram ; F. Ellinger</i>	
HARMONIC DISTORTION ANALYSIS OF INP HBTS WITH 650 GHZ f_{MAX} FOR HIGH DATA RATE COMMUNICATION SYSTEMS	40
<i>P. Sakalas ; M. Schroter ; T. Nardmann ; H. Zirath</i>	
GAN DEVICE-CIRCUIT INTERACTION ON RF LINEAR POWER AMPLIFIER DESIGNED USING THE MVSG COMPACT MODEL	44
<i>Pilsoon Choi ; Ujwal Radhakrishna ; Dimitri Antoniadis ; Eugene A Fitzgerald</i>	
10W POWER AMPLIFIER AND 3W TRANSMIT/RECEIVE MODULE WITH 3 DB NF IN KA BAND USING A 100NM GAN/SI PROCESS	48
<i>Ahmed Gasmí ; Majid El Kaamouchi ; Julien Poulain ; Bertrand Wroblewski ; François Lecourt ; Gulnar Dagher ; Peter Frijlink ; Rémy Leblanc</i>	
ULTRA-LOW POWER MOSFET AND TUNNELING FET TECHNOLOGIES USING III-V AND GE	52
<i>Shinichi Takagi ; Mitsuru Takenaka</i>	
GAN NON-UNIFORM DISTRIBUTED POWER AMPLIFIER MMICS — THE HIGHS AND LOWS (INVITED)	56
<i>Charles F. Campbell</i>	
AN AC COUPLED 10 GB/S LVDS-COMPATIBLE RECEIVER WITH LATCHED DATA BIASING IN 130 NM SIGE BICMOS	60
<i>Brandon Mathieu ; Jamin J. McCue ; Brian Dupaix ; Vipul J. Patel ; Steven Dooley ; James Wilson ; Hossein Miri Lavasani ; Waleed Khalil</i>	
LAYOUT OPTIMIZATIONS FOR THZ INTEGRATED CIRCUIT DESIGN IN BULK NANOMETER CMOS	64
<i>Wouter Steyaert ; Patrick Reynaert</i>	

A 5–15 GHZ STACKED I/Q MODULATOR WITH 15–19 DBM OP_{1DB} AND 26–30 DBM OIP₃ IN 45 NM SOI CMOS	68
<i>Samet Zahir ; Gabriel M. Rebeiz</i>	
BALANCED ACTIVE FREQUENCY MULTIPLIERS IN D AND G BANDS USING 250NM INP DHB T TECHNOLOGY	72
<i>Sona Carpenter ; Zhongxia Simon He ; Herbert Zirath</i>	
INNOVATIVE SUBMICRON THERMAL CHARACTERIZATION METHOD FOR ALGAN/GAN POWER HEMTS WITH HYPERSPECTRAL THERMOREFLECTANCE IMAGING	76
<i>G. Brocero ; D. Kendig ; A. Shakouri ; Y. Guhel ; Ph. Eudeline ; J-P Sipma ; B. Boudart</i>	
UHF POWER CONVERSION WITH GAN HEMT CLASS-E2 TOPOLOGIES	80
<i>José A. García ; M. Nieves Ruiz ; David Vegas ; María Pampín ; Ángel Mediavilla</i>	
ELECTRO-THERMAL CHARACTERIZATION OF GAN HEMT ON SI THROUGH SELFCONSISTENT ENERGY BALANCE-CELLULAR MONTE CARLO DEVICE SIMULATIONS	84
<i>Alvaro D. Latorre-Rey ; Ky Merrill ; John D. Albrecht ; Marco Saraniti</i>	
CHARACTERISTICS OF SUBSTRATE-INDUCED LOW FREQUENCY OSCILLATIONS IN GAAS HBT DEVICES AND CIRCUITS	88
<i>Masaya Iwamoto ; Craig P. Hutchinson ; Beatrix Luk ; T. S. Low ; Donald C. D'Avanzo</i>	
MMICS FOR NEXT GENERATION RADAR	92
<i>Ali M. Darwish ; Kenneth McKnight ; John Penn ; Edward Viveiros ; Abigail Hedden ; H. Alfred Hung</i>	
A NOVEL TWO-DIMENSIONAL CHANGEOVER GAN MMIC SWITCH FOR ELECTRICALLY SELECTABLE SPDT MULTIFUNCTIONAL DEVICE	96
<i>Hiroshi Mizutani ; Ryo Ishikawa ; Kazuhiko Honjo</i>	
NUMERICAL ANALYSIS OF THE THERMAL BEHAVIOR SENSITIVITY TO TECHNOLOGY PARAMETERS AND OPERATING CONDITIONS IN IN GAP/GAAS HBTS	100
<i>A. P. Catalano ; A. Magnani ; V. D'Alessandro ; L. Codecasa ; N. Rinaldi ; B. Moser ; P. J. Zampardi</i>	
A 56 GB/S PAM-4 LINEAR TRANSIMPEDANCE AMPLIFIER IN 0.13-μM SIGE BICMOS TECHNOLOGY FOR OPTICAL RECEIVERS	104
<i>Shanthi Bhagavatheeswaran ; Terry Cummings ; Eric Tangen ; Matt Heins ; Richard Chan ; Craig Steinbeiser</i>	
ARTIFICIAL NEURAL NETWORKS FOR COMPOUND SEMICONDUCTOR DEVICE MODELING AND CHARACTERIZATION	108
<i>Jianjun Xu ; David E. Root</i>	
3D/INKJET-PRINTED MILLIMETER WAVE COMPONENTS AND INTERCONNECTS FOR COMMUNICATION AND SENSING	112
<i>Apostolos Georgiadis ; John Kimionis ; Manos M. Tentzeris</i>	
INALN/GAN HEMT USING MICROWAVE ANNEALING FOR LOW TEMPERATURE OHMIC CONTACT FORMATION	116
<i>Lung-I Chou ; Li-Yi Peng ; Hsiang-Chun Wang ; Hsien-Chin Chiu ; How-Ting Wang ; Dong-Long Chiang ; Jen-Inn Chyi</i>	
IC CALIBRATION KITS AND DE-EMBEDDING TECHNIQUES FOR SUB-MM-WAVE DEVICE CHARACTERIZATION	119
<i>M. Spirito ; L. Galatro</i>	
SCALEABLE VANADIUM DIOXIDE SWITCHES WITH SUBMILLIMETERWAVE BANDWIDTH: VO₂ SWITCHES WITH IMPROVED RF BANDWIDTH AND POWER HANDLING	123
<i>Chris Hillman ; Phil Stupar ; Zach Griffith</i>	
A FULLY DECOUPLED LC TANK VCO BASED 16 TO 19 GHZ PLL IN 130NM SIGE BICMOS ACHIEVING -131DBC/HZ PHASE NOISE AT 10MHZ OFFSET	127
<i>Bodhisatwa Sadhu ; Scott K. Reynolds</i>	
WIDEBAND HIGH POWER SPDT AND SP3T GAN MMIC SWITCHES IN LOW-COST OVERMOLDED PLASTIC PACKAGE	131
<i>Tuong Nguyen ; Valiallah Zomorrodian ; Thi Ri Mya Kywe</i>	
DESIGN OF MONOLITHIC SILICON PHOTONICS AT 25 GB/S	135
<i>Jason S. Orcutt</i>	
A FULLY-INTEGRATED 94-GHZ 16-ELEMENT DUAL-OUTPUT PHASED-ARRAY TRANSMITTER IN SIGE BICMOS WITH PSAT>6.5 DBM UP TO 105 C	139
<i>Wooram Lee ; Çağlar Özdağ ; Yigit Aydogan ; Jean-Olivier Plouchart ; Mark Yeck ; Alper Cabuk ; Asim Kepkep ; Emre Apaydin ; Alberto Valdes-Garcia</i>	
HIGH SPEED DATA CONVERTERS AND THEIR APPLICATIONS IN OPTICAL COMMUNICATION SYSTEM	143
<i>Delong Cui ; Jun Cao ; Ali Nazemi ; Tim He ; Guansheng Li ; Burak Catli ; Kangmin Hu ; Heng Zhang ; Ben Rhew ; Shiwei Sheng ; Yonghyun Shim ; Bo Zhang ; Afshin Momtaz</i>	

HIGH PERFORMANCE N-POLAR GAN HEMTS WITH OIP3/PDC ~12DB AT 10GHZ	147
<i>A. Arias ; P. Rowell ; J. Bergman ; M. Urteaga ; K. Shinohara ; X. Zheng ; H. Li ; B. Romanczyk ; M. Guidry ; S. Wienecke ; E. Ahmadi ; S. Keller ; U. Mishra</i>	
SIGE BICMOS PROCESSES FOR COMMERCIAL RF FRONT-END-MODULE APPLICATIONS	150
<i>E. Preisler ; K. Moen ; J. Zheng ; P. Hurwitz ; S. Chaudhry ; M. Racanelli</i>	
90MW, 4.4VP-P, 11.35GB/S MZM DRIVER ENABLING LOW-POWER TUNABLE TRANSMITTER FOR SFP+ MODULE APPLICATION	154
<i>Thé Linh Nguyen ; Lionel Li ; Gilberto Salamanca ; Osamu Mizuhara</i>	
HEMT MODEL WITH INTERNAL NODES ACCESS AND CUSTOM CDS FUNCTION FOR AMPLIFIER DESIGN	157
<i>Faramarz Kharabi</i>	
A 660 GHZ UP-CONVERTER FOR THZ COMMUNICATIONS	161
<i>William R. Deal ; Kevin Leong ; Alexis Zamora ; Ben Gorospe ; Khanh Nguyen ; Xiao Bing Mei</i>	
ADC-BASED RECEIVER DESIGNS: CHALLENGES AND OPPORTUNITIES	165
<i>Ali Sheikholeslami</i>	
DESIGN TECHNIQUES FOR 32.75GB/S AND 56GB/S WIRELINE TRANSCEIVERS IN 16NM FINFET	169
<i>Didem Turker ; Parag Upadhyaya ; Jay Im ; Stanley Chen ; Yohan Frans ; Ken Chang</i>	
THZ INP BIPOLAR TRANSISTORS-CIRCUIT INTEGRATION AND APPLICATIONS	173
<i>M. Urteaga ; Z. Griffith ; R. Pierson ; P. Rowell ; A. Young ; J. Hacker ; B. Brar ; S. K. Kim ; R. Maurer ; M. J. W Rodwell</i>	
GALLIUM OXIDE TECHNOLOGIES AND APPLICATIONS	177
<i>Gregg Jessen ; Kelson Chabak ; Andrew Green ; Neil Moser ; Jonathan McCandless ; Kevin Leedy ; Antonio Crespo ; Steve Tetlak</i>	
TECHNOLOGY OPTIONS FOR MM-WAVE TEST AND MEASUREMENT EQUIPMENT	181
<i>David Disanto ; Timothy Shirley ; Robert Shimon</i>	
NANOSTRUCTURED GAN TRANSISTORS	187
<i>Nadim Chowdhury ; Tomás Palacios</i>	
COPLANAR WAVEGUIDE PERFORMANCE COMPARISON OF GAN-ON-SI AND GAN-ON-SIC SUBSTRATES	190
<i>Lina Cao ; Chien-Fong Lo ; Hugues Marchand ; Wayne Johnson ; Patrick Fay</i>	
DC-62 GHZ 4-PHASE 25% DUTY CYCLE QUADRATURE CLOCK GENERATOR	194
<i>Naftali Weiss ; Stefan Shopov ; Peter Schvan ; Pascal Chevalier ; Andreia Cathelin ; Sorin P. Voinigescu</i>	
DESIGN AND LINEARITY ANALYSIS OF A D-BAND POWER AMPLIFIER IN 0.13 μM SIGE BICMOS TECHNOLOGY	198
<i>Z. Hu ; G. Sarris ; C. De Martino ; M. Spirito ; E. McCune</i>	
CURRENT CONTOURS BASED IMN DESIGN METHODOLOGY FOR BROADBAND GAN DOHERTY POWER AMPLIFIERS	202
<i>Kasyap Patel ; Hamed Golestaneh ; Slim Boumaiza</i>	
A 28 GHZ 480 ELEMENTS DIGITAL AAS USING GAN HEMT AMPLIFIERS WITH 68 DBM EIRP FOR 5G LONG-RANGE BASE STATION APPLICATIONS	206
<i>Toshihide Kuwabara ; Noriaki Tawa ; Yuichi Tone ; Tomoya Kaneko</i>	
39GHZ GAN FRONT END MMIC FOR 5G APPLICATIONS	210
<i>Bumjin Kim ; Vivian Zhi-Qi Li</i>	
TESTBED FOR PHASED ARRAY COMMUNICATIONS FROM 275 TO 325 GHZ	214
<i>Thomas Merkle ; Axel Tessmann ; Michael Kuri ; Sandrine Wagner ; Arnulf Leuther ; Sebastian Rey ; Martin Zink ; Hans-Peter Stulz ; Markus Riessle ; Ingmar Kallfass ; Thomas Kürner</i>	
RAYTHEON HIGH POWER DENSITY GAN TECHNOLOGY	218
<i>Robert Leoni ; Nicholas Koliass ; Patrick Jablonski ; Fikret Altunkilic ; Elliott Johnson ; William Bourcy</i>	
A COMPACT, 37% FRACTIONAL BANDWIDTH MILLIMETER-WAVE PHASE SHIFTER USING A WIDEBAND LANGE COUPLER FOR 60-GHZ AND E-BAND SYSTEMS	222
<i>Navid Hosseinzadeh ; James F. Buckwalter</i>	
A FULLY-INTEGRATED S/C BAND TRANSMITTER IN 45NM CMOS/ 0.2GM GAN HETEROGENEOUS TECHNOLOGY	226
<i>Matthew Larue ; Brian Dupaix ; Shahriar Rashid ; Taylor Barton ; Todd James ; Wil Gouty ; Paul Watson ; Tony Quach ; Waleed Khalil</i>	

Author Index