

2017 Progress in Electromagnetics Research Symposium - Fall (PIERS – FALL 2017)

**Singapore
19-22 November 2017**

Pages 1-791



**IEEE Catalog Number: CFP17M48-POD
ISBN: 978-1-5386-1212-5**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP17M48-POD
ISBN (Print-On-Demand):	978-1-5386-1212-5
ISBN (Online):	978-1-5386-1211-8

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Contents

ACS-fed Multiband Antenna Loaded with Staircase Radiating Strips for Wireless Communication Systems	26
A Newly Proposed Multi-band Rectangular Patch Antenna Using Defected Ground Structures	31
Study about Ionospheric Effects Induced by Irregularities on MEOSAR Range Imaging Quality	37
Compact Transparent Conductive Oxide Based Dual Band Antenna for Wireless Applications	41
Evidence-theory-based Collaborative Spectrum Sensing with Efficient Creditability Evaluation in Cognitive Radio Networks	46
Dual-band Microstrip Patch Antenna Array for 5G Mobile Communications	55
A Low Cost Tri-band Microstrip Patch Antenna for GPS Application	60
CW Interference Effects on the Performance of GPS Receivers	66
A Pencil Drawing Algorithm Based on Wavelet Transform Multiscale	73
A Novel Method for Weak Target Detection under Strong Jamming	80
An Equivalent Circuit Model for a Compact OLRN Based Notch Filter	88
A CSEB Subspace-based Optimization Method for Reconstruction of Uniaxial Anisotropic Objects ...	93
A 2.45 GHz Transparent Antenna for Wearable Smart Glasses	99
Fluorescent Study of Human Health and Septic Albumin Doped with Ag Nanoparticles	103
Ytterbium Nanoparticles Fabricated by fs-laser Ablation Raman Spectroscopy Study	106
Magnetic Properties of Nanoparticles Prepared from α -Fe Target by Laser Ablation in Liquids	109
An Analysis of MSF-OFDM Based Waveform Design for MIMO Imaging Radar	114
A High Gain Patch Antenna Using Negative Permeability Metamaterial Structures	119
A Fork-like Dual-band Antenna with an Inverted U-shaped Parasitic Element for WLAN and WIMAX Applications	124
Compact Two Pole Metamaterial Bandpass Filter Using Inverted IDC, Meander Line and Rectangular Stub for WiMAX Application	128
Compact Folded Patch Antenna for UHF RFID	132
A Novel Accessional Phase Compensation Method for InSAR Imaging under Squint Mode	135
An Omni-directional Elliptical Ring Dielectric Resonator Antenna Excited with C-shaped Feed for Wideband Applications	141
Three-element Homogeneous Layer of Cylindrical Dielectric Resonator Antenna for Wideband Applications	146
Low-temperature Sintered $\text{SrCo}_{1.5}\text{Ti}_{1.5}\text{Fe}_9\text{O}_{19}$ Ferrite for High-frequency Antenna Application	151
Electromagnetic Properties of La-Co Substituted Zn_2Y Type Hexagonal Ferrite for Microwave Device Applications	157
Improved Compressive Sensing of Microwave Induced Thermo-acoustic Tomography for Breast Tumor Detection	164
Imaging under Irregular Surface Using Microwave Holography	172

Measurement and Compensation of Frequency-dependent Antenna Phase Center Position for Microwave Holography Applications	178
Frequency Content of Carrier Oscillations along B-DNA Polymers	186
Macroscopic Characterization of Materials Using Microwave Measurement Methods — A Survey	194
Dielectric Spectroscopy Technique for Carbohydrate Characterization of Fragrant Rice, Brown Rice and White Rice	205
Phase Interference Dependent Single PhC Based Logic Gate Structure with T-shaped Waveguide as XOR, NOT and OR Logic Gates	210
Broadband Metamaterial Microwave Absorber for X-Ku band Using Planar Split Ring-slot Structures	215
Free-space Measurement Using Explicit, Reference-plane and Thickness-invariant Method for Permittivity Determination of Planar Materials	222
Resonances and Different Recording Times on Electromagnetic Scalar and Vector Potentials	229
Comparison of Discrete and Distributed In-line Raman Amplifiers in a 16 Channel DWDM Transmission System	236
Equivalent Circuit Model Perspective on Coupled Inverted-L Antenna Design	242
A New Functional Model for Wireless Communication Class-AB Solid-state Bipolar Power Amplifiers and Its Applications: Part I Intermodulation Performance	245
Harmonic and Intermodulation Performance of a Radio-frequency Plasma Capacitor	252
Design of Closely Spaced Dipole Array Based on Characteristic Modes	258
Isolation Enhancement of a Two-element MIMO Antenna Array Using Rotated E-shaped Resonators	262
Sparse-aware Least Sum of Exponentials Algorithms for Sparse System Identification	266
A Study on Leaf Area Index and SAR Image of Oil Palm with Entropy Decomposition and Deep Learning Classification	271
A Low Mutual Coupling MIMO Antenna Array with Periodic Crossing Electromagnetic Band Gap ...	279
A Mixing Matrix Estimation Algorithm for Frequency Hopping Signals under the UBSS Model	284
Vehicles Detection Experiments with Ka-band FMCW ISAR	291
Performance Verification and Testing for Micro Deformation Detection Radar	295
Numerical Method for Electromagnetic Wave Propagation Problem in a Cylindrical Anisotropic Inhomogeneous Waveguide with Longitudinal Magnetization	299
A Compact Bandpass Substrate Integrated Waveguide (SIW) Filter with Compact Microstrip Resonant Cell (CMRC) Resonators	306
Beam Wander of Multi-Gaussian Schell-model Hermite-Gaussian Beam in Atmospheric Turbulence ...	311
Scintillation Effects of HF Electromagnetic Waves and New Type MHD Waves in F Region of the Ionosphere	317
Wide-stopband Compact Pseudo-interdigital over Coupled Bandpass Filter with SIR and Open-stub Structure	324
Optical Encoding System Using Sparse Pinhole Arrays for Optical Information Processing	330
A Novel Compact Two Element MIMO Antenna with Pie Shaped Slot Structure for Dual Band Applications	336
Hybrid Multi-corridor Path-loss Model for Locating Radio Sources under Rubble	342
Modified Direction-of-arrival Estimation Approach of Virtual Antenna Array Based on Fourth Order Statistics	346
RS232 Interface in the Process of Electromagnetic Infiltration	350
Classification of the Electromagnetic Effects of Information Devices during High Power Microwave Exposing	357
Analysis of Methods for Determining Distinctive Features for PC Hardware Interfaces Based on Radiated Emissions	364

Analysis of Electromagnetic Compatibility during the Liberation of Car Airbag	371
A New Functional Model for Wireless Communication Class-AB Solid-state Bipolar Power Amplifiers and Its Applications: Part II Predistortion Circuit	376
Solving Magnetohydrodynamic Free Convection Problems in Complex-shaped Cavities by the R-functions Method	381
A 2D Visualization Algorithm for a Single-element Doppler Blood Flow Velocity Sensor Data	386
The Statistical Properties of a Hermite-Gaussian Correlated Schell-model Beam in a Gradient-index Fiber	391
Hermite-Gaussian Correlated Schell-model Pulsed Beam	397
A Non-axisymmetric Structure Multistage Depressed Collector for Sheet Beam VEDs	403
PolSAR Image Classification Using Generalized Scattering Models	408
An Improved Underdetermined Blind Source Separation of Frequency Hopping Signals Based on Subspace Projection	413
Parameter Estimation of Polynomial-phase Signal Using the Hybrid LvHAF	417
Research on Scheduling Strategy of Non-Binary LDPC Codes Decoding	422
Shielding Effectiveness Required for IT Equipment Enclosures	427
Measurement Uncertainty of Shielding Effectiveness	432
RF Circuits Commutator for EMC Laboratories	438
Car Microstrip GPS Antenna	444
Analytical Performance Evaluation of Massive MIMO Systems with 1-bit DACs	449
Experimental Generation of Dark Solitons in an All Normal Dispersion Ytterbium Doped Fiber Laser	455
Design and Analysis of Slotted Antenna Array for 5G Application	459
Eliminating Errors Due to Position Uncertainty in Coaxial Airline Based Measurement of Material Parameters	464
Design and Analysis of Checkerboard Surface for RCS Reduction in X-band	468
Effect of Resistivity of ITO Thin Film When Used in Transparent Checkerboard Surfaces for RCS Reduction	473
A 0.1–6 GHz Digital Controlled Variable Gain Low Noise MMIC Amplifier	477
Interference Alignment Based on Rank Constraint for MIMO Cognitive Interference Channel	482
A 50–62 GHz Compact Subharmonic Passive Mixer MMIC with Low Conversion Loss	490
An Improved Point Cloud Registration Three-Stage (3S) Method Using RGB-D Camera	496
Imaging of Maritime Rotation Targets in Spaceborne SAR Image	503
A Low Noise S-band Image Rejection Mixer Based on Enhancement Mode pHEMT	508
A Broadband Third-order Antenna-filter-antenna Based Frequency Selective Surface at High Oblique Angle of Incidence	513
Geometrical Characteristics Based Building Height Extraction from VHR SAR Imagery	519
Characterization and Modeling of Curvature Sensor for Microwave Measurements	524
Cognitive Cooperative-jamming Decision Method Based on Bee Colony Algorithm	531
Study of a Water-immersed Ultra-wide Band Microstrip Patch Antenna	538
Multiresonator-based Chipless RFID System for Low-cost Application	543
A D-band SiGe Differential Amplifier with 20 dB Power Gain and 30 GHz Bandwidth	548
Wave Propagation Coefficients in Non-Maxwellian Plasma	553
Formation of Phase Vortices by Means of Holograms with Asymmetric Pattern	559
The High Gain Frequency- and Radiation Pattern-reconfigurable Antenna Based on Meta-surface	565

Maximum-sensitivity Method for Minimizing Uncertainty in the Measurements of Permittivity of a Cylindrical Dielectric Sample in a Rectangular Waveguide	570
Design of Propagation Testnode for LoRa Based Wireless Underground Sensor Networks	579
Optimization of Magnetic Actuators Using Competition Over Resources Algorithm	584
A Wideband Conformal Slot Antenna for GPS Application	589
Performance Analysis of 2×2 MIMO Antenna with Meta-material for Ultra-wideband Applications ..	593
Influence of Dispersion Slope Compensation on 40 Gbit/s WDM-PON Transmission System Performance with G.652 and G.655 Optical Fibers	598
Analysis of Orbital Angular Momentum Electromagnetic Wave Propagation Based on Circular Antenna Array	605
Doppler Spectrum for Composite Scattering of Time-evolved Ship-generated Waves	610
A Modified Robust Algorithm against Large Look Direction Error Based on Interference-plus-noise Covariance Matrix Reconstruction and Steering Vector Double Estimation	615
Real-valued Root-MUSIC Algorithm with Forward/Backward Averaging	621
An Improved Cluster Labeling Algorithm Based on Vector Similarity in Radar Signal Sorting	625
Terahertz Integrated Waveguide Sensor Based on a Metal Rod Array for Phase Sensitive Fluid Detection	630
Classification of Drones Based on Micro-doppler Signatures with Dual-band Radar Sensors	638
Image Reconstruction Using Single-pixel Color Ghost Imaging	644
Realization of High-precision Phase Generated Carrier Demodulation Algorithm with Ellipse Fitting Algorithm Based on FPGA	649
Superpixel-based Segmentation for Multi-temporal PolSAR Images	654
Research on RF Signal Reconstruction and Parameter Estimation Algorithm Based on Compressed Sensing	659
Precession Period Estimation Using Sinusoidal Frequency Modulated Fourier-Bessel Series Expansion ..	664
3-D Band-stop FSS for X-band and Ku-band	671
Low-frequency Breakdown of the Potential Integral Equations and Its Remedy	676
Spurious Radiation Suppression in Slotted Hexagonal Antenna Using Complementary Split Ring Resonators	683
Principle Investigation of Thermal Tunable Hg-metamaterial	689
The Parameter Design for High-performance Digital PGC Demodulation Technique	693
Classification of Chinese GaoFen-3 Fully-polarimetric SAR Images: Initial Results	700
A 2.1 ps RMS Jitter MEMS-based Temperature Stable Timing Device with Single Point Calibration Temperature Sensor	706
Combing Single Shot MultiBox Detector with Transfer Learning for Ship Detection Using Chinese Gaofen-3 Images	712
Numerical Dispersion Analysis of Radial Point Interpolation Meshless Method	717
Effects of Losses and Phase Mismatch on Transient Processes in Optical Parametric Amplification through Three-wave Mixing of Ordinary and Backward Electromagnetic Waves	720
A Novel Rhombus Shaped ACS Fed Multi Band Antenna Loaded with Meander Branches for Advanced Communication Applications	724
Conjugate Gradient Method Applied to Inverse Scattering with No Prior Information on Incident Field	731
A Novel Compact Unequal Wideband Wilkinson Power Divider for UWB and EW Applications	737
Passive RFID Tag with Multiple Resonators for Object Tracking	742
Compact Monopole Antenna with Metamaterial Ground Plane	747

Emissivity-area Product and Temperature Estimation Based on Infrared Signature Model of Exo-atmosphere Objects	751
Compact Band Pass Filter Using Triangular Open Loop Resonator	757
CubeSat Mission for Ionosphere Mapping and Weather Forecasting Using Chip-scale Atomic Clock ...	761
Effect of Phase Modulator on the Performance in a Delayed Modified Heterodyne Lock Loop	767
A 1.2 GHz Bandwidth Digital Backend for Pulsar Observation	772
Tunable Microstrip Bandpass Filter Based on Cascade Quadruplet Topology	777
A Quad-band Antenna with Easily Controlled Bands for Wireless Locations/WLAN/WiMAX/SATCOM Applications	780
A Directional, Low-profile Zero-Phase-Shift-Line (ZPSL) Loop Antenna for UHF Near-field RFID Applications	786
Reputation-based Beta Reputation System against SSDF Attack in Cognitive Radio Networks	792
Wideband, Stub-loaded Cross-dipole Reflectarray Elements for Ku Band	800
3D-printed FSS Using Printing Filaments with Enclosed Metal Particles	808
Comparison of E-textile Dipole and Folded Dipole Antennas for Wearable Passive UHF RFID Tags ...	812
Embroidered Passive UHF RFID Tag on Flexible 3D Printed Substrate	818
A Photonics-assisted Instantaneous Frequency Measurement Receiver	823
Washing Reliability of Painted, Embroidered, and Electro-textile Wearable RFID Tags	828
Travelling Salesman Problem for UAV Path Planning with Two Parallel Optimization Algorithms ...	832
Anti-spoofing Algorithm Based on Adaptive Kalman Filter for High Dynamic Positioning	838
Long-range Mobile Communication over Sea Utilizing Evaporation Duct	846
Study on Response Characteristics of Multi-conductor Transmission Lines in Noisy Environment	851
Estimation of the Direction-of-Arrival of Incoming EM Wavefronts through a Neural Network Approach	858
Microstrip Diplexer and Triplexer Using Mixed Directed-feed and Coupled-feed Line Coupled-resonator Filters	861
Design of Electromagnetic Wave Absorbers Using Frequency Selective Surfaces	866
Investigation of Electromagnetic Compatibility between DVB-T/T2 and LTE 700 for Co-channel Case	875
Efficient ECC Scalar Multiplication Algorithm Based on Symmetric Ternary in Wireless Sensor Networks	879
System for Metered Wireless Power Transfer for Low Voltage Application	886
Radar Target Identification Using a DTV-based Passive Radar in South Korea	892
The Effect of Fabric Conductors on the Microstrip Antennas with Textile Patches	896
Broadband and High Gain Multiband Patch Antenna Designs Using Corrugated Split Ring Resonators	902
A Novel Ship Detection Method Based on Shannon Entropy in Chinese Gaofen-3 Fully Polarimetric SAR Images	909
Improved Bandwidth Four Branch Microstrip Coupler Using Lumped and Distributed Elements	917
Study of a Compact Dual-band Ultrathin Polarization Independent Metamaterial Absorber for C- and X-band Applications	924
Absorbing Boundary Conditions in Leapfrog ADI-FDTD Method	929
Gaofen-3 Sea Ice Detection Based on Deep Learning	933
Micro-motion Feature Extraction Based on Bayesian Inference	940
Study on One Stage Angular Log-periodic Meander Line Traveling-wave Tube	947
Analysing the Spectral Response of Resonant Structures at THz Frequencies	951
Using a Multiscale Toroidal Element to Model a Hydrogen Atom	956

A Numerical Model of the Spiral Gradient Magnetic Field in Selected Water Samples	961
An Experiment to Assess the Response of the Human Organism to Changes in Low-level Magnetic Fields	966
The Electromagnetic Properties of a Resonant Structure Formed from Inorganic or Organic Elements ..	970
Analysis of HPM Pulse with Use of Data Base	975
Jamming Resource Allocation Aimed to Data Link Based on Simulant Annealing Algorithm	981
Analysing the Responses of Layered Materials with Varied Parameters	988
Numerical Study on Complex Resistivity Measurement of Porous Media Containing Gas Hydrate	993
Simulation of HPM DS 110 Generator Antenna Reflector Modification	999
Analysis of the Effect of YEE Cell Size on the Results of Calculation of Antenna Parameters and Characteristics Using FDTD Method	1005
Design of a Compact Broadband Planar Spiral Antenna Backed by an Absorbing Cavity	1009
Combining Wavelets and Mathematical Morphology to Detect Changes in Time Series	1015
An MMSE-EIC Equalization for FBMC/OQAM Systems	1021
Electromagnetic Two-dimensional Scattering Database for Verifying Inversion Algorithms	1026
A Broadband Tapered Slot Antenna for Microwave Imaging Application	1031
Pulsed Microwave Sensor on Heavily Doped Semiconductor Substrate	1037
Making and Evaluation of Breast Cancer Phantom for Microwave Mammography	1043
Human Body Exposure to Low Frequency Wireless Charging: Direct Coupling Mechanisms and Interferences with Medical Devices	1048
A Revised Polarimetric Calibration Method for GF-3 SAR with Active Radar Transponder	1055
Influence of Spatial Scale Effect on High Resolution SAR Radiometric Calibration	1059
Numerical Simulation of the Open Ring Resonators with Non-axially-symmetrical Reflecting Surfaces ..	1064
Problem of Detecting Space Debris Objects Using Multi-position Radar System	1069
Scattering Features of Space Debris Objects for Multi-position Radar System	1074
An FPGA Based 1.6 GHz Cross-correlator for Synthetic Aperture Interferometric Radiometer	1078
A Chromatic Aberration Correction Method for RGB LED Based on PWM	1086
Design of Joint Structure for Upper Limb Exoskeleton Robot System	1092
An Acquisition and Processing Method for the Key Parameters of Electromagnetic Relays	1096
Investigation of Uniaxial Dielectric Anisotropy of Textile Fabrics and Its Influence over the Wearable Antennas' Behaviour	1101
A Coordinate Transformation Algorithm for GPS Navigation and Positioning System	1109
A Hardware and Software Design for an Image Acquisition Module	1113
An Efficient Image Feature Extraction Approach Based on Discrete Information Coding Matrix Algorithm	1118
Comparison of Power Efficiency and Signal Regeneration Impact in the SLR DWDM Transmission Systems with Different Spectral Band	1122
A New Method for Helicopter Classification Based on InISAR under LFM CW Radar	1128
Total Array Pattern Characteristics of Coplanar Vivaldi Antenna in <i>E</i> -plane with Different Element Width for S and C Band Application	1136
A Blind Source Extraction Algorithm Based on ICA-R for Underdetermined Anechoic Mixtures	1144
Dual Mode Circularly Polarised Patch Antenna Exited by Dual Mode Defected Ground Square Ring Resonator	1152
Reduction of Surface to Line Integrals in Matrix Elements for Arbitrarily Oriented Surface Elements: The Vector Green Function	1156

A Digital Transmitter for Contact-less In-vehicle Data Communication	1162
Modulator Bias Optimization of a High Extinction-ratio Optical Mach-Zehnder Intensity Modulator for Linear-cell Radar Systems	1166
The 0 to R_1 Spherical Radial Transformation Can Not Be Used to Induce Acoustic No Scattering Cloak But Some Can Be for EM Invisible Cloak	1172
Design of Miniature Dielectric-loaded Trihelix Antenna for Multi-band Cellular Telephone Handsets ..	1177
A Dual-band Subharmonic Mixer with High RF-IF Isolation	1183
Wide-flared Corrugated Horn Designed for the SKA Dish	1190
A Modified Antipodal Vivaldi Antenna (AVA) with Elliptical Slotting Edge (ESE) for Ultra-Wideband (UWB) Applications	1194
Two Layered 2×1 Koch Curve Patch Array Antenna with Suspended Air Gap Effect for Wireless LAN Applications	1202
Double U-slots Stacked Patch Antenna with Copper Plate and Air Gap for Wireless LAN Applications	1209
Optimization of TCSC with Multi Objective Firefly Algorithm for Enhancing SMIB System	1215
SAR Image Change Detection Method Based on Shearlet Transform	1223
Quality of Service Parameter Measurements Data Analysis in the Scope of Net Neutrality	1230
Optical Image Encryption Using Radon Transform	1235
Preparation and Microwave Characterization of Novel Polyaniline-graphene Composite for Antenna Applications	1239
Blind Quality Assessment of JPEG Compressed Images	1245
Co-planar Waveguide (CPW) Slotted Bow-tie Antenna with Band-notch Using Polygon-shaped Branches Structure	1251
The 0 to R_1 Cylinder Radial Coordinate Transformation Can Not Be Used to Induce Cylinder Layer EM Invisible Cloak and Acoustic No Scattering Cloak	1258
Validation of the Increased Image Resolution Obtained Using TOPSAR Sentinel-1 Data in a Bistatic Setup	1262
Low Power Microwaves Induce Changes in Gating Function of Trpv4 Ion Channel Proteins	1268
Static Electric Fields Induce Conformational Changes in Alpha Conotoxin: A Molecular Dynamics Simulation Study	1273
Co-planar Waveguide (CPW) Patch Antenna with Octagonal-shaped Ring for WiMAX Application ..	1278
Implementation of Threshold Crossing Algorithm for Beamforming Controller System	1284
Optimization of Fast Hadamard Deconvolution Implementation for ARM CPU Based M-sequence UWB Radar Sensor Node	1288
Permittivity Imaging Method by Incorporating Range Points Migration and Ellipsometry for UWB Short Range Radar	1295
Analysis of Vessels in GF-3 Quad-polarimetric SAR Image	1301
Super-resolution Doppler Velocity Estimation by Gaussian-kernel Based Range-Doppler Conversion for UWB Radar	1306
A 20.2–57.1 GHz Inductor-less Divide-by-4 Divider Chain	1312
Angle of Arrival Estimation with Improved Accuracy Using the Mean IQ-value Method in a Rician Fading Channel	1319
Electrical Impedance Tomography with Multiplicative Regularization	1326
A Compact SIW Based Filtering Power Divider with Improved Selectivity Using CSRR	1334
A Compact Dual-polarized Magneto-electric Dipole Antenna for 2G/3G/LTE Applications	1338
Group Target Micro-doppler Feature Extraction via Bessel Basis Decomposition and Sparse Recovery	1345
Design of High Isolation System for Monostatic X-band Radar	1351

A 24-GHz CMOS Transmitter Front-end for Vital Signal Monitoring Radar System	1354
An Improved Frequency Scaling Algorithm for Airborne TOPS Mode	1358
Thermal Shunts for Heterogeneously Integrated III-V-on-silicon Microspiral Disk Lasers	1364
Evaluation of the Impact of Parameters of Transmission System on the Performance of WDM-PON ..	1370
Optimal Design and Simulation of Combined Reluctance-induction Electromagnetic Launcher	1377
Heterogeneously Integrated III-V-on-silicon Microspiral Disk Lasers for Optical Interconnects	1382
Mutual Inductance of Thick Coils for Arbitrary Relative Orientation and Position	1388
Assisted GPS Signal Acquisition Algorithm Based on the Joint Code-frequency Search	1396
Electrically Short Antenna with Ground-coupling Measurement for M-sequence Ground Penetrating Radar	1404
High Gain Antenna Characteristics for 300 GHz Band Fixed Wireless Communication Systems	1409
Electrically Small Printed Monopole Antenna for WLAN and WiMAX Applications	1413
Study of Clear Sky Models for Singapore	1418
GPS Derived PWV for Monitoring Cloud Evolution	1421
A Miniaturized Frequency Selective Radome with Wide Absorption Response above X-band	1424
Comparative Analysis of Different Defected Waveguide Structures towards Monopole Antenna	1428
Analysis of High-harmonic Generation in Terms of Complex Floquet Spectral Analysis	1437
Study of Terminal Truncation on Log-spiral Antenna Characteristics at Terahertz Frequency	1445
Simulation and Theoretical Analysis of a Photoconductive Vacuum Microelectronic Device	1449
Development of THz Gyrotron with Improved Parameters in IAP RAS	1454
GaN Based Tunnel Field Effect Transistor for Terahertz Applications	1457
Switching Characteristics of InN Tunnel Field Effect Transistor and Its Application in the Design of RF Amplifiers	1461
Design of a 4×4 Low Profile Continuous Transverse Stub Antenna Array	1465
Frequency-scanned Antenna Array Based on Continuous Transverse Stub	1470
Rotation-based Image Reconstruction by Using ART Algorithm in Microwave Imaging	1474
Inverted Suspended Circular Polarized Antenna with the Integration of Metasurface (MS) Structure Technique	1479
Design and Performance Analysis of an Ultra-wideband Monopole Microstrip Patch Antenna with Enhanced Bandwidth and Single Band-notched Characteristics	1488
A Compact CPW-fed Dual-band Open-ended ZOR Antenna Based on CRLH TL for Wireless Applications	1494
Investigation on the Stability for the Staggered Double Vane Structure TWT in G-band with Bragg Reflector	1498
Two Dimensional Microwave Imaging Using a Divide and Unite Algorithm	1501
Two-dimensional Non-linear Microwave Imaging with Total Variation Regularization	1509
A Wideband Circularly Polarized DRA Excited with Meandered-line Inductor for Wi-MAX/LTE2500 Applications	1514
Foundry-fabricated DFB Laser with Waveguide Crossing for Self-heterodyne Terahertz Spectrometer ..	1520
Applications of THz Band Gyrotrons at IAP RAS: Current State and Prospects	1524
Development of Interfacing System for Ground-based SAR	1529
Synthesis and Characterization of Cocoa Pods Waste Carbon for Radar Absorber Material	1532
Study of Single Layer Radar Absorber Material (RAM) Based on Coconut Shell Activated Carbon ...	1536
A Simulation Study of the Effect of Ionospheric Vertical Gradients on the Neutral Bending Angle Error for GNSS Radio Occultation	1540

Survey of Leakage Magnetic Fields from Various Induction Heating Ranges	1546
Change Detection of Water-body Using Chinese GF-3 Polarimetric SAR Images	1550
Design of MMIC Class-E Power Amplifier with Adaptive Bias Control and Built-in Linearizer Using 0.5 μm pHEMT Technology	1557
Design of Broadband Phased Array Antenna at X-band	1563
The Study of PCB Ground Area and Location on EMI Reduction Effectiveness	1568
A New Kind of SAR Signal Sparse Sampling Method Based on Co-prime Array	1572
A Highly Linear Super-source-follower-based Reconfigurable RF Filter with Wide Tuning Range for TV Receiver Applications	1576
Performance Analysis of Airborne TOPS Mode	1579
A Two-dimensional Leapfrog Node-based Radial Point Interpolation Meshless Method for Modeling Non- magnetized Plasma	1584
Fabrication of Large-area and Long-range Ordered Nanostructures Using Template-assisted Nanosphere Self-assembly Method	1588
A Novel Trifilar Coupled Line Splitter-balun for Wideband Antennas	1594
Study on the Large-scanning-angle Airborne TOPS Mode	1598
Exciting Plasmonic Modes of Metallic Nanostructures Loaded on Silicon Waveguides Surface	1603
Nonlinear AGILD MagLev-Advanced Global Integral and Local Differential Modeling and Inversion for Magnetic Levitation	1608
Velocity Estimation of Moving Target Based on Concatenated ATI and Inverse Radon Transform in Three-channel Circular SAR	1613
Calculating Magnetic Susceptibility from the Reaction Field in the Vicinity of Differently Shaped Samples	1618
The EMG Effects of a Static Magnetic Field on the Behavior of Organic or Live Materials	1623
A Numerical Analysis of a Periodic Resonant Structure at GHz Frequencies	1630
Comparing Planar Periodic Resonant Structures at GHz Frequencies	1635
Miniaturized Tapered Meandered Dual Band Dipole Antenna for WiFi 2.4/5.8 GHz Application	1640
Fixed Frequency Electronically Beam Steering Microstrip Comb Line Antenna	1643
Automated Scaling Region of Interest (AS-ROI) in Inverse Scattering Method for Tomographic Image Reconstruction	1648
Features of OFDM Signals Delay Tracking for Navigation and Radio Location	1654
Tunable Localized Surface Plasmon Resonance of Subwavelength Cu/SiO ₂ /Al Plasmonic Antenna ...	1660
A Study on the Mechanism of Hazards of High Intensity Radiated Field to Fuel Based on Multi-physics Field	1666
Comparison Analysis between SART and ART Algorithm for Microwave Imaging	1674
Target Classification and Recognition Based on Micro-doppler Radar Signatures	1679
A Novel Diode Switchable Dual Band/Single Band Metamaterial Absorber	1685
Low Profile Oversized Rectangular Waveguide Planar Antenna Fed with Quasi-TEM Wave in Ka Band	1690
Electrical Characterization of through Glass Vias Based Inductors in 3-D Integration	1693
Ultra-Wideband Wireless Sensors for Robot Vision in Industrial Environments	1697
A Simple Permittivity of the Wall Estimation Technique by the UWB Radar System	1703
Experimental Validation of Microwave Imaging for Wood Inspection	1709
Influence of the Ionosphere and the Troposphere on the Propagation of Radio Waves in the Detection of Space Debris Objects Using Multi-position Radar System	1713
Real-time Distributed Oil/Gas Pipeline Security Pre Warning System Based on Φ -OTDR	1717

SAR Observations of Organized Large Eddies over the Somali Current	1720
A PVT Insensitive Noise Canceling Balun-LNA for TV Receiver Applications	1726
A Stable and Fast Approach for Measuring Brillouin Frequency Shift	1729
An Angularly Stable Tri-band Reflective Cross-polarization Conversion Anisotropic Metasurface	1735
A Novel Aperture Coupled Microstrip Circular Patch Antenna for Dual Band Operation	1738
Numerical Modeling of Borosilicate Doped Photonic-crystal Fiber for Mid-IR Supercontinuum Generation	1743
Planar Array Approach as Alternative Method to Characterize Radiation Pattern of 2×2 Spiral Resonator (SR) Structure	1747
An Novel Ultra-thin Triple-band Polarization-insensitive Compact Metamaterial Absorber	1751
Optimization of Electric Field Distribution in Unequal-length Slots Extended Interaction Klystron	1756
Design and Development of FPGA-based FFT Co-processor for Synthetic Aperture Radar (SAR)	1760
Textile Based Dual Band MIMO Quad-mode Substrate Integrated Waveguide Antenna for WiFi Application	1767
Gain Enhancement of Low Profile Cavity Backed Spiral Antenna at Low Frequencies	1771
Design of a Small Size Biquad-UWB-patch-antenna and Signal Processing for Detecting Respiration of Trapped Victims	1774
The Radiation Characteristics of the Vivaldi Antenna Located on a Cylindrical Surface	1780
Design of a Compact Octagonal UWB MIMO Antenna Employing Polarization Diversity Technique	1785
Study on Shielding Effectiveness of Electronic Enclosures with Connected Accessories under Corrosive Environment for Automobile Industry	1790
Novel Implicit Method for Faster Modeling of Low Frequency EM Problems in the Time Domain	1794
The Radiation Characteristics of the Vivaldi Antenna Located in the Cutout of the Metal Wedge	1801
An Improvement on Binocular Indirect Ophthalmoscopy for Diabetic Retinopathy	1807
Reflection Coefficient of Inhomogeneous Anisotropic Impedance Plane	1816
A Broadside Circularly Polarized Semi-cylindrical Dielectric Resonator Antenna Excited with Unequal Pair of Vertical Microstrip Line	1823
Design and Comparative Evaluation of Antenna Array Performance Using Non Blind LMS Beamforming Algorithms	1827
Design of a MIMO Dielectric Resonator Antenna with Air Gap for X-band Applications	1835
A Compact Design of Switched Line Phase Shifter for a Microstrip Phased Array Antenna	1839
Metamaterial UHF RFID Tag with Enhanced Gain	1845
A Wearable UHF RFID Tag Antenna with Archimedean Spiral Strips	1849
Research on Calibration, Validation and Retrievals on FY-3D MWHTS	1853
Brain Tumor DWIs: Comparing the Results of Manual and Computer-based Evaluation	1857
Electromagnetic Scattering Algorithm of Dielectric Bodies Based on Müller Equations	1862
Planning and Processing of Measurements in a Waveguide Aimed at Determination of Permittivity of Dielectric Inclusion	1866
TSA Antennas Performance Comparison for Focal Plane Array	1872
Design and Analysis of Conformal Antenna for Smart Shoes	1878
Effect of Emitter Antenna Pattern on Angular Dispersion of Received Signals in Urban Areas	1883
Design and Analysis of Conformal Antennas for Smart Watch	1889
Performance Enhancement of End-fire Bow-tie Antenna by Using Zero Index Metamaterial	1895
EMC Evaluation with Consideration of Transmitting and Receiving Antenna Patterns in Multipath Propagation Environment	1901

Comparison of Empirical and Geometric Modeling Angular Scattering of Radio Waves under Multipath Propagation Conditions	1907
A Novel Phase Compensation Method for ISAR Imaging Based on Genetic Algorithm	1914
Microwave MTM-based Sensor for Blood Glucose Concentration Measurement: Sensitivity Analysis by Means of Numerical Simulations	1919
Analysis and Characterization of Electromagnetic Compatibility of the In Vitro Diagnostic Medical Device	1924
A Very Small Wideband Asymmetric Coplanar Strip Fed Printed Dual Band Antenna for Advanced Communication Applications	1928
A Miniaturized Triple Band ACS-fed Monopole Printed Antenna with Meandered and Circular Ring Shape Resonators for WLAN/WiMAX Applications	1933
Simulation of Meandered Uniplanar Printed Antenna for Multiband Applications	1938
A Novel Method of Hyperspectral Imagery Target Detection Based on Sparse Representation	1942
A Theory of Recursive Kernel RX Anomaly Detection Algorithm for Hyperspectral Imagery	1947
A Comparative Analysis of Load Frequency Control of Two-area Interconnected Hybrid Power System Using LabVIEW	1953
Swarm and BAT Algorithm Optimized 2DOF-FOPID Based STATCOM Controller for Transient Stability Enhancement	1961
Firefly-swarm Optimized Fuzzy Adaptive PSS in Power System for Transient Stability Enhancement	1969
Bat Algorithm Optimized SVC for Power System Stability Enhancement	1977
A Miniaturized Antipodal Vivaldi Antenna with Director for Ultra-wide-band Applications	1984
Genetic Algorithm Improved Spatial Diversity 24-GHz FMCW Radar with Multipath for Automotive Applications	1988
Analyzing Cloud Optical Properties Using Sky Cameras	1994
A Wide Dual Band Stop-band Filter with Two Different Defected Microstrip Structures	1997
A Low Loss High Isolation Double-pole Double-throw Traveling-wave Switch Using 0.5- μm GaAs Process	2001
Dual-wideband Single Open-slot Antenna for LTE/WWAN Smartphone	2006
Crosstalk-centric Designing Using Graphene Based Multi-line Bus Architecture	2009
The Novel Technique of Linear Birefringence Compensation in Optical Fiber Sensors Using Phase Retarders	2013
A Monopole Super Wideband Microstrip Antenna with Band-notch Rejection	2019
Analysis of Discharge Parameters for Applications in Plasma Devices	2025
BM3D Vector Approximate Message Passing for Radar Coded-aperture Imaging	2035
A Highly Efficient Tri Band (GSM1800, WiFi2400 and WiFi5000) Rectifier for Various Radio Frequency Harvesting Applications	2039
High Peak Power UWB-RFID Transmitter Tag for Long Range Applications	2045
Seven Element Wideband Planar Log-periodic Antenna for TVWS Base Station	2051
Investigation on a Ku-band Planar Luneburg Lens Using Metamaterial Resonators	2056
Application of Tilt Integral Derivative Filter for Load Frequency Control of Three Area Interconnected System	2059
Determination of Dielectric Properties of the Red Delicious Apple and Its Correlation with Quality Parameters	2067
Broadband Asymmetric High Isolation Directional Coupler Using Quadrature Mode Suppression	2073
A Novel Design of Broadband and Low-loss Left-handed Metamaterial Based on Cross Line	2078

Evolution of Plasmonic Response of a Semiconducting Particle: Transition from Surface to Bulk Phenomena	2083
Slot Antenna Array for Anticollision Radar with Low Sidelobe	2087
Simulation of Three-phase Motor Drive System with Bearing Discharge Process	2091
Application Sentinel-1 SAR Data for Ocean Research and Operation	2098
SAR Imaging of Oceanic and Atmospheric Gravity Waves	2102
Computationally Fast and Efficient Model-based Decomposition Method for PolSAR Data Interpretation	2105
Numerical Simulation and Experimental Study on Air Charging Characteristics of Train's Air-Pipe System	2111
Design of Wireless Control Units for Freight Trains' Braking Systems Based on Loop Simulations	2115
Design of a High-gain Strain Sensor for Monitoring Structural Health Based on Passive UHF RFID ..	2119
Design of Interconnected Mobile Application for Visualized Information System of Monitoring Risks ..	2123
Compact Dual-band Hexadecagon Circular Patch Antenna with DGS for Ku Band Applications	2127
Identification of High-temperature Region for Insulators Based on BP Neural Network	2131
Design of Chipless RFID Tag Based on Surface Acoustic Wave	2136
A Joint-optimization NLMS Algorithm with Linear Function Approximation Penalty for Sparse Channel Estimation	2140
Analysis of Propagation Delay for Bundled SWCNT and Bundled MWCNT in Global VLSI Interconnects	2145
Vehicular Wireless Network Access Controller Parameter Estimation	2152
Radiation Pattern Synthesis with Improved High Dimension PSO	2160
Correlating Satellite Cloud Cover with Sky Cameras	2166
Numerical Analyses of Modified DS Combination Methods Based on Different Distance Functions	2169
Implementation of a Ramp Generator with Schmitt Trigger Circuit for PWM Modulator Applications	2176
Microwave Backscattering by the Sea Surface in the Transition Range of Incidence Angles (10° – 20°): Theory and Experiment	2183
Low-rank Based FEM-MoM Method for Analyzing Electromagnetic Scattering Problems in Half-space	2189
A Grating-based Plasmon Index Sensor: Performance Simulation in the Presence of Noise	2193
On Some Identities for Integral Operators in Computational Electromagnetics	2199
Design of 2.4-GHz Miniaturized Antenna for Wi-Fi Application Based on Meandered Technique	2203
Huffman Coding Method Based on Parallel Implementation of FPGA	2207
A Hardware Design Method for Canonical Huffman Code	2212
New Avenues for Light-matter Interaction: Parity-time Symmetry and Non-ergodic Behaviour of Gain-loss Transducer Arrays	2216
Characterization and Modeling of Gradient-carbon Absorber Layers Suitable for Radar Cross Section Reduction of UAVs	2224
Photonic Microwave and RF Signal Processing Based on Optical Micro-combs	2232
Characteristic Mode Based Impedance Bandwidth Analysis for Optimal Feed Location	2237
Design of a 0.01 GHz–70 GHz High Output Power Signal Source Module	2241
A 10 GHz–40 GHz Wideband PHEMT MMIC Passive Frequency Doubler	2247
Design of a Wideband Passive Planar Duplexer	2252
Comparison among Different Feed Network Topologies for Sequential Rotated Antenna Array	2259
The Average of Perturbed EM-waves of the First Order, Depolarized in Propagation through Continuous Random Media	2266

Microstrip Periodic Leaky Wave Antenna Using Defected Ground Structure	2272
Spatial and Angular Resolution Measurement of a Tensor Light Field Display	2278
Influence of Temperature on Transformer's Winding Defect Analysis Using Inductive Probes	2285
Beam Synthesis and Target Detection Based on Aperture Coding Metasurface	2290
Wave-induced Doppler Shift of Ka-band Radar Signal Backscattered from the Sea Surface	2299
Estimation of Sea Surface Short-wave Spectra from Co-polarized Radar Backscattering Cross-section	2307
Compact Low-cost Arduino-based Buoy for Sea Surface Wave Measurements	2315
A Dual-frequency Satellite Antenna Loaded with a Double-arrow Array	2323
A Multiband Monopole Antenna with Arrow-shaped Aperture-coupled Resonators	2329
Study on Electromagnetic Radiation of Some Kinds of Typical Partial Discharge	2335
A CMOS D-band Low Noise Amplifier with 22.4 dB Gain and a 3 dB Bandwidth of 16 GHz for Wireless Chip to Chip Communication	2339
Simulation of Actively Polarimetric Calibration Source Based on Correlated Noise Signals by Simulink	2344
Distributed Spectrum Monitoring System Based on RSSI Optimization Algorithm	2350
Estimation of Human Gait Cycle Based on Cepstrum of Radar Micro-doppler Signatures	2356
Design of a Single-slab Low-profile Frequency Selective Surface	2360
A Fast Design Procedure for Quadrature Reflection Phase	2364
Extratropical Cyclones over the North Atlantic and North Pacific: Comparison of AMSR2 — Retrieved and Era-Interim Sea Surface Wind Fields for 2 Year Period	2367
Design of Resonator for Wireless Charging System with Expanded Charging Area	2373
Analysis of AMSR2 89 GHz Measurements over the Arctic Sea Ice in January 2015	2376
Detectability of the Arctic Polar Lows over the Barents Sea Ice Edge Using Multi-sensor Approach ..	2380
Coupling Dynamic Electromagnetic Finite Element Models to Circuit Simulators by Using Model Order Reduction	2385
Wind Direction Measurements Using HF Ground Wave Radars Based on a Circular Receive Array ..	2393
Modelling of Rain Drop Size Distribution for Microwave and Millimeter Wave in Central Africa	2398
Analysis of Dispersion Splitting on Light Line by Characteristic Roots of Retarded Circuit Equation ..	2405
Miniaturization of Microstrip Antenna	2410
Design of 2.45 GHz Microwave Wireless Power Transfer System for Battery Charging Applications ..	2417
Design of Shielding Enclosure to Protect Security Devices	2424
On the Upper Ocean Response to Tropical Cyclones: Model Interpretation	2430
On the Upper Ocean Response to Tropical Cyclones: Satellite Microwave Observation	2437
Composite Material to Protect Security Devices against Electromagnetic Interference	2445
An Integrated Circular Polarization Microwave Rectifying Antenna Module	2451
Combining Time-frequency Analysis and Array Processing for Multi-interferences Mitigation in GNSS Application	2454
Mixing Matrix Estimation of MIMO Radar Based on Adaptive Hierarchical Clustering Algorithm for Underdetermined Blind Source Separation	2459
Electromagnetic Compatibility of Raspberry PI Development Platform in Near and Far-field	2466
Far-field to Near-field Investigation of Thermal Radiation Emitted by a Single Optical Nanoantenna ..	2473
Numerical Simulation of Low-frequency Acoustic Wave Scattering by Corrugated Structures	2479
Threshold Levels of Electromagnetic Susceptibility for Unarmed Air Vehicles	2483
Impact of Multiple-directional Mechanical Deformation on the Resonant Frequency of Patch Antennas	2489

Gain Improvement for Conventional Rectangular Horn Antenna with Additional Two-layer Wire Medium Structure	2493
A New Type of Differential Transmission Lines with Surface Plasmon Polaritons in Microwave Regime	2498
Tight Focusing of Circularly Polarized Laser Light by Amplitude Zone Plate with Chromium Rings ..	2501
Orbital Angular Momentum of a Gaussian Beam without Optical Vortices Produced by Cylindrical Lenses	2506
Metallens Investigation with Different Sectors Number	2509
Highly Efficient and Low Cost Radio Frequency Rectifier for Energy Harvesting Applications	2513
Design of Reflection-type Metasurface with Phase Discontinuities	2517
Comparison of Chirp and Chaotic Wideband Signals for Hydroacoustics	2521
Application of Harmonic Wavelets to Processing Oscillating Hydroacoustic Signals	2528
AMD Codes Based on Wavelet Transform	2534
Nonuniform Lossy Transmission Lines with Fractional-order Elements Using NILT Method	2540
Scattering of Infrared by Prismatic Cloud Ice Crystals	2548
Millimeter-wave Propagation and Attenuation in Closed Packed Sea-foam Layer and Complex Dielectric Constant of Sea-foam Using Split-step Fourier Transform	2556
Research on Harmonic Transmission Characteristics of Capacitor Voltage Transformer	2564
Design of Double Bowtie Ring Shaped Slot Nano-antenna and Their Absorption Properties	2571
Room Temperature Strong Coupling of Monolayer WS ₂ with Gold Nanoantennae	2578
Influence of Seam Type with Wave Absorbing Sponge on Shielding Effectiveness for Electromagnetic Shielding Clothing	2581
Power Transfer kQ View on Parallel-faced Square Spiral Coils	2587
UHF RFID Dipole Tag with Modified Multi-fractal Cantor Arms for Broadband Operation	2592
Design of All-optical Photonic Crystal Half Adder with T-shaped Waveguides Using Path Difference Based Interference	2596
Investigation on Power Efficiency of GPON with Heterogeneous Traffic	2603
Microwave Heating with Nano Ferro Fluid for Heavy Oil Application	2608
Response of Radar Cross Section Reduction Bandwidth to the Dielectric Constant	2612
An Embroidered Millimeter Full Wave Dipole Antenna for UWB Applications	2617
Design of Narrow Wall Slotted Waveguide Antenna for X-band Application	2625
A New Non-parametric Bayesian Based Space Upscaling Method for In-situ Soil Moisture Sampling ..	2629
120 W Wireless Power Transfer System for the Wireless Seat in Automobile	2635
Tunable Plasmon-induced Transparency in Bilayer Graphene Metamaterials	2638
Develop a Demonstration Kit for Education of Circuit Design with Radiated EMI Control	2641
Design of Implantable Monopole Inset-feed C-shaped Slot Patch Antenna for Bio-medical Applications	2645
Inductance Calculation for the Curved Rectangular Coil	2650
Design of a Compact Self-coupled Resonator and Dual-band Bandpass Filter in 0.13- μm CMOS Technology for Millimetre-wave Application	2653
Reduction of Volume Integral Equations for Penetrable Body-of-Revolution Structures	2659
Time-domain A-EFIE Solution Based on Nyström Scheme with MOD Approach	2663
Influence of Wave Absorbing Material on Shielding Effect of the Neckline of Electromagnetic Shielding Clothing	2667
Design and Performance Evaluation of FBG-based Temperature Sensors Network	2673
Design of 2×2 MIMO Microstrip Antenna Rectangular Patch Array for 5G Wireless Communication Network	2679

Printed Traveling Wave Antenna with Vertical Transition for Wireless Communications	2684
The Effect of 2.45 GHz Electromagnetic Interference on a Microcontroller IC	2689
Holographic Design of Arbitrary Multi-beam Leaky-wave Antennas	2695
Terahertz Far-field Subwavelength Imaging by Frequency Scanning	2700
An Empirical Characterization of a Flexible Current Probe for In-Circuit Impedance Measurement ..	2703
Analysis of Design Parameter Issues for Next Generation OFDMA Downlinks	2707
A Novel Doublet Hermite Pulse for Performance Enhancement and Interference Mitigation in UWB STC Systems	2715
Optimization of Coil Geometry Using Strongly Coupled Magnetic Resonance at 13.56 MHz ISM Band	2722
Design of a Subharmonic Mixer for Millimeter-wave Applications	2727
Visibility Range Distribution Modeling for Free Space Optical Link Design in South Africa: Durban as Case Study	2732
Design Considerations of a Circular Phased Array 4×4 MIMO Antenna for Ad Hoc Connected Car System	2742
Surface Plasmon Bragg Grating Using Hybrid Metal Insulator Metal Plasmonic Waveguide	2747
Comparisons of the Super-resolution TOA/TDOA Estimation Algorithms	2752
A Photonic Assisted Analog-to-Digital Converter (p-ADC) Based on a 10 GHz Frequency Comb Source	2759
Experimental Study on Textile Properties for Wearable Absorber Using Cavity Method	2765
An Alternating Iterative Hybrid Beamforming Method for Millimeter Wave Large-scale Antenna Arrays	2769
Enhancement of Electromagnetic Radiation Source Reconstruction Utilizing Sparseness	2777
Robust Adaptive Beamforming against the Array Pointing Error	2782
Parameter Estimation of Polynomial Phase Signal Based on Particle Swarm Optimization	2790
Near-field Effects on Light Absorption in Nanoparticle System	2797
A Novel Dual-band Millimeter-wave Antenna for Automotive Radar and Multi-gigabit Wireless Communications	2802
A Study on Fibre Weave Effect on Intra-pair Skew of Differential Lines Using Analytical Approach ..	2808
Backscattering Reduction of Dihedral Corner Reflector with Metallo-dielectric Structure Based on Sierpinsky Carpet Array	2813
Performance Enhancement of Coupled-fed Printed Log-periodic Antenna Using Complimentary Split Ring Resonator	2817
Matlab Simulation of Nonlinear Electrical Networks via Volterra Series Expansion and Multidimensional NILT	2822
Design, Simulation, Analysis, Fabrication and Testing of Integrated Transmitting and Receiving Micro Strip Patch Antennas for Communicating with a Satellite in S-band Communication	2830
Compact Dumbbell Shaped Microstrip Antenna with Suppressed Harmonics	2838
The Method for Solving the Inverse Problem of Bistatic Remote Sensing of the Sea Surface with Moving Receiver and Transmitter	2844
The Use of Underwater Sonar at Small Angles of Incidence for In-Situ Measurements of Sea Surface Parameters	2850
ISAR Imaging and Target Characterization in the Presence of Multiplicative Noise	2857
On the Performance Characteristics of a Thin-wire Zigzag Circular-loop Antenna	2864
Full-wave Electromagnetic Optimizations of Photonic Crystals Involving Dielectric Rods	2871
Retrieving Chlorophyll-a Levels, Transparency and TSS Concentration from Multispectral Satellite Data by Using Artificial Neural Networks	2876
Integration of Sparse Array Feed and Phase Correction to Design High Gain Resonant Cavity Antennas	2884

Design and Multiphysics Analysis of a High Power RF Window for LHCD System of Tokamaks	2888
The Growth Dependent Radiative Properties of Microalgae and Light Field Distribution within Photo-bioreactors	2895
Comparison of Nano On-chip Dielectric Ridge Waveguides with Graded Junction	2903
A Double Negative Metamaterial Inspired Miniaturized Rectangular Patch Antenna with Improved Gain and Bandwidth	2907
Implementation of Bi-modal Statistical Distribution into SPICE Models	2914
Phase-corrected H -plane Horn Antenna Based on Corrugated Substrate Integrated Waveguide	2920
Transmission Characterization of Glucose Solutions at Ku-band for Non-invasive Glucose Monitoring	2925
A 93-GHz Beam Switched Grid Array Antenna on PCB	2929
A Compact Dualband Circularly Polarized GNSS Antenna	2932
A Tapered Leaky-wave Slot Antenna with Wideband Boresight Radiation	2936
Broadband Circularly Polarized Antenna Using Metasurface	2940
Usability of Hilbert Transform for Complex Channel Transfer Function Calculation in 60 GHz Band	2945
A Novel Spoof SPP-fed Circular Patch Antenna with Wideband Harmonic Rejection	2952
General Condition to Achieve Negative Group Delay Transmission in Coupled Resonator Structure	2956
Extraction of Electrical Properties of Strokes from Magnetic Resonance Scans — Testing on Simplified Head Phantoms	2961
Influence of Media Type on Heating of Selected Magnetic Nanoparticles with Time-harmonic Magnetic Fields	2966
Numerical Study of Propagation of EM Waves through Human Head	2971
A Compact Passive Microwave Calibration Target for Full-polarized Radiometer	2977
Enhancement of Gain with Coplanar Isosceles Triangular Patch Antenna for Dual-band Applications	2981
Design of Slot Antenna Array for Tracking Radar Using Particle Swarm Optimization	2985
Circuit Modeling and Simulation of CMOS Circuits Latchup Induced by Microwave Pulse Injection	2988
Broadband Supercontinuum Generation in Photonics Crystal Fiber Pumped by Femtosecond Carbon-Nanotube-based Passively Mode-locked Erbium-doped Fiber Laser	2993
3D Correlation Function of a Uniform Circular Array Using Maximum Power in the Direction of Arrival	2996
Electromagnetic Properties of Magnetite/Epoxy Resin Composites at X-band Frequency	3004
A Low-power Low-voltage Current-reused Voltage-controlled Oscillator with Amplitude-balanced Technique	3011
Hybrid Method Combining Generalized T Matrix of Single Objects and Foldy-Lax Equations in NMM3D Microwave Scattering in Vegetation	3016
A High Gain Six Band Frequency Independent Dual CP Planar Log Periodic Antenna for Ambient RF Energy Harvesting	3024
Incident Wave and Unidirectional Wave Source Implementation in Crank-Nicolson Scheme for One-dimensional Maxwell's Equations	3029
A Compact Four Element MIMO Slot Antenna for Ultra-wideband Application	3036
A Low-field Portable Magnetic Resonance Imaging System for Head Imaging	3042
Size-miniaturized Bandpass Filter Made of Folded Stepped-impedance Resonators with Adjacent and Nonadjacent Coupling for Selectivity Enhancement	3045
Enhanced Security Functionality for Communication Networks in Smart Grid Systems	3049
Scattering of Lossy Dielectric Surfaces in Full Wave Simulation of Maxwell's Equations with Dense Grid and Neighborhood Impedance Boundary Conditions	3054
Hyperspectral Target Detection Based on Sparse Errors Matrix	3058

Study on Refractivity Terahertz Gas Sensor of Metal Triangular Cylinder Array	3063
Graphene Based Surface Plasmon Resonance Gas Sensor with Magnetic Field Control for Terahertz ..	3068
Graph-based Femtocell Enhanced Universal Resource Allocation Strategy for LTE-A HetNets	3073
Long Range Wireless Power Transfer via Magnetic Resonance	3079
Level Anti-crossing in ¹³ C-enriched Diamond	3086
Bench Top Wireless Power Transmission Using Magnetic Resonance for Multiple Devices	3092
A TSVD-based Approach for Flexible Spatial Encoding Strategy in Portable Magnetic Resonance Imaging (MRI) System	3100
Author Index	