# PROCEEDINGS OF SPIE

# 23rd International Symposium on Atmospheric and Ocean Optics: Atmospheric Physics

Gennadii G. Matvienko Oleg A. Romanovskii Editors

3–7July, 2017 Irkutsk, Russian Federation

### Organized by

V.E. Zuev Institute of Atmospheric Optics SB RAS, (Russian Federation) Institute of Solar-Terrestrial Physics SB RAS, (Russian Federation)

### Sponsored by

Federal Agency for Scientific Organizations (Russian Federation) Russian Foundation for Basic Research (Russian Federation) Siberian Branch of Russian Academy of Sciences (Russian Federation)

Published by SPIE

Volume 10466
Part One of Three Parts

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in 23rd International Symposium on Atmospheric and Ocean Optics: Atmospheric Physics, edited by Gennadii G. Matvienko, Oleg A. Romanovskii, Proceedings of SPIE Vol. 10466 (SPIE, Bellingham, WA, 2017) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510614130

ISBN: 9781510614147 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

SPIE.org

Copyright © 2017, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/17/\$18.00

Printed in the United States of America Vm7 i ffUb 5 ggc WJUhY gž & Wži bXYf "JW bgY Zfca GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## **Contents**

xix Authors

xxv Conference Committee

xxix Introduction

### Part One

### MOLECULAR SPECTROSCOPY AND ATMOSPHERIC RADIATIVE PROCESSES

10466 02	Non-equilibrium radiation in the infrared bands of the CO <sub>2</sub> and CO molecules in the planetary atmospheres (in the application to Mars) (Invited Paper) [10466-295]
10466 03	Retrieval of daytime [O3] altitude profile from measurements of 1.27 $\mu$ m O2 emission in the mesosphere: a comparison of methods [10466-33]
10466 04	The temperature dependences of the integrated intensities of the absorption bands of $H_2O$ , $H_2S$ , $SO_2$ , and $NO_2$ [10466-78]
10466 05	The absorption of the hot bands in the spectra of $H_2S$ , $SO_2$ , and $NO_2$ at temperatures of $300-1000~K~[10466-79]$
10466 06	Wavenumber calibration of a multichannel Raman spectrometer [10466-101]
10466 07	Raman spectra of n-pentane and isopentane in a methane environment [10466-102]
10466 08	Simulation of the mean intensity of reflected solar radiation in broken clouds: spherical model of atmosphere [10466-111]
10466 09	RKR potentials of HCl isotopologues in the ground electronic state [10466-119]
10466 0A	Calculations of air-, carbon dioxide and self-broadening coefficients of $H_2S$ lines [10466-139]
10466 OB	Calculation of $NO_2$ line contour parameters induced by nitrogen and carbon dioxide [10466-177]
10466 OC	Simulation of atmospheric radiative transfer using different ozone absorption cross-sections in the UV spectral region $[10466-214]$
10466 0D	Concentration of water complexes in description of the nucleation process by small sets of chemical kinetics equations [10466-233]
10466 OE	Systematization of published research graphics characterizing weakly bound molecular complexes with carbon dioxide [10466-286]

10466 OF	Broadening and shift coefficients for $H_2O$ – $H_2$ system in 4000 – 9000 cm <sup>-1</sup> infrared spectral region [10466-288]
10466 OG	"Dunham-type" coefficients for the ground state of <sup>14</sup> N <sup>16</sup> O molecule: global fitting of the experimental energy levels [10466-225]
	OPTICAL RADIATION PROPAGATION IN THE ATMOSPHERE AND OCEAN
10466 OH	Optical communication on scattered laser radiation (Invited Paper) [10466-24]
10466 OI	Microwave absorption ambiguity of pine needles at negative temperatures [10466-4]
10466 OJ	Measurements of astroclimate in the dome space of Big Telescope Alt-Azimuth [10466-9]
10466 OK	Measurements of the astroclimate over the territory of special astrophysical observatory of RAS $[10466-10]$
10466 OL	Air motions inside dome room of Big Telescope Alt-azimuth at Special Astrophysical Observatory RAS: numerical solutions of Navier–Stokes equations [10466-11]
10466 0M	Mean intensity of the fundamental Bessel-Gaussian beam in turbulent atmosphere [10466-13]
10466 ON	Works on a set of data measuring turbulence in different seasons of the year [10466-16]
10466 00	Experimental studies of the correlation of wave-front aberrations of a point coherent source and an extended luminous object [10466-17]
10466 OP	Statistical analysis of wavefront fluctuations from measurements of a wave-front sensor [10466-18]
10466 OQ	Coherence degree of the fundamental Bessel-Gaussian beam in turbulent atmosphere [10466-22]
10466 OR	Mean intensity of the vortex Bessel-Gaussian beam in turbulent atmosphere [10466-26]
10466 OS	Coherence of the vortex Bessel-Gaussian beam in turbulent atmosphere [10466-27]
10466 OT	Dynamics of the refractive properties of the atmosphere at the Big solar vacuum telescope site: new calculating method $[10466-29]$
10466 OU	On the spectral composition of atmospheric turbulent optical distortions from observations on solar telescopes [10466-30]
10466 0V	Statistical analysis of turbulent distortions of optical radiation in closed loop of the adaptive optics system [10466-39]
10466 OW	Dynamic properties of the adaptive optics system depending on the temporary transformations of mirror control voltages [10466-40]

10466 OX	Program—hardware complex for optical beams formation with modeled tilt angels [10466-49]
10466 OY	Thermal distortions of multichannel laser radiation [10466-50]
10466 OZ	Applying local binary patterns in image clustering problems [10466-53]
10466 10	Effect of radiation polarization on reconstruction of the earth's surface reflection coefficient from satellite data in the visible wavelength range [10466-54]
10466 11	Influence of apertures of receiving – transmitting system on DWFT spatial field processing in diagnostics of inhomogeneous plasma [10466-56]
10466 12	Functional scheme of the construction process of a multi-site system for lightning activity monitoring of tropical cyclones [10466-58]
10466 13	Influence of absorption lines of atmospheric gases on the pulsed radiation spectrum of short duration [10466-60]
10466 14	Optical wave distortion at perturbations of air density near aircrafts with subsonic velocities [10466-61]
10466 15	Laser beam distortion propagation through a shock wave arising in a supersonic flow past ogival-shaped body, in a homogeneous medium [10466-63]
10466 16	Wave propagation in a multiscale random inhomogeneous medium [10466-67]
10466 17	Energy density fluctuations of pulsed Laguerre-Gaussian beam superposition in a turbulent atmosphere [10466-69]
10466 18	Statistical simulation of information transfer through non-line-of-sight atmospheric optical communication channels [10466-72]
10466 19	The distribution of probability density of fluctuations the scattered radiation focused laser beam in the near-ground atmosphere in rain, drizzle, and fog [10466-80]
10466 1A	Spatial and spectral characteristics of the distribution post-filamentation zone of femtosecond laser pulses [10466-93]
10466 1B	Debye potentials for heterogeneous media [10466-96]
10466 1C	Diurnal periods of VLF radiation [10466-98]
10466 1D	Ionospheric waveguide and magnetically oriented irregularities [10466-107]
10466 1E	Experimental study of flame characteristics during the combustion of certain types of liquid hydrocarbon fuels [10466-115]
10466 1F	Experimental and numerical study of temperature fields and flows in flame during the diffusion combustion of certain liquid fuels [10466-124]

10466 1G	Backscattering enhancement factor dependence of a Laguerre-Gaussian laser beam propagating on the location path in the atmosphere on optical turbulence intensity [10466-125]
10466 1H	Performance analysis of a parallel Monte Carlo code for simulating solar radiative transfer in cloudy atmospheres using CUDA-enabled NVIDIA GPU [10466-133]
10466 11	Experimental and theoretical studies of near-ground acoustic radiation propagation in the atmosphere [10466-138]
10466 1J	Field tests of a passive optical meter of the structure characteristic of refractive index [10466-149]
10466 1K	Monte Carlo simulation of halos, glories, coronas, and multiple scattering of light [10466-156]
10466 1L	Monte Carlo simulation of specific features of radiation regime in water layer caused by clouds and roughness of the water surface [10466-157]
10466 1M	Use of atmospheric backscattering for adaptive formation of the initial wave front of a lase beam by the method of aperture sensing [10466-173]
10466 1N	Anomalous broadening and shift of emission lines in filaments [10466-179]
10466 10	Investigations of an acoustic field, generated by a supersonic flooded jet [10466-190]
10466 1P	Use of statistical study methods for the analysis of the results of the imitation modeling of radiation transfer [10466-204]
10466 1Q	Bottlenecks in the remote sensing of the 13CO2/12CO2 isotopic ratio from GOSAT measurements [10466-209]
10466 1R	Investigation of the threshold of the filamentation and generation of supercontinuum depending on the concentration of chlorophyll a photosynthesing pigment in sea water [10466-212]
10466 1S	Spectral features of Raman scattering and fluorescence sea water induced by femtosecond laser pulses [10466-216]
10466 1T	Diffusion of rays at oblique propagation in a randomly inhomogeneous medium with regular refraction [10466-231]
10466 1U	Development of the technique for determination of plasma temperatures subject to Faraday effect for Irkutsk incoherent scatter radar [10466-234]
10466 1V	Acousto-optical imaging spectrometer for unmanned aerial vehicles [10466-242]
10466 1W	Application of Vorob'ev's asymptotic solution to retrieval of the structural characteristics $C_{n^2}$ from BSA-lidar data [10466-248]
10466 1X	BSA-lidar operation in the weak turbulent conditions [10466-249]

10466 1Y	Remote sensing problem with multiple scattering effect [10466-257]
10466 1Z	Sensitivity of the satellite thermal infrared hyperspectrometer to variations of atmospheric characteristics [10466-258]
10466 20	Assessment of spatial coherence of a vortex axisymmetric Airy beam propagating in the turbulent atmosphere [10466-265]
10466 21	Light lens response in nanogeterogeneous liquid [10466-270]
10466 22	Determination of the bottom surface profile [10466-271]
10466 23	Hardware correction of laser wave beam atmospheric distortions for energy transfer system at 1500 meters horizontal path [10466-276]
10466 24	Scattering properties of a radially heterogeneous sphere made of metal nanoparticles and the dielectric matrix [10466-287]
10466 25	Quasi-optical 2D system for non-contact non-destructive testing of defects in natural and artificial crystals [10466-293]
10466 27	Fast recognition of marine particles in underwater digital holography [10466-294]
10466 28	Development principals of three-cascaded terahertz laser with generation of difference frequency radiation in the nonlinear optical crystal ZnGeP <sub>2</sub> for terahertz holography [10466-297]
10466 29	Radio thermal sounding of natural environments [10466-120]
10466 2A	Some elements of investigation the transformation of surface and pseudosurface modes in an open asymmetric thin-film structure with a synthetic medium [10466-282]
	OPTICAL INVESTIGATION OF ATMOSPHERE AND OCEAN
10466 2B	Effect of the orientation degree of crystalline ice particles in cirrus on the total flow of solar radiation in the photosynthetically active range (Invited Paper) [10466-211]
10466 2C	Problem of light scattering by atmospheric ice crystals (Invited Paper) [10466-235]
10466 2D	Estimations of pollution emissions by the Moscow megapolis basing on in-situ measurements and optical remote sensing (Invited Paper) [10466-87]
10466 2E	Estimate of latitudinal and longitudinal boundaries of aerosol regions in the East Atlantic [10466-19]
10466 2F	Determination of particles concentration in Black Sea waters from spectral beam attenuation coefficient [10466-20]
10466 2G	Peculiarities of spatial-temporal variability of the aerosol optical depth of the atmosphere over Kara and Baretns Seas in 2016 [10466-28]

10466 2H	on satellite data analysis and modeling [10466-31]
10466 21	Year-to-year variability of the aerosol and black carbon concentrations in cloudless troposphere of Western Siberia in 2000-2016 [10466-34]
10466 2J	Fast monitoring of dissolved organic and suspended matter using data of beam attenuation coefficient in Black Sea [10466-35]
10466 2K	Results of 5-year SPM photometer measurements of spectral atmospheric transparency at Antarctic Mirny observatory [10466-36]
Part Two	
10466 2L	Annual dynamics of the black carbon size distribution in the near-ground submicron aerosol in western Siberia [10466-37]
10466 2M	Composition of suspended matter in the tropical waters of Atlantic Ocean according to the light scattering $[10466-44]$
10466 2N	Transmission of radiant energy by gas-aerosol medium containing methane [10466-48]
10466 2O	Particle size distribution function of photoelectric counter and closed volume aureole photometer (seasonal variations and inter-annual differences) [10466-51]
10466 2P	Microphysical changes in the aerosol component of the gas-disperse mixture of near-ground air under the exposure to ultraviolet radiation (DRT-1000 lamp) [10466-57]
10466 2Q	Determination of the wind velocity vector by a micropulse coherent Doppler wind lidar with a duo-beam method [10466-59]
10466 2R	Experimental research of different factors influencing on stability of laser induced fluorescence spectra of plants [10466-62]
10466 2S	Dynamics of the standard deviations of three wind velocity components from the data of acoustic sounding $[10466-70]$
10466 2T	Control of operating parameters of laser ceilometers with the application of fiber optic delay line imitation [10466-73]
10466 2U	Numerical simulation of impurity transport in Lake Baikal during the summer period [10466-74]
10466 2V	Lidar measurements of the turbulence energy dissipation rate in the boundary layer of atmosphere in presence of low level jet streams and atmospheric internal waves [10466-82]
10466 2W	Accuracy of estimation of the turbulence energy dissipation rate in the atmospheric boundary layer from measurements of the radial wind velocity by micropulse coherent

10466 2X	Measurement of the cross wind velocity by the Doppler lidar and the correlation passive optical meter [10466-84]
10466 2Y	First experiment on retrieval of tropospheric NO2 over polluted areas with 2.4-km spatial resolution basing on satellite spectral measurements [10466-85]
10466 2Z	Study of different operational modes of the IAP 2-port-DOAS instrument for atmospheric trace gases investigation during CINDI-2 campaign basing on residual noise analysis [10466-86]
10466 30	Hydrooptical laser sensing of fish schools [10466-94]
10466 31	Impact of spectral bands number on classification accuracy of oil pollutions using laser induced fluorescence [10466-95]
10466 32	Robust statistical methods in sodar studies of the ABL [10466-105]
10466 33	Spatiotemporal structure function of intensity in the optical image of a topographic object in a turbulent atmosphere [10466-108]
10466 34	Peculiarities of the suspended matter distribution received by the optical measurements in the photic layer of the north part of the Black Sea in the summer period of 2016 [10466-109]
10466 35	Lidar investigation of wake vortices generated by a landing aircraft [10466-112]
10466 36	Toxic trace elements in solid airborne particles and ecological risk assessment in the vicinity of local boiler house plants [10466-114]
10466 37	Power laws for the backscattering matrices in the case of lidar sensing of cirrus clouds [10466-116]
10466 38	Using actinometric data for identification of cumulus clouds [10466-117]
10466 39	Design of an optical system for coupling a wideband light source with an acousto-optical tunable filter [10466-118]
10466 3A	Effect of the preferred orientation of non-spherical ice crystals in high-level clouds on the depolarization ratio of lidar signals [10466-123]
10466 3B	Grassland fire spread simulation using NDVI data [10466-127]
10466 3C	Optical monitoring of film pollution on sea surface [10466-140]
10466 3D	Polarimeter based on video matrix [10466-141]
10466 3E	Optical properties of aerosol during condensation growth: numerical study [10466-142]
10466 3F	Analysis of polarization characteristics of double scattering lidar return from droplet and crystal clouds [10466-143]
10466 3G	Methods and device for in situ total suspended matter (TSM) monitoring in natural waters' environment [10466-151]

10466 3H	Diffuse attenuation coefficient for downwelling irradiance at 490 nm and its spectral characteristics in the Black Sea upper layer: modeling, in situ measurements and ocean color data [10466-165]
10466 31	Long-term variability of aerosol and Black Carbon concentrations in the atmospheric surface layer as results of 20-year measurements at the IAO Aerosol Station [10466-166]
10466 3J	Comparison of the results of inversion of the spectral aerosol extinction coefficients and angular dependences of aerosol scattering [10466-167]
10466 3K	Impact of optically active layers in the Black Sea on the quality of retrieved ocean color products: modeling and satellite observations [10466-169]
10466 3L	Reconstruction of microstructure parameters of the coarsely dispersed aerosol from spectral measurements of the aerosol optical thickness during a one-year observation period from their regression relations using a finite sample [10466-170]
10466 3M	Influence of atmospheric correction errors on retrieving bio-optic upper sea layer characteristics: model calculations [10466-171]
10466 3N	Influence of wildfires in the boreal forests of Eastern Siberia on atmospheric aerosol parameters [10466-180]
10466 3O	"LOSA-S" — basic lidar of the CSF "ATMOSPHERE" IAO SB RAS for tropospheric studies [10466-186]
10466 3P	Seasonal variability of the aerosol absorption and scattering properties [10466-195]
10466 3Q	Retrieval of the vertical distribution of aerosol microphysical characteristics from lidar measurements in Tomsk [10466-196]
10466 3R	Methodology of ground aerosol sources determination based on AERONET and HYSPLIT models data results [10466-198]
10466 3S	Methods and device for in situ dissolved organic matter (DOM) monitoring in natural waters' environment [10466-203]
10466 3T	Potential sources of precipitation in Lake Baikal basin [10466-205]
10466 3U	The fields of mean concentration in potential sources of ammonium sulphate, ammonium nitrate, and natural silicates for the west of Moscow region [10466-206]
10466 3V	Probability of transport of air parcels from the arid lands in the Southern Russia to Moscow region [10466-207]
10466 3W	Potential sources of Southern Siberia aerosols by data of AERONET site in Tomsk, Russia [10466-208]
10466 3X	Bioluminescence field of the Black Sea as indicator of Dinophyta aggregation, its seasonal and interannual dynamics [10466-210]

10466 3Y	Statistical estimation of the potential possibilities for panoramic hydro-optic laser sensing [10466-213]
10466 3Z	Lidar monitoring of stratospheric aerosol and ozone at the Siberian Lidar station [10466-302]
10466 40	LOSA-M3: multi-wave polarization scanning lidar for research of the troposphere and cirrus clouds [10466-215]
10466 41	Analysis of 2D distribution of the frequency spectra of the flame model fire whirl [10466-217]
10466 42	Crosswind estimations by using correlation and spectral video processing algorithms [10466-219]
10466 43	Accuracy improvement of determining temperature and concentrations of gases by the approximation polynomials method on the example of high-temperature CO <sub>2</sub> [10466-223]
10466 44	Investigation of emission lines excitation efficiency in femtosecond plasma generated on the surface of chemical elements water solution [10466-226]
10466 45	New infrared spectrograph for the investigation of the mesopause region [10466-229]
10466 46	Main types of optical beams giving predominant contributions to the light backscatter for the irregular hexagonal columns [10466-236]
10466 47	Physical model of optical inhomogeneities of water [10466-237]
10466 48	Recording optical flashes in the night atmosphere from CCD photometer [10466-239]
10466 49	Development of the algorithm for light scattering by concave ice crystals of cirrus clouds [10466-240]
10466 4A	Recovery of wind field characteristics by lidar data [10466-244]
10466 4B	Annual variability in light absorption by particles and colored dissolved organic matter in the Crimean coastal waters (the Black Sea) [10466-245]
10466 4C	Light absorption coefficients by phytoplankton pigments, suspended particles, and colored dissolved organic matter in the Crimea coastal water (the Black sea) in June 2016 [10466-246]
10466 4D	Stereoscopic tip for a video endoscope: problems in design [10466-247]
10466 4E	Peculiarities of mercury accumulation and concentration in conifers of Tomsk region [10466-255]
10466 4F	Thermal mechanism of the radiation self-action in transparent nanogeterogeneous medium [10466-259]
10466 4G	The joint methane profiles retrieval approach from GOSAT TIR and SWIR spectra [10466-263]
10466 4H	Beam deflection method in the light induced pseudo-prism in nanosuspension [10466-273]

10466 4I	A study of thermal diffusion in a two-component liquid by z-scan method [10466-279]
10466 4J	Holographic method of nanoparticles diagnostics in liquid [10466-280]
10466 4K	Sedimentation of particles by the light pressure in nanosuspension [10466-281]
10466 4L	Concept of a broadband near- and mid-IR lidar [10466-296]
10466 4M	Effect of particles size distribution of droplet cloud on polarization characteristics of double scattering lidar return [10466-266]
10466 4N	Development of optical analyzer for determining the dimentions and concentration of aerosol particles [10466-274]
	ATMOSPHERIC PHYSICS AND CLIMATE
10466 40	Climatology of lightning activity in northern Asia in 2009-2016 (Invited Paper) [10466-178]
10466 4P	Simulation of gas outlets in the Selenga shallow waters of Lake Baikal (Invited Paper) [10466-146]
10466 4Q	A link between cold events in Moscow, Russia, in winter and daily anomalies of sea ice concentration in the Barents Sea $[10466-2]$
10466 4R	Measurements of dielectric constant of supercooled water in the temperature range from -20°C to -120°C at the frequencies of 7-11GHz [10466-5]
10466 4S	Verification of the effects of Schumann frequency range electromagnetic fields on the human cardiovascular system [10466-7]
10466 4T	Features of influence of spatially inhomogeneous geomagnetic field on a humans heart rhythm variability [10466-8]
10466 4U	Vilyuysk meteor explosion: ionospheric and geomagnetic effects in the high-latitude lower ionosphere [10466-12]
10466 4V	Cloud manifestations of atmospheric gravity waves over the water area of the Kuril Islands during the propagation of powerful transoceanic tsunamis [10466-14]
10466 4W	Numerical modeling of atmospheric turbulent Ekman flow [10466-15]
10466 4X	Statistical modeling of temperature, humidity, and wind fields in the atmospheric boundary layer over the Siberian region [10466-23]
10466 4Y	Numerical method for predictive estimate of classification efficiency for various cloud type images based on texture information from MODIS data [10466-32]
10466 4Z	Diurnal dynamics of the $CO_2$ concentration in water of the coastal zone of lake Baikal in the ice period (testing of the DIEL – $CO_2$ method for assessment of lake metabolic rate) [10466-38]

10466 50	Natural factor effect on atmospheric electric field formation in Kamchatka [10466-41]
10466 51	The influence of orographic waves and quasi-biennial oscillations on vertical ozone flux in the model of general atmospheric circulation $[10466-45]$
10466 52	Vertical profile of fluorescent characteristics in Baikal water in the spring period of 2010-2016 [10466-46]
10466 53	Patterns and stochastic models of the annual precipitation variability in Siberia [10466-52]
10466 54	Structure of atmospheric circulation variability in the North Atlantic/European Sector related to AMO in summer [10466-64]
Part Three	
10466 55	Snow water equivalent in Western Siberia as simulated by land-surface model, satellite data and from ERA-Interim reanalysis [10466-65]
10466 56	Sensitivity of the Arctic Ocean gas hydrate to climate changes in the period of 1948-2015 [10466-68]
10466 57	Influence of the vertical mixing parameterization on the modeling results of the Arctic Ocean hydrology [10466-81]
10466 58	Spatial distribution of the thunderstorm activity characteristics for the territory of Western Siberia [10466-90]
10466 59	Comparison of the relative transparency of the atmosphere measured by attenuation of Cherenkov light [10466-91]
10466 5A	Cosmic rays energy determination by radio emission registration method at frequency 30-35 MHz [10466-92]
10466 5B	Development of a monitoring network for lightning stokes accompanying the eruptions of the Northern group of volcanoes on Kamchatka peninsula [10466-97]
10466 5C	Humidity change with height in cyclones under external impacts [10466-100]
10466 5D	Development and implementation of the software for visualization and analysis of data geophysical loggers [10466-121]
10466 5E	Evaluation of the complete evaporation time for atmospheric aerosol drops with regard to concentration and temperature jumps at their surfaces and unsteady evaporation process [10466-122]
10466 5F	Methods to estimate lightning activity using WWLLN and RS data [10466-126]
10466 5G	Development of software for geodynamic processes monitoring system [10466-129]
10466 5H	Variability of conditions for water phase transitions in the atmosphere of the Black Sea region [10466-132]

10466 5I	Evaluation of supercooled water content in the atmosphere using real-time radiometry methods [10466-130]
10466 5J	Synchronous analysis of statistical characteristics of natural climatic processes [10466-131]
10466 5K	Processing of meteorological data with ultrasonic thermoanemometers [10466-134]
10466 5L	Study of phase clustering method for analyzing large volumes of meteorological observation data [10466-135]
10466 5M	Joint research of extremely low frequency electromagnetic background at Baygazan (Russian Altay) and Kolarovo (Tomsk region) [10466-136]
10466 5N	Polarization characteristics of Schumann resonances in Tomsk [10466-137]
10466 50	Field of the arctic control-correction station of the GLONASS when received at heights up to 10 km in different seasons of the year [10466-144]
10466 5P	Dynamics of electrical characteristics of the surface atmosphere during the passage of cumulonimbus clouds in the cold season [10466-145]
10466 5Q	Variational methods for predicting climate-environmental processes with assimilation of observational data [10466-148]
10466 5R	Vertical ozone flux in the near-surface layer of a background region of Western Siberia in <b>2016</b> [10466-150]
10466 5S	Simulation of spread and transformation of emissions from Norilsk industrial zone with the WRF-CHEM model: comparison with experimental data of airborne sensing [10466-152]
10466 5T	Weekly cycles of formaldehyde and nitrogen dioxide in the atmosphere over Northern Eurasia: anthropogenic or natural? [10466-153]
10466 5U	Manifestations of minor and final stratospheric warmings in the MLT and F2-region [10466-154]
10466 5V	Peculiarities of the atmospheric blocking events over the Siberia and Russian Far East region during summertime [10466-158]
10466 5W	The determination of ionosphere parameters on the base of backscatter sounding data [10466-159]
10466 5X	Ray paths for radio waves traveling through cosine ionospheric layer [10466-160]
10466 5Y	Calibration methods for absolute measurements at the Irkutsk incoherent scatter radar [10466-161]
10466 5Z	Dynamics of surface temperatures at the Crimean peninsula territory [10466-162]
10466 60	Spatio-temporal variations of vegetation indicators in Eastern Siberia under global warming

10466 61	Complex observations at the geophysical observatory "Klyuchi" during a strong geomagnetic storm in June 2015 [10466-164]
10466 62	Macrocirculaton processes responsible for precipitation in Altai [10466-168]
10466 63	Spatio-temporal variations in characteristics of the IR emissions of atomic oxygen and of carbon dioxide in the upper atmosphere [10466-174]
10466 64	Methods and devices used in the wildfire localization for the protection of forest ecosystems [10466-175]
10466 65	Dynamics of the EEG of human brain in the gradient magnetic fields of geological faults in different geographical and climatic zones [10466-176]
10466 66	Solar x-ray flares effects in amplitude and phase variations of VLF-signals of radio stations registered in Yakutsk during 2009-2016 [10466-181]
10466 67	The research into the hydrology of Siberia based on the of information-computing system [10466-182]
10466 68	Variations of intensity atmospheric electric field during a thunderstorm in Yakutsk [10466-183]
10466 69	Seasonal dynamics of VLF signals amplitude Novosibirsk radio station and mesopause region temperature in 2009-2015 [10466-184]
10466 6A	A multiscale video system for studying an optical phenomena during active experiments in the upper atmosphere [10466-185]
10466 6B	Experimental study of global electromagnetic resonances of the Earth-ionosphere cavity in high latitudes (Novaya Zemlya Island and settlement Tiksi) [10466-188]
10466 6C	Results of radio measurement in the White, Barents, and Kara Seas in the summer of 2016 [10466-189]
10466 6D	Deterministic and stochastic methods of calculation of polarization characteristics of radiation in natural environment [10466-191]
10466 6E	The beginning of the space age: information and mathematical aspect. To the 60th anniversary of the launch of the first sputnik [10466-192]
10466 6F	Potential sources of the air masses leading to warm and cold anomalies in Moscow in summer [10466-193]
10466 6G	On the division of contribution of the atmosphere and ocean in the radiation of the Earth for the tasks of remote sensing and climate [10466-194]
10466 6Н	Dependence of the surface ozone concentration on the air temperature and conditions of atmospheric circulation in Western Siberia in the warm season (May-September) [10466-197]

10466 6I	A combined model for analysis and projection of the regional air temperature dynamics [10466-199]
10466 6J	Simulation of winter mesoclimates in Krasnoyarsk urban agglomeration [10466-200]
10466 6K	Impacts of climate change on energy consumption of Russian cities in the winter period [10466-201]
10466 6L	The characteristics of the near ground and integrated atmospheric water's annual and internal variations in Europe $\ [10466-202]$
10466 6M	Maintaining data of route observations of emission plumes from Norilsk mining and metallurgical plant [10466-218]
10466 6N	Determination of humidity of the troposphere by GNSS signals [10466-221]
10466 6O	Numerical simulation of idealized front motion in neutral and stratified atmosphere with a hyperbolic system of equations [10466-224]
10466 6P	Spatio-temporal variability of atmospheric precipitation in West Siberia over last decades using observational data [10466-227]
10466 6Q	Urban climate and energy demand interaction in Northern Eurasia [10466-228]
10466 6R	The global climate change effect on the Altai region's climate in the first half of XXI century [10466-230]
10466 6S	Features of the structure of surface air temperature field in the northern hemisphere [10466-241]
10466 6T	Comparison of the isotopic composition of precipitation and air for three Arctic stations with the results of the ECHAM5-wiso modeling [10466-243]
10466 6U	Calculation of photophoretic motion characteristics of fractal-like soot aggregates using the specialized aerosol solver [10466-251]
10466 6V	Radiophysical methods of diagnostics the Earth's ionosphere and the underlying Earth's surface by remote sensing in the short-wave range of radio waves [10466-252]
10466 6W	Development of mathematical model and numerical method for analysis of air mass movement in street canyon [10466-253]
10466 6X	Calculation of energetic characteristics of C-14 emitted from Beloyarsk nuclear power plant plume with fast neutron reactor [10466-256]
10466 6Y	Regarding retrievals of methane in the atmosphere from IASI/Metop spectra and their comparison with ground-based FTIR measurements data [10466-260]
10466 6Z	The limitation distance for remote detection of radioactive atmospheric emission from Siberian chemical combine [10466-262]

10400 70	Yakutia [10466-264]
10466 71	Application of the using terawatt lidar system of the IAO SB RAS in the case of the remote sensing [10466-269]
10466 72	Dynamics of actual aggregation of petroleum products in snow cover [10466-147]
10466 73	The concentration of $PM_{10}$ in the atmospheric surface layer of Krasnoyarsk in the period of unfavorable meteorological conditions [10466-272]
10466 74	Variational data assimilation of airborne sensing profiles to the transport and transformation model of atmospheric chemistry [10466-283]
10466 75	Systematization of climate data in the virtual research environment on the basis of ontology approach [10466-285]
10466 76	Interpretation of the lidar observations of volcanic aerosol over Tomsk and Vladivostok in the summer <b>2011</b> by trajectory method [10466-298]
10466 77	On the role of the method of measuring the background signal in the lidar measurements of the upper atmosphere [10466-299]
10466 78	Dynamics of the ozone layer in the southern hemisphere based on satellite data [10466-301]
	INVESTIGATION OF THE UPPER ATMOSPHERE WITH THE USE OF GLOBAL NAVIGATION SATELLITE SYSTEMS (GNSS)
10466 79	
10466 79 10466 7A	SYSTEMS (GNSS)  Multi-year changes of mesoscale variations in atmospheric parameters from the data of
	Multi-year changes of mesoscale variations in atmospheric parameters from the data of GNSS satellites (Invited Paper) [10466-42]  Dynamics of spectra ionospheric disturbances above Moscow by GPS- data during
10466 7A	Multi-year changes of mesoscale variations in atmospheric parameters from the data of GNSS satellites (Invited Paper) [10466-42]  Dynamics of spectra ionospheric disturbances above Moscow by GPS- data during summer 2010 [10466-6]  Studying aspect scattering peculiarities of GNSS phase fluctuations caused by anisotropic
10466 7A 10466 7B	Multi-year changes of mesoscale variations in atmospheric parameters from the data of GNSS satellites (Invited Paper) [10466-42]  Dynamics of spectra ionospheric disturbances above Moscow by GPS- data during summer 2010 [10466-6]  Studying aspect scattering peculiarities of GNSS phase fluctuations caused by anisotropic irregularities [10466-25]  Possibility of correcting ionospheric model, using data from single-frequency receivers of
10466 7A 10466 7B 10466 7C	Multi-year changes of mesoscale variations in atmospheric parameters from the data of GNSS satellites (Invited Paper) [10466-42]  Dynamics of spectra ionospheric disturbances above Moscow by GPS- data during summer 2010 [10466-6]  Studying aspect scattering peculiarities of GNSS phase fluctuations caused by anisotropic irregularities [10466-25]  Possibility of correcting ionospheric model, using data from single-frequency receivers of global navigation satellite systems [10466-43]  The comparative analysis of the intensity of the total electron content of the ionosphere

10466 7G	The impact of solar flares analysis on the intensity variations of the total electron content of the middle latitudes ionospherein the European Region [10466-77]
10466 7H	The dynamics of ionosphere disturbance level during 94-04 and its response to a global leap of geophysical parameters at 1997 [10466-250]
10466 71	Determining the absolute total electron content from the single-frequency GPS/GLONASS data [10466-261]
10466 7J	Estimation of sea level variations with GPS/GLONASS-reflectometry technique [10466-267]
10466 7K	Determination of the ionospheric response parameters to the engine operation of spaceship "Progress" according to GNSS data [10466-268]
10466 7L	Ionospheric variations during typhoons of autumn 2016 [10466-277]
10466 7M	lonosphere and magnetosphere disturbance impact on operation slips of Global navigation satellite systems at mid- and high-latitudes [10466-278]
10466 7N	Variations of the electrical component's relation to the magnetic of the electromagnetic signals from lighting discharges passing on the earthquake epicenter [10466-284]