

2014 Asia Communications and Photonics Conference (ACP 2014)

**Shanghai, China
11-14 November 2014**

Pages 1-776



**IEEE Catalog Number: CFP1439B-POD
ISBN: 978-1-7281-1631-0**

**Copyright © 2014, The Optical Society (OSA)
All Rights Reserved**

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP1439B-POD |
| ISBN (Print-On-Demand): | 978-1-7281-1631-0 |
| ISBN (Online): | 978-1-55752-852-0 |
| ISSN: | 2162-108X |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

| | |
|--|----|
| ULTRA-STRONGLY SUB-POISSONIAN PHOTON GENERATION IN THREE COUPLED MICROCAVITIES CONTAINING A QUANTUM DOT | 1 |
| <i>Wen Zhang ; Zhongyuan Yu ; Yumin Liu</i> | |
| DESIGN, FABRICATION AND OPTIMIZATION OF SILICON SLOT PHOTONIC RING RESONATORS | 4 |
| <i>Weiwei Zhang ; Samuel Serna ; Xavier Le Roux ; Laurent Vivien ; Eric Cassan</i> | |
| 1 GBPS DIRECTED OPTICAL DECODER BASED ON TWO MICRORING RESONATORS | 7 |
| <i>Qiaoshan Chen ; Fanfan Zhang ; Lei Zhang ; Yonghui Tian ; Ping Zhou ; Jianfeng Ding ; Lin Yang</i> | |
| EXPERIMENTAL PERFORMANCE EVALUATION OF ANALOG SIGNAL TRANSMISSION IN A SILICON MICRORING RESONATOR | 10 |
| <i>Jing Du ; Yun Long ; Chengcheng Gui ; Qi Yang ; Jian Wang</i> | |
| DEMONSTRATION OF A 3-BIT DIGITAL-TO-ANALOG CONVERTOR BASED ON SILICON MICRORING RESONATORS | 13 |
| <i>Jianfeng Ding ; Qiaoshan Chen ; Lei Zhang ; Lin Yang</i> | |
| NOVEL OPTICAL FILTER BASED ON HIGH-ORDER MICRORING RESONATORS WITH BENT COUPLERS | 16 |
| <i>Pengxin Chen ; Sitao Chen ; Xiaowei Guan ; Yaocheng Shi ; Daoxin Dai</i> | |
| ULTRACOMPACT OPTICALLY-CONTROLLED TUNABLE MICROWAVE PHOTONIC FILTER BASED ON A NONLINEAR SILICON MICRORING RESONATOR | 19 |
| <i>Yun Long ; Han Zhang ; Chao Li ; Chengcheng Gui ; Qi Yang ; Jian Wang</i> | |
| SHORT-PULSE FIBER LASERS MODE LOCKED BY VARIOUS NANO-CARBON MATERIALS | 22 |
| <i>Yung-Hsiang Lin ; Gong-Ru Lin</i> | |
| LOW-TIMING-JITTER MODE-LOCKED FIBER LASER BASED ON GRAPHENE OXIDE PVA THIN FILM AS SATURABLE ABSORBER | 25 |
| <i>Kan Wu ; Xiaohui Li ; Yonggang Wang ; Qijie Wang ; Perry Ping Shum ; Jianping Chen</i> | |
| NUMERICAL INVESTIGATION OF VECTOR DISSIPATIVE SOLITONS IN A GRAPHENE MODE-LOCKED FIBER LASER | 28 |
| <i>Chang Xue ; Heping Li ; Handing Xia ; Jianfeng Li ; Yong Liu</i> | |
| PASSIVE MODE-LOCKING OF ERBIUM DOPED FIBER LASER WITH NANO-SCALE CARBON BLACK BASED SATURABLE ABSORBER | 31 |
| <i>Jui-Yung Lo ; Yung-Hsiang Lin ; Ting-Hui Chen ; Zhe-Chuan Feng ; Gong-Ru Lin</i> | |
| MINIMUM SATURABLE ABSORPTION CONTRAST FOR STABLE MODE-LOCKED FIBER LASERS | 33 |
| <i>Jinwoo Jeon ; Junsu Lee ; Ju Han Lee</i> | |
| ENHANCED SENSING IN BIOPHOTONICS: FROM VISIBLE TO TERAHERTZ RANGE | 36 |
| <i>Valery V. Tuchin</i> | |
| FUNDAMENTAL STUDIES OF PHOTODYNAMIC THERAPY: RECENT ADVANCES IN CHINA | 37 |
| <i>Buhong Li ; Zhihai Qiu</i> | |
| NON-INVASIVE METHODS FOR MEASUREMENT OF CAROTENOIDS IN MAMMALIAN SKIN | 40 |
| <i>Maxim E. Darvin ; Juergen Lademann</i> | |
| A NOVEL 64-QAM OPTICAL TRANSMITTER DRIVEN BY BINARY SIGNALS | 43 |
| <i>Yupeng Li ; Yang'an Zhang ; Yongqing Huang ; Xueguang Yuan ; Jinnan Zhang ; Ding Ding</i> | |
| DYNAMICS OF 1.12 TBIT/S WDM FLEX-COHERENT SUPER-CHANNELS IN MULTI-CORE FIBER TRANSMISSION | 46 |
| <i>Rameez Asif ; Feihong Ye ; Toshio Morioka</i> | |
| MULTI-CORE MULTI-MODE DENSE SPACE DIVISION MULTIPLEXING FOR ULTRA-HIGH SPECTRAL EFFICIENCY TRANSMISSION SYSTEMS | 49 |
| <i>Takayuki Mizuno ; Hidehiko Takara ; Akihiko Sano ; Yutaka Miyamoto</i> | |
| EFFICIENT BER ESTIMATION FOR SIMULATION OF COHERENT TRANSMISSION SYSTEMS INCLUDING DIGITAL SIGNAL PROCESSING AND FORWARD-ERROR-CORRECTION | 52 |
| <i>Hadrien Louchet ; André Richter</i> | |
| PHASE CONJUGATED TWIN WAVES IN 8×21×224GBIT/S DP-16QAM MULTI-CORE FIBER TRANSMISSION | 55 |
| <i>Rameez Asif ; Feihong Ye ; Toshio Morioka</i> | |

| | |
|--|------------|
| TRANSMISSION OF 40 GB/S OVER 55 M MULTIMODE FIBER USING 12 GHZ BANDWIDTH SYSTEM BASED ON VERTICAL-CAVITY SURFACE-EMITTING LASER | 58 |
| <i>Marek Chacinski ; Nicolae Chitica ; Richard Schatz ; Urban Westergren</i> | |
| THE FUTURE OF NETWORK MANAGEMENT AND TRANSPORT SDN CONTROLLER | 61 |
| <i>Yun Xiang ; Wei Xueqin</i> | |
| UNIFIED CONTROL FOR IP OVER OPTICAL TRANSPORT NETWORKS BASED ON SOFTWARE-DEFINED ARCHITECTURE | 64 |
| <i>Zhizhen Zhong ; Xiaohui Chen ; Nan Hua ; Yanhe Li ; Xiaoping Zheng</i> | |
| USER-CONTROLLED QOE ADJUSTMENT BASED ON SOFTWARE DEFINED NETWORKING | 67 |
| <i>Wenyu Zhang ; Wei Guo ; Chengjun Li ; Yuan Wen</i> | |
| DOUBLE VIRTUALIZATION CONSTRUCTOR ARCHITECTURE FOR INTEGRATED PROVISIONING OF CONTROLLER RESOURCES AND NETWORK RESOURCES IN HYBRID PACKET AND CIRCUIT NETWORKS..... | 70 |
| <i>Xingbin Yin ; Yongli Zhao ; Jie Zhang ; Hui Yang ; Qiang Wang ; Huibin Zhang</i> | |
| HOW MUCH CAN TIME DOMAIN HYBRID MODULATION (TDHM) HELP INCREASE CAPACITY OF SOFTWARE-DEFINED OPTICAL NETWORKS?..... | 73 |
| <i>Hua Dai ; Yongcheng Li ; Gangxiang Shen</i> | |
| ALL-OPTICAL MULTI MICRORING NETWORK-ON-CHIP | 76 |
| <i>N. Andriolli ; P. Castoldi ; I. Cerutti</i> | |
| OPTICAL ON-CHIP NETWORKS WITH LOW-TRIMMING-POWER | 79 |
| <i>Luo Zhang ; Wang Kefie ; Pang Zhengbin ; Xiao Liquan ; Xu Weixia</i> | |
| AWG-BASED COPY NETWORKS FOR MULTICAST PACKET SWITCHING..... | 82 |
| <i>Mao Ge ; Tong Ye ; Tony T. Lee ; Weisheng Hu</i> | |
| OPTICAL DIRECT DETECTION FOR 100G SHORT REACH APPLICATIONS..... | 85 |
| <i>Di Che ; Xi Chen ; An Li ; Qian Hu ; Yifei Wang ; William Shieh</i> | |
| TDM-BASED INTERFEROMETRIC TECHNIQUE FOR MAINTAIN-REDUCED WDM QUANTUM KEY DISTRIBUTION NETWORK | 88 |
| <i>Lei Zhan ; Lichao He ; Yongmei Sun ; Yuefeng Ji</i> | |
| OPTIMAL REGENERATOR SHARING FOR LIGHTPATH PROTECTION IN 100G OPTICAL NETWORKS..... | 91 |
| <i>Jinhua Zhao ; Yufei Wang ; Feng Zeng ; Lei Shi</i> | |
| OPTICAL FIBER SENSORS WITH COATINGS AS SENSITIVE ELEMENTS..... | 94 |
| <i>Minghong Yang ; Chongjie Qi ; Jixiang Dai ; Dongwen Lee ; Jianguang Tang</i> | |
| IMPACT OF THE FILTER ALIGNMENT ON THE ULTRA-LONG DUAL-SIDEBAND BOTDA WITH BALANCED DETECTION..... | 97 |
| <i>Jin Li ; Zinan Wang ; Li Zhang ; Jiajia Zeng ; Yi Li ; Mengqiu Fan ; Xinhong Jia ; Yunjiang Rao</i> | |
| A STABLE, LABEL-FREE SILICA FIBER TAPER INTERFEROMETER BIOSENSOR BASED ON MESOPOROUS $Fe_3O_4@SiO_2$ NANOSPHERES | 100 |
| <i>Ning Zhang ; Yunyun Huang ; Zhuang Tian ; Linghao Cheng ; Bai-Ou Guan</i> | |
| STATISTICAL PARTICLE TRACKING FOR BIOSENSING: NANOSCALE VELOCIMETRY AND NANOTHERMOMETRY | 103 |
| <i>I.V. Fedosov ; V.V. Tuchin</i> | |
| PROTOTYPE DEVELOPMENT OF PHASE-SENSITIVE COHERENT OPTICAL TIME DOMAIN REFLECTOMETRY FOR DISTRIBUTED VIBRATION MEASUREMENT..... | 106 |
| <i>Xinyu Fan ; Qingwen Liu ; Jiangbing Du ; Lin Ma ; Zuyuan He</i> | |
| DIGITAL SIGNAL PROCESSING FOR A CLOSED-LOOP RESONANT FIBER OPTIC GYRO..... | 109 |
| <i>Linglan Wang ; Yuchao Yan ; Xiao Lu ; Huilian Ma ; Zhonghe Jin</i> | |
| HIGH POWER PHOTONIC CRYSTAL FIBER LASERS AND THEIR APPLICATIONS | 112 |
| <i>Minglie Hu</i> | |
| DISSIPATIVE SOLITON (DS) PULSE STABILITY AGAINST ASE-NOISE IN NORMAL DISPERSION FIBER LASER BASED ON A SLOW SATURABLE ABSORBER (SA) | 115 |
| <i>Cong Xu ; Yitang Dai ; Kun Xu</i> | |
| FILTER SHAPE AND BIREFRINGENCE DETUNED DUAL-BAND MODE LOCKABLE ER-DOPED FIBER LASER WITH FLEXIBLE WAVELENGTHS | 118 |
| <i>Chi-Cheng Yang ; Sheng-Fong Lin ; Gong-Ru Lin</i> | |
| MULTI-WAVELENGTH SINGLE-POLARIZATION ALL-FIBER LASERS BASED ON IN-FIBER POLARIZERS | 121 |
| <i>Lixian Wang ; Charles-Gabriel Deslauriers ; Sophie Larochelle</i> | |
| SINGLE-LONGITUDINAL-MODE BRILLOUIN/ERBIUM FIBER LASER WITH HIGH LINEWIDTH-REDUCTION RATIO | 124 |
| <i>Bowen Li ; Xiaoming Wei ; Xie Wang ; Kenneth. K. Y. Wong</i> | |

| | |
|---|-----|
| PERFORMANCE ANALYSIS OF TWO SLIPLESS CARRIER PHASE ESTIMATION SCHEME | 127 |
| <i>Haiquan Cheng ; Jian Wu ; Yan Li ; Deming Kong ; Jizhao Zang ; Jintong Lin</i> | |
| CHARACTERIZATION OF NONLINEAR INTERACTIONS IN MODE-MULTIPLEXED SYSTEMS | 130 |
| <i>Georg Rademacher ; Stefan Warm ; Klaus Petermann</i> | |
| MODELING NONLINEAR INTERFERENCE NOISE IN FIBER OPTIC TRANSMISSION | 133 |
| <i>Mark Shtaif ; Ronen Dar ; Meir Feder ; Antonio Mecozzi</i> | |
| CHARACTERIZATION OF DISTRIBUTED RAMAN AMPLIFICATION-INDUCED AMPLITUDE AND PHASE IMPAIRMENTS ON UNREPEATED COHERENT TRANSMISSION LINKS | 136 |
| <i>Xiaodan Pang ; Atalla El-Taher ; Richard Schatz ; Gunnar Jacobsen ; Sergei Popov ; Sergey Sergeev</i> | |
| FRONT-HAUL SOLUTIONS FOR WIRELESS ACCESS SYSTEMS | 139 |
| <i>Toshiaki Kuri ; Atsushi Kanno ; Tetsuya Kawanishi</i> | |
| A NOVEL ROF ARCHITECTURE WITH OPTICAL DSB-SC MM-WAVE SIGNAL GENERATION VIA FREQUENCY TWELVE TUPLING AND WAVELENGTH REUSE FOR UPLINK TRANSMISSION | 142 |
| <i>Hong Wen ; Shengqi Peng ; Rui Zhou ; Heng Zhou</i> | |
| FULL-DUPLEX ROF LINK WITH SEAMLESS CONVERGENCE AND HIGH-SPEED BROADBAND WIRELESS ACCESS | 145 |
| <i>Chao Gao ; Shanguo Huang ; Jinghua Xiao ; Xinlu Gao ; Qian Wang ; Yongfeng Wei ; Wensheng Zhai ; Wenjing Xu ; Wanyi Gu</i> | |
| A SIMPLE MICROWAVE PHOTONIC DOWNCONVERTER WITH HIGH CONVERSION EFFICIENCY BASED ON A POLARIZATION MODULATOR | 148 |
| <i>Tingting Zhang ; Fangzheng Zhang ; Xiangfei Chen ; Shilong Pan</i> | |
| AN OPTICAL TRUE-TIME-DELAY UNIT FOR INDEPENDENT BEAMFORMING OF MULTIPLE RF SIGNALS | 151 |
| <i>Xingwei Ye ; Fangzheng Zhang ; Shilong Pan</i> | |
| HIGH INDEX CONTRAST CIRCULAR BRAGG REFLECTOR ON SILICON-ON-INSULATOR WITH FLAT AND BROADBAND SPECTRUM | 154 |
| <i>Shitao Gao ; Yang Wang ; Ke Wang ; Efstratios Skafidas</i> | |
| SCALABLE OPTICAL MULTICASTING AND RECEIVER FOR NETWORKS-ON-CHIP | 157 |
| <i>Ke Xu ; Zhenzhou Cheng ; Hon Ki Tsang</i> | |
| CHIP-LEVEL INTERCONNECTIONS REALIZED VIA THE LASER-INDUCED FORWARD TRANSFER TECHNIQUE | 160 |
| <i>K.S. Kaur ; J. Missinne ; G. Van Steenberge</i> | |
| FABRICATION OF ALL SHALLOWLY ETCHED SILICON REFLECTION-TYPE ARRAYED-WAVEGUIDE GRATINGS WITH ONE STIGMATIC POINT | 163 |
| <i>Keqi Ma ; Qiangsheng Huang ; Jianhao Zhang ; Sitao Chen ; Xin Fu ; Daoxin Dai ; Yaocheng Shi ; Kaixuan Chen ; Jianxin Cheng ; Liu Liu ; Sailing He</i> | |
| A ROBUST AND FABRICATION TOLERANT (DE)MULTIPLEXER ON THE SOI PLATFORM | 166 |
| <i>G. T. Reed ; Y. Hu ; D. J. Thomson ; F. Y. Gardes ; G. Z. Mashanovich</i> | |
| FAST STOCHASTIC SIMULATION OF SILICON WAVEGUIDE WITH NON-GAUSSIAN CORRELATED PROCESS VARIATIONS | 169 |
| <i>Tsui-Wei Weng ; Zheng Zhang ; Zhan Su ; Luca Daniel</i> | |
| DEMONSTRATION OF FREE-SPACE NYQUIST SIGNALS TRANSMISSION EMPLOYING ORBITAL ANGULAR MOMENTUM | 172 |
| <i>Dan Wang ; Yixiao Zhu ; Fan Zhang</i> | |
| PERFORMANCE EVALUATION OF FRACTIONAL ORBITAL ANGULAR MOMENTUM (OAM) BASED LDPC-CODED FREE-SPACE OPTICAL COMMUNICATIONS WITH ATMOSPHERIC TURBULENCE | 175 |
| <i>Jiaying Zhou ; Zhidan Xu ; Jian Wang</i> | |
| REVIEW OF SPECTRALLY EFFICIENT OPTICAL COMMUNICATIONS USING ORBITAL ANGULAR MOMENTUM MULTIPLEXING | 178 |
| <i>Jian Wang</i> | |
| DUAL-CHANNEL FORMAT CONVERSION FROM DQPSK TO DPSK BASED ON FWM IN A SINGLE SOA | 181 |
| <i>Danshi Wang ; Min Zhang ; Jun Qin ; Hongxiang Wang ; Shanguo Huang</i> | |
| PHASE NOISE CANCELLATION POLARIZATION-INSENSITIVE ALL-OPTICAL WAVELENGTH CONVERSION OF DFT-S PDM-OFDM-8/16/32QAM SIGNALS USING COHERENT DUAL-PUMPS | 184 |
| <i>Chao Li ; Ming Luo ; Zhixue He ; Haibo Li ; Rong Hu ; Shanhong You ; Qi Yang ; Shaohua Yu</i> | |

| | |
|---|------------|
| COHERENT OPTICAL OFDM TRANSMISSION BASED ON PHASE-CONJUGATED TWIN WAVES | 187 |
| <i>Dengke Zeng ; Xingwen Yi ; Jing Zhang ; Xuemei Chen ; Kun Qiu</i> | |
| NRZ-DPSK-TO-RZ-DPSK FORMAT CONVERSION WITH MULTIPLE-FUNCTION USING RAMAN ADIABATIC-SOLITON COMPRESSOR | 190 |
| <i>Irmeza Ismail ; Motoharu Matsuura ; Naoto Kishi</i> | |
| DESIGN AND FABRICATION OF AN 8×500GHZ INP-BASED ECHELLE GRATING WAVELENGTH MULTIPLEXER | 193 |
| <i>Ge Mu ; Lin Wu ; Jian-Jun He</i> | |
| BIDIRECTIONAL ARRAYED WAVEGUIDE GRATING (DE)MULTIPLEXER INTEGRATED WITH AN OPTICAL INTERLEAVER FOR DOUBLING THE CHANNELS | 196 |
| <i>Sitao Chen ; Xin Fu ; Yaocheng Shi ; Sailing He ; Daoxin Dai</i> | |
| GENERATION OF TERAHERTZ VORTICES BY USING METASURFACE WITH POLARIZATION DEPENDENT SLITS | 199 |
| <i>Hailong Zhou ; Jianji Dong ; Xinliang Zhang</i> | |
| HIGH-POWER NARROW-VERTICAL-DIVERGENCE PHOTONIC CRYSTAL LASER DIODES WITH OPTIMIZED EPITAXIAL STRUCTURE | 202 |
| <i>L. Liu ; H. W. Qu ; Y. Liu ; Y. J. Zhang ; Y. F. Wang ; A. Y. Qi ; W. H. Zheng</i> | |
| TEMPERATURE-STABLE ENERGY-EFFICIENT HIGH-BIT-RATE OXIDE-CONFINED 980 NM VCSELS FOR OPTICAL INTERCONNECTS | 205 |
| <i>H. Li ; P. Wolf ; P. Moser ; G. Larisch ; J. A. Lott ; D. Bimberg</i> | |
| ELECTRICALLY TUNED OPTICAL ADD-DROP MULTIPLEXERS BASED ON PARENT-SUB MICRORING STRUCTURE ON SOI SUBSTRATES | 208 |
| <i>Xian Xiao ; Xue Feng ; Xiangdong Li ; Yidong Huang</i> | |
| 64-CHANNEL HYBRID (DE)MULTIPLEXER ENABLING WAVELENGTH- AND MODE-DIVISION MULTIPLEXING FOR ON-CHIP OPTICAL INTERCONNECTS | 211 |
| <i>Jian Wang ; Sitao Chen ; Pengxin Chen ; Yaocheng Shi ; Daoxin Dai</i> | |
| IMPACT OF CARRIER INDUCED FREQUENCY NOISE FROM THE TRANSMITTER LASER ON 28 AND 56 GBAUD DP-QPSK METRO LINKS | 214 |
| <i>Miguel Iglesias Olmedo ; Xiaodan Pang ; Aleksejs Udalcovs ; Richard Schatz ; Darko Zibar ; Gunnar Jacobsen ; Sergei Popov ; Idelfonso Tafur Monroy</i> | |
| A SENSITIVITY IMPROVEMENT CHANNEL ESTIMATION ALGORITHM FOR DIRECT DETECTION OQAM-OFDM SYSTEMS | 217 |
| <i>Lu Zhang ; Meihua Bi ; Shilin Xiao ; Ling Liu ; Bintao Hu</i> | |
| 140 GBIT/S, 128 QAM LD-BASED COHERENT TRANSMISSION OVER 150 KM WITH AN INJECTION-LOCKED HOMODYNE DETECTION TECHNIQUE | 220 |
| <i>Yixin Wang ; Shohei Beppu ; Keisuke Kasai ; Masato Yoshida ; Masataka Nakazawa</i> | |
| LONG-HAUL TRANSMISSION PERFORMANCE EVALUATION OF ULTRA-LONG RAMAN FIBRE LASER BASED AMPLIFICATION INFLUENCED BY SECOND ORDER CO-PUMPING | 223 |
| <i>M. Tan ; P. Rosa ; I. D. Phillips ; P. Harper</i> | |
| EXPERIMENTAL DEMONSTRATION OF A REAL-TIME OFDM SYSTEM OVER 100KM SMF EMPLOYING DIRECTLY MODULATED LASER WITHOUT OPTICAL AMPLIFICATION | 226 |
| <i>Ming Chen ; Jing He ; Xian Wu ; Jin Tang ; Lin Chen</i> | |
| MULTILEVEL NONBINARY LDPC-CODED MODULATION FOR HIGH-SPEED OPTICAL TRANSMISSIONS | 229 |
| <i>Yequn Zhang ; Ivan B. Djordjevic</i> | |
| DEMONSTRATION OF ANALOG SIGNAL TRANSMISSION IN AN ORBITAL ANGULAR MOMENTUM (OAM) MULTIPLEXING SYSTEM | 232 |
| <i>Shuhui Li ; Yun Long ; Chengcheng Gui ; Jing Du ; Long Zhu ; Jun Liu ; Qi Yang ; Jian Wang</i> | |
| 40KM ERROR FREE OPTICAL STEALTH TRANSMISSION EXPERIMENT WITH AN AMPLIFIED SPONTANEOUS EMISSION LIGHT SOURCE | 235 |
| <i>Huatao Zhu ; Rong Wang ; Tao Pu ; Yinfang Chen ; Tao Fang ; Jilin Zheng ; Guorui Su</i> | |
| PERFORMANCE OF A DUAL-POLARIZATION FIBER LASER BASED ACCELEROMETER WITH A SOFTWARE PHASE LOCK LOOP | 238 |
| <i>Jun He ; Linghao Cheng ; Qiang Yuan ; Yizhi Liang ; Long Jin ; Bai-Ou Guan</i> | |
| ULTRA-SENSITIVE STRAIN AND TEMPERATURE SENSING BASED ON SINGLE-MODE-MULTIMODE-SINGLE-MODE STRUCTURE COMPRISING PERFLUORINATED PLASTIC OPTICAL FIBERS | 241 |
| <i>Goki Numata ; Neisei Hayashi ; Marie Tabaru ; Yosuke Mizuno ; Kentaro Nakamura</i> | |
| LABEL-FREE QUANTITATIVE IMAGING OF LIPID DROPLETS USING QUANTITATIVE PHASE IMAGING TECHNIQUES | 244 |
| <i>Seo Eun Lee ; Kyoohyun Kim ; Jonghee Yoon ; Ji Han Heo ; Hyunjoo Park ; Chulhee Choi ; Yongkeun Park</i> | |

| | |
|--|-----|
| USING 1550 NM LASER EXCITED LIYF₄: ER³⁺ UPCONVERSION NANOPARTICLES FOR DEEPER BIOIMAGING | 246 |
| <i>Liliang Chu ; Yuanxiang Wu ; Jun Qian</i> | |
| DESIGN OF PLASMONIC NANOPORE PLATFORMS FOR SINGLE-MOLECULE DETECTION | 249 |
| <i>Liang Deng ; Yixin Wang ; Zhe Shen ; Chen Liu ; Dora Juan Juan Hu ; Perry Ping Shum ; Lei Su</i> | |
| METHOD TO SUPPRESS SCALE FACTOR ERROR FOR ALL-DIGITAL SIGNAL PROCESSING OPEN-LOOP FIBER-OPTIC GYROSCOPE | 252 |
| <i>Zhongwei Tan ; Chuanchuan Yang ; Ziyu Wang</i> | |
| ULTRAFAST LABEL-FREE MULTI-PARAMETRIC CELLULAR ANALYSIS BY INTERFEROMETRIC TIME-STRETCH MICROSCOPY | 255 |
| <i>Andy K. S. Lau ; Matthew Y. H. Tang ; Anson H. L. Tang ; Bob M. F. Chung ; Xiaoming Wei ; Kenneth K. Y. Wong ; Ho Cheung Shum ; Kevin K. Tsia</i> | |
| OPTICAL SECTIONING WITH HYBRID IMAGES TO RECONSTRUCT IN FOURIER SPACE | 258 |
| <i>Yubo Duan ; Nanguang Chen</i> | |
| EFFICIENT UTILIZATION OF SPECTRUM IN FIBER SENSING NETWORK BASED ON ALL-OPTICAL REAL-TIME DATA FORMAT CONVERSION | 261 |
| <i>Sha Luo ; Zhaoying Wang ; Yunzhe Hou ; Shiyuan Liu ; Rui Ma ; Quan Yuan ; Chunfeng Ge</i> | |
| ULTRA-HIGHLY SENSITIVE FBG SENSOR ASSISTED BY OPTICAL PARAMETRIC AMPLIFICATION AND HIGH-ORDER FWM | 264 |
| <i>Lu Li ; Jiangbing Du ; Xinyu Fan ; Qingwen Liu ; Lin Ma ; Zuyuan He</i> | |
| IMPACT OF THICKNESS OF LIQUID CRYSTAL CELL ON HOLOGRAPHIC PROPERTIES WITH THE ASSISTANT OF PHOTOCONDUCTIVE ZNSE FILM | 267 |
| <i>Cuiling Meng ; Hua Zhao ; Tingyu Xue ; Jiayin Fu ; Jingwen Zhang</i> | |
| A DESIGN METHOD OF FREEFORM OPTICAL SURFACE USING THE MAPPING OBTAINED FROM SUPPORTING ELLIPSOIDS ALGORITHM | 270 |
| <i>Xu Bin ; Li Hongtao ; Mao Xianglong ; Han Yanjun ; Luo Yi</i> | |
| STUDY ON THE OPTICAL PROPERTIES OF GAN-BASED MULTIPLE QUANTUM WELL EMBEDDED IN NANOSTRUCTURES | 273 |
| <i>Peng Chen ; Wenjie Wang ; Zhiguo Yu ; Bin Liu ; Zi-Li Xie ; Xiangqian Xiu ; Zhenlong Wu ; Feng Xu ; Zhou Xu ; Ping Han ; Yi Shi ; Rong Zhang ; Youdou Zheng</i> | |
| OPTICAL PROPERTIES OF NANO-FABRICATED INGAN/GAN PILLARS | 276 |
| <i>Yulong Hu ; Zhibiao Hao ; Wang Lai ; Chong Geng ; Yi Luo ; Qingfeng Yan</i> | |
| OPTIMIZATION OF ANTI-REFLECTIVE GAAS NANO-RODS ON SOLAR CELLS | 279 |
| <i>Nan Liu ; Yu Hu ; Jian-Jun He</i> | |
| GAN-BASED HETEROSTRUCTURES GROWN ON ZNO SUBSTRATES: FROM POLARITY CONTROL TO THE FABRICATION OF BLUE LEDS | 282 |
| <i>J. Brault ; Y. Xia ; B. Damilano ; P. Vennéguès ; M. Al Khalfioui ; S. Chenot ; M. Teisseire ; M. Leroux ; J.-M. Chauveau</i> | |
| ULTRA-LOW LOSS FIBER FOR 100G-BASED TRANS-OCEANIC TRANSMISSION | 285 |
| <i>Masaaki Hirano ; Tetsuya Haruna ; Yoshinori Yamamoto</i> | |
| A FIBER FIGURE OF MERIT FOR UNCOMPENSATED NYQUIST-WDM LINKS EMPLOYING EDFA AND/OR DISTRIBUTED RAMAN AMPLIFICATION | 288 |
| <i>Lufeng Leng</i> | |
| SYSTEM PERFORMANCE EVALUATION OF STIMULATED BRILLOUIN SCATTERING BASED NARROWBAND RECTANGULAR OPTICAL FILTER | 291 |
| <i>Wei Wei ; Yves Jaouën ; Lilin Yi ; Elie Awwad ; Michel Morvan</i> | |
| OPTICAL PROPERTIES OF HELICALLY TWISTED SOLID-CORE PHOTONIC CRYSTAL FIBRE | 294 |
| <i>G. K. L. Wong ; X. M. Xi ; P. St. J. Russell</i> | |
| BRILLOUIN AMPLIFICATION OF LIGHT BEAMS WITH ORBITAL ANGULAR MOMENTUM | 295 |
| <i>Chunyuan Mu ; Wei Gao ; Zhihan Zhu ; Hongying Zhang ; Shaozhi Pu</i> | |
| BIREFRINGENCE REDRESS IN PMF WITH ARC DISCHARGING AND APPLICATION IN PRECISION QUARTER-WAVEPLATE FABRICATION | 299 |
| <i>Yuanhong Yang ; Yuxuan Chen ; Wei Yang ; Mingwei Yang</i> | |
| REMOVAL OF DISPERSION PENALTY OF TIME-STRETCH PHOTONIC ANALOG-TO-DIGITAL CONVERSION SYSTEM BY USE OF CHIRPED INTENSITY MODULATOR | 302 |
| <i>Hongnan Li ; Weiwen Zou ; Jianping Chen</i> | |
| ANALOG FILTER DESIGN RULES FOR MULTILEVEL POLYBINARY SIGNALING GENERATION | 305 |
| <i>J. J. Vegas Olmos ; F. J. Vaquero Caballero ; I. Tafur Monroy</i> | |

| | |
|---|-----|
| INTEGRATED PHOTONIC SIGNAL PROCESSORS FOR MICROWAVE PHOTONICS AND OPTICAL COMMUNICATIONS: A PROGRESS REVIEW IN TRIPLEX™ SI3N4 WAVEGUIDE TECHNOLOGY | 308 |
| <i>Leimeng Zhuang ; Caterina Taddei ; Marcel Hoekman ; Ronald Dekker ; Chris G. G. Roeloffzen ; Klaus-J. Boller ; Arthur J. Lowery</i> | |
| RF PHOTONIC TRANSMISSION BEYOND 100 GBIT/S | 311 |
| <i>J. Leuthold ; S. Koenig ; D. Hillerkuss ; T. Zwick ; C. Koos ; W. Freude ; I. Kallfass</i> | |
| BROADBAND CO-SITE AND CO-CHANNEL RF INTERFERENCE CANCELLATION SYSTEM | 313 |
| <i>Qi Zhou ; Hanlin Feng ; Mable P. Fok</i> | |
| OPTICAL RF INTERFERENCE CANCELLATION BASED ON A DUAL-PARALLEL POLARIZATION MODULATOR | 316 |
| <i>Menghao Huang ; Dan Zhu ; Shilong Pan</i> | |
| ALL-OPTICAL LABEL SWAPPING FOR 400G OPTICAL FLOW SWITCHED METRO AND INTER-DATACENTER NETWORKS USING OPENFLOW-BASED SDN CONTROL | 319 |
| <i>Ming-Fang Huang ; Neda Cvijetic ; Akihiro Tanaka ; Shaoliang Zhang ; Ting Wang</i> | |
| USING SDN IN CENTRALIZED DATA CENTERS IN POWER COMMUNICATION NETWORKS FOR DATA AND NETWORK RELIABILITY | 322 |
| <i>Yang Wang ; Yiming Yu ; Xin Li ; Yongli Zhao ; Jie Zhang</i> | |
| OPENFLOW-CONTROLLED REVENUE-DRIVEN AR SERVICE PROVISIONING IN SOFTWARE-DEFINED ELASTIC OPTICAL NETWORKS | 325 |
| <i>Shoujiang Ma ; Wei Lu ; Cen Chen ; Xiaoliang Chen ; Zuqing Zhu</i> | |
| TRAFFIC-AWARE SOURCE ROUTING IN AN OPENFLOW-BASED ELASTIC OPTICAL NETWORKS FOR DISASTER RECOVERY CENTER | 328 |
| <i>Jianming Liu ; Yang Wang ; Xin Li ; Yongli Zhao ; Jie Zhang</i> | |
| STRATEGY AND DEVELOPMENT OF PON AND UNIPON IN CHINA MOBILE | 331 |
| <i>Dechao Zhang ; Shiguang Wang ; Lei Wang ; Han Li</i> | |
| 10 GBIT/S PON UPSTREAM BURST-MODE EQUALIZATION BASED ON SOAS | 334 |
| <i>Ali Emsia ; Quang Trung Le ; Mohammadreza Malekizandi ; Dieter Briggmann ; Franko Küppers</i> | |
| EXPERIMENTAL DEMONSTRATION OF A SCALABLE SLICEABLE TRANSCEIVER FOR OPTICAL ACCESS NETWORKS | 337 |
| <i>S. Spolitis ; C. Wagner ; J.J. Vegas Olmos ; V. Bobrovs ; G. Ivanovs ; I. Tafur Monroy</i> | |
| COST-EFFICIENT FAULT SUPERVISION SCHEMES FOR NEXT GENERATION OPTICAL ACCESS NETWORKS | 340 |
| <i>Jiajia Chen ; Patryk Urban ; Julio Montalvo Garcia</i> | |
| A HIERARCHICAL DBA ALGORITHM FOR HIGH FAIRNESS IN TDM-PON | 343 |
| <i>Tianyu Wu ; Panke Qin ; Liqian Wang ; Haoran Yan ; Xue Chen</i> | |
| DUAL-HOMING BASED PROTECTION FOR ENHANCED NETWORK AVAILABILITY AND RESOURCE EFFICIENCY | 346 |
| <i>S. Abeywickrama ; M. Furdek ; P. Monti ; L. Wosinska ; A. Nag ; E. Wong</i> | |
| METAL-POLYMER COMPOSITE FIBRES FOR METAMATERIALS FABRICATION AND THEIR APPLICATIONS | 349 |
| <i>Alexander Argyros ; Alessandro Tuniz ; Simon C. Fleming ; Boris T. Kuhlmeier</i> | |
| FIBER DRAW SYNTHESIS | 352 |
| <i>Chong Hou ; Yoel Fink</i> | |
| PROGRAMMABLE BANDWIDTH-VARIABLE OPTICAL TEMPORAL DIFFERENTIATOR BASED ON LINEARLY CHIRPED FIBER BRAGG GRATING AND DIGITAL THERMAL CONTROLLER | 355 |
| <i>Ruoxu Wang ; Ming Tang ; Hailiang Zhang ; Zhenhua Feng ; Rui Lin ; Songnian Fu ; Deming Liu ; Perry Ping Shum</i> | |
| MINIMIZING DISTORTION AND ENLARGING GROUP DELAY IN BRILLOUIN SLOW LIGHT SYSTEMS BY GAIN PROFILE OPTIMIZATION | 358 |
| <i>Liang Zhang ; Marcelo A. Soto ; Luc Thévenaz</i> | |
| EXPERIMENTAL DEMONSTRATION OF HALF CYCLE 64-QAM NYQUIST-SCM DIRECT-DETECTION OPTICAL COMMUNICATION SYSTEM WITH DATA-AIDED ESTIMATION AND OVERLAP FREQUENCY-DOMAIN EQUALIZATION | 361 |
| <i>Danyu Li ; Jing He ; Jin Tang ; Ming Chen ; Lin Chen</i> | |
| NONLINEAR EQUALIZATION IN 40/112/224 GBIT/S MIXED LINE RATE 15-CHANNEL DP-QPSK AND DP-16QAM CONTIGUOUS SPECTRUM BASED NETWORKS | 364 |
| <i>Rameez Asif</i> | |
| PALM-SHAPED OPTICAL SPECTRUM GENERATION FOR FIBER-WIRELESS INTEGRATED COMMUNICATION WITH DUAL-BAND MILLIMETER WAVE CAPABILITY | 367 |
| <i>Rui Lin ; Zhenhua Feng ; Ming Tang ; Ruoxu Wang ; Songnian Fu ; Ping Shum ; Deming Liu</i> | |

| | |
|---|------------|
| COHERENT DETECTION OF MULTIBAND PHASE MODULATED RADIO-OVER-FIBER SIGNALS USING BANDPASS SAMPLING | 370 |
| <i>Minghua Cao ; Jianqiang Li ; Kun Xu ; Yitang Dai ; Feifei Yin</i> | |
| VCSEL BASED RADIO-OVER-FIBER LINK FOR THE LOW FREQUENCY APERTURE ARRAY RECEIVER OF THE SKA | 373 |
| <i>Jonas Weiss</i> | |
| 1550NM WAVELENGTH DIVISION MULTIPLEXING AND FREQUENCY DIVISION MULTIPLEXING IN RADIO-OVER-FIBER TRANSMISSION USING OFDM SIGNALS..... | 376 |
| <i>Miku Teruya ; Koyu Chinen</i> | |
| EVM CO-SIMULATION OF OPTICAL COMPONENTS AND OFDM ROF SYSTEM BY USING P-PARAMETER WITH PHASE PARAMETER..... | 379 |
| <i>Koyu Chinen ; Shoko Nakamoto</i> | |
| TWDM-PON: SYSTEM, STANDARDS AND KEY TECHNOLOGIES | 382 |
| <i>Huafeng Lin ; Dekun Liu ; Yuanqiu Luo ; Frank Effenberger ; Ning Cheng</i> | |
| TDMA FEW-MODE PASSIVE OPTICAL NETWORK..... | 385 |
| <i>Cen Xia ; A. M. Velázquez-Benítez ; Jose Enrique Antonio Lopez ; Wen He ; Axel Scholzgen ; Frank Effenberger ; Rodrigo Amezcua Correa ; Guifang Li</i> | |
| UNCOOLED TUNABLE TRANSMITTER 2.5GHZ AND 45KM SM FIBER TRANSMISSION EXPERIMENTAL RESEARCH FOR TWDM-PON..... | 388 |
| <i>Xuejin Yan ; Frank J. Effenberger ; Feng Wang ; Jianmin Gong</i> | |
| ENERGY-EFFICIENT TWDM-PON WITH VCSEL ONUS | 391 |
| <i>M. Pubuduni Imali Dias ; Dung Pham Van ; Luca Valcarengi ; Elaine Wong</i> | |
| AN ENERGY EFFICIENT TWDM-PON ARCHITECTURE WITH DUAL RATE ONUS | 394 |
| <i>Wei Wang ; Chengjun Li ; Wei Guo ; Weisheng Hu</i> | |
| POLARIZED LIGHT BIOSENSING | 397 |
| <i>Igor Meglinski ; Callum Macdonald ; Alexander Doronin ; Britt Kunnen ; Michael Eccles</i> | |
| MULTIDIMENSIONAL TISSUE FINGERPRINT | 400 |
| <i>Riccardo Cicchi ; Suresh Anand ; Susanna Rossari ; Alfonso Crisci ; Flavio Giordano ; Vincenzo De Giorgi ; Vincenza Maio ; Daniela Massi ; Gabriella Nesi ; Anna Maria Buccoliero ; Marco Carini ; Renzo Guerrini ; Nicola Pimpinelli ; Francesco Saverio Pavone</i> | |
| TOWARDS PERFORMANCE ENHANCEMENT OF INGAN/GAN LED BY EXPLORING LOCALIZED SURFACE PLASMONS..... | 403 |
| <i>In-Hwan Lee</i> | |
| A STUDY ON 3D INGAN/GAN NANOROD LEDS | 405 |
| <i>Hao-Chung Kuo ; Shih-Pang Chang ; Da-Wei Lin ; Yuh-Jen Cheng ; Chun-Yen Chang</i> | |
| EXPERIMENTAL DEMONSTRATION OF LOW PENALTY OFDM/OQAM 64/128/256/512-QAM DATA TRANSMISSION IN A SILICON MICRORING RESONATOR..... | 408 |
| <i>Chengcheng Gui ; Chao Li ; Qi Yang ; Jian Wang</i> | |
| LOW COST 400GE TRANSCEIVER FOR 2KM OPTICAL INTERCONNECT USING PAM4 AND DIRECT DETECTION..... | 411 |
| <i>Zhong Kang Ping ; Chen Wei ; Sui Qi ; Man Jiang Wei ; Alan Pak Tao Lau ; Lu Chao ; Zeng Li</i> | |
| HIGH-DIMENSIONAL MODULATION FOR OPTICAL FIBER COMMUNICATIONS | 414 |
| <i>David S. Millar ; Toshiaki Koike-Akino</i> | |
| DIMENSIONING RS CODES FOR MITIGATION OF PHASE NOISE INDUCED CYCLE SLIPS IN DQPSK SYSTEMS | 417 |
| <i>Miu Yoong Leong ; Knud J. Larsen ; Gunnar Jacobsen ; Sergei Popov ; Darko Zibar ; Sergey Sergeev</i> | |
| TRANSMISSION OF 40 GB/S (4×10 GB/S) PAM-4 SIGNAL OVER 150 KM SSMF USING MZI BASED SILICON MODULATOR | 420 |
| <i>Miaofeng Li ; Rong Hu ; Xi Xiao ; Zhiyong Li ; Yude Yu ; Jinzhong Yu ; Qi Yang ; Shaohua Yu</i> | |
| HIGH-SENSITIVITY 5GB/S BPSK HOMODYNE DETECTION USING COSTAS LOOP..... | 423 |
| <i>Hongxiao Shi ; Yi Dong ; Weilin Xie ; Qian Zhou ; Jie Qin ; Weisheng Hu</i> | |
| TRANSMISSION OF 24-GB/S PAM-4 OVER 150-KM SSMF USING A DRIVERLESS SILICON MICRORING MODULATOR | 426 |
| <i>Lei Wang ; Rong Hu ; Miaofeng Li ; Ying Qiu ; Daigao Chen ; Xi Xiao ; Zhiyong Li ; Yude Yu ; Jinzhong Yu ; Qi Yang ; Shaohua Yu</i> | |
| A SINGLE-CHANNEL 40 GBIT/S DIGITAL COHERENT QAM QUANTUM STREAM CIPHER TRANSMISSION OVER 480 KM | 429 |
| <i>Masataka Nakazawa ; Masato Yoshida ; Toshihiko Hirooka ; Keisuke Kasai</i> | |
| REAL-TIME SINGLE LASER BASED 3.2 TB/S (32×100-GB/S) PM-QPSK TRANSMISSION USING COHERENT DETECTION OVER 2,080-KM SSMF | 432 |
| <i>Ming Luo ; Zhang Zhang ; Chao Li ; Junbo Xu ; Yan Cheng ; Duan Liu ; Xu Zhang ; Jie Li ; Zhixue He ; Rong Hu ; Qi Yang ; Shaohua Yu</i> | |

| | |
|--|-----|
| CODED MODULATION FOR UNDERSEA OPTICAL FIBER COMMUNICATIONS | 435 |
| <i>Hussam G. Batshon ; Hongbin Zhang</i> | |
| FIELD DEPLOYMENT OF ADVANCED PHOTONIC TECHNOLOGIES FOR ULTRA-HIGH BIT RATE AND ULTRA-LONG REACH TERRESTRIAL WDM TRANSMISSION IN BRAZIL | 438 |
| <i>Bertrand Clesca ; Philippe Perrier ; Herve Fevrier ; Do-Il Chang ; Sergey Burtsev ; Hector De Pedro ; Wayne Pelouch</i> | |
| UNREPEATERED DP-QPSK TRANSMISSION OVER 350 KM STANDARD FIBRE USING URFL BASED AMPLIFICATION | 441 |
| <i>Pawel Rosa ; Mingming Tan ; Son Thai Le ; Ian D. Philips ; Juan-Diego Ania-Castañón ; Stylianos Sygletos ; Paul Harper</i> | |
| RAMAN AMPLIFICATION FOR ULTRA-LARGE BANDWIDTH AND ULTRA-HIGH BIT RATE SUBMARINE AND TERRESTRIAL LONG-HAUL WDM TRANSMISSION | 444 |
| <i>Herve Fevrier ; Do-Il Chang ; Sergey Burtsev ; Hector De Pedro ; Edwin Zak ; William Szeto ; Philippe Perrier ; Bertrand Clesca ; Wayne Pelouch</i> | |
| VIRTUAL OPTICAL NETWORK PROVISIONING FOR SOFTWARE-DEFINED OPTICAL NETWORKS | 447 |
| <i>Xi Wang ; Qiong Zhang ; Inwoong Kim ; Papparao Palacharla ; Motoyoshi Sekiya</i> | |
| MULTI-STRATUM RESOURCES INTEGRATION RESILIENCY WITH FOR SOFTWARE DEFINED DATA CENTER INTERCONNECT BASED ON IP OVER ELASTIC OPTICAL NETWORKS | 450 |
| <i>Hui Yang ; Lei Cheng ; Jialin Wu ; Yongli Zhao ; Jie Zhang ; Jianrui Han ; Yi Lin ; Young Lee</i> | |
| FAST K&K PROTECTION STRUCTURE CONFIGURATION AGAINST MULTI-FAULTS IN OPENFLOW-BASED ELASTIC OPTICAL NETWORKS | 453 |
| <i>Jianming Liu ; Yang Wang ; Xin Li ; Yongli Zhao ; Jie Zhang</i> | |
| AN ADD/DROP ALGORITHM FOR VIRTUAL DATA CENTER EMBEDDING | 456 |
| <i>Jian Zou ; Fangfang Yan ; Tony T. Lee ; Weisheng Hu</i> | |
| CROSS-LAYER RESTORATION WITH SOFTWARE DEFINED NETWORKING IN IP OVER OPTICAL NETWORKS | 459 |
| <i>Jumi Deng ; Yongli Zhao ; Jie Zhang ; Haoran Chen ; Jialin Wu ; Huibin Zhang</i> | |
| NONLINEAR DISTORTION COMPENSATION FOR OPTICAL COMMUNICATIONS | 462 |
| <i>Chi-Hao Cheng ; Jie Pan ; Xiaohui Han</i> | |
| BENCHMARKING OF DIFFERENT WSS AND MCS SIZES IN OXCS | 465 |
| <i>Thierry Zami ; Marco Bertolini ; Annalisa Morea</i> | |
| OSNR MONITORING BASED ON LOW-COST COHERENT SCANNING RECEIVER AND REFERENCE SPECTRUM TECHNIQUE | 468 |
| <i>Dawei Wang ; Jianchao Cao ; Yingqin Peng ; Huixiao Ma ; H. Y. Fu ; Dongyu Geng ; Jianping Li ; Zhaohui Li</i> | |
| ADVANCED TECHNOLOGIES FOR UNREPEATERED TRANSMISSION SYSTEMS AND THEIR APPLICATIONS | 471 |
| <i>Do-Il Chang ; Wayne Pelouch ; Sergey Burtsev ; Bertrand Clesca ; Philippe Perrier ; Herve Fevrier</i> | |
| DELAY EFFECTS OF OPTICAL TRANSPORT LAYER ON THE PERFORMANCE OF MULTI-DOMAIN MULTI-VENDOR NETWORKS | 474 |
| <i>Wangyang Liu ; Xiaohui Chen ; Nan Hua ; Xiaoping Zheng ; Bingkun Zhou</i> | |
| RE-PROVISIONING METHODS FOR POST-DISASTER OPTICAL NETWORKS | 477 |
| <i>Ning-Hai Bao ; M. Farhan Habib ; Massimo Tornatore ; Charles U. Martel ; Biswanath Mukherjee</i> | |
| 28×100GHZ WAVELENGTH TUNABLE SEMICONDUCTOR LASER BASED ON CASCADED HALF-WAVE-COUPLED RECTANGULAR RING RESONATORS | 480 |
| <i>Lin Wu ; Xiaolu Liao ; Zhipeng Hu ; Jian-Jun He</i> | |
| 40 GHZ QUANTUM QUANTUM-DOT MODE-LOCKED LASER PACKAGED MODULE OPERATING AT 1310 NM | 483 |
| <i>Efthymios Rouvalis ; Dejan Arsenijevic ; Marc Spiegelberg ; Tagir Sadeev ; Reinhold Ziegler ; Andreas G. Steffan ; Dieter Bimberg</i> | |
| WIDE TEMPERATURE RANGE OPERATION OF 1.3-μM DIRECTLY MODULATED HIGH SPEED DFB LASERS | 486 |
| <i>Hao Wang ; Huitao Wang ; Ruikang Zhang ; Dan Lu ; Baojun Wang ; Hongliang Zhu ; Wei Wang ; Chen Ji</i> | |
| THERMALLY TUNED V-CAVITY TUNABLE LASER WITH ON-CHIP THIN-FILM HEATER | 489 |
| <i>Jianjun Meng ; Haoyu Deng ; Jian-Jun He</i> | |
| A DIRECTLY MODULATED COLORLESS LASER DIODE FOR THE M-ARY-QAM OFDM TRANSMISSION | 492 |
| <i>Cheng-Ting Tsai ; Min-Chi Cheng ; Yu-Chieh Chi ; Chung-Yu Lin ; Gong-Ru Lin</i> | |
| MODE ANALYSIS FOR ALGAINAS/INP SQUARE MICROLASERS CONFINED BY P-ELECTRODE METALS OR ECB LAYER | 495 |
| <i>Heng Long ; Ling-Xiu Zou ; Jing-Long Xiao ; Xiao-Meng Lv ; Yue-De Yang ; Yun Du ; Yong-Zhen Huang</i> | |

| | |
|--|-----|
| COUPLED MODE ANALYSIS OF ANGULAR GRATING-BASED OPTICAL VORTEX BEAM EMITTERS | 498 |
| <i>Ning Zhang ; Jiangbo Zhu ; Xinlun Cai ; Siyuan Yu</i> | |
| TEMPORARY GRATING COUPLER STRUCTURES USING LOCALISED REFRACTIVE INDEX ENGINEERING | 501 |
| <i>R. Topley ; G. Martinez-Jimenez ; L. O'faolain ; N. Healy ; S. Mailis ; D. J. Thomson ; F. Y. Gardes ; A. C. Peacock ; D. N. R. Payne ; G. Z. Mashanovich ; G. T. Reed</i> | |
| RECENT PROGRESS IN INTEGRATED PHOTONIC ORBITAL ANGULAR MOMENTUM DEVICES | 504 |
| <i>Siyuan Yu</i> | |
| LARGE SCALE SWITCHING AND POLARIZATION CONTROL IN PHOTONIC INTEGRATED CIRCUITS ON INP AND SI | 506 |
| <i>Yoshiaki Nakano ; Takuo Tanemura</i> | |
| MULTICORE FIBER FOR SPACE DIVISION MULTIPLEXING | 509 |
| <i>Kunimasa Saitoh</i> | |
| HOLLOW CORE FIBER TECHNOLOGY FOR DATA TRANSMISSION | 512 |
| <i>Francesco Poletti ; Gregory T. Jasion ; Eric Numkam Fokoua ; Seyed Reza Sandoghchi ; Yong Chen ; Natalie V. Wheeler ; Naveen K. Baddela ; John R Hayes ; Tom Bradley ; Marco N. Petrovich ; David J. Richardson</i> | |
| MICROSTRUCTURED FIBERS OPTIMIZED FOR TRANSVERSE LOAD AND PRESSURE SENSING | 515 |
| <i>Thomas Geernaert ; Sanne Sulejmani ; Camille Sonnenfeld ; Geert Luyckx ; Joris Degrieck ; Karima Chah ; Martin Becker ; Hugo Thienpont ; Francis Berghmans</i> | |
| HYBRID SINGLE-POLARIZATION FIBER RING RESONATOR AND IMPLICATIONS FOR RESONANT FIBER OPTIC GYRO | 518 |
| <i>Yuchao Yan ; Linglan Wang ; Huilian Ma ; Zhonghe Jin</i> | |
| CHARACTERIZATION OF IN-LINE INTERFEROMETRIC TEMPERATURE SENSORS IN TWO-MODE FIBERS | 521 |
| <i>Yifei Wang ; An Li ; Xi Chen ; Qian Hu ; William Shieh</i> | |
| REAL-TIME DEMONSTRATIONS OF SOFTWARE RECONFIGURABLE OPTICAL OFDM TRANSCEIVERS UTILISING DSP-BASED DIGITAL ORTHOGONAL FILTERS FOR CHANNEL MULTIPLEXING | 524 |
| <i>X. Duan ; R. P. Giddings ; M. Bolea ; Y. Ling ; S. P. Mansoor ; J. M. Tang</i> | |
| STAGE-DEPENDENT MINIMUM BIT RESOLUTION MAPS OF FULL-PARALLEL PIPELINED FFT/IFFT FOR REAL-TIME OPTICAL OFDM TRANSCEIVERS | 527 |
| <i>J.J. Zhang ; K. Wang ; W.Y. Yuan ; B.Y. Cao ; R.P. Giddings ; M. Wang ; J.M. Tang</i> | |
| DIGITAL SIGNAL PROCESSING TECHNIQUES ENABLING OPTICAL FIBER TRANSMISSION WITH IMPROVED PERFORMANCE | 530 |
| <i>Xiang Liu</i> | |
| MULTI-PERIOD TOPOLOGY PLANNING FOR MICROWAVE-BASED WIRELESS BACKHAUL NETWORKS (INVITED) | 533 |
| <i>Anliang Cai ; Guangyi Qiao ; Yongcheng Li ; Lei Shi ; Gangxiang Shen</i> | |
| AN ANOMALY DETECTION SYSTEM FOR THE CONTROL PLANE OF SDN-BASED MOBILE FREE SPACE OPTICAL NETWORKS | 536 |
| <i>Lingnan Gao ; Yongli Zhao ; Xingbin Yin ; Jie Zhang</i> | |
| INDOOR HIGH SPEED NON-IMAGING MIMO-OFDM VISIBLE LIGHT COMMUNICATION WITH WHITE LEDS | 539 |
| <i>Yiqin Chen ; Chao Yang ; Qi Yang ; Wu Liu ; Dawei Zhang</i> | |
| AN INDOOR POSITIONING SYSTEM BASED ON CROSS-CORRELATION IN VISIBLE LIGHT COMMUNICATION | 542 |
| <i>Wu Liu ; Chao Yang ; Yiqin Chen ; Qi Yang ; Dawei Zhang</i> | |
| A NEIGHBOR DISCOVERY PROTOCOL IN ULTRAVIOLET WIRELESS NETWORKS | 545 |
| <i>Yanbing Zhao ; Yong Zuo ; Heng Qin ; Xiaohui Zhang ; Qi An ; Jian Wu</i> | |
| ELASTIC OPTICAL NETWORKING ARCHITECTURE, SYSTEM, AND TECHNOLOGIES | 548 |
| <i>S. J. Ben Yoo</i> | |
| DIRECTIONAL CONTROL OF PLASMONIC WAVES AND VORTICES FOR POTENTIAL SENSOR APPLICATIONS | 549 |
| <i>ByoungHo Lee ; Seung-Yeol Lee ; Kyukeun Lee</i> | |
| A NOVEL OPTICAL FIBER REFLECTOMETRY TECHNIQUE WITH HIGH SPATIAL RESOLUTION AND LONG DISTANCE | 552 |
| <i>Qingwen Liu ; Li Liu ; Xinyu Fan ; Jiangbing Du ; Lin Ma ; Zuyuan He</i> | |

| | |
|---|-----|
| INVESTIGATION OF TEMPERATURE INDEPENDENCE IN HIGHLY SENSITIVE FIBER STRAIN SENSOR BASED ON MICROFIBER INTERFEROMETER | 555 |
| <i>Nan-Kuang Chen ; Kuan-Yu Lou ; Kuen-Yi He ; Shu-Wei Chuang ; Yi-Ning Chen</i> | |
| MACH-ZEHNDER INTERFEROMETER USING SMALL DIAMETER SINGLE MODE FIBER FOR REFRACTIVE INDEX SENSING | 558 |
| <i>Farid Ahmed ; Martin B. G. Jun ; Hang-Eun Joe ; No-Cheol Park ; Byung-Kwon Min</i> | |
| SCALING OF SPACE DIVISION MULTIPLEXED TRANSMISSION USING HETEROGENEOUS SINGLE-MODE AND FEW MODE MULTI-CORE FIBERS | 561 |
| <i>Yasuo Kokubun ; Tatsuhiko Watanabe</i> | |
| PHOTONIC LANTERNS FOR MODE DIVISION MULTIPLEXING | 564 |
| <i>Sergio G. Leon-Saval</i> | |
| A NEW AND SIMPLE METHOD FOR CROSSTALK ESTIMATION IN HOMOGENEOUS TRENCH-ASSISTED MULTI-CORE FIBERS | 567 |
| <i>Feihong Ye ; Jiajing Tu ; Kunimasa Saitoh ; Katsuhiro Takenaga ; Shoichiro Matsuo ; Toshio Morioka</i> | |
| MODE CONVERTER WITH POLYMER LONG-PERIOD WAVEGUIDE GRATING | 570 |
| <i>Yu Yang ; Kaixin Chen ; Wei Jin ; Kin Seng Chiang</i> | |
| FIBER DISTRIBUTED BRILLOUIN SENSING WITH OPTICAL CORRELATION DOMAIN TECHNIQUES | 573 |
| <i>Kazuo Hotate</i> | |
| BRILLOUIN LIGHT SCATTERING IN PLASTIC FIBERS | 576 |
| <i>Yosuke Mizuno ; Neisei Hayashi ; Kentaro Nakamura</i> | |
| ANALYSIS OF MODE COUPLING IN A GRADED-INDEX POLYMER OPTICAL FIBER BY USING BRILLOUIN OPTICAL TIME-DOMAIN ANALYSIS | 579 |
| <i>Pengbai Xu ; Yongkang Dong ; Hongying Zhang ; Zhiwei Lu</i> | |
| ULTRA-SIMPLE SETUP FOR DISTRIBUTED BRILLOUIN SENSING | 582 |
| <i>Neisei Hayashi ; Yosuke Mizuno ; Kentaro Nakamura</i> | |
| COHERENT OFDM-PON USING INTENSITY MODULATION AND HETERODYNE DETECTION | 585 |
| <i>Rong Hu ; Qi Yang ; Ming Luo ; Jie Li ; Xi Xiao ; Cai Li ; Shaohua Yu</i> | |
| ELASTICITY FOR DYNAMIC RECOVERY IN OTN NETWORKS | 588 |
| <i>A. Morea ; G. Charlet ; D. Verchere</i> | |
| EMERGENT INTEGRATION AND CONTROL OF MULTI-VENDOR OPTICAL NETWORKS | 591 |
| <i>Sugang Xu ; Noboru Yoshikane ; Masaki Shiraiwa ; Takehiro Tsuritani ; Hiroaki Harai ; Yoshinari Awaji ; Naoya Wada</i> | |
| 12.5-GHZ SPACED DOWNSTREAM TRANSMITTER FOR LONG REACH DWDM-PON | 594 |
| <i>Yunhao Zhang ; Zhao Zhou ; Shilin Xiao ; Meihua Bi</i> | |
| DEMONSTRATION OF COEXISTENCE OF LEGACY VIDEO AND OFDM-PON IN THE VIDEO WAVELENGTH BAND FOR ENHANCING THE THROUGHPUT AND FLEXIBILITY OF TDM PON SYSTEMS | 597 |
| <i>Naresh Chand ; Xiang Liu ; L. Zhou ; G. Peng ; Frank Effenberger</i> | |
| SOFTWARE RECONFIGURABLE DIGITAL FILTER MULTIPLE ACCESS PONS | 600 |
| <i>M. Bolea ; R.P. Giddings ; J.M. Tang</i> | |
| A FLEXIBLE ALLOCATION FAST OFDM PASSIVE OPTICAL NETWORK SYSTEM BASED ON BIT AND POWER LOADING | 603 |
| <i>Dongqiang Wang ; Cheng Lei ; Minghua Chen ; Hongwei Chen ; Sigang Yang ; Shizhong Xie</i> | |
| RESEARCH ON UPLINK BANDWIDTH BROADENING OF OFDM-PON BASED ON RSOA | 606 |
| <i>Luowei Zhang ; Mingzhi Mao ; Rujian Lin ; Bingyao Cao</i> | |
| OPTICAL OFDM/OQAM FOR THE FUTURE OPTICAL COMMUNICATION | 609 |
| <i>Haibo Li ; Qi Yang ; Chao Li ; Xuebing Zhang ; Cai Li ; Tao Jiang ; Ming Luo ; Xu Zhang ; Zhaohui Li ; Shaohua Yu</i> | |
| SILICON HIGH-SPEED BPSK MODULATOR: DESIGN AND OPTIMIZATION | 612 |
| <i>Jinting Wang ; Linjie Zhou ; Haike Zhu ; Qianqian Wu ; Rui Yang ; Lei Liu ; Tao Wang ; Jianping Chen</i> | |
| 50 GB/S SILICON QPSK MODULATOR WITH SINGLE-DRIVE PUSH-PULL TRAVELING WAVE ELECTRODES DESIGN | 615 |
| <i>Haike Zhu ; Linjie Zhou ; Tao Wang ; Lei Liu ; Yanyang Zhou ; Jinting Wang ; Qianqian Wu ; Anbang Xie ; Rui Yang ; Zuxiang Li ; Xinwan Li ; Jianping Chen</i> | |
| SWITCHING GAIN IN LOW POWER MZI-BASED ALL-OPTICAL SWITCH | 618 |
| <i>Vivek Krishnamurthy ; Yijing Chen ; Qian Wang</i> | |
| 1×4 TUNABLE BANDWIDTH WAVELENGTH SELECTIVE SWITCH BASED ON LIQUID CRYSTAL ON SILICON | 621 |
| <i>Dequan Xie ; Quan You ; Zichen Liu ; Lingheng Meng ; Qi Yang ; Shaohua Yu</i> | |

| | |
|--|-----|
| SILICON MODULATORS FOR ADVANCED OPTICAL COMMUNICATIONS | 624 |
| <i>Zhiping Zhou ; Tiantian Li ; Dan Wang ; Junlong Zhang ; Fan Zhang ; Xingjun Wang ; Hequan Wu</i> | |
| OPTICAL SINGLE-SIDEBAND WDM NYQUIST 32-QAM SC-FDE TRANSMISSION SYSTEM WITH DIRECT DETECTION | 627 |
| <i>Rongshan Wang ; Kaiheng Zou ; Dan Wang ; Fan Zhang ; Zhangyuan Chen</i> | |
| MULTI-STAGE M-QAM CARRIER PHASE ESTIMATION USING CROSSED CONSTELLATION TRANSFORMATION IN COHERENT OPTICAL COMMUNICATION SYSTEM | 630 |
| <i>Xiaofei Su ; Dongwei Pan ; Xiaoguang Zhang ; Lixia Xi ; Xianfeng Tang</i> | |
| PERTURBATIVE PROPAGATION MODELS FOR COHERENT SYSTEMS | 633 |
| <i>P. Serena ; A. Bononi</i> | |
| VOLTERRA-BASED NONLINEAR COMPENSATION IN 400 GB/S WDM MULTIBAND COHERENT OPTICAL OFDM SYSTEMS | 636 |
| <i>V. Vgenopoulou ; A. Amari ; M. Song ; E. Pincemin ; I. Roudas ; Y. Jaouën</i> | |
| THE REAL TIME EXPERIMENTAL INVESTIGATION ON DOUBLY DIFFERENTIAL CODE IN COHERENT OPTIC COMMUNICATION | 639 |
| <i>Tao Zeng ; Yong Pan ; Ming Luo ; Yuanxiang Wang ; Xu Zhang ; Yuqi Gao ; Qi Yang ; Shaohua Yu</i> | |
| DISPERSION-INDEPENDENT OPTICAL TRANSMISSIONS THROUGH SINGLE SIDEBAND MODULATION USING A DUAL-ELECTROABSORPTION MODULATED LASER | 642 |
| <i>Didier Erasme ; Thomas Anfray ; Mohamed E. Chaibi ; Khalil Kechaou ; Juan Petit ; Guy Aubin ; Kamel Merghem ; Jean-Guy Provost ; Philippe Chanclou ; Christelle Aupetit-Berthelemot ; Christophe Kazmierski</i> | |
| CHARACTERISTICS OF NITRIDE DEVICES PREPARED BY PULSED SPUTTERING | 645 |
| <i>Hiroshi Fujioka</i> | |
| THE COLLOIDAL QUANTUM DOTS AND THEIR APPLICATIONS ON HYBRID OPTOELECTRONIC DEVICES | 647 |
| <i>Chien-Chung Lin ; Kuo-Ju Chen ; Hau-Vie Han ; Quan-Yu Wang ; Hao-Chung Kuo</i> | |
| ALGAN/GAN NANOSTRUCTURES FOR UV LIGHT EMITTING DIODES | 650 |
| <i>J Brault ; B Damilano ; M Leroux ; A Courville ; S Chenot ; G. Randazzo ; P Vennéguès ; P Demierry ; J Massies ; D Rosales ; T Bretagnon ; B Gil</i> | |
| TOWARDS QUANTUM COMPUTING AND QUANTUM NETWORKING WITH SOLID-STATE SINGLE SPINS AND SINGLE PHOTONS | 653 |
| <i>Y.-M. He ; Y. He ; Y.-J. Wei ; C. Schneider ; M. Kamp ; S. Höfling ; Chao-Yang Lu ; J.-W. Pan</i> | |
| A NEW MODEL FOR UNDERSTANDING ONE-PHOTON LUMINESCENCE FROM SINGLE GOLD NANORODS | 655 |
| <i>Keyu Xia ; Yingbo He ; Hongming Shen ; Yuqing Cheng ; Qihuang Gong ; Guowei Lu</i> | |
| FIRST PRINCIPLE STUDY OF NANOLASERS: PHOTON STATISTICS AND LASER THRESHOLD | 658 |
| <i>W. W. Chow ; F. Jahnke ; C. Gies</i> | |
| META-MATERIALS WITH ZERO REFRACTIVE INDEX | 660 |
| <i>Xueqin Huang ; C. T. Chan</i> | |
| EXPLOITING RSOA FOR UPLINK TRANSMISSION WITH COHERENT DETECTION FOR LOW COST UDWDM-PON | 662 |
| <i>G. Y. Chu ; A. Lerín ; I. N. Cano ; V. Polo ; J. A. Tabares ; J. Prat</i> | |
| FAST GAIN RECOVERY OF ALL-OPTICAL SWITCHES BASED ON MULTIPLE CASCADED SOAS | 665 |
| <i>Peng Zhou ; Xuelin Yang ; Xiaonan Hu ; Weisheng Hu</i> | |
| ALL-OPTICAL NRZ-DPSK TO RZ-OOK MODULATION FORMAT CONVERSION FOR WAVELENGTH MULTICASTING BASED ON A SINGLE SOA | 668 |
| <i>Tong Cao ; Liao Chen ; Yu Yu ; Xinliang Zhang</i> | |
| THE FEASIBILITY OF BUILDING LARGE SCALE OPTICAL SWITCHES USING A NOVEL MZI-SOA HYBRID APPROACH | 671 |
| <i>Q. Cheng ; J. L. Wei ; A. Wonfor ; R.V. Penty ; I.H. White</i> | |
| OPTIMIZING REFLECTIVE SEMICONDUCTOR OPTICAL AMPLIFIER AS PHASE MODULATOR FOR LOW COST COLORLESS ONU WITH 3x3 HOMODYNE DETECTION | 674 |
| <i>G. Y. Chu ; V. Polo ; A. Lerín ; I. N. Cano ; J. Prat</i> | |
| A SELF-FEEDBACK COLORLESS FABRY-PEROT LASER DIODE FOR 5 GBIT/S DWDM-PON | 677 |
| <i>Hsiang-Yu Chen ; Yu-Chuan Su ; Yu-Chieh Chi ; Gong-Ru Lin</i> | |
| PARAMETRIC SPECTRO-TEMPORAL ANALYZER (PASTA) FOR ULTRAFAST SPECTROSCOPY AND ITS MICROSCOPIC APPLICATION | 680 |
| <i>Chi Zhang ; Xiaoming Wei ; Kevin K. Tsia ; Kenneth K. Y. Wong</i> | |
| LINE SCAN FOCAL MODULATION MICROSCOPY FOR IN-VIVO IMAGING OF ZEBRAFISH | 683 |
| <i>Pant Shilpa ; Nanguang Chen</i> | |

| | |
|---|------------|
| TRANSPARENT ELECTRODES FOR ORGANIC PHOTOVOLTAICS AND OLEDS | 685 |
| <i>Lars Müller-Meskamp ; Sylvio Schubert ; Christoph Sachse ; Franz Selzer ; Ludwig Bormann ; Frederik Nehm ; Alexander Schubert ; Nelli Weiss ; Karl Leo</i> | |
| TUNABLE PHOTONIC MICROWAVE GENERATION USING SELF-INJECTION-LOCKED MONOLITHIC DUAL-WAVELENGTH SEMICONDUCTOR LASER | 688 |
| <i>Biwei Pan ; Dan Lu ; Liqiang Yu ; Limeng Zhang ; Lingjuan Zhao</i> | |
| FREQUENCY-DOUBLED AND PHASE-CODED RF SIGNAL GENERATION BASED ON ORTHOGONALLY POLARIZED CARRIER-SUPPRESSED DOUBLE SIDEBAND MODULATION | 691 |
| <i>Yamei Zhang ; Fangzheng Zhang ; Shilong Pan</i> | |
| INTEGRATED UNI-TRAVELING-CARRIER PHOTODIODES WITH HIGH RESPONSIVITY AND WIDE BANDWIDTH FOR MICROWAVE PHOTONICS | 694 |
| <i>Bing Xiong ; Changzheng Sun ; Yi Luo</i> | |
| PHOTONIC MICROWAVE GENERATION USING MICRODISK LASERS SUBJECT TO OPTICAL INJECTION | 697 |
| <i>Ling-Xiu Zou ; Yong-Zhen Huang ; Bo-Wen Liu ; Xiao-Meng Lv ; Heng-Long ; Yue-De Yang ; Jin-Long Xiao ; Yun Du</i> | |
| WIDELY TUNABLE DUAL LOOP OPTOELECTRONIC OSCILLATOR BASED ON A SINGLE-BANDPASS MICROWAVE PHOTONIC FILTER AND A RECIRCULATING DELAY LINE | 700 |
| <i>Huanfa Peng ; Xiaopeng Xie ; Cheng Zhang ; Tao Sun ; Peng Guo ; Feiya Chen ; Lixin Zhu ; Weiwei Hu ; Zhangyuan Chen</i> | |
| IMPLEMENTATION OF W-BAND ORTHOGONAL OSSB MODULATION USING A QUANTUM DOT MODE-LOCKED LASER INCORPORATING A POLARIZATION MODULATOR | 703 |
| <i>Jianyu Zheng ; Wenting Wang ; Wenhui Sun ; Ting Su ; Xin Wang ; Jianguo Liu ; Ninghua Zhu</i> | |
| PRECISE OPTICAL FREQUENCY SHIFT BASED ON RADIO-FREQUENCY DRIVEN SINGLE-SIDEBAND MODULATOR | 706 |
| <i>Shiyuan Liu ; Zhaoying Wang ; Yunzhe Hou ; Sha Luo ; Quan Yuan ; Rui Ma ; Chunfeng Ge</i> | |
| NONLINEAR INTERFEROMETER BASED ON DUAL-PUMP DUAL-SIGNAL FOUR-WAVE MIXING | 709 |
| <i>Xuelel Fu ; Chester Shu</i> | |
| 8-BIT OPTICAL QUANTIZATION BASED ON SOLITON SELF-FREQUENCY SHIFT | 712 |
| <i>Pushan Xiao ; Ying Chen ; Kan Wu ; Jianping Chen ; Xiangning Chen</i> | |
| RAMAN SCATTERING ENHANCEMENT CHARACTERISTIC OF LA-DOPED SILICA FIBER | 715 |
| <i>Xiaohui Kong ; Zhenyi Chen ; Na Chen ; Shupeng Liu ; Bo Lu ; Tingyun Wang</i> | |
| OPTIMIZATION OF THERMAL POLING IN DOUBLE-ANODE OPTICAL FIBER | 718 |
| <i>Lin Huang ; Guobin Ren ; Yan Zhang</i> | |
| NEW PROSPECT OF SOFT GLASS OPTICAL FIBERS | 721 |
| <i>Yasutake Ohishi</i> | |
| FLEXIBLE TRAFFIC-AWARE OXC ARCHITECTURE FOR HYBRID WDM NETWORK AND ELASTIC OPTICAL NETWORK | 724 |
| <i>Xin Chen ; Juhao Li ; Paikun Zhu ; Ruizhi Tang ; Jing Guan ; Zhangyuan Chen ; Yongqi He</i> | |
| ELASTIC OPTICAL NETWORKS FOR EFFECTIVE CONTENT DISTRIBUTION | 727 |
| <i>Krzysztof Walkowiak ; Róza Goscién ; Wojciech Kmieć ; Mirosław Klinkowski</i> | |
| PROTECTION PATH-BASED HITLESS SPECTRUM DEFRAGMENTATION FOR ELASTIC OPTICAL NETWORKS: 1+1 PATH PROTECTION | 730 |
| <i>Chao Wang ; Gangxiang Shen ; Limei Peng</i> | |
| ENERGY-EFFICIENT VIRTUAL OPTICAL NETWORK MAPPING OVER CONVERGED DATA CENTERS AND ELASTIC OPTICAL NETWORKS | 733 |
| <i>Bowen Chen ; Jie Zhang ; Yongli Zhao ; Yachao Shi</i> | |
| MULTIPATH PROTECTION SCHEME IN OPENFLOW-BASED ELASTIC OPTICAL NETWORKS | 736 |
| <i>Jian Yuan ; Jie Zhang ; Yongli Zhao ; Chen Ma ; Ruiying He</i> | |
| AN OPTIMIZATION MODEL FOR DYNAMIC BULK PROVISIONING IN ELASTIC OPTICAL NETWORKS | 739 |
| <i>Ajmal Muhammad ; Marija Furdek ; Paolo Monti ; Lena Wosinska ; Robert Forchheimer</i> | |
| P-CYCLE PROTECTION APPROACH WITH MAXIMUM SPECTRUM SHARING IN ELASTIC OPTICAL NETWORKS | 742 |
| <i>Ying Pan ; Jie Zhang ; Yongli Zhao ; Bowen Chen ; Chen Ma ; Guoying Zhang ; Guangjun Luo</i> | |
| SERVICE-AWARE PROTECTION WITH BANDWIDTH SQUEEZING AGAINST DISASTER IN ELASTIC OPTICAL DATACENTER NETWORKS | 745 |
| <i>Zilian Jin ; Jie Zhang ; Yongli Zhao ; Chen Ma ; Ruiying He ; Yang Wang ; Xin Li</i> | |

| | |
|--|------------|
| MAGNETIC FIELD SENSOR UTILIZING RECTANGULAR-MICROFIBER-BASED SAGNAC LOOP INTERFEROMETER..... | 748 |
| <i>Zhuang Tian ; Li-Peng Sun ; Jie Li ; Yunyun Huang ; Bai-Ou Guan</i> | |
| PARABOLIC MODEL-BASED ICE THICKNESS MONITORING OF POWER TRANSMISSION LINE EMPLOYING FBG SENSORS | 751 |
| <i>Bin Hu ; Zhiguo Zhang ; Zhiming Liu ; Cilin Liu ; Luming Li</i> | |
| MAGNETIC CORE-SHELL NANOPARTICLE ENHANCED SPR BIOSENSOR FOR IMMUNOASSAY | 754 |
| <i>Xiaowei Guo</i> | |
| SENSITIVITY ENHANCEMENT BY ALL-FIBER OPTICAL PARAMETRIC AMPLIFIER FOR BIOIMAGING AT 1.0 μM..... | 756 |
| <i>Xiaoming Wei ; Andy K. S. Lau ; Yiqing Xu ; Chi Zhang ; Arnaud Mussot ; Alexandre Kudlinski ; Kevin K. Tsia ; Kenneth K. Y. Wong</i> | |
| TEMPERATURE-INDEPENDENT REFRACTIVE INDEX SENSOR BASED ON OPTICAL FIBER MICHELSON INTERFEROMETER | 759 |
| <i>Jiangtao Zhou ; Yiping Wang ; Changrui Liao ; Guolu Yin ; Jun He ; Bing Sun</i> | |
| ALL-OPTICAL SWITCHING WITH SWITCHING GAIN IN A HYBRID III-V/SILICON SINGLE NANO-WAVEGUIDE..... | 762 |
| <i>Yijing Chen ; Yicheng Lai ; Tow-Chong Chong ; Seng-Tiong Ho</i> | |
| TUNABLE TERAHERTZ BROADBAND PHASE-ONLY MODULATOR BASED ON CDSE — CDS..... | 765 |
| <i>Yaroslav V. Grachev ; Sergei A. Korfunenko ; Viktor G. Bespalov</i> | |
| TERABAUD OPTICAL SAMPLING ON A CHALCOGENIDE OPTICAL CHIP | 768 |
| <i>Simon Lefrancois ; Yvan Paquot ; Benjamin J. Eggleton ; Hong C. Nguyen ; Dexiang Wang ; Sze Y. Set ; Duk-Yong Choi ; Barry Luther-Davies ; Steve J. Madden</i> | |
| PERFORMANCE ENHANCEMENT OF TERAHERTZ TIME-DOMAIN SPECTROMETRY | 771 |
| <i>Maria O. Osipova ; Yaroslav V. Grachev ; Victor G. Bespalov</i> | |
| SUPEROXIDE FLASHES DOMINATE MITOCHONDRIAL LESION STIMULATED BY FEMTOSECOND LASER..... | 774 |
| <i>Yintao Wang ; Hao He ; Fan Shi ; Ming-Lie Hu ; Chingyue Wang</i> | |
| MITOCHONDRIAL RECOVERY IN MESENCHYMAL STEM CELLS AFTER LASER STIMULATION | 777 |
| <i>Fan Shi ; Hao He ; Yintao Wang ; Ming-Lie Hu ; Chingyue Wang</i> | |
| SURFACE PLASMON RESONANCE SENSORS ON THE END FACETS OF BARE SINGLE-MODE OPTICAL FIBERS | 780 |
| <i>Xiaolong He ; Hui Yi ; Jing Long ; Tian Yang</i> | |
| 100.3-TB/S(375 \times 267.27-GB/S) C- AND L-BAND TRANSMISSION OVER 80-KM SSMF USING DFT-S OFDM 128-QAM | 783 |
| <i>Ming Luo ; Chao Li ; Qi Yang ; Zhixue He ; Junbo Xu ; Zhang Zhang ; Shaohua Yu</i> | |
| STABLE FIBER DELIVERY OF TERAHERTZ WAVE SIGNAL BY FAST PHASE COMPENSATION SYSTEM..... | 786 |
| <i>Xiaocheng Wang ; Zhangweiyi Liu ; Dongning Sun ; Yi Dong ; Weisheng Hu</i> | |
| 8\times48 TRANSPONDER AGGREGATOR SUBSYSTEM USING SILICON SWITCH MODULES FOR FLEXIBLE PHOTONIC NETWORK | 789 |
| <i>Shigeyuki Yanagimachi ; Shigeru Nakamura ; Hitoshi Takeshita ; Akio Tajima ; Tomoaki Kato ; Tomoyuki Hino ; Kiyoshi Fukuchi</i> | |
| 15 TB/S UNREPEATERED TRANSMISSION OVER 409.6 KM USING DISTRIBUTED RAMAN AMPLIFICATION AND ROPA | 792 |
| <i>Do-Il Chang ; Wayne Pelouch ; Philippe Perrier ; Herve Fevrier ; Sergey Ten ; Christopher Towery ; Sergejs Makovejs</i> | |
| EFFICIENT MOBILE FRONTHAUL TRANSMISSION OF MULTIPLE LTE-A SIGNALS WITH 36.86-GB/S CPRI-EQUIVALENT DATA RATE USING A DIRECTLY-MODULATED LASER AND FIBER DISPERSION MITIGATION..... | 795 |
| <i>Xiang Liu ; Frank Effenberger ; Naresh Chand ; Lei Zhou ; Huafeng Lin</i> | |
| FIRST NATIONAL HIGH-PRECISION TIME SYNCHRONIZATION NETWORK WITH SUB-MICROSECOND ACCURACY OVER COMMERCIAL OPTICAL NETWORKS FOR WIRELESS APPLICATIONS | 798 |
| <i>Liuyan Han ; Han Li ; Lei Wang ; Nan Hua ; Changjun Hu ; Jianhua Wang ; Song Liu ; Li He ; Zhaohui Chen ; Yongfang Xu</i> | |
| EXPERIMENTAL DEMONSTRATION OF MODE-DIVISION-MULTIPLEXING AND TIME-DIVISION-MULTIPLEXING PASSIVE OPTICAL NETWORK | 801 |
| <i>Tao Hu ; Juhao Li ; Paikun Zhu ; Qi Mo ; Yili Ke ; Cheng Du ; Zhijian Liu ; Yongqi He ; Zhengbin Li ; Zhangyuan Chen</i> | |

| | |
|---|------------|
| DEMONSTRATION OF A VISIBLE-LIGHT COMMUNICATION LINK EMPLOYING HIGH-BASE VECTOR BEAM MODULATION/DEMULATION | 804 |
| <i>Yifan Zhao ; Jing Du ; Shuhui Li ; Jun Liu ; Long Zhu ; Jian Wang</i> | |
| ELECTRICALLY-DRIVEN SUBWAVELENGTH OPTICAL NANOCIRCUITS..... | 807 |
| <i>Min-Kyo Seo ; Kevin C. Y. Huang ; Mark L. Brongersma</i> | |
| POLARITON LASER DIODES..... | 809 |
| <i>S. Höfling ; C. Schneider ; M. Amthor ; N.Y. Kim ; A. Rahimi-Iman ; I.G. Savenko ; I.A. Shelykh ; V.D. Kulakovskii ; M. Kamp ; S. Reitzenstein ; L. Worschech ; Y. Yamamoto ; A. Forchel</i> | |
| REALIZE THE CONCENTRIC CIRCLES PATTERN BASED ON TWO-SURFACE-PLASMON-POLARITON ABSORPTION PHOTOLITHOGRAPHY..... | 812 |
| <i>Weisi Meng ; Fang Liu ; Weijun Zhang ; Yu Ye ; Yidong Huang</i> | |
| NOVEL SILICON POLARIZATION BEAM SPLITTER WITH A HORIZONTAL HYBRID NANOPLASMONIC WAVEGUIDE..... | 815 |
| <i>Hao Wu ; Xiaowei Guan ; Daoxin Dai</i> | |
| MULTIPHOTON IMAGING OF MOUSE BRAIN IN VIVO | 818 |
| <i>Chris Xu</i> | |
| FAST FLEXIBLE FLIM FOR MONITORING DYNAMIC PROCESS IN LIVING CELLS..... | 819 |
| <i>Wei Yan ; Xiao Peng ; Junle Qu</i> | |
| OPTICAL NANOSCOPY WITH INORGANIC FLUORESCENT NANOPARTICLES | 822 |
| <i>Xusan Yang ; Xuanze Chen ; Zhiping Zeng ; Yujia Liu ; Peng Xi</i> | |
| OPTICAL MICRO-TOMOGRAPHIC STUDY OF BABESIA MICROTI-PARASITE INFECTED RED BLOOD CELLS | 825 |
| <i>Hyunjoo Park ; Sunghee Hong ; Sang-Eun Lee ; Yongkeun Pak</i> | |
| 3-D QUANTITATIVE TRACKING OF PHAGOSOMES USING QUANTITATIVE PHASE MICROSCOPY | 828 |
| <i>Jonghee Yoon ; Kyoohyun Kim ; Jaehwang Jung ; Yongkeun Park</i> | |
| SELECTIVE AREA GROWTH OF GAAS ON SILICON | 830 |
| <i>Yunrui He ; Jun Wang ; Can Deng ; Haiyang Hu ; Qi Wang ; Yongqing Huang ; Xiaomin Ren</i> | |
| METALLICALLY CONFINED HYBRID III-V/SI FABRY-PÉROT LASERS BASED ON ADHESIVE BONDING | 833 |
| <i>Ming-Ying Tang ; Shao-Shuai Sui ; Yun Du ; Yue-De Yang ; Yong-Zhen Huang</i> | |
| A MOCVD SAG TECHNIQUE FOR THE FABRICATION OF 1.3-μM MULTI-CHANNEL DFB LASER ARRAY | 836 |
| <i>Fei Guo ; Ruikang Zhang ; Dan Lu ; Wei Wang ; Chen Ji</i> | |
| THIN-SILICON-FILM PLATFORM FOR SINGLE-MODE LASERS | 839 |
| <i>Vivek Krishnamurthy ; Jing Pu ; Ter-Hoe Loh ; Chee Wei Lee ; Qian Wang</i> | |
| SINGLE-FREQUENCY VERTICAL-EXTERNAL-CAVITY SURFACE-EMITTING LASER EXCEEDING 23 WATTS..... | 842 |
| <i>Fan Zhang ; Bernd Heinen ; Christoph Möller ; Matthias Wichmann ; Bernardette Kunert ; Arash Rahimi-Iman ; Stephan W. Koch ; Wolfgang Stolz ; Martin Koch</i> | |
| VCSELS WITH SURFACE NANOSTRUCTURES..... | 843 |
| <i>Anjin Liu ; Werner Hofmann ; Dieter Bimberg</i> | |
| NON POLAR GAN AND (GA,IN)N/GAN HETEROSTRUCTURES GROWN ON A-PLANE (11-20) ZNO SUBSTRATES..... | 846 |
| <i>A. Ogereau ; J. Brault ; Y. Xia ; B. Damilano ; M. Leroux ; M. Nemoz ; P. Vennéguès ; M. Teisseire ; J. M. Chauveau</i> | |
| RAYLEIGH CROSSTALK MITIGATION IN CHANNEL-REUSE WDM-PON USING RZ-AMI MODULATION AND OPTICAL FILTERING | 849 |
| <i>Qiwei Liu ; Zhiguo Zhang ; Xue Chen ; Yanfei Sun</i> | |
| 6.144 GB/S TRANSMISSION IN WAVELENGTH AGILITY OPTICAL ACCESS NETWORK FOR C-RAN WITH DIRECTLY MODULATED TUNABLE DBR LASER | 852 |
| <i>Kuo Zhang ; Hao He ; Yuan Liu ; Weijia Du ; Weisheng Hu</i> | |
| SPECTRUM DIVISION ALGORITHM BASED ON SERVICE BANDWIDTH IN ELASTIC OPTICAL NETWORKS..... | 855 |
| <i>Yachao Shi ; Jie Zhang ; Yongli Zhao ; Bowen Chen ; Chen Ma ; Guoying Zhang</i> | |
| A CONVERGED UWB AND MULTI-LEVEL WIRED SIGNAL TRANSPORT SCHEME IN WDM-PON NETWORK | 858 |
| <i>Huan Ma ; Fei Wang ; Weibin Wang</i> | |
| A SELF-ADAPTIVE ROUTING ALGORITHM FOR LAYER-INCLUDE ROUTING PROBLEM IN CLOUD COMPUTING..... | 861 |
| <i>Yinqiu Jia ; Nan Hua ; Yanhe Li ; Xiaoping Zheng</i> | |

| | |
|--|-----|
| WAVELENGTH AND TIME SLOT ASSIGNMENT SCHEME FOR TWDM-PONS BASED ON INTER-ONU PRIORITY RATING | 864 |
| <i>Ruizhi Tang ; Xin Chen ; Bangjiang Lin ; Paikun Zhu ; Juhao Li ; Zhangyuan Chen ; Yongqi He</i> | |
| MICROFIBER BRAGG GRATING HYDROGEN SENSORS | 867 |
| <i>Lingjun Chen ; Long Jin ; Zhipeng Yu ; Jie Li ; Yang Ran ; Bai-Ou Guan</i> | |
| QUANTIFICATION OF ABSOLUTE BLOOD VELOCITY USING LDA | 870 |
| <i>M.A. Borozdova ; I.V. Fedosov ; V.V. Tuchin</i> | |
| DIRECT GROWTH OF GAAS-BASED LONG-WAVELENGTH (1.55μM) INGAAS/INGAASP MULTIPLE QUANTUM WELLS LASER | 872 |
| <i>Xibo Li ; Yongqing Huang ; Jun Wang ; Xiaofeng Duan ; Ruikang Zhang ; Xiaomin Ren ; Xia Zhang ; Qi Wang</i> | |
| A 4\times4 ECHELLE GRATING WAVELENGTH ROUTER WITH DISTRIBUTED BRAGG REFLECTORS BASED ON THE SOI PLATFORM | 875 |
| <i>Pingli Huang ; Jun Zou ; Ge Mu ; Xiang Xia ; Tingting Lang ; Jian-Jun He</i> | |
| HIGH-EFFICIENCY ANOMALOUS REFLECTION BY CONTINUOUS METASURFACE | 878 |
| <i>Zhiwei Li ; Kun Lu ; Lirong Huang ; Li Min ; Yali Sun</i> | |
| MINIATURE OPTICAL SPECTROMETER BASED ON DISPERSIVE SCATTERING OF A FROSTED GLASS | 880 |
| <i>T. Yang ; C. Xu ; W. Huang ; X. A. Li ; Y. Q. Qin ; X. J. Zhang ; Y. Y. Zhu ; H. P. Ho</i> | |
| RESEARCH OF HIGH PERFORMANCE GE/SI AVALANCHE PHOTODIODES FOR SINGLE-PHOTON DETECTION | 883 |
| <i>Chong Li ; Chunlai Xue ; Xia Guo ; Zhi Liu</i> | |
| DESIGN OF GRAPHENE ELECTRO-ABSORPTION MODULATOR BASED ON LONG-RANGE HYBRID PLASMONIC SLOT WAVEGUIDE | 886 |
| <i>Xiao Hu ; Chengcheng Gui ; Zhonglai Zhang ; Jing Du ; Jian Wang</i> | |
| BROADBAND TERAHERTZ METAMATERIAL ABSORBER BASED ON PLANAR SQUARE-SPIRAL ANTENNA | 889 |
| <i>Shigao Feng ; Xiaoliang Sun ; Dejie Meng ; Honghao Yu ; Ping Yu ; Changhong Chen</i> | |
| PHOTONIC GENERATION OF MICROWAVE SIGNAL WITH CAPABILITY OF ARBITRARY PHASE SHIFTING USING XPM IN HNLF | 892 |
| <i>Zhenhua Feng ; Songnian Fu ; Ming Tang ; Rui Lin ; Ruoxu Wang ; P. Shum ; Deming Liu</i> | |
| MODE COUPLING COEFFICIENT MEASUREMENT OF A TWO-MODE FIBER | 895 |
| <i>H. Moriyama ; H. Kubota ; Y. Miyoshi ; M. Ohashi</i> | |
| PHOTOABSORPTION OF FEW ATOMS USING PHOTONIC CRYSTAL CAVITY BASED ON NANOFIBER | 898 |
| <i>Pengfei Zhang ; Jameesh Keloath ; Kali P. Nayak ; Kohzo Hakuta</i> | |
| INTER-FRAME ITERATIVE CARRIER FREQUENCY OFFSET ESTIMATION FOR CO-OFDM SYSTEM | 900 |
| <i>Paikun Zhu ; Hui Zhao ; Juhao Li ; Yuping Zhao ; Zhangyuan Chen ; Yongqi He</i> | |
| DESIGN TRADE-OFFS FOR COST-EFFECTIVE MULTIMODE FIBER CHANNEL EQUALIZERS IN OPTICAL DATA CENTER APPLICATIONS | 903 |
| <i>Kai Xu ; Bo Wang ; Guy Torfs ; Xin'an Wang ; Johan Bauwelinck ; Xin Yin</i> | |
| PHOTONIC ASSISTED BROADBAND INSTANTANEOUS FREQUENCY MEASUREMENT | 906 |
| <i>Nuannuan Shi ; Yiyi Gu ; Zijian Kang ; Jingjing Hu ; Feng Fan ; Xiuyou Han ; Mingshan Zhao</i> | |
| OPTICAL TRANSMISSION LINK BETWEEN MICROPROCESSORS AND MEMORIES | 909 |
| <i>Daxin Luo ; Qinfen Hao</i> | |
| MULTICHANNEL-MIXED OOK AND DPSK FORMAT TRANSMISSION PERFORMANCE BETWEEN MIDSPAN TDCM AND OPC SYSTEM | 911 |
| <i>Irneza Ismail ; Quang Nguyen-The ; Motoharu Matsuura ; Naoto Kishi</i> | |
| SENSITIVITY OF A PULSED LOCAL OSCILLATOR COHERENT OPTICAL RECEIVER. APPLICATION TO THE LINEAR OPTICAL SAMPLING | 914 |
| <i>P. Gallion ; C. Gosset ; X. You ; J. Zhou</i> | |
| CHANNEL ESTIMATION WITH WEIGHED INTRA-SYMBOL AVERAGING IN COHERENT OPTICAL TRANSMISSION SYSTEMS | 917 |
| <i>Sujie Fan ; Yan Li ; Miao Yu ; Jian Wu</i> | |
| POSITIONING BASED ON LED VISIBLE LIGHT COMMUNICATION UTILIZING MIMO-MRC ALGORITHM | 920 |
| <i>Yinfan Xu ; Jiehui Li ; Nan Chi</i> | |
| MODE AND WAVELENGTH ALLOCATION IN MULTI-DIMENSIONAL OPTICAL NETWORKS | 923 |
| <i>Yongli Zhao ; Jiawei Han ; Yuanlong Tan ; Ruijie Zhu ; Jie Zhang</i> | |

| | |
|---|-----|
| AUTOMATIC TOPOLOGY DISCOVERY AND CONTROL PATHS ESTABLISHMENT IN TRANSPORT SDN..... | 926 |
| <i>Yang Zhao ; Xue Chen ; Futao Yang</i> | |
| A DESIGN OF HIGH-PERFORMANCE SDN CONTROLLER | 929 |
| <i>Wenting Ma ; Shuhe Sun ; Baohua Lei ; Heyu Wang ; Feng Wang</i> | |
| PHOTONIC GENERATION OF POWER EFFICIENT MILLIMETER-WAVE UWB SIGNALS WITH DUAL-BAND OPERATION CONSIDERATION | 932 |
| <i>Peng Xiang ; Dalei Chen ; Yuquan Li ; Tao Pu</i> | |
| ALGORITHM FOR HYBRID OPTICAL FIBER-WIRELESS PHOTONIC CHANNEL ALLOCATION FOR MILLIMETER-WAVEBAND 5G NETWORKS | 935 |
| <i>A. Gomez Gonzalvo ; J. J. Vegas Olmos ; L Tafur Monroy</i> | |
| MZI-BASED NON-BLOCKING SOI SWITCHES..... | 938 |
| <i>M. S. Hai ; P. Liao ; M. Mirshafiei ; O. Liboiron-Ladouceur</i> | |
| EVENTS DETECTION IN OTDR DATA BASED ON A METHOD COMBINING CORRELATION MATCHING WITH STFT | 941 |
| <i>Heng Kong ; Yi Dong ; Qian Zhou ; Weilin Xie ; Cheng Ma ; Weisheng Hu</i> | |
| EFFECTS OF SLEEP PERIOD LIMITATION ON ONU POWER SAVING IN QOS-AWARE CYCLIC SLEEP CONTROL..... | 944 |
| <i>Yoshiaki Maneyama ; Ryogo Kubo</i> | |
| STORE WAIT FORWARD: A STORAGE-BASED ROUTING ALGORITHM FOR OPTICAL NETWORKS..... | 947 |
| <i>Chao Sun ; Wei Guo ; Zhe Liu ; Weisheng Hu</i> | |
| A NOVEL VIRTUAL NETWORK EMBEDDING ALGORITHM WITH LOAD BALANCING IN ELASTIC OPTICAL NETWORKS | 950 |
| <i>Dan Pan ; Shanguo Huang ; Shan Yin ; Min Zhang ; Yongli Zhao ; Jie Zhang ; Yongqi He ; Wanyi Gu</i> | |
| NOVEL ENERGY-SAVING DESIGN TO ENABLE GREEN MULTI-RADIO FIBER-WIRELESS ACCESS NETWORKS | 953 |
| <i>Pengchao Han ; Yejun Liu ; Lei Guo ; Yinpeng Yu ; Lincong Zhang</i> | |
| EFFECT OF COMPUTATIONAL DELAY ON THE CONVERGENCE PROPERTY OF DIGITAL OPTICAL BURST-MODE RECEIVERS WITH PARALLEL AND PIPELINED DESIGN | 956 |
| <i>Xinyu Liu ; Bo Xu ; Chenyu Wu</i> | |
| MODELING OF INFORMATION ASYNCHRONIZATION CAUSED BY PACKET LOSS AND ITS EFFECT ON DISTRIBUTED OPTICAL NETWORKS..... | 959 |
| <i>Haijiao Liu ; Nan Hua ; Yanhe Li ; Xiaoping Zheng</i> | |
| 100-GB/S SSB-PDM-DD-OFDM-PON SCHEME WITH A REDUCED GUARD BAND INTERVAL | 962 |
| <i>Tian Tong ; Cheng Ju ; Hu Shi ; Xue Chen</i> | |
| HIGH CAPACITY ROF LINKS AT 75–300 GHZ..... | 965 |
| <i>Lucas C. P. Cavalcante ; J. J. Vegas Olmos ; Idelfonso Tafur Monroy</i> | |
| TWO CRITERIA FOR ROF LINK WITH VECTOR SIGNAL TRANSMISSION..... | 968 |
| <i>Chao Gao ; Shanguo Huang ; Jinghua Xiao ; Xinlu Gao ; Qian Wang ; Yongfeng Wei ; Wensheng Zhai ; Wenjing Xu ; Wanyi Gu</i> | |
| W-BAND FULL-DUPLEX ROF SYSTEM WITH HIGH-SPEED FIBER WIRELESS TRANSMISSION AND SIMPLIFIED ARCHITECTURE | 971 |
| <i>Chao Gao ; Shanguo Huang ; Jinghua Xiao ; Xinlu Gao ; Qian Wang ; Yongfeng Wei ; Wensheng Zhai ; Wenjing Xu ; Wanyi Gu</i> | |
| 10-GBPS DUOBINARY-4-PAM FOR HIGH-PERFORMANCE ACCESS NETWORKS | 974 |
| <i>L. F. Suhr ; J. J. Vegas Olmos ; I. Tafur Monroy</i> | |
| A NOVEL UWB-OVER-FIBER UPSTREAM TRANSMISSION SCHEME IN WDM-PON NETWORK..... | 977 |
| <i>Fei Wang ; Huan Ma ; Weibin Wang</i> | |
| A NOVEL UPSTREAM OOK TRANSMISSION AND DSP-BASED COHERENT DETECTION SCHEME FOR WDM-PON | 980 |
| <i>Peng Zhou ; Paikun Zhu ; Juhao Li ; Yongqi He ; Zhangyuan Chen</i> | |
| MULTI-LAYER RESILIENCE ARCHITECTURE BASED ON OPENFLOW FOR SPACE OPTICAL COMMUNICATION NETWORKS | 983 |
| <i>Huibin Zhang ; Jiang Liu ; Haimeng Li ; Jiawei Zhang ; Yongli Zhao ; Jie Zhang</i> | |
| EXPLORING COMMUNICATION PROTOCOLS FOR OPTICAL NETWORKS-ON-CHIP BASED ON RING TOPOLOGIES | 986 |
| <i>Mahdi Tala ; Luca Ramini ; Davide Bertozzi</i> | |
| ANALYSIS ON DIRECT DETECTION RECEIVER SENSITIVITY IN UPLINK PATH OF OFDM-PON | 989 |
| <i>Mingzhi Mao ; Rujian Lin ; Yingxiong Song ; Jian Chen ; Yingchun Li ; Min Wang</i> | |

| | |
|--|-------------|
| A NOVEL DD-OFDM-PON ARCHITECTURE WITH POLARIZATION MULTIPLEXING AND RADIO FREQUENCY UP/DOWN CONVERSION..... | 992 |
| <i>Yufang Zhou ; Hui Li ; Lei Guo ; Yejun Liu ; Xiaoxue Gong</i> | |
| SCALABLE AND LOW-LATENCY OPTICAL INTERCONNECT ARCHITECTURE BASED ON WMS AND AWGR FOR DATA CENTER NETWORKS..... | 995 |
| <i>Shangqing Chen ; Shanguo Huang ; Qian Kong ; Wenzhe Li ; Fan Ning ; Min Zhang ; Jie Zhang</i> | |
| EXPERIMENTAL DEMONSTRATION OF DISTRIBUTED QOT-AWARE OPTICAL PATH ADJUSTMENT IN SDON | 998 |
| <i>Yanfang Hou ; Hui Li ; Yuze Liu ; Wei Zhao ; Yuefeng Ji</i> | |
| CAPEX-MINIMIZED PLANNING FOR MULTI-CORE FIBER BASED OPTICAL NETWORKS..... | 1001 |
| <i>Yao Li ; Nan Hua ; Xiaoping Zheng</i> | |
| HYBRID OPTICAL SWITCHING IN CLUSTERED ARCHITECTURE CHINANET/CN2 NETWORKS..... | 1004 |
| <i>Changxing Liu ; Xiangyu Meng ; Jiuru Yang ; Qun Ding</i> | |
| THE OVERALL DESIGN AND IMPLEMENTATION OF EMBEDDED SOFTWARE FOR 40/10G TDM-PON..... | 1007 |
| <i>Jun Ma ; Panke Qin ; Liqian Wang ; Xue Chen</i> | |
| A NOVEL COST-EFFECTIVE WDM SELF-HEALING RING FOR FMC ACCESS NETWORK..... | 1010 |
| <i>Xinquan Zhang ; Rong Cheng ; Wei He ; Qi Yang</i> | |
| COST EFFICIENT MULTI-PHASE NETWORK PLANNING METHOD..... | 1013 |
| <i>Chuanjun Wu ; Zhicheng Sui ; Xinchao Liu</i> | |
| A MULTI-PATH BASED VIRTUAL OPTICAL NETWORK MAPPING ALGORITHM FOR ELASTIC OPTICAL NETWORKS | 1016 |
| <i>Shuang Hao ; Hongxiang Guo ; Dongxu Zhang ; Jian Wu</i> | |
| RANGING TIMING SYNCHRONIZATION FOR OFDMA-PON UPSTREAM..... | 1019 |
| <i>Bin Kuang ; Yating Wu</i> | |
| IMPACT OF TOF ON UPSTREAM DIRECTLY MODULATED SIGNALS CHIRP MANAGEMENT IN STACKED WDM-OFDM-PON SYSTEM..... | 1022 |
| <i>Ling Liu ; Meihua Bi ; Shilin Xiao ; Bintao Hu ; Lu Zhang ; Zhao Zhou</i> | |
| TWO-LAYERED AND MULTI-DOMAIN SATELLITE OPTICAL NETWORK WITH DUAL ROUTING ENGINE | 1025 |
| <i>Long Yan ; Yue Yanan ; Zhang Min ; Han Dahai ; Huang Shanguo</i> | |
| SIMULATION OF ADAPTIVE OFDM WHITE-LED VISIBLE LIGHT COMMUNICATION SYSTEM USING HIGH-ORDER QAM BASED ON FPGA | 1028 |
| <i>Zexi Yu ; Shilin Xiao ; Yinan Hou ; Min Ju ; Weisheng Hu</i> | |
| HIGH PRECISION POINTING AND TRACKING TECHNOLOGY FOR SPACE OPTICAL COMMUNICATION | 1031 |
| <i>Zhang Yan ; Gao Shijie</i> | |
| A NOVEL ANGLE-OF-ARRIVAL BASED POSITION ESTIMATION SCHEME USING VISIBLE LIGHT IN INDOOR POSITIONING SYSTEMS | 1034 |
| <i>Yinan Hou ; Shilin Xiao ; Meihua Bi ; Zexi Yu ; Yuankai Xue</i> | |
| FLIM VARIATION WITH THE STORED TIME BASED ON THE IN VITRO STUDY OF PORCINE SKIN..... | 1037 |
| <i>N/a</i> | |
| THERMAL ULTRASENSITIVE SENSOR BASED ON A POLYMER-COATED SILICA FIBER TAPER INTERFEROMETER..... | 1038 |
| <i>Zhuang Tian ; Yunyun Huang ; Ning Zhang ; Jie Li ; Bai-Ou Guan</i> | |
| REFRACTIVE INDEX SENSITIVITY OF NANO-FILM COATED OVER-COUPLED LONG-PERIOD FIBER GRATINGS | 1041 |
| <i>Fang Zou ; Yunqi Liu ; Shan Zhu ; Chuanlu Deng ; Tingyun Wang</i> | |
| METHANE DETECTION STUDIES BASED ON GAS IN SCATTERING MEDIA ABSORPTION SPECTROSCOPY..... | 1044 |
| <i>Yujian Ding ; Hongze Lin ; Chunsheng Yan</i> | |
| AMPERE FORCE BASED MAGNETIC FIELD SENSOR UTILIZING A MICROFIBER COUPLER..... | 1047 |
| <i>Shao-Cheng Yan ; Ye Chen ; Fei Xu ; Yan-Qing Lu</i> | |
| PHASE-SENSITIVE OPTICAL TIME-DOMAIN REFLECTOMETRY ASSISTED BY GATED RAMAN AMPLIFICATION..... | 1050 |
| <i>Yi Zhou ; Zinan Wang ; Li Zhang ; Jin Li ; Han Wu ; Yi Li ; Jiajia Zeng ; Yunjiang Rao</i> | |
| A NOVEL OPTICAL FIBER ELECTRIC FIELD SENSOR | 1053 |
| <i>Qingwen Liu ; Zhen Zhang ; Xinyu Fan ; Jiangbing Du ; Lin Ma ; Zuyuan He</i> | |

| | |
|--|-------------|
| IMAGES POLARIZATION TRANSFORMATION BASED ON DOUBLE-EXPOSURE POLARIZATION IN AN AZOBENZENE COPOLYMER | 1056 |
| <i>Pengfei Zeng ; Changshun Wang ; Fuli Zhao ; Peng Cai ; Mu Qin</i> | |
| LONGITUDINAL SPATIAL RESPONSE OF A DUAL-POLARIZATION FIBER LASER TO MAGNETIC FIELD BASED ON FARADAY EFFECT..... | 1059 |
| <i>Li Yu ; Linghao Cheng ; Zhenqiang Chen ; Yizhi Liang ; Long Jin ; Bai-Ou Guan</i> | |
| HYDROXYPROPYL CELLULOSE COATED ASSEMBLED MICROFIBER LOOP SENSORS..... | 1062 |
| <i>Linghui Liu ; Long Jin ; Jie Li ; Yang Ran ; Bai-Ou Guan</i> | |
| METHOD TO SUPPRESS THE NORTH-SEEKING ERROR BY BIAS DRIFT AND ANGLE RANDOM WALK WITH FIBER OPTIC GYROSCOPES | 1065 |
| <i>Qingxiang Zhang ; Chuanchuan Yang ; Ziyu Wang</i> | |
| RELATIVE HUMIDITY SENSOR BASED ON S-TAPERED FIBER COATED WITH POLYVINYL ALCOHOL..... | 1068 |
| <i>Hai Feng Liu ; Hao Zhang ; Bo Liu ; Yinping Miao ; Lie Lin</i> | |
| REFRACTIVE INDEX SENSITIVITY ENHANCEMENT BY BENDING FIBER TAPER MODAL INTERFEROMETER..... | 1071 |
| <i>Li-Peng Sun ; Jie Li ; Long Jin ; Bai-Ou Guan</i> | |
| OXIDATION DETECTION OF ASCORBIC ACID USING SERS | 1074 |
| <i>Jing Huang ; Yuxue Bai ; Shupeng Liu ; Zhenyi Chen ; Na Chen</i> | |
| COHERENT BOTDA WITH PHASE MODULATED PROBE LIGHT AND IQ DEMODULATION..... | 1077 |
| <i>Zonglei Li ; Lianshan Yan ; Liyang Shao ; Wei Pan ; Bin Luo</i> | |
| UVA-INDUCED AUTOFLUORESCENCE SPECTROSCOPY IN OPHTHALMOLOGY | 1080 |
| <i>Vladimir Salmin ; Victor Gar'kavenko ; Julia Levchenko ; Diana Skomorokha ; Ekaterina Vladimirova ; Anastassiya Solovieva ; Anastassiya Topakova ; Victor Lazarenko</i> | |
| ULTRASENSITIVE TEMPERATURE SENSOR BASED ON WHISPERING GALLERY MODE RESONANCE IN BENT COATED OPTICAL FIBER LOOP..... | 1083 |
| <i>Jun He ; Yiping Wang ; Changrui Liao ; Guolu Yin ; Shen Liu ; Jiangtao Zhou ; Kaiming Yang ; Bing Sun ; Jing Zhao ; Guanjun Wang</i> | |
| ADVANCED DIGITAL IMAGE PROCESSING FOR IN VIVO ANALYSIS OF BLOOD FLOW IN CAPILLARY NETWORK | 1086 |
| <i>M. A. Kurochkin ; P. A. Timoshina ; I. V. Fedosov ; V. V. Tuchin</i> | |
| DESIGN METHOD OF A GUIDED-WAVE OPTICAL PRESSURE SENSOR BASED ON DEPENDENCES OF SENSITIVITY AND RESONANCE FREQUENCY ON DIAPHRAGM DIMENSIONS | 1088 |
| <i>Masashi Ohkawa ; Hiroyuki Nikkuni ; Takashi Sato</i> | |
| OPTICAL HOLOGRAPHIC IDENTIFICATION OF BACTERIAL SPECIES AT THE SINGLE-BACTERIUM LEVEL..... | 1091 |
| <i>Youngju Jo ; Jaehwang Jung ; Hyunjoo Park ; Yongkeun Park</i> | |
| THE EFFECTS OF WATER ABSORPTION AND TEMPERATURE DEPENDENCY OF THE POF FOR REFRACTIVE INDEX SENSING | 1093 |
| <i>Ning Jing ; Chuanxin Teng ; Pengfei Wang ; Gerald Farrell ; Jie Zheng</i> | |
| TEMPERATURE SENSOR AND SWITCH BASED ON ONE-DIMENSIONAL PHOTONIC CRYSTAL WITH A KERR NONLINEAR DEFECT LAYER..... | 1096 |
| <i>Rongjun Zhang ; Juan Zhang</i> | |
| DISTRIBUTED ACOUSTIC MAPPING BASED ON SELF-INTERFEROMETRY OF PHASE-OTDR | 1099 |
| <i>Chen Wang ; Ying Shang ; Xiaohui Liu ; Chang Wang ; Gangding Peng</i> | |
| SINGLE CHIP PHOSPHOR-FREE WHITE LIGHT-EMITTING DIODES DRIVEN BY VARIABLE CURRENT | 1102 |
| <i>Jiadong Yu ; Lai Wang ; Di Yang ; Jiayuan Zheng ; Zhibiao Hao ; Yi Luo</i> | |
| A DIFFERENTIAL CARRIER LIFETIME ANALYSIS ON GAN-BASED LED'S QUANTUM EFFICIENCY | 1105 |
| <i>Xiao Meng ; Lai Wang ; Jiadong Yu ; Zhibiao Hao ; Yi Luo</i> | |
| APPLICATIONS OF MLPGF TO SECURITY AND HEALTH MONITORING SENSORS UTILIZING ITS POLARIZATION DEPENDENT LOSS (PDL) | 1108 |
| <i>Y. Okuno ; Y. Miyoshi ; H. Kubota ; M. Ohashi</i> | |
| FABRICATION AND CHARACTERISTICS OF SELF-SUPPORTING ROLLED-UP INGAAS/GAAS MICROTUBES ARRAY ON GAAS (100)..... | 1111 |
| <i>Zhihong Pan ; Qi Wang ; Yunxia Gao ; Xin Gu ; Guoming Mao ; Xiaomin Ren ; Xia Zhang ; Yongqing Huang</i> | |
| INVESTIGATION OF TEMPERATURE-DEPENDENT LASING AND OPTICAL GAIN CHARACTERISTICS OF 1.3-μM INAS QUANTUM DOT LASER..... | 1114 |
| <i>Chongyang Liu ; Rui Wang ; Hong Wang ; Qianqian Meng ; Kian Siong Ang</i> | |

| | |
|--|-------------|
| INFLUENCES OF OPTICAL FEEDBACK ON THE OPERATION OF AN EML INTEGRATED WITH A SEMICONDUCTOR OPTICAL AMPLIFIER | 1117 |
| <i>Fan Xia ; Wei Hong ; Junqiu Qi</i> | |
| INTENSITY ENHANCEMENT IN THE PHOTOLUMINESCENCE STUDY OF SELF-SUPPORTING INGAAS/GAAS MICROTUBES..... | 1120 |
| <i>Yunxia Gao ; Qi Wang ; Zhihong Pan ; Xia Zhang ; Yongqing Huang ; Xiaomin Ren</i> | |
| OR AND NOR LOGIC OPERATIONS AT 10 GHZ BASED ON CARRIER-DEPLETION SILICON MICRO-RING RESONATORS | 1123 |
| <i>Ping Zhou ; Jianfeng Ding ; Lin Yang</i> | |
| A NOVEL COUPLER BETWEEN SEMICONDUCTOR LASER AND TRIPLEX™ WAVEGUIDE WITH HIGH EFFICIENCY | 1126 |
| <i>Yu Li ; Minghua Chen ; Hongchen Yu ; Sigang Yang ; Hongwei Chen ; Shizhong Xie</i> | |
| A FABRICATION-TOLERANT SOI POLARIZATION SPLITTER-ROTATOR WITH CASCADED MMI COUPLERS AND AN ASSISTED BI-LEVEL TAPER..... | 1129 |
| <i>Jing Wang ; Ben Niu ; Haiyang Huang ; You Li ; Ming Li ; Zhen Sheng ; Aimin Wu ; Wei Li ; Xi Wang ; Shichang Zou ; Minghao Qi ; Fuwan Gan</i> | |
| Y-BRANCH EDGE COUPLER BETWEEN CLEAVED SINGLE MODE FIBER AND NANO-SCALE WAVEGUIDE ON SILICON-ON-INSULATOR PLATFORM | 1132 |
| <i>Xin Tu ; Hongyan Fu ; Dongyu Geng</i> | |
| 1060-NM SINGLE-MODE DFB LASER WITH IMPROVED RIDGE ETCH DEPTH TOLERANCE..... | 1135 |
| <i>Shaoyang Tan ; Teng Zhai ; Dan Lu ; Wang Wei ; Ruikang Zhang ; Chen Ji</i> | |
| CHIRP INVESTIGATION IN EMLS TOWARDS FREQUENCY SHIFT KEYING MODULATION | 1138 |
| <i>Miguel Iglesias Olmedo ; J. J. Vegas Olmos ; Urban Westergren ; Sergei Popov ; Idelfonso Tafur Monroy</i> | |
| A DIRECTED OPTICAL COMPARATOR BASED ON TWO MICRORING RESONATORS..... | 1141 |
| <i>Chunming Guo ; Weiwei Zhu ; Lei Zhang ; Lin Yang</i> | |
| BROADBAND GAIN INCORPORATING N COMPOSITIONAL FLUCTUATIONS FOR A GAINNAS SEMICONDUCTOR OPTICAL AMPLIFIER | 1144 |
| <i>Xiao Sun</i> | |
| OPTICAL DELAY LINE BASED ON WAVEGUIDE MODE MULTIPLEXING..... | 1147 |
| <i>Anbang Xie ; Linjie Zhou ; Zhi Zou ; Jianping Chen</i> | |
| LINEAR AND NONLINEAR MICROWAVE RESPONSE OF AN ULTRACOMPACT TUNABLE BANDPASS MICROWAVE PHOTONIC FILTER BASED ON A PHOTONIC CRYSTAL NANOCAVITY..... | 1150 |
| <i>Yun Long ; Yong Zhang ; Chengcheng Gui ; Chao Li ; Qi Yang ; Jinsong Xia ; Jian Wang</i> | |
| ON-CHIP SCALABLE ALL-OPTICAL SIGNAL CONVERTER OF ADVANCED MODULATION FORMAT SIGNALS UP TO 256-QAM BASED ON SILICON PHOTONICS DEVICES | 1153 |
| <i>Chengcheng Gui ; Fei Xia ; Jingwen Ma ; Jing Du ; Jian Wang</i> | |
| PHYSICS OF SI BASED AVALANCHE DETECTORS WITH BUILT-IN SELF-QUENCHING AND SELF-RECOVERING CAPABILITIES..... | 1156 |
| <i>Chong Li ; Xia Guo ; Yunfei Ma</i> | |
| DISPERSION AND LOSS ANALYSIS IN CIRCULAR AND BRAGG CORE PASSIVE SILICON WAVEGUIDES | 1159 |
| <i>Rezwanul Haque Khandokar ; Masuduzzaman Bakaul ; Stan Skafidas ; Thas Nirmalathas ; Md Asaduzzaman</i> | |
| HIGH-CONTRAST-GRATINGS REFLECTOR BASED ON SOI WITH LARGE-ANGLE BEAM STEERING ABILITY | 1162 |
| <i>Fang Wenjing ; Huang Yongqing ; Ma Changlian ; Duan Xiaofeng ; Ren Xiaomin ; Wang Qi ; Wang Jun ; Zhang Xia ; Cai Shiwei</i> | |
| EQUIVALENT CIRCUIT MODEL FOR INP-BASED UNI-TRAVELING-CARRIER PHOTODIODES WITH DIPOLE-DOPED STRUCTURE..... | 1165 |
| <i>Q. Q. Meng ; H. Wang ; B. Gao ; C. Y. Liu ; K. S. Ang ; X. Guo ; J. Gao</i> | |
| TWO-DIMENSIONAL DISTANCE AND ANGLE LOCATION NANORULER USING THE SURFACE PLASMON RESONANCE..... | 1168 |
| <i>Wenqiang Li ; Yan Zhang ; Ruibo Luo ; Jun Wen ; Jian Wang</i> | |
| A NEW-TYPE MICROWAVE BEAM STEERING SYSTEM BASED ON CONSTANT OPTICAL TRUE TIME DELAY TECHNOLOGY | 1171 |
| <i>Xinlu Gao ; Shanguo Huang ; Cao Gao ; Wenjing Xu ; Jing Zhou ; Wanyi Gu</i> | |
| A PEDESTAL-FREE MULTI-WAVELENGTH PULSE GENERATOR USING A DIVERGING TIME-LENS..... | 1174 |
| <i>Xiangyu Jiang ; Li Huo ; Dong Wang ; Qiang Wang ; Caiyun Lou</i> | |
| NONLINEAR OPTICAL PULSE PROPAGATION IN SILICON STRIP AND SLOT WAVEGUIDES | 1177 |
| <i>Samuel Serna ; Weiwei Zhang ; Laurent Vivien ; Eric Cassan</i> | |

| | |
|---|------|
| SWITCHING BETWEEN FAST- AND SLOW-LIGHT VIA CASCADED POLARIZATION COUPLING..... | 1180 |
| <i>Guangzhen Li ; Haowei Jiang ; Xianfeng Chen ; Yuping Chen</i> | |
| DESIGNING A 850-μM LONG-CAVITY COLORLESS LASER DIODE FOR RZ DWDM-PON WITH 50-GHZ CHANNELIZATION AT 10 GBIT/S | 1183 |
| <i>Yu-Chieh Chi ; Gong-Ru Lin</i> | |
| POLARIZATION-SENSITIVE METAMATERIAL BASED ON TWO-CUT SPLIT RING RESONATOR..... | 1186 |
| <i>Rong Sun ; Li Min ; Lirong Huang</i> | |
| ALL-OPTICAL XOR LOGIC GATE FOR BPSK SIGNALS BASED ON A SOA-MZI WAVELENGTH CONVERTER | 1189 |
| <i>Longqing Liu ; Kuiru Wang ; Jinhui Yuan ; Chongxiu Yu ; Xinzhu Sang ; Binbin Yan</i> | |
| ANY BIAS POINT CONTROL TECHNIQUE FOR MACH-ZEHNDER MODULATOR | 1192 |
| <i>Xueguang Yuan ; Yang'an Zhang ; Jinnan Zhang ; Minglun Zhang</i> | |
| A FLEXIBLE MICROWAVE PHOTONIC FREQUENCY CONVERSION SCHEME FOR SATELLITE REPEATER APPLICATIONS | 1195 |
| <i>Jie Yin ; Yong Jiang ; Kun Xu ; Feifei Yin ; Jianqiang Li</i> | |
| OPTICAL FORCE BASED LINEAR AND WIDEBAND OPTICAL ISOLATOR..... | 1198 |
| <i>Shucun Min ; Hailong Zhou ; Shasha Liao ; Xinliang Zhang ; Jianji Dong</i> | |
| FAST AND EFFECTIVE METHOD TO DISTINGUISH THE POLARIZING COMPONENTS USING A POLARIZING TRIANGULAR CYCLIC INTERFEROMETER..... | 1201 |
| <i>Rapeepan Keawon ; Chutchai Pawong ; Apichai Bhatranand ; Ratchapak Chitaree</i> | |
| TUNABLE OPTICAL ROUTER BASED ON MICRORING RESONATOR STRUCTURES | 1204 |
| <i>Zhihua Yu ; Juan Zhao ; Hadi Baghsiahi ; David R. Selviah</i> | |
| TUNABLE OPTOELECTRONIC OSCILLATOR BASED ON RING RESONATOR | 1207 |
| <i>Ke Ren ; Rong Wang ; Tao Pu ; Tao Fang ; Jilin Zheng ; Dalei Chen</i> | |
| INTERSUBBAND TRANSITION IN ALGAN/GAN STEP QUANTUM WELLS AT 3–5 μM..... | 1210 |
| <i>Xin Rong ; Xinqiang Wang ; Guang Chen ; Ping Wang ; Xiantong Zheng ; Fujun Xu ; Bo Shen</i> | |
| MODE ANALYSIS FOR UNIDIRECTIONAL EMISSION MICRORING LASERS | 1213 |
| <i>Xiu-Wen Ma ; Xiao-Meng Lv ; Yong-Zhen Huang ; Yue-De Yang ; Jin-Long Xiao ; Yun Du</i> | |
| DESIGN OF EASY-FABRICATED LOW-LOSS STRIP-TO-SLOT WAVEGUIDE MODE CONVERTER..... | 1216 |
| <i>Qiang Yan ; Yaocheng Shi ; Shiming Gao</i> | |
| ALL-OPTICAL WAVELENGTH CONVERSION USING WIDELY TUNABLE V-CAVITY SEMICONDUCTOR LASER..... | 1219 |
| <i>Yu Zhu ; Yingchen Wu ; Lin Wu ; Jian-Jun He</i> | |
| BROADBAND BRAGG GRATING MIRROR BASED ON CIRCULAR AND HORIZONTAL SLOT SILICON WAVEGUIDES FOR TM_0 MODE..... | 1222 |
| <i>Yang Wang ; Shitao Gao ; Ke Wang ; Efstratios Skafidas</i> | |
| HIGH-ORDER MODE POLARIZATION ROTATOR FOR ALL OPTICAL SDM-PDM SIGNALS PROCESSING | 1225 |
| <i>Yaguang Qin ; Yu Yu ; Mengyuan Ye ; Jinghui Zou ; Guanyu Chen ; Xinliang Zhang</i> | |
| STRUCTURE OPTIMIZATION OF RESONANT CAVITY-ENHANCED UNI-TRAVELLING CARRIER PHOTODIODE FOR HIGH QUANTUM EFFICIENCY AND WIDE OPTICAL BANDWIDTH..... | 1228 |
| <i>Di Miao ; Bing Xiong ; Changzheng Sun ; Yi Luo</i> | |
| LOW LOSS BROADBAND WAVEGUIDE CROSSING FOR SILICON-ON-INSULATOR OPTICAL INTERCONNECT..... | 1231 |
| <i>Wanyuan Liu ; Xin Tu ; Huixiao Ma ; H.Y. Fu ; Dongyu Geng</i> | |
| ON-CHIP OPTICAL MODE MULTICASTING USING TAPERED DIRECTIONAL COUPLER | 1234 |
| <i>Zhonglai Zhang ; Chengcheng Gui ; Jian Wang</i> | |
| DESIGN OF A COMPACT CONTROLLABLE GRAPHENE-ASSISTED BROADBAND POLARIZER | 1237 |
| <i>Zhonglai Zhang ; Xiao Hu ; Chengcheng Gui ; Jing Du ; Jian Wang</i> | |
| A HIGHLY FLEXIBLE CIRCULAR ANTENNA ARRAY GENERATING PHASE/AMPLITUDE/POLARIZATION-STEERABLE RADIO VORTEX BEAMS | 1240 |
| <i>Zhuoyu Li ; Long Zhu ; Jian Wang</i> | |
| INTEGRATED COMPACT VERTICAL CAVITY SURFACE EMITTING ORBITAL ANGULAR MOMENTUM LASER | 1243 |
| <i>Yifan Zhao ; Jian Wang</i> | |

| | |
|--|------|
| POLING FIELD STRENGTH DEPENDENT PHOTOLUMINESCENCE OF DISPERSE RED-19 | 1246 |
| <i>Dong-Hyun Jo ; Sae-Han Lim ; Do-Gyun Kim ; Jin-Young Park ; Rei-Hyan Park ; Byoung-Ju Kim ; Kwang-Sun Kang</i> | |
| UNIVERSAL DISPERSION RELATION FOR PLASMON MODES IN GRAPHENE-COATED NANOWIRE | 1248 |
| <i>Yixiao Gao ; Guobin Ren ; Bofeng Zhu ; Huang Lin ; Shuisheng Jian</i> | |
| DESIGN OF AN OPTO-MECHANICAL ON-CHIP 1 × 2 OPTICAL SWITCH | 1251 |
| <i>Xuhui Li ; Zhuoyu Li ; Long Zhu ; Jian Wang</i> | |
| SPIN-DEPENDENT POLARITONIC FLIP-FLOP IN SEMICONDUCTOR MICROCAVITY | 1254 |
| <i>Fen Wang ; Wei Li Zhang ; Yun Jiang Rao ; Xiao Min Wu</i> | |
| GENERATION OF SINGLE-CYCLE THZ RADIATION IN THIN VO₂ FILMS UNDERGOING METAL-INSULATOR PHASE TRANSITION | 1257 |
| <i>Petr Solyankin ; Artem Sidorov ; Alexander Shkurinov ; Mikhail Esaulkov ; Qin Luo ; Kejia Wang ; Xi-Cheng Zhang</i> | |
| WIDELY TUNABLE OPTICAL FILTERS BASED ON LIQUID CRYSTAL-FILLED MULTIPLE-SLOT MICRORING RESONATORS WITH LARGE FABRICATION TOLERANCE | 1260 |
| <i>Jing Dai ; Feiya Zhou ; Minming Zhang ; Deming Liu</i> | |
| DIFFRACTIVE WAVEPLATES BASED ON POLARIZATION HOLOGRAPHY | 1263 |
| <i>Peng Cai ; Changshun Wang ; Fuli Zhao ; Pengfei Zeng ; Mu Qing</i> | |
| A TRANSFORMATION OPTICAL COUPLER FOR MONOLITHIC INTEGRATION IN INGAAS/PIN SYSTEM | 1266 |
| <i>Kaisheng Chen ; Zhuoyang Huang ; Gaoneng Dong ; Xingliang Zhang</i> | |
| COMPUTATIONAL INVESTIGATION OF THZ SURFACE PLASMON MODULATION WITH OPTICAL INJECTION OF FREE CARRIERS | 1269 |
| <i>T. Yang ; Y. Zhou ; Y. Y. Li ; C. Xu ; W. Huang ; X. A. Li ; Y. Q. Qin ; Y. Y. Zhu ; H. P. Ho</i> | |
| REPETITION RATE MULTIPLICATION OF PSEUDORANDOM BIT SEQUENCES BASED ON TOADS | 1272 |
| <i>Zhenchao Sun ; Zhi Wang ; Chongqing Wu ; Fu Wang ; Guodong Liu ; Qing Lin ; Yangtian Jian</i> | |
| LOSS CHARACTERIZATION OF ARRAYED WAVEGUIDE GRATING BY FABRY-PEROT INTERFEROMETRIC METHOD | 1275 |
| <i>Songtao Liu ; Xilin Zhang ; Dan Lu ; Ruikang Zhang ; Wei Wang ; Chen Ji</i> | |
| ULTRA-FLAT AND LOW DISPERSION OVER NEAR-INFRARED REGIME IN HORIZONTAL SILICON NITRIDE SLOT WAVEGUIDE | 1278 |
| <i>Lijuan Xu ; Xiaochang Ni ; Jin He ; Hao Chong</i> | |
| LARGE PULSE-ENERGY PASSIVE HARMONICALLY MODE-LOCKED RAMAN FIBER RING LASER AT 1.65-μM BAND | 1281 |
| <i>Qingqiang Kuang ; Zhiqiang Wang ; Li Zhan</i> | |
| EFFECT OF PBS QUANTUM DOT CONCENTRATION ON THE PERFORMANCE OF OPTICAL FIBER AMPLIFIER | 1284 |
| <i>Xiaolan Sun ; Ying Zhang ; Tingyun Wang ; Qingwu Qu ; Zesheng An</i> | |
| CHIRPED MICROWAVE WAVEFORM GENERATION BASED ON RECONSTRUCTION OF THE REQUIRED FREQUENCY RESPONSE | 1287 |
| <i>Dalei Chen ; Rong Wang ; Tao Pu ; Tao Fang ; Peng Xiang ; Jiling Zheng</i> | |
| DUAL-WAVELENGTH SINGLE-FREQUENCY FIBER LASER BASED ON GRAPHENE SATURABLE ABSORBER | 1290 |
| <i>Jingjuan Zhou ; Aiping Luo ; Zhichao Luo ; Xudong Wang ; Xinhuan Feng ; Bai-Ou Guan</i> | |
| A LONG CAVITY GRAPHENE-BASED MODE-LOCKED FIBER LASER FOR HIGH PULSE ENERGY OUTPUT | 1293 |
| <i>Xiaoying He ; Tao Chen ; D.N. Wang ; Xiangchao Zhang ; Hao Zhang ; Min Xu</i> | |
| DEMONSTRATION OF A WIDELY TUNABLE MICROWAVE SIGNAL GENERATOR BASED ON DUAL-POLARIZATION FIBER GRATING LASER | 1296 |
| <i>Qiang Yuan ; Yizhi Liang ; Long Jin ; Linghao Cheng ; Bai-Ou Guan</i> | |
| HIGH POWER, HYBRID FIBER/SOLID-SLAB ULTRAVIOLET PICOSECOND PULSE LASER SYSTEM WITH HIGH STABILITY | 1299 |
| <i>Wei Chen ; Youjian Song ; Minglie Hu ; Lu Chai ; Chingyue Wang ; Qianjin Cui ; Lin Guo ; Hengli Zhang ; Qingjing Liu</i> | |
| RECONFIGURABLE PASS-BAND MICROWAVE PHOTONIC FILTER USING FREQUENCY COMBS AND STIMULATED BRILLOUIN SCATTERING | 1302 |
| <i>Dengwang Zhou ; Yongkang Dong ; Hongying Zhang ; Wei Gao ; Zhiwei Lu</i> | |
| PERFORMANCE OF FEW-MODE EDFAS IN OPTICAL SPACE-DIVISION MULTIPLEXED COMMUNICATION SYSTEMS | 1305 |
| <i>Hesham A. Youssef ; Ziad A. El-Sahn ; Adel A. El-Zoghabi</i> | |

| | |
|---|------|
| SPECTRAL-FILTER-LIKE EFFECT OF RAMAN SELF FREQUENCY SHIFT(RSFS) IN ALL-NORMAL-DISPERSION(ANDI) FIBER LASER..... | 1308 |
| <i>Cong Xu ; Yitang Dai ; Kun Xu ; Xinhong Jia ; Jintong Lin</i> | |
| USE OF KNBO₃ NANONEEDLES BASED CROSS-CORRELATION FREQUENCY-RESOLVED OPTICAL GATING (XFROG) TO MEASURE DISPERSIVE WAVE OF SUPER-CONTINUUM PULSE LASER..... | 1311 |
| <i>Jiixin Yu ; Fuhong Cai</i> | |
| A NOVEL ALL-OPTICAL BINARY PATTERN RECOGNIZER..... | 1314 |
| <i>Heng Zhou ; Xingyu Zhou ; Kun Qiu</i> | |
| MODAL LOSS IN HOLLOW-CORE BRAGG FIBERS WITH A COMPLETE-BAND-GAP CHIRAL CLADDING..... | 1317 |
| <i>Junqing Li ; Yusheng Cao</i> | |
| TEMPERATURE SENSITIVITY MEASUREMENT OF FIBER COIL WITH FREQUENCY-MODULATED CONTINUOUS-WAVE..... | 1320 |
| <i>Xiaobin Xu ; Fei Teng ; Zuchen Zhang ; Zhihao Zhang ; Jing Jin</i> | |
| ERBIUM-DOPED FIBER LASER MODE-LOCKED WITH A FEW-LAYER MOS₂ SATURABLE ABSORBER..... | 1323 |
| <i>Handing Xia ; Heping Li ; Changyong Lan ; Chun Li ; Xiaoxia Zhang ; Shangjian Zhang ; Yong Liu</i> | |
| FABRICATION OF CHIRAL FIBER BRAGG GRATINGS WITH A STANDING SPIRAL POLARIZATION WAVE..... | 1326 |
| <i>Huaxing Xu ; Li Yang</i> | |
| HIGH-SPEED UWB MONOCYCLE PULSE GENERATION BASED ON CROSS PHASE MODULATION IN A DA-NOLM..... | 1329 |
| <i>Jiangbing Du ; Xinyu Fan ; Qingwen Liu ; Lin Ma ; Zuyuan He</i> | |
| TEMPERATURE-INSENSITIVE LP₀₁-P₁₁ MODE CONVERTERS BASED ON CO₂-LASER WRITTEN LONG-PERIOD FIBER GRATINGS..... | 1332 |
| <i>Jiangli Dong ; Kin Seng Chiang</i> | |
| MEASURING CHROMATIC DISPERSION USING PERIODIC FADING OF PHASE MODULATION..... | 1335 |
| <i>Shangjian Zhang ; Heng Wang ; Xinhai Zou ; Yali Zhang ; Yong Liu</i> | |
| DEMONSTRATION OF ETCHED LONG PERIOD GRATINGS IN PANDA FIBERS AND THE APPLICATION FOR REFRACTIVE INDEX SENSING..... | 1338 |
| <i>Hao Wang ; Li-Peng Sun ; Jie Li ; Chuang Wu ; Yunyun Huang ; Long Jin ; Bai-Ou Guan</i> | |
| SIMPLE TECHNIQUE FOR MEASURING HIGHER-ORDER MODE LOSS NEAR CUTOFF WAVELENGTH REGION..... | 1341 |
| <i>T. Ozawa ; M. Ohashi ; Y. Miyoshi ; H. Kubota ; R. Maruyama ; N. Kuwaki</i> | |
| EFFECT OF LONGITUDINAL FLUCTUATION OF HNLF ON OPTICAL SAMPLER USING NONLINEAR OPTICAL LOOP MIRROR..... | 1344 |
| <i>Y. Okunaka ; Y. Miyoshi ; H. Kubota ; M. Ohashi</i> | |
| EFFECTIVE MODE FIELD DIAMETER DEFINITION AND SPLICE LOSS ESTIMATION OF LP₁₁ MODE IN FEW MODE FIBERS..... | 1347 |
| <i>K. Ozaki ; M. Ohashi ; H. Kubota ; Y. Miyoshi</i> | |
| SPECTRAL COMPRESSION OF 200 FS PULSE IN NONLINEAR OPTICAL FIBERS WITH EXPONENTIALLY INCREASING DISPERSION..... | 1350 |
| <i>Mingfeng Li ; Qian Li</i> | |
| MULTI-PULSE COMPRESSION IN NONLINEAR OPTICAL FIBERS WITH EXPONENTIALLY DECREASING DISPERSION..... | 1353 |
| <i>Wei Lu ; Qian Li ; P. K. A. Wai</i> | |
| PHYSICAL INTERPRETATION OF STRANGE CROSSTALK IN W-TYPE MULTI-CORE FIBER..... | 1356 |
| <i>S. Shinohara ; Y. Miyoshi ; H. Kubota ; M. Ohashi</i> | |
| GENERATION OF PSEUDO-RANDOM OPTICAL SIGNALS USING THE FIBER RECIRCULATING LOOPS..... | 1359 |
| <i>Yasuhiro Tsutsumi ; Yuto Omori ; Kazuki Kikkawa ; Masaharu Ohashi ; Ikuo Yamashita ; Joji Maeda</i> | |
| BI-DIRECTIONALLY-PUMPED FEW-MODE EDFA..... | 1362 |
| <i>Zhenzhen Zhang ; Qinghua Zhao ; Ningbo Zhao ; Xiaoying Li ; Guifang Li</i> | |
| FULL-DUPLEX 64-QAM-OFDM AT 18 GBIT/S WITH COLORLESS FPLD INJECTION-LOCKED BY REUSING DFBLD/EAM CARRIER..... | 1365 |
| <i>Yu-Chieh Chi ; Yi-Cheng Li ; Cheng-Ting Tsai ; Min-Chi Cheng ; Gong-Ru Lin</i> | |
| SYMMETRIC 100-GB/S DSP-ENHANCED TWDM-PON..... | 1368 |
| <i>Bangjiang Lin ; Juhao Li ; Tao Hu ; Duo Li ; Dawei Ge ; Yongqi He ; Zhangyuan Chen</i> | |

| | |
|---|-------------|
| RAYLEIGH NOISE MITIGATION IN CHANNEL-REUSE 10GB/S/? DWDM-PON EMPLOYING OPTICAL BEAT NOISE-BASED SELF WAVELENGTH MANAGED TUNABLE LASER | 1371 |
| <i>Zhiguo Zhang ; Xu Jiang ; Yanfei Sun ; Xue Chen ; Liqian Wang ; Min Zhang</i> | |
| STABLE FIBER DELIVERY OF MILLIMETER WAVE SIGNAL BY FAST PHASE COMPENSATION SYSTEM..... | 1374 |
| <i>Xiaocheng Wang ; Dongning Sun ; Zhangweiyi Liu ; Yi Dong ; Weisheng Hu</i> | |
| PERFORMANCE ANALYSES OF LDPC-CODED ORBITAL ANGULAR MOMENTUM (OAM) OPTICAL COMMUNICATIONS IN A MULTI-BENDING RING FIBER..... | 1377 |
| <i>Jiaying Zhou ; Shuhui Li ; Jun Liu ; Zhidan Xu ; Long Zhu ; Xiao Hu ; Jian Wang</i> | |
| BESSEL BEAM MULTIPLEXING FOR FREE-SPACE OPTICAL COMMUNICATIONS ASSISTED BY 6×6 MIMO EQUALIZATION | 1380 |
| <i>Zhidan Xu ; Jiaying Zhou ; Chengcheng Gui ; Jian Wang</i> | |
| POLARIZATION DEPENDENT GAIN/LOSS INDUCED NONLINEAR PHASE NOISE IN DIGITAL OPTICAL COMMUNICATION SYSTEMS..... | 1383 |
| <i>Junhe Zhou ; Philippe Gallion</i> | |
| EXPERIMENTAL DEMONSTRATION OF SUB-LINE-RATE ONU RECEIVING SCHEME IN IMDD-OFDM-PON..... | 1386 |
| <i>Nan Liu ; Cheng Ju ; Hu Shi ; Xue Chen ; Liqian Wang</i> | |
| OPTICAL DISPERSION MANAGEMENT FOR 10GBPS UPSTREAM DIRECTLY-MODULATED SIGNALS COVERING RANGES FROM 0 TO 100KM WITH MAXIMAL 51-DB LOSS BUDGET | 1389 |
| <i>Xiaodong Wang ; Lilin Yi ; Zhengxuan Li ; Jingqing Huang ; Jun Han ; Weisheng Hu</i> | |
| A VISIBLE LIGHT COMMUNICATIONS SYSTEM WITH 220MHZ BANDWIDTH BASED ON PRE-EMPHASIS AND POST-EQUALIZATION TECHNOLOGIES | 1392 |
| <i>Minglun Zhang ; Yangan Zhang ; Xueguang Yuan</i> | |
| ENHANCED RESILIENCE TO RAYLEIGH-BACKSCATTERING IN SINGLE FIBER BIDIRECTIONAL COLOR-LESS WDM-PON..... | 1395 |
| <i>Yanfei Sun ; Zhiguo Zhang ; Xu Jiang ; Qiwei Liu</i> | |
| EFFECT OF OPTICAL BANDPASS FILTER ON SYNCHRONIZATION IN WDM CHAOTIC SYSTEM..... | 1398 |
| <i>Qiwei Chen ; Xuelin Yang ; Weisheng Hu</i> | |
| OPTICAL MULTI-STABILITY IN FIBER BRAGG GRATINGS WITH APPLICATION TO ALL-OPTICAL REGENERATION OF MULTI-LEVEL PULSE-AMPLITUDE-MODULATION SIGNALS | 1401 |
| <i>Xing-Yu Zhou ; Bao-Jian Wu ; Qing-Yao Wan ; Feng Wen ; Kun Qiu</i> | |
| ICI CANCELLATION USING SYMMETRIC SUBCARRIER PAIRS WITH OPPOSITE WEIGHTINGS IN CO-OFDM SYSTEMS | 1404 |
| <i>Jing Zhang ; Xuemei Chen ; Dengke Zeng ; Heming Yang ; Xingwen Yi ; Kun Qiu</i> | |
| A NOVEL OPTICAL VECTOR NETWORK ANALYZER FOR FLEXIBLE MEASUREMENT OF JONES MATRIX..... | 1407 |
| <i>Caixing Zhang ; Guanjun Gao ; Jie Zhang ; Kai Zhang ; Junyan Liu ; Wanyi Gu</i> | |
| INVESTIGATION OF NYQUIST OTDM SYSTEM PERFORMANCE WITH A RECTANGULAR OPTICAL NYQUIST FILTER | 1410 |
| <i>Liang Zhuang ; Li Huo ; Caiyun Lou</i> | |
| A NOVEL BYTE-INTERLEAVER FOR ELIMINATING CORRELATION OF ERRORS IN OTUK SIGNALS | 1413 |
| <i>Zilong He ; Wentao Liu ; Xue Chen ; Bailin Shen ; Zhiguo Zhang</i> | |
| EXPERIMENTAL DEMONSTRATION OF 40G MULTIPLEXING AND DEMULTIPLEXING FUNCTIONS FOR THE 40G/10G TDM-PON EXPERIMENTAL SYSTEM..... | 1416 |
| <i>Xiaoyan Wang ; Liqian Wang ; Xue Chen ; Haoran Yan ; Panke Qin</i> | |
| RSOA-BASED WDM-PON WITH PDM TECHNIQUE AND SCFDE MODULATION | 1419 |
| <i>Duo Li ; Juhao Li ; Bangjiang Lin ; Yangsha Wan ; Yongqi He ; Zhangyuan Chen</i> | |
| PAPR REDUCTION BASED ON SIGNAL SCRAMBLING AND DISCRETE HARTLEY TRANSFORM IN OPTICAL OFDM SYSTEMS..... | 1422 |
| <i>Chen Lin ; Fang Yong ; Huang Qinghua</i> | |
| GENERATION OF 6POLSK-QPSK USING DUAL-DRIVE MACH-ZEHNDER MODULATORS | 1425 |
| <i>Ding Ding ; Yang'an Zhang ; Xueguang Yuan ; Jinnan Zhang ; Yupeng Li ; Yongqing Huang</i> | |
| NOVEL TIME-DOMAIN COMPENSATION SCHEME FOR TRANSMITTER IQ MISMATCH IN CO-OFDM SYSTEM | 1428 |
| <i>Juan Du ; Shilin Xiao ; Hao He ; Zhao Zhou ; Min Ju</i> | |

| | |
|---|------|
| EXPERIMENTAL DEMONSTRATION OF A RGB-LED BASED VISIBLE LIGHT COMMUNICATION SYSTEM EMPLOYING CARRIERLESS AMPLITUDE AND PHASE MODULATION | 1431 |
| <i>Wang Zhixin ; Yiguang Wang ; Chi Nan</i> | |
| ASSESSMENT OF EXTENDED KALMAN FILTERING BASED SIMULTANEOUS POLARIZATION AND PHASE TRACKING FOR PDM-16QAM | 1434 |
| <i>Cao Guoliang ; Yang Yanfu ; Kang Ping Zhong ; Cui Lantao ; Rong Ning ; Jian Gu ; Yao Yong</i> | |
| SI-GE-SILICA PHOTONIC INTEGRATION PLATFORM FOR HIGH-PERFORMANCE PHOTONIC SYSTEMS | 1437 |
| <i>K. Yamada ; T. Tsuchizawa ; H. Nishi ; R. Kou ; T. Hiraki ; K. Takeda ; M. Usui ; K. Okazaki ; H. Fukuda ; Y. Ishikawa ; K. Wada ; T. Yamamoto</i> | |
| MACH-ZEHNDER INTERFEROMETERS CASCADED AND TUNABLE INTERLEAVER BASED ON SILICA-ON-SILICON WAVEGUIDE | 1440 |
| <i>Weifeng Jiang ; Xiaohan Sun</i> | |
| TUNABLE LITHIUM-NIOBATE OPTICAL WAVEGUIDE INTERLEAVER | 1443 |
| <i>Kaixin Chen ; Yanlin Zheng ; Kin Seng Chiang</i> | |
| INTEGRATED OPTOELECTRONICS FOR COHERENT RECEIVERS AND TRANSMITTERS | 1446 |
| <i>Y. K. Chen</i> | |
| RECENT DEVELOPMENTS OF OPTICAL TRANSCEIVER MODULES FOR 100G AND BEYOND 100G LONG-DISTANCE TRANSPORT | 1449 |
| <i>Bingbing Wu ; Wenyu Zhao ; Haiyi Zhang</i> | |
| INFRARED THERMAL EMISSION FROM JOULE-HEATED GRAPHENE WITH DEFECTS | 1452 |
| <i>Anna Kozłowska ; Grzegorz Gawlik ; Roman Szewczyk ; Anna Piatkowska ; Aleksandra Krajewska</i> | |
| WAVEGUIDE-INTEGRATED GRAPHENE PHOTODETECTOR WITH A BRAGG REFLECTOR ON SILICON | 1455 |
| <i>Jiajiu Zheng ; Longhai Yu ; Sitao Chen ; Daoxin Dai</i> | |
| IN-PLANE MID-INFRARED OPTICAL ABSORPTION OF GRAPHENE ON SILICON-ON-SAPPHIRE WAVEGUIDES | 1458 |
| <i>Zhenzhou Cheng ; Zhen Li ; Ke Xu ; Hon Ki Tsang</i> | |
| CHARACTERISTICS OF SATURABLE ABSORPTION OF MOS₂ FILMS IN THE VISIBLE TO NEAR-INFRARED RANGE | 1461 |
| <i>Fengqiu Wang ; Shuo Xu ; Yanyan Feng ; Yao Li ; Xiaoyan Zhang ; Yongbin Xu ; Jun Wang</i> | |
| ALL-OPTICAL MODULATION AND NONLINEAR ABSORPTION IN GERMANIUM-ON-SILICON WAVEGUIDES NEAR THE 2 μM WAVELENGTH REGIME | 1464 |
| <i>L. Shen ; N. Healy ; C. J. Mitchell ; J. S. Penades ; M. Nedeljkovic ; G. Z. Mashanovich ; A. C. Peacock</i> | |
| A NOVEL MODE SWITCHING METHOD FOR OPTOELECTRONIC OSCILLATOR BASED ON BIAS CONTROL | 1467 |
| <i>Qian Xie ; Song Yu ; Tianwei Jiang ; Jian Li ; Wanyi Gu</i> | |
| QUANTUM PHOTONICS WITH OPTICAL NANOFIBERS | 1470 |
| <i>Kohzo Hakuta</i> | |
| PARAMETRIC X³ LIGHT GENERATION IN SUBWAVELENGTH WAVEGUIDES | 1473 |
| <i>Muhammad Im Abdul Khudus ; Timothy Lee ; Tianye Huang ; Xuguang Shao ; Zhifang Wu ; Tingting Wu ; Yunxu Sun ; Jing Zhang ; Huy Quoc Lam ; Ping Shum ; Gilberto Brambilla</i> | |
| TOPOGRAPHIC OPTICAL FIBERS: NEW PERSPECTIVES IN GUIDED OPTICS | 1476 |
| <i>Arnaud Mussot ; Maxime Droques ; Matteo Conforti ; Xie Wong ; Damien Bigourd ; Kenneth Wong ; Géraud Bouwmans ; Marc Douay ; Laurent Bigot ; Yves Quiquempois ; Stephano Trillo ; Gilbert Martinelli ; Alexandre Kudlinski</i> | |
| INFLUENCE OF GAMMA-RAY IRRADIATION ON THE SPECTRAL PROPERTIES OF BI-DOPED SILICA FIBERS | 1478 |
| <i>Jie Wang ; Jianxiang Wen ; Yanhua Dong ; Lin Liu ; Fufei Pang ; Yanhua Luo ; Gang-Ding Peng ; Zhenyi Chen ; Tingyun Wang</i> | |
| GRATING-SPACING-DEPENDENT SPECTRAL CHARACTERISTICS OF SINGLE-MODE-FIBER-BASED CASCADED ACOUSTO-OPTIC TUNABLE FILTERS | 1481 |
| <i>Shouxin Kang ; Hao Zhang ; Bo Liu ; Yinping Miao</i> | |
| MINIMALLY-INVASIVE OPTICAL PLATFORM FOR SURGICAL GUIDANCE AND NEUROSCIENCE RESEARCH | 1484 |
| <i>Yu Chen ; Chia-Pin Liang ; Qinggong Tang</i> | |
| ACOUSTIC RADIATION FORCE OPTICAL COHERENCE ELASTOGRAPHY | 1487 |
| <i>Zhongping Chen</i> | |
| WAVEFRONT-SHAPING OPTICAL COHERENCE TOMOGRAPHY FOR ENHANCING PENETRATION DEPTH | 1489 |
| <i>Hyeonseung Yu ; Jung-Hoon Park ; Yongkeun Park</i> | |

| | |
|---|------|
| SCATTERING SUPER-LENS: SUBWAVELENGTH LIGHT FOCUSING AND IMAGING VIA WAVEFRONT SHAPING IN COMPLEX MEDIA | 1491 |
| <i>Jung-Hoon Park ; Chunghyun Park ; Yong-Hoon Cho ; Yongkeun Park</i> | |
| ANALYSIS OF RECOMBINATION MECHANISMS IN INGAN-BASED LIGHT-EMITTING DIODES FROM ELECTRICAL AND OPTICAL CHARACTERIZATIONS | 1493 |
| <i>Dong-Soo Shin</i> | |
| IMPORTANCE OF THE RADIATIVE RECOMBINATION RATE TO EFFICIENCY DROOP IN INGAN-BASED LIGHT-EMITTING DIODES | 1496 |
| <i>Jong-In Shim ; Hyunsung Kim ; Dong-Soo Shin</i> | |
| GAN NANO-MEMBRANE FOR OPTOELECTRONIC AND ELECTRONIC DEVICE APPLICATIONS | 1499 |
| <i>Boon S. Ooi ; Rami T. Elafandy ; Ahmed B. Slimane ; M. Abdul Majid ; Tien Khee Ng</i> | |
| CAPACITY LIMIT OF FEW-MODE FIBERS FOR SPACE-DIVISION MULTIPLEXED COHERENT OPTICAL OFDM SUPERCHANNEL | 1502 |
| <i>An Li ; Xi Chen ; Di Che ; Yifei Wang ; William Shieh</i> | |
| 6×6 MIMO EQUALIZATION ASSISTED FRACTIONAL ORBITAL ANGULAR MOMENTUM (OAM) DENSE MODE-DIVISION MULTIPLEXING (DMDM) FOR FREE-SPACE OPTICAL COMMUNICATIONS | 1505 |
| <i>Zhidan Xu ; Chengcheng Gui ; Shuhui Li ; Jiaying Zhou ; Jian Wang</i> | |
| HETEROEPIAXIAL GROWTH AND CHARACTERIZATION OF COMPOUND SEMICONDUCTORS | 1508 |
| <i>Qixin Guo</i> | |
| NANOSCALE CHARACTERIZATION OF STRUCTURAL AND OPTICAL PROPERTIES OF NITRIDE NANOSTRUCTURES USING HELIUM TEMPERATURE SCANNING ELECTRON MICROSCOPY CATHODOLUMINESCENCE | 1511 |
| <i>Frank Bertram</i> | |
| OPTICAL GAIN AND ABSORPTION OF 420 NM INGAN-BASED LASER DIODES GROWN ON M-PLANE GAN SUBSTRATE | 1514 |
| <i>Chao Shen ; Tien Khee Ng ; Bilal Janjua ; Ahmed Y. Alyamani ; Munir M. El-Desouki ; James S. Speck ; Steven P. Denbaars ; Boon S. Ooi</i> | |
| ON-CHIP OPTICAL INTERCONNECTS USING INGAN LIGHT-EMITTING DIODES INTEGRATED WITH SI-CMOS | 1517 |
| <i>Bing Wang ; Li Zhang ; Wenjia Zhang ; Cong Wang ; Kenneth Eng Kian Lee ; Jurgen Michel ; Soo-Jin Chua ; Li-Shiuan Peh</i> | |
| ELECTRICALLY INJECTED INGAN/GAN DISK-IN-NANOWIRE LASERS MONOLITHICALLY GROWN ON (001) SILICON | 1520 |
| <i>Thomas Frost ; Shafat Jahangir ; Ethan Stark ; Pallab Bhattacharya</i> | |
| GROUP III-NITRIDE SEMICONDUCTOR NANOSTRUCTURES FOR NOVEL PHOTONIC AND QUANTUM PHOTONIC APPLICATIONS | 1523 |
| <i>Je-Hyung Kim ; Young-Ho Ko ; Suk-Min Ko ; Su-Hyun Gong ; Yong-Hoon Cho</i> | |
| A TWELVE-WAVELENGTH HYBRID MICRODISK LASER ARRAY COUPLED TO A SOI BUS WAVEGUIDE | 1526 |
| <i>Shao-Shuai Sui ; Ming-Ying Tang ; Yun Du ; Yue-De Yang ; Yong-Zhen Huang</i> | |
| CONFIGURATION OF AN OPTICAL TRANSMITTER ENABLING WAVELENGTH- AND MODE-DIVISION MULTIPLEXED ON-CHIP OPTICAL-INTERCONNECTS | 1529 |
| <i>Daoxin Dai</i> | |
| NON-DISPERSION COMPENSATED TRANSMISSION OF 103-GB/S COHERENT PDM-OFDM/OQAM-128QAM SIGNAL WITHIN 10-GHZ OPTICAL GRID OVER 240-KM SSMF | 1532 |
| <i>Zhixue He ; Chao Li ; Ming Luo ; Qi Yang ; Shaohua Yu</i> | |
| DISPERSION-PENALTY-FREE TRANSMISSION OF A NET 13.9-GB/S 64QAM-OFDM SIGNAL OVER 100-KM SSMF USING A 1.55-μM XFP-RF TRANSMITTER WITH 2.5-GHZ RF BANDWIDTH | 1535 |
| <i>Naresh Chand ; Xiang Liu ; Frank Effenberger</i> | |
| 100 GBPS MULTI-BAND OFDM TRANSMISSION OVER 1000 KM OF G.652 FIBRE AND A CASCADE OF FIVE SUB-WAVELENGTH OADMS | 1538 |
| <i>M. Song ; E. Pincemin ; J. Karaki ; A. Poudoulec ; N. Nicolas ; M. Van Der Keur ; Y. Jaouën ; R. Le Bidan ; P. Gravey ; M. Morvan ; G. Froc</i> | |
| SCALABLE DATA CENTER NETWORKS FOR FUTURE LARGE-SCALE CLOUD APPLICATIONS | 1541 |
| <i>Jie Xiao ; Yanli Zhang ; Yun Shi ; Changde Li ; Bin Wu ; Hong Wen ; Xiaohong Jiang</i> | |

| | |
|---|------|
| ADAPTIVE SERVICE DEGRADATION IN CONVERGED OPTICAL AND DATA CENTER NETWORKS (INVITED PAPER) | 1544 |
| <i>Weigang Hou ; Yue Zong ; Xu Zhang ; Lei Guo</i> | |
| HIGH-PERFORMANCE DUAL-FREQUENCY DBR FIBER LASERS FOR SENSING APPLICATIONS | 1547 |
| <i>Long Jin ; Linghao Cheng ; Yizhi Liang ; Bai-Ou Guan</i> | |
| DUAL CORE OPTICAL FIBER FOR DISTRIBUTED BRILLOUIN FIBER SENSORS | 1550 |
| <i>Ming-Jun Li ; Shenping Li ; James A. Derick ; Jeffrey S. Stone ; Bruce C. Chow ; Kevin W. Bennett ; Dawn M. Sutherland</i> | |
| DETERMINATION OF BRILLOUIN DYNAMIC GRATING SPECTRUM LOCALIZED BY THE CORRELATION DOMAIN TECHNIQUE THROUGH FOURIER TRANSFORMATION | 1553 |
| <i>Rodrigo Kendy Yamashita ; Masato Kishi ; Kazuo Hotate</i> | |
| EPITAXY OF INGAN RANDOM AND DIGITAL ALLOYS TOWARDS SOLAR CELLS | 1556 |
| <i>Xinqiang Wang ; Xiantong Zheng ; Dingyu Ma ; Ping Wang ; Xing Rong ; Bo Shen</i> | |
| Author Index | |