# 24th International Symposium on Atmospheric and Ocean Optics: Atmospheric Physics

Gennadii G. Matvienko Oleg A. Romanovskii Editors

2–5 July 2018 Tomsk, Russian Federation

Organized by V.E. Zuev Institute of Atmospheric Optics (Russian Federation) Institute of Solar-Terrestrial Physics (Russian Federation)

Sponsored by Russian Foundation for Basic Research (Russian Federation) Siberian Branch of RussianAcademy of Sciences (Russian Federation)

Published by SPIE

Volume 10833

Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 10833

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in 24th International Symposium on Atmospheric and Ocean Optics: Atmospheric Physics, edited by Gennadii G. Matvienko, Oleg A. Romanovskii, Proceedings of SPIE Vol. 10833 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510622913 ISBN: 9781510622920 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

### Contents

- xxv Authors
- xxxiii Conference Committee
- xxxvii Introduction

#### Part One

\_

	MOLECULAR SPECTROSCOPY AND ATMOSPHERIC RADIATIVE PROCESSES
10833 02	Simulation of the atmospheric transfer of solar radiation in the visible spectral region [10833-6]
10833 03	Time-resolved Fourier transform infrared spectroscopy and updated system of neutral oxygen (O I) levels [10833-55]
10833 04	Interaction potential of H2O molecules and water layer adsorbed on surface of aerogel nanopores [10833-68]
10833 05	Chemical kinetics equations describing water complex formations [10833-110]
10833 06	On estimation of the local line contribution in IR spectra of $H_2O$ and $CO_2$ [10833-124]
10833 07	Interpretation of the water vapour continuum absorption spectra in 0.94 and 1.13 micron bands taking into account the contribution from intermediate line wings [10833-131]
10833 08	Radiative effect of different aerosol types in clear sky conditions according to COSMO-Ru model [10833-147]
10833 09	The <sup>12</sup> CH₄ absorption spectra at 296 K and 200 K in the range between 6000 and 9000 cm <sup>-1</sup> [10833-151]
10833 0A	Systematization of published scientific graphics characterizing the water vapor continuum absorption: I publications of 1898–1980 [10833-156]
10833 OB	Systematization of published research plots in spectroscopy of weakly bounded complexes of molecular oxygen and nitrogen [10833-157]
10833 OC	CF4 and (H2O)n molecular complexes [10833-162]
10833 OD	Critical evaluation of measured rotation-vibration line positions of ${}^{16}O{}^{1}H$ in the X2 $\Pi$ state using Ritz method $[10833-204]$
10833 OE	The determination of transmittance, reflectivity, and absorptivity of a cloudy atmosphere with reflection [10833-208]

10833 OF	Influence of radiation interaction of clouds on fluxes of radiation in the atmosphere [10833-224]
10833 0G	Estimation of carbon dioxide broadening and self-broadening coefficients of SO <sub>2</sub> lines [10833-226]
10833 OH	The VoTe room temperature $H_2^{16}O$ line list up to 25000 cm <sup>-1</sup> [10833-227]
10833 0	Automated system for control of geodynamic processes [10833-231]
10833 OJ	Photosynthetic activity of plankton and assessment of gross primary production from measurements of CO <sub>2</sub> concentration in surface and bottom water of the Lake Baikal coastal zone [10833-247]
10833 OK	Peak intensities of methane Raman bands as a function of pressure [10833-249]
10833 OL	Estimation of contribution of water vapor continuum absorption to radiative balance of the atmosphere in cloudy conditions [10833-294]
10833 OM	Virtual research environment supporting applied meteorology and climatology problem solving [10833-280]
10833 ON	Retrieving the <sup>13</sup> CO <sub>2</sub> / <sup>12</sup> CO <sub>2</sub> isotopic ratio from high resolution ground-based FTIR measurement in Tsukuba [10833-304]
10833 00	Siberian smoke haze over Europe in July 2016 [10833-326]
10833 OP	Software complex for information support of computationally difficult tasks [10833-347]
10833 OQ	Knowledge base on the parameters of cryolithic zone located in-between rivers Ob' and Enisei [10833-357]
10833 OR	Retrievals of the atmospheric methane content with use of new spectroscopic absorption line parameters [10833-363]
10833 OS	The sources of radioactive contamination in the southeast of the Tomsk region [10833-378]
10833 OT	Raman intensities of nitrogen and oxygen under high pressure [10833-381]
10833 0U	The influence of the accuracy of spectral line parameters of SO <sub>2</sub> and NO <sub>2</sub> in applications of atmospheric remote monitoring $[10833-382]$
10833 OV	Collection of published plots on water vapor absorption cross sections [10833-302]

#### OPTICAL RADIATION PROPOGATION IN THE ATMOSPHERE AND OCEAN

10833 0W Long-range filaments producing upon ultrashort mid-IR laser pulses train filamentation in air: numerical simulations [10833-42]

- 10833 0X Coherence of the pseudo-Bessel beams propagating in turbulent atmosphere [10833-1]
- 10833 0Y Acoustic and electrical effects in the atmosphere surface layer due to some ionospheric sources [10833-24]
- 10833 0Z New approach to assessment of energy of sources of infrasound disturbances in atmosphere [10833-27]
- 1083310 Formation the texture features vector using the energy approach [10833-31]
- 1083311 Optoelectronic bistatic communication in the UV wavelength range [10833-47]
- 1083312 Comparative analysis of key parameters of "photonic nanojets" from axisymmetric nonspherical microparticles [10833-48]
- 1083313 Variations of the echo signal of the pulsed coherent Doppler lidar in the turbulent atmosphere [10833-50]
- 1083314 Backscatter amplification effect of the mean normalized signal power of coherent lidar in the turbulent atmosphere [10833-51]
- 1083315 On the transformation of images of cloud field elements when observing them in the topocentric observer coordinate system [10833-54]
- 1083316 Algorithm for reconstruction of the Earth surface reflectance from Modis satellite measurements in a turbid atmosphere [10833-58]
- 10833 17 Distributions of the mean intensity of the laser beam during passage of the shock waves formed nose fairing ogival-shaped body, in turbulent atmosphere [10833-66]
- 1083318 Variations of the height optical turbulence profiles at the Baikal Astrophysical Observatory and the features of its deformations in latitudinal direction [10833-69]
- 10833 19 Observation of "subpargelium" over the ground source of light [10833-85]
- 10833 1 A Correction for thermal and turbulent distortions in a multichannel optical system [10833-96]
- 10833 1B Statistical estimates of the transfer characteristics, limiting ranges, and information transfer rate by atmospheric optical non- line-of-sight communication channels [10833-100]
- 10833 1C Fluctuations of the eikonal of an extraordinary wave reflected from the inhomogeneous ionospheric plasma [10833-103]
- 10833 1D Estimation of regular refraction and simultaneous broadening of laser beam in the atmospheric boundary layer [10833-117]
- 10833 1E Coherence radius of laser beam in the atmospheric boundary layer [10833-118]
- 10833 1F Multipurpose television system of operational aid to navigation in coastal zone under low-visibility conditions [10833-128]

10833 1H	Simulation of polarized radiative transfer in the atmosphere with spatially inhomogeneous cloudiness using CUDA parallel programming technology [10833-152]
10833 11	Features of the angle-selective photoinduced light scattering indicatrix formation in LiNbO <sub>3</sub> :Rh crystals $[10833-153]$
10833 1J	Detection of an optical vortex topological charge and coordinates [10833-154]
10833 1K	Variations of natural electric potentials in Yakutsk and their communication with perturbations of the magnetic field [10833-158]
10833 1L	Determination of the coefficient of wind shift of bullets from disordered samples of hit points coordinates [10833-159]
10833 1M	A study of the spatial distribution of pulsation on discrete frequencies of the tones in the field of turbulent decay of supersonic jet of laser transillumination data [10833-160]
10833 1N	Cloud characteristics and cloud radiative effects according to COSMO mesoscale model and measurements [10833-163]
10833 10	The mean power amplification of backscatter radiation by plane mirror at the strong optical turbulence regime [10833-164]
10833 1P	Development of a model of atmospheric turbulence at Baikal Astrophysical Observatory site of the Large Solar Vacuum Telescope [10833-167]
10833 1Q	The echo signal level of a coherent Doppler lidar with allowance for scanning by a probing beam [10833-172]
10833 1R	Testing method of large-sized convex optical surfaces [10833-173]
10833 15	Nonresonance mechanisms of optical nonlinearity of aerosols [10833-183]
10833 1T	Dufour effect in the nanosuspension in a light field [10833-186]
10833 10	Self-focusing of the radiation in a nanosuspension [10833-190]
10833 1 W	Vertical distribution of wind speed at Baikal Astrophysical Observatory [10833-194]
10833 1X	Dynamics of mid-IR light bullets [10833-196]
10833 1Y	Effect of path length on the saturation level of radiation fluctuations of a narrow divergent laser beam in the surface atmosphere at snowfalls in non-point receiver [10833-203]
10833 1Z	Stochastic simulation of peculiarities of laser pulse propagation in clouds and water media [10833-207]

Behavior of the backscattering intensity enhancement factor of vortex laser beams propagated in a turbulent atmosphere and reflected from a diffuse target [10833-133]

10833 1G

10833 20	Analysis of the polarization characteristics of the Schumann resonances from the data of long-term measurements in Tomsk [10833-214]
10833 21	Estimation of local thunderstorms at the level of extremely low-frequency electromagnetic background in Tomsk [10833-220]
10833 22	Attenuation of microwave radiation at millimeter waves in supercooled water of atmospheric aerosols [10833-221]
10833 23	On the Monte Carlo based algorithm for the estimation of bidirectional angular characteristics of polarized radiation [10833-222]
10833 24	Monte-Carlo algorithms for defining the components of the aerosol scattering matrix [10833-223]
10833 25	Cloud droplet size distribution reconstruction by the phase function [10833-228]
10833 26	Modeling of particle density in plasma filament formed by femtosecond laser pulse in air [10833-234]
10833 27	Effective algorithms of statistical simulation with additional branching for solving the problems of the theory of radiation transfer [10833-239]
10833 28	The interannual variability of suspended matter concentration in the North-Western part of the Black Sea [10833-240]
10833 29	The turbulence formation in the observatories of the South Siberia and the North Caucasus [10833-243]
10833 2A	Criteria for selection of laser wavelengths for remote analysis of gas media [10833-258]
10833 2B	Dispersion of surface plasmon-polaritons in active planar structures of metal nanocomposites [10833-261]
10833 2C	Influence of concentration and heating of gold, platinum, and silver nanoparticles on the thresholds of non-resonant generation in heterogeneous planar active media [10833-263]
10833 2D	Results of numerical testing of algorithms for centering of focal spots in a Shack-Hartmann wave front sensor [10833-277]
10833 2E	Reconstruction of the wave front and measurement of the speed of cross-wind transport of turbulent distortions of optical radiation by not fully defined Shack-Hartmann pattern [10833-279]
10833 2F	Measurement of wavefront by sensors of Hartmann type with multilens rasters [10833-281]
10833 2G	Measuring methods of arrival angles of the laser radiation in the system of adaptive optics [10833-282]
10833 2H	Testing of the algorithm for correction of satellite images of the Earth's surface in the visible and near IR ranges with allowance for polarization [10833-284]

10833 21	Deflector for correction of tilts angles of wave front [10833-290]
10833 2J	Completely conservative numerical scheme for the nonlinear Schrödinger equation [10833-296]
10833 2K	Influence of the phase front of the fs-pulse on the characteristics of the multiple filamentation [10833-297]
10833 2L	The emission spectra in a femtosecond plasma of aerosols [10833-303]
10833 2M	Using the Shack-Hartmann sensor for imitation of thermal aberrations and controlling the operation of an adaptive system [10833-308]
10833 2N	The transport equation in a turbulent weakly nonlinear medium and the methods numerical solution [10833-310]
10833 20	Adaptive stabilization and imaging system on the Baikal Large Solar Vacuum telescope [10833-327]
10833 2P	Chaos and order of the wave beams positional parameters at the output of long atmospheric path [10833-344]
10833 2Q	Cohen class time-frequency mapping in the analysis of the non-stationary parameters of a wave gaussian beam at the atmospheric path output [10833-346]
10833 2R	Angular displacements of laser beams propagating through a flooded supersonic jet [10833-348]
10833 25	"The first light" for the system of inputting the elements of AO into the optical path of LSVT [10833-351]
10833 2T	Estimation of the crosswind along surface paths from a video sequence of distant objects: comparison with contact measurements [10833-358]
10833 2U	Verification of the passive optical meter of crosswind and turbulence in atmospheric experiments [10833-359]
10833 2V	Distribution of field amplitude fluctuations at the larger than unit relative variance of intensity fluctuations [10833-362]
10833 2W	Optimization of the lidar parameters for atmospheric turbulence study [10833-366]
10833 2X	Lidar "BSE-4" for the atmospheric turbulence measurements [10833-367]
10833 2Y	Software for phase functions fast computation and optical phenomena visualization in water-drop atmospheric clouds [10833-375]
10833 2Z	Reduction of data processing error of heterogeneous system laser sensing [10833-388]
10833 30	Correlation of the laser intensity fluctuations for two linked FSO communication systems [10833-390]

## 10833 31 Random wandering of Airy axisymmetric laser beam propagating through the turbulent atmosphere [10833-392]

- 10833 32 Digital holography in hydrobiological research [10833-396]
- 10833 33 Evaluation of the possibility of using remote methods for the classification of water sources for specific electrical conductivity [10833-401]

#### OPTICAL INVESTIGATION OF ATMOSPHERE AND OCEAN

- 10833 34 **Properties of aerosol and cloud from Raman-mie lidar and Radar soundings (Invited Paper)** [10833-387]
- 10833 35 Influence of continents on spatial distribution of aerosol characteristics in the southern part of the World Ocean [10833-8]
- 10833 36 Experimental prototype of mobile (airborne) lidar [10833-9]
- 10833 37 The estimation of optical radiation influence on human pulse waves [10833-10]
- 10833 38Seasonal and interannual variations of aerosol characteristics in the Arctic settlement<br/>Barentsburg (Spitsbergen archipelago, 2011-2017) [10833-11]
- 10833 39 Features of spatial distribution of aerosol characteristics over Arctic seas [10833-12]
- 10833 3A Chemical composition, microphysical and optical properties of aerosol in the atmosphere of the arid territories of Mongolia [10833-15]
- 10833 3B Average aerosol characteristics in three sectors of the Southern Ocean and the effect of Antarctic islands [10833-16]
- 10833 3C Experimental study of fluorescence spectra of oil pollutions on the terrain surface excited at 355 nm [10833-17]
- 10833 3D Lidar technique for the simultaneous determination of meteorological and optical parameters of the atmosphere using the vibrational-rotational and pure rotational Raman spectra [10833-18]
- 10833 3E Raman lidar for measuring the temperature of the stratosphere [10833-19]

#### Part Two

- 10833 3FSoftware for numerical simulation of multicomponent gas analysis of the atmosphere[10833-21]
- 10833 3GSeasonal variation of the diurnal behavior of aureole scattering phase function at the aerosol<br/>monitoring station of LOA IAO SB RAS [10833-36]

10833 3H	Evaluation of emissions of atmospheric trace gases from remote sensing and local observations at the St. Petersburg site: anthropogenic emissions and wildfires [10833-39]
10833 3	Vertical light attenuation in the northwestern shelf of the Black Sea in the spring period: direct measurements, modeling, and satellite data [10833-45]
10833 3J	Seasonal variability and inter-annual anomalies of hydrooptical characteristics, chlorophyll "a" concentration, and temperature on the Black Sea surface in 2017 [10833-46]
10833 3K	Lidar studies of the upper cloud boudary altitude [10833-49]
10833 3L	Monitoring of aerosol inhomogeneities parameters in atmosphere at 355 nm [10833-57]
10833 3M	A complex experiment of measuring the average power of lidar echoes in a turbulent atmosphere [10833-59]
10833 3N	The ratio of submicrometer and coarse particles in the aerosol size distribution under smoke and background conditions [10833-60]
10833 30	Complex optical experiment with use of remote and local control of atmospheric parameters [10833-61]
10833 3P	Thermally induced polarization distortions of contrast ratio for strobing the lidar signal by an electro-optical shutter [10833-62]
10833 3Q	Laser reflection method applicability for vegetation monitoring at eye-safe sensing wavelengths [10833-63]
10833 3R	Atmosphere halogen oxides concentration retrieving by differential optical spectroscopy in the UV region of the spectrum [10833-64]
10833 3\$	Influence of the optically active layer on the standard satellite product – diffuse light attenuation coefficient: simulation [10833-70]
10833 3T	Multiyear research of atmospheric deposition: case study at the Listvyanka monitoring station (Southern Pribaikalye, Russia) [10833-73]
10833 3U	Variations of temperature regime of the atmospheric boundary layer in regions with various orography [10833-74]
10833 3V	Hydro-optical structure of the Black Sea active water layer in the spring-summer period of 2017 [10833-75]
10833 3W	Formation peculiarities of total suspended and dissolved organic matter fields structure in the northwestern part of the Black Sea according to data of hydrooptic observations [10833-76]
10833 3X	Influence of the direction of sound propagation along vertical atmospheric paths on the acoustic signal characteristics [10833-82]
10833 3Y	Dynamics of turbulence kinetic energy from minisodar measurements [10833-84]

10833 3Z	Adjustment of the vertical distribution of gas content in the air on the outgoing radiation of the atmosphere [10833-86]
10833 40	Results of observations of meteorological parameters pulsations in the surface layer [10833-87]
10833 41	Formation peculiarities of natural and pollutant substances' fields structure in Balaklava bay (Sevastopol) according to hydrooptic observations data [10833-88]
10833 42	Comparison of atmospheric aerosol optical depths measured with different sun photometers in three regions of Spitsbergen Archipelago [10833-90]
10833 43	Estimate of methane-capacity of aerogel samples of different compositions [10833-93]
10833 44	Interannual variability of average effective aerosol concentration fields in the Far Eastern region [10833-95]
10833 45	Robust nonparametric estimations of the wind velocity functionals from minisodar measurements [10833-99]
10833 46	Appearance of the corner reflection effect in cirrus clouds for off-zenith lidar profiling [10833-104]
10833 47	Investigations of the crystalline particle orientation in high-level clouds with a scanning lidar [10833-106]
10833 48	Study of aerosol in near-surface layer of the marine and coastal atmosphere by the methods of microphysical and optical measurements, analysis, and simulation [10833-121]
10833 49	Aerosol model MaexPro in the problems related to spectral transparency of the coastal atmosphere [10833-122]
10833 4A	Attenuation of optical radiation as a function of particle size spectrum [10833-123]
10833 4B	AVHRR-based regional algorithms for retrieving water clarity in Lake Baikal [10833-125]
10833 4C	Anomalous vertical distribution of stratospheric aerosol layer over Tomsk in December <b>2017–January 2018</b> [10833-126]
10833 4D	Aerosol disturbances of the stratosphere over Tomsk in 2017 according to data of Lidar observations [10833-127]
10833 4E	Spectral bands selection for LIF oil contamination detection on the terrestrial surface on the basis of Jeffreys-Matusita distance [10833-129]
10833 4F	Analysis of Black Carbon fraction and aerosol scattering coefficient in smokes of remote forest fires and winter urban smogs [10833-130]
10833 4G	Remote sensing and modeling of the evolution of suspended matter in the Sea of Azov [10833-134]
10833 4H	Filtering algorithm of the optical rain gauge data and results of the algorithm usage [10833-136]

10833 4	Dust load in vicinity of boiler-house plants fired with different fuels: case study in Tomsk Oblast [10833-137]
10833 4J	Characteristic geometric features of the sun glint on the sea surface for satellite optical measurements [10833-138]
10833 4K	Optical study of the structure of turbulent flame [10833-150]
10833 4L	Adaptive robust nonparametric estimations of the first four moments of wind velocity components from minisodar measurements [10833-155]
10833 4M	Variations of atmospheric aerosol optical depth in the Tunka valley during 2004-2017 [10833-161]
10833 4N	Annual behavior of Angstrom exponent of the aerosol absorption coefficients in the visible wavelength range upon the results of measurements at the aerosol station of IAO SB RAS [10833-166]
10833 40	Backscattering by hexagonal ice crystals with large distortion angles [10833-171]
10833 4P	Backscattering matrices calculation for atmospheric ice crystals within the physical optics approximation with absorption effect [10833-174]
10833 4Q	Cuvette-thermostat for creation of uniform distribution of vapor concentration of high-energy materials [10833-176]
10833 4R	Decreased ozone content over Western Siberia and Tomsk in winter 2017-2018 according to lidar measurements and Aura OMI/MLS data [10833-177]
10833 45	Increasing the efficiency of the laser fragmentation/laser-induced fluorescence method for the detection of vapors of high-energy materials [10833-180]
10833 4T	Urban and regional classes of aerosol taking Beijing and Moscow as examples [10833-184]
10833 4U	Nonlinear optical methods for diagnostics of liquid mixtures [10833-185]
10833 4V	Fiber optical method of nanoparticles diagnostics in liquid [10833-188]
10833 4W	Studing the effect of low-amplitude pressure fluctuations on the field of temperatures in flame using thermography [10833-197]
10833 4X	Multiwave high spectral resolution lidar for studying Asian dust [10833-198]
10833 4Y	Evaluation of the complete evaporation time for two interacting atmospheric aerosol drops by operator methods [10833-201]
10833 4Z	Reconstruction or particle size distribution and refractive index using agglomerated debris particles from sky polarization measurements [10833-205]

- 10833 50 Variations of microphysical and optical characteristics of atmospheric aerosol in transition zone "land-ocean" based on data of lidar sensing [10833-206]
- 10833 51 Estimation of the contribution of coarse aerosol into extinction of radiation in the wavelength range 0.45 3.9 mkm [10833-210]
- 10833 52 Lidar system for ozone sensing in the upper troposphere stratosphere [10833-211]
- 10833 53 Effectiveness of the MFAS method for retrieval of height profiles of speed and direction of the wind from measurements by a Windcube 200s lidar [10833-216]
- 10833 54 Scattering matrixes of hexagonal ice crystals of cirrus clouds calculated for problems of radiation balance [10833-217]
- 10833 55 Detection of short waves by the images of the two all-sky cameras [10833-218]
- 10833 56 Studying the resistance to fire of wood under the different type of thermal impact while forest fires [10833-219]
- 10833 57 Spatiotemporal visualization of wind turbulence from measurements by a Windcube 200s lidar in the atmospheric boundary layer [10833-229]
- 10833 58 **Retrieval of the vertical distribution of aerosol microphysical characteristics from lidar measurements in Tomsk** [10833-230]
- 10833 59 About algorithms for calculation of the structural characteristic of temperature fluctuations in acoustic meteorological systems [10833-233]
- 10833 5A Lidar investigation of wind turbulence on the coastal zone of Lake Baikal at presence of a lowlevel jet in the atmosphere [10833-238]
- 10833 5B **Typical shapes of atmospheric ice crystals in the surface layer of the atmosphere from microscopic observation in 2017-2018** [10833-237]
- 10833 5C Hardware-software complex for studying the spatiotemporal structure of the fields of turbulent fluctuations of temperature and wind [10833-241]
- 10833 5D Multisensor oriented pyranometer [10833-244]
- 10833 5EAbsorbing aerosol effect on the diffuse attenuation coefficient for downwelling irradiance at<br/>490 nm indicator recovery quality on the northwestern shelf of the Black Sea [10833-246]
- 10833 5F Concentration of biogenic elements, fluorescent characteristics, and direction of CO<sub>2</sub> fluxes over the water area of Lake Baikal in the spring periods of 2016 and 2017 [10833-251]
- 10833 5G Assessment of the spatial distribution of the direction of greenhouse gas fluxes at the Krasnoyarsk water reservoir in the warm season of 2017 [10833-252]
- 10833 5HStudy of carbonaceous gases fluxes at the Irkutsk water reservoir in the warm season[10833-256]

10833 5 Monitoring cirrus clouds over Tomsk and measurements of solar radiation in the atmospheric surface layer (Invited Paper) [10833-259] 10833 5J Optical characteristics of contrails according to polarization lidar sensing data [10833-260] Identification of the marine aerosol by the CALIPSO radiometer over the Black Sea for 2017 10833 5K [10833-262] 10833 5L Diurnal behavior of aerosol hygro- and thermooptical parameters in the atmosphere of Tomsk **region** [10833-270] 10833 5M Lidar observations of the regional transport and formation of aerosol fields in the background and urban areas [10833-271] 10833 5N Correlation of statistical characteristics of ensembles of the droplet clouds particles and polarization characteristics of lidar return [10833-272] 10833 50 Effect of the polarization state of sensing radiation on the extinction of water-milk suspension [10833-275] 10833 5P Determination of the set of optical-meteorological parameters from satellite data in algorithms of atmospheric correction [10833-276] 10833 5Q Air quality biomonitoring with epiphytic lichens and mosses [10833-278] 10833 5R Research of radiation extinction coefficient due to midges in the ground layer of the atmosphere for Autumn conditions of Western Siberia [10833-285] 10833 55 Comparison of spatial distribution and seasonal variation of the bioluminescence and chlorophyll-a concentration fields in the northern part of the Black Sea [10833-286] 10833 5T Ground-based spectrographs for measurement of rotational temperature OH (3-1) installed at a meridional network in Yakutia [10833-287] 10833 50 Numerical study of extinction matrix in cirrus clouds [10833-289] 10833 5V Hardware programming implementation of obtaining meteorological data and data of geopositioning based on microcontroller ATmega for application in LIDAR measurements [10833-298] 10833 5W Using the data bank of backscattering matrices of IAO SB RAS for interpreting the data of the high-altitude polarization lidar of TSU [10833-299] 10833 5X Characteristics of suspended matter scattering in the Black Sea waters obtained from the light beam attenuation measurements in summer and autumn of 2016 [10833-300] 10833 5Y Retrieval of microstructure of the near-surface aerosol in the summer period from measurements of horizontal transmittance of the atmosphere in Tomsk [10833-301] Relations between the aerosol condensation activity and its microstructure in nano- and 10833 5Z micrometer particle size range [10833-305]

10833 60 Reflectance model for satellite monitoring of bio-optical characteristics of Gorky reservoir waters [10833-309] The structure of Stokes vector of double scattering lidar return by clouds [10833-312] 10833 61 Investigation of optical surface fouling in natural marine environment [10833-320] 10833 62 Cross-platform software to continue long-term observations with the Brewer spectrophotometer 10833 63 in the face of changing computer platforms: implementing the Model-View architecture [10833-322] 10833 64 Chemical composition and space dynamics of aerosol sedimentation in the vicinity of Iskitim cement plant [10833-328] 10833 65 Dissolved and suspended matter variability in coastal waters: photosynthetic available light [10833-336] 10833 66 Numerical simulation of light scattering in the seawater with arbitrary level of inelastic scattering [10833-337] 10833 67 Methods of determining the height of the lower border of clouds from the lidar signal [10833-339] 10833 68 Light absorption by phytoplankton, non-algal particles and colored dissolved organic matter in the Sea of Azov in January and April 2016 [10833-340] 10833 69 Doppler fiber lidar wind speed measurement [10833-341] 10833 6A Methane vertical profiles retrieval from IASI/METOP and TANSO-FTS/GOSAT data [10833-342] 10833 6B Light absorption by non-algal particles and colored dissolved organic matter at the wavelength of 490 nm in the Black Sea in the autumn (2015 and 2016) [10833-343] Dynamics in pigment concentration and light absorption by phytoplankton, non-algal particles 10833 6C and colored dissolved organic matter in the Black Sea coastal waters (near Sevastopol) [10833-345] 10833 6D Focusing of sonar images as an inverse problem for radiative transfer equation [10833-349] 10833 6F The functions of fluctuations of a laser beam of remote sensing and self-radiation of a flame in modeling a fiery vortex [10833-350] 10833 6F The analysis of differential absorption method equations for the outgoing radiation two-layer **atmosphere** [10833-352] 10833 6G Research of correlation dependences meteorological parameters [10833-353] 10833 6H Dynamics of surface carbon dioxide and methane concentrations on the Arctic Belyy Island in 2015-2017 summertime [10833-360]

10833 6 Investigation of the engine-gear vortex with LIDAR and CFD [10833-361]

- 10833 6J Preliminary estimation of forest fire danger using LANDSAT images over Baikal Lake basin forests [10833-364]
- 10833 6K The daily variation of the concentration of suspended particles in the surface layer of the atmosphere of the village Berezovka (Krasnoyarsk region) [10833-365]
- 10833 6L Contours of spectral lines and temporal characteristics of emission spectra in plasma of optical breakdown generated by single femtosecond laser pulses on surface of water solutions [10833-369]
- 10833 6M Dependence of fluorescence intensity on chlorophyll a concentration and light absorption coefficients by phytoplankton in the Black Sea (October 2017) [10833-370]
- 10833 6N Kinetics of light-induced sedimentation of nanoparticles [10833-371]
- 10833 60 Optical diagnostics of sedimentation of nanoparticles in liquid [10833-372]
- 10833 6P Nitrogen oxides in the atmosphere of coastal areas of Lake Baikal: sources and possible impact on the ecosystem of the lake [10833-377]

#### Part Three

10833 6Q Generalization of the formula for the complete evaporation time of single atmospheric aerosol drops by operator methods for two drops of arbitrary radii [10833-379]
10833 6R Depolarization calibration of the polarization lidar by using fitting method [10833-386]
10833 6S Limit of detection and dynamics of fluoresence spectrums of different types of oil products by induced femtosecond pulses [10833-389]
10833 6T Method of femtosecond laser-induced breakdown spectroscopy for monitoring the seawater elemental composition [10833-393]
10833 6U Using wind profiler data to identify classification of rainfall [10833-397]
10833 6V Lidar mefsurements of tropospheric aerosol in the frameworks of LRMC - 2017 [10833-398]

#### PHYSICS OF THE TROPOSPHERE

Advanced methods for the study of regional climate-ecological systems under natural and manmade impacts (Invited Paper) [10833-245]
 Relation of integral moisture content of the atmosphere with elements of general circulation the atmosphere over the Eurasian continent [10833-3]

- 10833 6Y Spatio-temporal distribution of air humidity over territory of the Siberian region [10833-13]
- 10833 67 Long-term forecast of the lower cloudiness on the basis of the three-dimensional dynamic stochastic model [10833-14]
- 10833 70 Atmospheric electric field in megacity aerosol pollution conditions [10833-22]
- 10833 71 Acoustic and electric field variations during strong frontal disturbances propagation [10833-25]
- 10833 72 Infrasound noises of megapolis [10833-26]
- 10833 73 GFS model-based short-term fire weather forecasting [10833-28]
- 10833 74 PAHs transfer and intake to the water area of Lake Baikal during the summer forest fires in 2016 [10833-32]
- 10833 75 Influence of macrocyclic climate characteristics on the extreme precipitation in Irkutsk oblast [10833-33]
- 10833 76 Analysis of relation of Central England surface air temperature to the 11-year solar cycle [10833-34]
- 10833 77 Analysis of transport of smoke aerosol in the atmosphere of the Baikal region by data of NAAPS and CALIPSO [10833-37]
- 10833 78 The polarizing and angular features of backscatter and radiation of the plowed soil [10833-38]
- 10833 79 Variability of gas impurities in the ground atmosphere of South-Eastern Siberia [10833-43]
- 10833 7A Modern and projected changes of extreme summer precipitation in the Far East of Russia [10833-67]
- 10833 7BTropospheric refraction of radio waves in the Baikal zone in different seasons of the year[10833-71]
- 10833 7C On the spectral albedo of the Earth as an indicator of the evolution of the climate and the planet [10833-77]
- 10833 7D Objectively and manually identified characteristics of mid-latitude storms: a comparison for Siberian region [10833-78]
- 10833 7E Tropospheric lapse rate and its changes in the Arctic from reanalysis data [10833-80]
- 10833 7F Eddy transport in the stably stratified planetary boundary layers and in the free atmosphere: upper troposphere and lower stratosphere [10833-91]
- 10833 7G Changes in the synoptic regime of Tomsk over the period of 1993-2016 [10833-92]
- 10833 7H Thermodynamic characteristics of a superstorm over the Black Sea [10833-94]

- 10833 71 Classification of cloudiness from MODIS satellite data using regional statistical models for image texture and physical parameters of cloudiness during periods with snow cover [10833-101]
- 10833 7J Georadar sensing of natural and artificial objects [10833-107]
- 10833 7K Results of monitoring of the vertical carbon dioxide flux in the atmospheric surface layer of a background region of Western Siberia [10833-109]
- 10833 7L A link between June cold air outbreaks in Moscow and long range air transport [10833-111]
- 10833 7M A link between sea ice concentration in Kara Sea in November and large scale atmospheric circulation [10833-112]
- 10833 7NPotential sources of tropospheric nitrogen dioxide for Western Moscow Region, Russia[10833-113]
- 10833 70 Seasonal variability of range, distance, height and speed of air masses' transport in the surface layer to Moscow, Russia [10833-114]
- 10833 7P An influence of transboundary transport to the aerosols of the Southern Russian Far East by data of AERONET Ussuriysk site, Russia [10833-115]
- 10833 7Q Regions of potential sources of precipitation in Moscow, Russia [10833-116]
- 10833 7R Perspectives of monitoring of atmospheric-electric effects from volcanic eruptions in Kamchatka [10833-120]
- 10833 75 Lightning discharges distribution estimation over the Tomsk region in 2010-2015 [10833-132]
- 10833 7T Estimation of the subsea permafrost thickness in the Arctic Shelf [10833-135]
- 10833 7U Malignant neoplasms on territories with different levels of magnetic fields of industrial frequency [10833-139]
- 10833 7V Structure and long-term dynamics of surface atmosphere of Azov-Black Sea region on the base of self-organizing map analysis [10833-141]
- 10833 7W The association between geomagnetic activity, meteorological variables, and cardiovascular characteristics of healthy people [10833-148]
- 10833 7X Variability of heart rhythm in young men in Yakutia depending on seasonal changes of atmospheric parameters [10833-165]
- 10833 7Y Variability of atmospheric integral water vapor content as dependent on synoptic processes [10833-187]
- 10833 7Z Station for the comprehensive monitoring of the atmosphere at Fonovaya Observatory, West Siberia: current status and future needs [10833-189]

10833 80	Measurement of meteorological quantities in the atmospheric boundary layer of the ultrasonic weather station AMK-03 on tethered balloon [10833-200]
10833 81	Forecast map of the surface impedance of the seas of the Arctic ocean in winter time [10833-202]
10833 82	Comparison of lidar and satellite measurements of vertical ozone distribution in the upper troposphere – stratosphere according to data for 2017 [10833-225]
10833 83	Estimation of the parameter of aerodynamic roughness of the underlying surface by the function of distribution of pollutant substances in the atmospheric boundary layer [10833-232]
10833 84	Northern hemisphere temperature field structure in various time frames [10833-236]
10833 85	Surface air temperature and pressure anomalies in the Northern Hemisphere during the 20th century: observations and reanalyses [10833-253]
10833 86	Thresholds of non-resonant generation in heterogeneous planar active media [10833-254]
10833 87	Modeling of water isotopes with model ECHAM6-wiso in nudging mode with reanalysis ERA5 [10833-265]
10833 88	Influence of current atmospheric circulation on interannual oscillating variations in spatial distribution of lightning activity in North Asia [10833-266]
10833 89	Measurements of methane and carbon dioxide fluxes from wetland ecosystems of the Southern Taiga of West Siberia [10833-267]
10833 8A	Electrokinetic effect on the shore line of Lake Baikal [10833-269]
10833 8B	Detection of burnt areas in Yakutia on long-term NOAA satellites data (1985-2015) [10833-288]
10833 8C	Investigation of Eastern Siberia vegetation index variations on long-term satellite data [10833-292]
10833 8D	The influences of urban planning and green spaces on the level of traffic noise [10833-295]
10833 8E	Evaluation of the influence of sound and infrasound noise on simple human responses [10833-306]
10833 8F	Analysis of processes of chemical transformation of impurities in the atmosphere of the industrial area [10833-307]
10833 8G	Variability of air humidity characteristics over the territory of West Siberia using reanalysis data and their relationship with large-scale atmospheric circulation [10833-313]
10833 8H	Satellite monitoring of cloud cover in the areas of Yakutsk EAS array and TAIGA observatory at night-time [10833-314]
10833 8	Energy estimate of the Chelyabinsk meteoroid based on long-period oscillations of atmospheric pressure [10833-315]

- 10833 8J **Typisation of the chemical composition of the tropospheric aerosol of the south of Western Siberia by the air mass** [10833-316]
- 10833 8K Detecting embedded convection based on the surface atmospheric electric field data [10833-317]
- 10833 8L Simulation of smoke tracers transport in the Baikal region [10833-318]
- 10833 8M Interannual variability and trend of total methane content in the atmosphere of Western Siberia in 2003-2017: results of AIRS/Aqua [10833-319]
- 10833 8N Extreme heat in June 2012 and 2016 in Western Siberia in the light of long-term change of the macro-scale atmospheric circulation [10833-321]
- 10833 80 Anomalous behavior of the electric field of the atmosphere at the extremely low winter temperatures [10833-323]
- 10833 8P Local gradient magnetic fields of natural origin and their effects on the electrical activity of the human brain [10833-324]
- 10833 8Q Variations of temperature profile of the atmosphere at the locations of Yakutsk EAS array and TAIGA observatory [10833-329]
- 10833 8R A numerical evaluation of the source identification algorithm for atmospheric chemistry model with the concentrations time series data [10833-330]
- 10833 88 Temperature regulations of frozen soils and mountain rocks in the district of Tiksi [10833-331]
- 10833 87 Drift of psychophysiological parameters of the human body in conditions of gradient magnetic fields of natural origin [10833-333]
- 10833 8U Simulation of dynamic interphase exchange in a two-phase liquid-solid system [10833-334]
- 10833 8V Numerical evaluation of the chemical data assimilation system in an urban scenario [10833-338]
- 10833 8W Variability of the main climate characteristics in Ekaterinburg during instrumental observations [10833-354]
- 10833 8X Investigation of the relation between snow cover and ozone concentration in the surface layer nearby Tomsk [10833-356]
- 10833 8Y Dynamics of PM<sub>2,5</sub> concentration in the surface layer of the Krasnoyarsk atmosphere in winter (2017-2018) [10833-368]
- 10833 8Z Classification of climate in the northern hemisphere by the envelope of temperature signals [10833-373]
- 10833 90 Precipitation in the Lake Baikal basin associated with different patterns of atmospheric blocking over Western Siberia [10833-376]

- 10833 91 Regional structure of surface air temperature fluctuations in the Southern Urals [10833-380]
- 10833 92 On the conjugate problems of ecology, climate, evolution and remote sensing of the Earth [10833-395]
- 10833 93The total ozone field over the seismically active zones in the Middle East region in late 2017<br/>[10833-399]

#### PHYSICS OF THE MIDDLE AND UPPER ATMOSPHERE

- 10833 94 The causes of the large-scale ozone depletion over Antarctica in October 2015 [10833-2]
- 10833 95 Meteor explosion over Northern Finland on November 16, 2017: ionospheric effects in the high-latitude lower ionosphere [10833-5]
- 10833 96 Vertical structure of temperature variations over European Russia in 2010 derived from MLS satellite observations [10833-7]
- 10833 97 Geophysical effects of solar flare on 6 September 2017 [10833-29]
- 10833 98Threats of the Agung volcano and the 55th anniversary of the opening of stratospheric aerosol<br/>layers by space Earth remote sensing [10833-30]
- 10833 99 The effect of the 27-day solar cycle on the wave activity of the atmosphere calculated by a chemistry-climate model [10833-35]
- 10833 9A Substorm activity during the magnetic storms induced by the CIR and ICME events [10833-40]
- 10833 9BTime behavior of total aerosol content in the stratosphere on the basis of data from Siberian<br/>Lidar Station in the period 2000-2016 [10833-44]
- 10833 9C Statistical analysis of time behavior of total aerosol content in the stratosphere on the basis of data from Siberian Lidar station in period 2000-2016 [10833-53]
- 10833 9D Black carbon aerosol in stratosphere [10833-79]
- 10833 9E Complex observations at the geophysical observatory "Klyuchi" during a strong geomagnetic storm in September 2017 [10833-83]
- 10833 9F Short-term forecast of ionospheric parameters by oblique sounding data [10833-89]
- 10833 9G Method of estimation of aerosol thermal-physics properties [10833-97]
- 10833 9H Trigger effect of the afterglow background medium after injection of the high speed plasma jet in the Fluxus and North Star experiments [10833-98]
- 10833 91 The impact of the Chelyabinsk bolide on the lower ionosphere [10833-102]

10833 9J	Investigation of the influence of high-energy cosmic radiation on the parameters of the atmosphere [10833-108]
10833 9K	lonosphere modification and software-defined radio technology [10833-119]
10833 9L	Developing a method for local correction of monthly average ionospheric model for current situation: basing on data from single-frequency GNSS receivers [10833-140]
10833 9M	the numerical simulation of the 2017 september solar X-flares impact on the midlatitude lower ionosphere [10833-142]
10833 9N	Verification of the empirical lower ionosphere models on VLF observations at midlatitude Mikhnevo geophysical observatory [10833-143]
10833 90	The requirement justification to the ionosphere models for the UHF-SHF radars [10833-144]
10833 9P	Verification of the deterministic-probabilistic model of the <i>D</i> –region of the ionosphere by the radio physical data obtained in the geophysical observatory Mikhnevo [10833-145]
10833 9Q	Possible atmospheric manifestations of soot aggregate dynamics in the field of the atmospheric radiation [10833-146]
10833 9R	Modeling atomic oxygen nightglow during the strong magnetic storm on 20 November 2003 [10833-168]
10833 95	Investigation of the variability of stratospheric filling by background aerosol over Tomsk in 2017 based on lidar sounding [10833-175]
10833 9T	A regular stage of modernization of the lidar complex of a small lidar station at IAO SB RAS [10833-178]
10833 9U	Investigation of the dynamics of the vertical distribution of temperature in the stratosphere over Tomsk in 2017 based on lidar sounding [10833-179]
10833 9V	Results of the study of variability of the background aerosol content in the stratosphere over Tomsk based on the data of lidar measurements in 2011 – 2015 [10833-181]
10833 9W	Investigations of thermal regime of the stratosphere over Tomsk in 2011 - 2015 based on the data of lidar sounding [10833-182]
10833 9X	The analysis of the solar spectra dynamics under x-ray superflares in September 2017 for the geophysical applications [10833-192]
10833 9Y	Ionization of the lower ionosphere during the x-ray solar flare on September 6, 2017 [10833-193]
10833 9Z	Solar flares effects in amplitude and phase variations of VLF radio station signals during September 2017 [10833-199]
10833 A0	Changes in temperature field under external impact considering humidity [10833-212]

- 10833 A1 Internal gravity waves in the mesopause region according to the measurements at the Maimaga station [10833-213]
- 10833 A2 Influence of local time and power of solar x-ray flashes of M and X classes on the variation of frequency of first mode of Schumann resonance [10833-255]
- 10833 A3 The influence of geometric factors and data processing algorithms on the error of GNSS position in the GFO "MIHNEVO" [10833-257]
- 10833 A4 Appearance of light-scattering layers in the thermosphere of Kamchatka during the autumn of 2017 [10833-264]
- 10833 A5 Investigation of sudden stratospheric warming by the Rayleigh lidar in Yakutsk [10833-268]
- 10833 A6 Studying MLT temperature and composition during stratospheric warming events from spectrometric observations of OH (6-2) airglow emission at mid-latitudes [10833-273]
- 10833 A7 Empirical model of the nitric oxide emission 5.3 µm in the upper atmosphere [10833-274]
- 10833 A8 Sensor cluster for the atmospheric electric field and currents registration at the Geophysical Observatory "Mikhnevo" [10833-311]
- 10833 A9 The variations in solar and geomagnetic activity modulate the dynamics of global military activity [10833-325]
- 10833 AA Perturbations of aerosol in the stratosphere over Tomsk in 2017 [10833-332]
- 10833 AB Synergy of terrestrial and satellite measurements for study of atmospheric aerosol in the Eurasian Economic Union's countries [10833-355]
- 10833 AC Empirical model of spatiotemporal distribution the critical frequency F2-layer of ionosphere [10833-384]