

PROCEEDINGS OF SPIE

*14th National Conference on Laser
Technology and Optoelectronics
(LTO 2019)*

Jianqiang Zhu
Weibiao Chen
Zhenxi Zhang
Minlin Zhong
Pu Wang
Jianrong Qiu
Editors

17–20 March 2019
Shanghai, China

Organized by
Chinese Laser Press
Messe München International

Published by
SPIE

Volume 11170
Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 11170

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Fourteenth National Conference on Laser Technology and Optoelectronics (LTO 2019)*, edited by Jianqiang Zhu, Weibiao Chen, Zhenxi Zhang, Minlin Zhong, Pu Wang, Jianrong Qiu, Proceedings of SPIE Vol. 11170 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510630468

ISBN: 9781510630475 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

SPIE.org

Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIEDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

| | |
|------|-----------------------------|
| xi | <i>Authors</i> |
| xvii | <i>Conference Committee</i> |
| xix | <i>Introduction</i> |

Part One

FOURTEENTH NATIONAL CONFERENCE ON LASER TECHNOLOGY AND OPTOELECTRONICS

| | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11170 02 | Structural parameters optimization of lens hood based on a kind of surrogate model [11170-3] |
| 11170 03 | Effect of salt content on the photoacoustic detection of glucose solutions [11170-4] |
| 11170 04 | Study on EM wave guiding performance of the femtosecond laser plasma filament [11170-6] |
| 11170 05 | Transmission characteristics of long-period fiber gratings via radiation of femtosecond laser [11170-7] |
| 11170 06 | Effect of C₆H₁₂N₄ on infrared radiation performance of Pb₃O₄ / Mg / PTFE infrared decoy [11170-8] |
| 11170 07 | Analysis of heat dissipation characteristics of selective low emissivity materials [11170-9] |
| 11170 08 | 3-D measurement based on phase-shifting using calibration of light plane [11170-11] |
| 11170 09 | Research of in-phase supermode in 16-core Ho³⁺-doped fluorotellurite photonic crystal fiber lasers [11170-12] |
| 11170 0A | Study on transmission attenuation of 10.6μm laser in different weather [11170-13] |
| 11170 0B | Research on the effect of picosecond laser surface texturing on metal surface properties [11170-14] |
| 11170 0C | High sensitive detection of atmospheric methane using infrared laser absorption spectroscopy [11170-15] |
| 11170 0D | Evaluation of free radical scavenging and anti-oxidative capacity of Guigan longmu Decoction [11170-17] |
| 11170 0E | Evaluation of free radical scavenging and anti-oxidative capacity of vespae nidus-epimedii folium formula [11170-18] |

- 11170 OF **1kHz single-frequency Q-switched Er:YAG laser** [11170-19]
- 11170 OG **Performance improvement method for large aperture frequency conversion crystal** [11170-20]
- 11170 OH **Determination of the ^{87}Rb atomic number density in thin rubidium vapors** [11170-21]
- 11170 OI **Photodetector array target calibration technology** [11170-23]
- 11170 OJ **Object recognition through scattering media using convolutional neural network** [11170-24]
- 11170 OK **Research on generating Laguerre-Gaussian beam using spatial light modulator** [11170-28]
- 11170 OL **Reflectivity enhancement of silver-based mirror in the wavelength range 400nm-450nm** [11170-30]
- 11170 OM **Narrow linewidth high beam quality long pulse solid-state yellow laser at 589 nm by intra-cavity sum-frequency generation** [11170-31]
- 11170 ON **Research on terahertz image compound denoising based on non-local means** [11170-34]
- 11170 OO **Investigation on the methods to extend the transverse relaxation time of polarized alkali atoms** [11170-37]
- 11170 OP **Dynamic behavior of a short cavity single-mode erbium-doped fiber laser** [11170-38]
- 11170 OQ **Micro-stripe broad-area infrared diode lasers without deterioration of output power** [11170-39]
- 11170 OR **Design and simulation of decoupling control for attitude angle stabilization device of helicopter-borne lidar** [11170-40]
- 11170 OS **Ultra-high repetition-rate (tens of MHz) nanosecond all-fiber amplifier based on a SESAM passively mode-locking fiber oscillator at 1064 nm** [11170-41]
- 11170 OT **Detection of optical vortex using the fractional Fourier system** [11170-43]
- 11170 OU **Temperature-tuned solid-etalon filter for the space-borne lidar receiver** [11170-45]
- 11170 OV **Optimum growth parameters of InAs/AlSb superlattices for interband cascade lasers** [11170-46]
- 11170 OW **Detection of optical fringes parameters with global direction metric** [11170-48]
- 11170 OX **Amplitude optimization of wavefront shaping using adaptive binary harmony search algorithm** [11170-50]
- 11170 OY **Microfiber/SiC-nanowire coupler for all-optical photodetection** [11170-51]
- 11170 OZ **Application of femtosecond frequency combs in the measurement of film thickness** [11170-54]

- 11170 10 **A judgement method for mosaic grating error based on diffraction wavefront measured under multiple incident angles** [11170-55]
- 11170 11 **The study of optical statistical properties and coherence for XFEL** [11170-56]
- 11170 12 **Experiment research of high-power, high-repetition picosecond pulse amplifier** [11170-57]
- 11170 13 **Optimization design of space mirror support based on topology optimization method** [11170-58]
- 11170 14 **1.2-um InAs/GaAs high-density quantum dot laser** [11170-59]
- 11170 15 **Design and experimental investigation of nano-structured optical polarizing elements based on two-photon photopolymerization** [11170-60]
- 11170 16 **Enhanced circular dichroism by all-dielectric multi-size combined chiral structure** [11170-61]
- 11170 17 **Influence of energy parameters in Laser-MIG hybrid welding on weld formation of 304 stainless steel** [11170-62]
- 11170 18 **Local structure and optical property of GeTe@Cu composite thin film** [11170-65]
- 11170 19 **Research on short pulse laser detection method for "cat's eye" target based on spectral features** [11170-67]
- 11170 1A **Fabrication of GaSb-based distributed Bragg reflector semiconductor lasers** [11170-68]
- 11170 1B **A segmentation algorithm on terahertz digital holographic image** [11170-69]
- 11170 1C **Point spread function measurement and analysis of three dimensional optical imaging system** [11170-70]
- 11170 1D **Influence of structural parameters of high-power fiber lasers on stimulated Raman scattering and the suppression methods** [11170-71]
- 11170 1E **Influence of Sn dopant on the crystallization of amorphous Ge₂Sb₂Te₅ by a picosecond pulsed laser irradiation** [11170-74]
- 11170 1F **Simulation of the effect of noise on terahertz digital holography reconstructed image** [11170-76]
- 11170 1G **Temperature characteristics of Faraday anomalous dispersion optical filter at Cs 852 nm transition** [11170-77]
- 11170 1H **Research about new light source on LARP technology** [11170-79]
- 11170 1I **Relativistic self-focusing in interaction of intense laser beam and exponential decay underdense inhomogeneous plasma** [11170-80]

- 11170 1J **Control of saturable absorption of topological insulator Bi₂Se₃ by electron and hole doping** [11170-81]
- 11170 1K **Investigation on pulsed laser damage resistance of high-absorption ceramic coatings** [11170-83]
- 11170 1L **Preparation of low-resistance tunnel junction for high efficiency multi-junction semiconductor laser diodes** [11170-84]
- 11170 1M **Generation of an arbitrary order Bessel beam in FDTD for time domain calculation** [11170-86]
- 11170 1N **Preparation of reflection-type MoS₂ saturable absorber and application in 2μm waveband** [11170-87]
- 11170 1O **Research on common aperture optical device for high energy laser system** [11170-88]
- 11170 1P **Continuous-wave mid-infrared GaSb-based optically pumped semiconductor disk laser operating at 2 μm** [11170-89]
- 11170 1Q **Micro-ring resonator optical sensor based on silicon and silicon nitride waveguide** [11170-90]
- 11170 1R **Influence of haze on pulse and FMCW laser ranging accuracy** [11170-92]
- 11170 1S **Principle of PWC method application in ZEMAX** [11170-96]
- 11170 1T **Design of high precision digital phase detector in LDDM system** [11170-98]
- 11170 1U **Generation of stretched pulse in dispersion-managed Tm-doped fiber laser** [11170-100]
- 11170 1V **212W, Nd:YAG Innoslab nanosecond laser amplifier** [11170-103]
- 11170 1W **Spectral polarization spreading effect of stimulated Brillouin scattering in fibers** [11170-104]
- 11170 1X **The MOCVD overgrowth studies of III-Nitride on Bragg grating for distributed feedback lasers** [11170-108]
- 11170 1Y **The formation simulation of laser disturbing effect image** [11170-110]
- 11170 1Z **The influence of detector's integration time on the laser disturbing effect** [11170-111]
- 11170 20 **Characteristics of return photons from the polychromatic laser guide star excited by a long pulse laser with 330 nm wavelength** [11170-113]
- 11170 21 **Propagation characteristics of vortex beam passing cube-corner prism** [11170-116]
- 11170 22 **Single acousto-optic tunable filter based double filtering imaging system** [11170-119]

- 11170 23 **Laser-induced focused ultrasound for noninvasive sonothrombolysis using candle soot polymer nanocomposite-coated photoacoustic lens** [11170-120]
- 11170 24 **Research on calibrating the deviation introduced by dispersion in multi-point time dissemination system via ring fiber network** [11170-121]

Part Two

- 11170 25 **Hyperspectral microscopic imaging of skin squamous cell carcinoma** [11170-122]
- 11170 26 **Research on iterative method of wavefront reconstruction for imaging through turbid medium** [11170-123]
- 11170 27 **Graphene-MoS₂ heterostructure transistor** [11170-124]
- 11170 28 **Impact of quantum capacitance on the characteristics of MoS₂ field effect transistor** [11170-126]
- 11170 29 **Algorithms for focusing characteristic of laser beam through scattering media** [11170-128]
- 11170 2A **Characteristics of array Gaussian-Schell mode beam propagating through oceanic turbulence** [11170-130]
- 11170 2B **Research of laser-induced underwater communication zoom optical system** [11170-136]
- 11170 2C **Single zeptosecond pulse generation by scattering of a relativistic electron with an intense circularly polarized laser pulse** [11170-137]
- 11170 2D **Propagation properties of radially polarized partially coherent beam in the oceanic turbulence** [11170-138]
- 11170 2E **Quasi-continuous-wave long-pulsed, all-solid-state Nd:YAG modeless laser** [11170-140]
- 11170 2F **Study on flat-top shaping technology in picosecond laser micro-machining** [11170-141]
- 11170 2G **Theoretical and experimental study on nonlinear effects of mode-locked and extracavity modulation nanosecond pulsed laser** [11170-142]
- 11170 2H **Engineering the chromatic dispersion in dual-wavelength metalenses for unpolarized visible light** [11170-144]
- 11170 2I **Experimental study on the effect of *Coptis chinensis*-*Scutellaria baicalensis* on prevention and treatment of ulcerative colitis and antioxidant capacity** [11170-146]
- 11170 2J **Study on the prevention and treatment of ulcerative colitis and antioxidant activity of allium macrostemon powder** [11170-147]
- 11170 2K **Mechanism analysis of influence of shaffing error on laser tracker** [11170-148]

- 11170 2L **High sensitivity angle-sensing photodetector** [11170-152]
- 11170 2M **The performance of mid-wave infrared HgCdTe e-avalanche photodiodes at SITP** [11170-154]
- 11170 2N **Magnetohydrodynamics-based microfluidic optical switch** [11170-155]
- 11170 2O **Observation of diverse passive harmonic mode-locked soliton pulses in an all-normal-dispersion fiber laser** [11170-158]
- 11170 2P **Design of a charge sensitive spectroscopy amplifier for CdZnTe-based high energy x-ray detector** [11170-159]
- 11170 2Q **Application of reflection transform imaging in trace detection** [11170-161]
- 11170 2R **930nm diode laser source by spectral beam combining based on a transmission grating** [11170-163]
- 11170 2S **A tunable CW dual-wavelength Cr:ZnSe laser with collinear output** [11170-169]
- 11170 2T **An improved fitting method of birefringence dispersion for liquid crystal variable retarder** [11170-170]
- 11170 2U **A method of polarization-mode conversion based on birefringent film in immersion lithographic illumination system** [11170-171]
- 11170 2V **A new lidar technology using frequency comb light source** [11170-174]
- 11170 2W **Development of multi-wavelength Mie-scattering aerosol lidar system** [11170-175]
- 11170 2X **Research on distributed 3D printing model slicing system based on cloud platform** [11170-176]
- 11170 2Y **Temperature field and influence analysis of magneto-optical modulation system** [11170-177]
- 11170 2Z **Incoherent polarization beam combination for mid-infrared semiconductor lasers** [11170-178]
- 11170 30 **One dimensional incoherently coupled spatial soliton pairs in biased two-photon photovoltaic photorefractive crystals** [11170-180]
- 11170 31 **Research on nonlinear compensation technology of wireless optical communication system** [11170-181]
- 11170 32 **Application of reflection transform imaging in handwriting trace detection** [11170-182]
- 11170 33 **1.9W single-frequency, grating external-cavity tapered laser with narrow linewidth** [11170-183]
- 11170 34 **Research on real-time detection system of underwater polarization imaging based on focusing plane method** [11170-185]

- 11170 35 **Generation and manipulation of the circular Airy vector beams by dielectric metasurface** [11170-186]
- 11170 36 **Temperature sensor with micro-ring assisted Mach-Zehnder filter** [11170-187]
- 11170 37 **Preparation of SiO₂ antireflective coatings by spray deposition** [11170-188]
- 11170 38 **Microfluidic Mach-Zehnder filter** [11170-190]
- 11170 39 **Feature analysis of wrapped phases of nucleated cells in polar coordinates** [11170-191]
- 11170 3A **Analysis on one-way dual wavelength time transfer via fiber link based on TIVGVD** [11170-192]
- 11170 3B **Detection of latent fingerprints on papers** [11170-195]
- 11170 3C **Laser projection optical path design and speckle suppression** [11170-196]
- 11170 3D **Observation of greenhouse gases and their impacts on atmospheric transmittance** [11170-198]
- 11170 3E **Laser beam shaping based on wavefront sensorless adaptive optics with stochastic parallel gradient descent algorithm** [11170-199]
- 11170 3F **Development of a new Mie scattering lidar and its aerosol detection** [11170-200]
- 11170 3G **A multi-wavelength chaotic light source based on a semiconductor optical amplifier fiber ring laser** [11170-203]
- 11170 3H **Detection of the effect of Moxibustion on QI-blood by optical coherence tomography** [11170-204]
- 11170 3I **Investigation on the radiation recovery effect on BOTDR system** [11170-206]
- 11170 3J **Generation of optical needle with wavelength magnitude by tight focusing of circular partially coherent beams** [11170-207]
- 11170 3K **Laser medical image processing based on neighborhood concerning Gaussian mixture model** [11170-209]
- 11170 3L **High-dimensional chaotic laser secure communication system based on variable laser power** [11170-212]
- 11170 3M **Enhanced aluminum doping profile in 4H-SiC by wet-chemical laser doping** [11170-213]
- 11170 3N **Comparative study of pulse and FMCW laser detection performance in fuzzy environment** [11170-214]
- 11170 3O **Impact of filling factor on correction of piston and tip/tilt in coherent beam combination** [11170-215]

- 11170 3P **High power and high efficiency 1060nm semiconductor laser mini-bar with multi-active regions** [11170-216]
- 11170 3Q **Experimental study of the transverse mode instability in different core diameter fiber laser oscillators** [11170-218]
- 11170 3R **Finite element analysis of stimuli-responsive mesoscopic hydrogel via ultrafast laser processing** [11170-220]
- 11170 3S **Generation of soliton molecules in a 2- μ m mode-locked fiber laser** [11170-221]
- 11170 3T **Photoacoustic properties of metal-insulator-metal nanostructures** [11170-223]
- 11170 3U **Carbon nanotube-doped electric hydrogels via ultrafast laser processing and loading conductive polymer** [11170-225]
- 11170 3V **Wide field Raman super-resolution microscopy** [11170-226]
- 11170 3W **System development of productization Raman-Mie aerosol water vapor lidar** [11170-228]
- 11170 3X **Spatial regulation of thermal emission based on polar material** [11170-229]
- 11170 3Y **Non-reciprocal character in the microwave photonic sensing system utilized by the intensity optical modulator** [11170-230]
- 11170 3Z **The first harmonic generation and linear susceptibility tensor variation at crystal boundary** [11170-231]
- 11170 40 **Research on 940nm kilowatt high efficiency quasi-continuous diode laser bars** [11170-232]
- 11170 41 **Simulation software design for Guanlan lidar data link** [11170-233]
- 11170 42 **Gold nanosprings formed by rolled-up technique** [11170-235]
- 11170 43 **Label-free analysis of senescent cells by light sheet microfluidic cytometry with a disposable hydrodynamic focusing unit** [11170-238]
- 11170 44 **Reconfigurable linear-phase response spectral shaping filter** [11170-241]
- 11170 45 **Reflection-mode broadband photoacoustic microscopy based on surface plasmon resonance** [11170-243]
- 11170 46 **High-sensitivity reflection-mode in-vivo photoacoustic microscopy based on surface plasmon resonance sensing** [11170-245]
- 11170 47 **Visible light propagation characteristics under turbulent atmosphere and its impact on communication performance of traffic system** [11170-246]
- 11170 48 **Optical switch with a hot bubble** [11170-193]